1

Hepatic ceramide synthesis links systemic inflammation to organelle dysfunction in cancer

Ying Liu[1, #, *], Ting Miao[1, #], Alice Wang[2], Ezequiel Dantas[3], Ah-Ram Kim[1], Zhongjie Zhang[1], Xiaomei Sun[1], Richard Binari[1], John M. Asara[4, 5], Yanhui Hu[1], Marcus D. Goncalves[3], Tobias Janowitz[2,6], Norbert Perrimon[1, 7, *]

[1] Department of Genetics, Blavatnik Institute, Harvard Medical School, Boston, MA 02115, USA

[2] Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, NY 11724 USA

[3] Department of Medicine, New York University Grossman School of Medicine, New York, NY 10016, USA

[4] Department of Medicine, Harvard Medical School, Boston, MA, USA

[5] Division of Signal Transduction, Beth Israel Deaconess Medical Center, Boston

[6] Northwell Health Cancer Institute, Northwell Health, New Hyde Park, New York, NY 11042 USA

[7] Howard Hughes Medical Institute, Boston, MA, USA

[#] Authors contribute equally

*Correspondence:

Ying Liu: ying_liu@hms.harvard.edu

Norbert Perrimon: perrimon@genetics.med.harvard.edu

Abstract

Paraneoplastic syndromes arise when tumor-derived cytokines reprogram distant organs. Although mediators such as Interleukin-6 have been implicated, how these signals impair host organ function remains incompletely defined. Here, we identify a cytokine-lipid axis that drives hepatic autophagy dysfunction. Specifically, in *Drosophila*, the gut tumor-derived interleukin-like cytokine Upd3 induces the expression of the triglyceride lipase *CG5966*, which we named "*cancer-associated lipid mobilizer* (*calm*)", and the ceramide synthase *schlank* in the fat body. This upregulation rewires fat body lipid metabolism, resulting in an autophagic-flux blockade. Genetic reduction of either *CG5966* or *schlank* restores organelle homeostasis and mitigates paraneoplastic phenotypes. This mechanism is conserved in mammals: in mice, IL-6 upregulates the lipoprotein lipase *Lpl* and ceramide synthases which in turn trigger a hepatic autophagy-flux blockade; in humans, hepatic *LPL* and ceramide synthases expression correlates with poorer survival in hepatocellular carcinoma. Our findings position hepatic lipid metabolism rewiring, especially ceramide synthesis as a critical, conserved node coupling systemic inflammation to organelle dysfunction, and suggest this pathway as a possible therapeutic entry point for cancer-associated liver disorders.

Introduction

Paraneoplastic syndromes are systemic disorders in cancer patients caused by tumor-derived factors that disrupt distant organs (Pelosof and Gerber, 2010). Among these factors, cytokines, particularly interleukin-6 (IL-6), are prominent paraneoplastic factors that drive diverse clinical manifestations (Ferrer et al., 2023; Flint et al., 2016; Pelosof and Gerber, 2010; Wu et al., 2017). IL-6 engages the JAK/STAT signaling cascade in distant tissues, leading to transcriptional reprogramming that drives systemic inflammation, enhanced thrombopoiesis, and cachectic wasting (Ding et al., 2021; Liu et al., 2025; Stone et al., 2012). One of the primary target tissues of IL-6 in paraneoplastic syndrome is the liver, a central hub of systemic metabolic regulation (Fearon et al., 2012; Liu et al., 2025). In response to chronic IL-6-driven inflammatory cues , the liver enhances gluconeogenesis while promoting adipose lipolysis and skeletal muscle proteolysis, metabolic adaptations that collectively culminate in cancer cachexia. (Ding et al., 2021; Liu et al., 2025). Within hepatocytes, basal autophagy is essential for proteostasis and organelle quality control (Qian et al., 2021). Consistent with this, genetic ablation of core autophagy genes leads to the accumulation of ubiquitinated proteins and p62/SQSTM1-positive inclusions, oxidative stress, hepatomegaly, and hepatic steatosis, underscoring the role of autophagy in maintaining liver function (Komatsu et al., 2007, 2005; Ni et al., 2014). However, whether tumor-derived signals impair hepatic autophagy in a way that contributes to paraneoplastic syndromes remains unknown.

Autophagy is a dynamic membrane-trafficking process that is intrinsically linked to lipid metabolism, making it a highly lipid-demanding pathway. Autophagosome formation begins with the nucleation of an isolation membrane (phagophore), followed by elongation around cytosolic cargo and sealing into a mature vesicle (Ryter et al., 2013; Ueno and Komatsu, 2017). Phospholipids furnish the structural material for phagophore nucleation, membrane elongation, and remodeling during autophagosome biogenesis (Harayama and Riezman, 2018; Rowland et al., 2023). The supply of phospholipids, synthesized from fatty acyl-CoA and glycerol-3-phosphate, sets a key rate constraint; fatty acyl-CoAs are derived

from *de novo* lipogenesis or liberated via lipolysis, directly linking autophagic dynamics to

cellular lipid metabolism (Harayama and Riezman, 2018; Rowland et al., 2023).

Consistently, long-chain acyl-CoA synthetases (ACSLs), which channel fatty acids into *de*

novo phospholipid synthesis, relocalize to nascent phagophores to boost local lipid

production required for membrane expansion (Dong et al., 2018; Schütter and Graef, 2020).

Autophagosome expansion also requires the lipidation and membrane association of

ubiquitin-like protein Atg8/LC3: increasing Atg8 enlarges autophagosomes through

enhanced elongation and cargo capture, whereas reducing it yields smaller vesicles

(Weidberg et al., 2011; Xie et al., 2008). Thus, in metabolically stressed liver, tumor-

induced shifts in lipid supply and/or Atg8 abundance are poised to modulate

autophagosome number and size, with direct consequences for autophagic capacity

(Rowland et al., 2023; Schütter and Graef, 2020; Ueno and Komatsu, 2017).

Dysregulated sphingolipid metabolism exemplifies how lipid imbalances can disrupt

autophagy. Ceramides, synthesized *de novo* from serine and palmitoyl-CoA by a family of

ceramide synthases (CerS1–6), accumulate in metabolic diseases and some cancers

(Hannun and Obeid, 2018; Mullen et al., 2012). While modest increases in ceramide can

induce protective autophagy (Taniguchi et al., 2012), chronic or excessive ceramide

accumulation impairs autophagic flux, often by compromising lysosomal integrity

(Gabandé-Rodríguez et al., 2014; Liu et al., 2016). Mechanistically, sustained ceramide

accumulation destabilizes lysosomes, leading to defective hydrolase maturation and

leakage of cathepsins into the cytosol, thereby blocking the final stages of autophagic

degradation (Gabandé-Rodríguez et al., 2014; Liu et al., 2016; Turk et al., 2001). These

findings raise the possibility that tumor-driven perturbation in lipid flux, particularly the

buildup of ceramides, could blunt hepatic autophagy and thereby contribute to hepatic

impairment and broader systemic dysfunction.

Drosophila melanogaster offers a powerful genetic system for dissecting such cross-organ

interactions. Multiple fly tumor models exhibit paraneoplastic-like phenotypes, enabling

systematic analysis of underlying tumor-host signaling (Bilder et al., 2021; Cheng et al.,

2025; Liu et al., 2022). In the Yorkie (Yki) model, gut tumors induced by overexpressing an

active form of the oncoprotein Yki, the fly homolog of YAP (*esg>yki^{act}*; referred to as Yki

flies), elicit systemic effects reminiscent of human paraneoplastic syndromes (Kwon et al.,

2015). Yki-driven tumors secrete circulating factors, including PDGF- and VEGF-related

factor 1 (Pvf1) and the IL-6-like cytokine Unpaired 3 (Upd3), which act on distant tissues

like muscle and fat body to induce wasting (Ding et al., 2021; Liu et al., 2025; Song et al.,

2019). The genetic and physiological tractability of the fly fat body, an organ analogous to

the vertebrate liver and adipose tissue, makes it an ideal model to investigate how tumor-

derived cytokines reshape hepatic lipid metabolism and autophagy to drive paraneoplastic

pathology (Liu et al., 2025). Here, guided by a cross-organ gene expression analysis of

paraneoplastic progression, we demonstrate that tumor-derived Upd3 activates JAK-STAT

signaling to upregulate the lipase *CG5966* and the ceramide synthase *schlank* in the fat

body, disrupting lipid homeostasis and triggering severe autophagy dysfunction.

Importantly, this pathogenic axis is conserved in mammals, as IL-6 drives expression of

lipoprotein lipase (*LPL*) and ceramide synthases in mouse models. Further, elevated *LPL*

and *CERS5/6* expression are significantly associated with reduced survival in

hepatocellular carcinoma. Together, these findings suggest that hepatic lipid metabolism,

namely ceramide synthesis may be a therapeutic target for cancer-associated hepatic

dysfunction.

Results

Identification of CG5966 as a paraneoplastic factor

In cancer patients, the timing of paraneoplastic syndrome onset frequently diverges from

tumor growth (Pelosof and Gerber, 2010). Similarly, in the Yki gut-tumor model, peripheral

organ dysfunction (renal failure, muscle degeneration, ovary atrophy) emerges with a delay,

robust by day 8 following tumor maturation at day 5 (Kwon et al., 2015; Liu et al., 2025;

Song et al., 2019; Xu et al., 2024). To distinguish the effects of tumor burden from tumor-

driven systemic signals, we leveraged our full-body single-nucleus transcriptomic data

generated previously (Liu et al., 2025), which profiles gene expression dynamics of both gut

tumors and host organs at days 5 and 8. We integrated, across cell clusters, both effect

size (fold-change) and statistical significance to compute a progression association index

for each gene (Fig. 1a). Genes whose differential expression increased from day 5 to day 8

(positive index) were classified as progression-associated and thus prioritized as

candidates contributing to paraneoplastic syndrome progression (Fig. 1a). Among cell

clusters, enterocytes (ECs) exhibited the largest share of genes associated with

progression, consistent with continued differentiation of tumor intestinal stem cells (ISCs)

into ECs, followed by follicle cells and indirect flight muscle, reflecting ovarian atrophy and

muscle decline, respectively (Fig. S1a) (Liu et al., 2025). Notably, while fat body cell

proportions remained relatively stable at both day 5 and day 8 (Liu et al., 2025), it exhibited

a higher fraction of progression-associated genes compared with other tissues (Fig. S1a).

Top genes identified by the progression association index, including *CG14275, Pepck1,*

IM2, CG5966, and *ScsβA*, were predominantly upregulated in the fat body (Fig. 1a; FigS1b-

f). Of these, we previously implicated *Pepck1* and *ScsβA* as causal mediators of hepatic

gluconeogenic dysregulation and cachectic progression (Liu et al., 2025). Together, these

analyses identify the fat body, a fly tissue with many liver-like functions, as a central driver

of paraneoplastic progression.

Among the genes with the highest progression association index score, *CG5966* is an

unannotated gene (Fig. 1a). To test whether its induction contributes to pathogenesis rather

than simply reflecting end-stage dysfunction, we combined esg-LexA/LexAop to activate

Yki in ISCs (*esg-LexA, LexAop-Yki^{act}*) with Lpp-Gal4/UAS to knockdown *CG5966* specifically

in the fat body (*Lpp-Gal4, UAS-CG5966-RNAi*). Fat-body *CG5966* depletion did not alter

GFP-labelled gut tumor size nor phospho-Histone 3 (pH3) signal, a cell mitoses marker,

indicating no effect on tumor burden or proliferation (Fig. 1b-d). In contrast, *CG5966*

knockdown significantly reduced bloating, a hallmark of paraneoplastic phenotype in Yki

flies (Kwon et al., 2015; Liu et al., 2025), as evidence by reduced abdomen-to-head (A/H)

ratio and total body fluid, suggesting an attenuation of paraneoplastic progression (Fig. 1b,

e-g). Consistent with rescue of systemic deterioration, climbing ability improved and

lifespan was extended in Yki flies upon fat-body *CG5966* knockdown (Fig. 1h, i).

Collectively, these data establish *CG5966* as a fat-body-expressed contributor to

paraneoplastic pathology in the Yki model.

CG5966 targets a subset of triglycerides and reroutes fatty acids into phospholipids

We next investigated the pathogenic mechanism of CG5966. FlyBase annotates *CG5966* as

a putative triglyceride (TG) lipase. As it associates with cancer and is a lipase, we named

CG5966 as *Cancer-Associated Lipid Mobilizer* (*calm*). Sequence alignment with classical

human lipases revealed the signature motif G-x-S-x-G in CG5966, as well as the conserved

catalytic triad residues (Ser199-Asp227-His312) required for lipid hydrolysis (Fig. S2a).

Complementing this, 3D structural modeling using AlphaFold revealed the closest

similarity to human pancreatic lipase (PNLIP) and lipoprotein lipase (LPL) (Fig. 2a, b),

supporting a close functional relationship between CG5966 and these lipases. Because Yki

flies show reduced TG levels (Kwon et al., 2015), we initially hypothesized that upregulated

CG5966 simply drives bulk TG hydrolysis to deplete energy stores. However, fat-body-

specific *CG5966* knockdown in Yki flies did not restore total TG levels in the abdomen

carcass mainly containing fat body tissue (Fig. S2b), suggesting its selective role in TG

hydrolysis. To test substrate preference of CG5966 independent of tumors, we profiled

lipids in abdomen in wild-type flies with or without fat-body *CG5966* overexpression (Fig.

S2c). Consistent with the observations in Yki flies, total TG abundance remained

unchanged upon *CG5966* overexpression (Fig. 2c). By contrast, species-resolved

lipidomics revealed selective depletion of TGs bearing 16:0, 16:1, 18:0, or 18:1 acyl chain

upon *CG5966* overexpression (Fig. 2d-g; S2d), suggesting that CG5966 preferentially acts

on specific molecular TGs. To further assess the lipase activity of CG5966, we performed

molecular docking using TG (16:0/18:1/18:1), one abundant TG species in both fly and

mammals that was significantly depleted upon *CG5966* overexpression. The Boltz-2

docking model positioned the ester bond of the TG substrate in close proximity to the

catalytic triad, with a predicted binding free energy of -8.2 kcal/mol, indicating a highly

efficient substrate recognition (Fig. 2h) (Mirdita et al., 2022; Passaro et al., 2025).

Altogether, our data suggest CG5966 preferentially targets TG containing C16 and C18 acyl

chains.

As the induction of *CG5966* may not be the leading reason of storage lipid depletion in our

tumor model, we investigated the possible physiological consequences of CG5966-

mediated C16/18 TG liberation. Lipidomic profiling revealed that phospholipids bearing the

same acyl chains were enriched upon *CG5966* overexpression: C18:1 increased in

Phosphatidylethanolamine (PE), Phosphatidylcholine (PC), Phosphatidylinositol (PI), and

Phosphatidylglycerol (PG) (Fig. 2d; Fig. S2e), C18:0 increased in PI (Fig. 2e; Fig. S2f), and

C16:1/C16:0 increased in PE/PC/PG (Fig. 2f,g; Fig. S2g,h). As most phospholipids contain

C16 and C18 acyl chains (Skotland and Sandvig, 2019), these compositional shifts were

companied by increases in total PC, PG, and PI pools (Fig. S2i-k). These data suggest that

C16/C18 fatty acyl-CoAs liberated from CG5966-mediated TG depletion are subsequently

utilized for phospholipid synthesis. Given that phospholipids are major membrane building

blocks (Harayama and Riezman, 2018), we hypothesized that CG5966 play a role in

supplying membrane-lipid precursors. If so, it would interact with membrane-lipid

biogenesis regulators or enzymes. To test this, we used AlphaFold-Multimer (AFM) to

screen putative CG5966 protein-protein interfaces with markers of specific compartments

(lysosome, ER, Golgi, plasma membrane) and lipid-metabolic enzymes (Fig. S2l) (Evans et

al., 2021). We modeled 3,686 proteins (five AF-M models each; 18,430 total predictions)

and, using integrated Local Interaction Score (iLIS) (Kim et al., 2024), retained 248 high-

confidence interfaces (1.35%), corresponding to 158 candidate interactors (Fig. 2i; Fig.

S2l). Clustering of these candidates by interacting sites yielded 13 groups (Fig. 2j). The

most enriched group (Cluster 1) contains membrane-lipid biogenesis regulators, and the

second enriched group (cluster 8) includes factors acting at multiple steps of autophagy

(Fig. 2j, k). We further checked the interacting interfaces by these top two cluster of

proteins, autophagy factors interact CG5966 at out surface, whereas the membrane-lipid

biogenesis regulators interact closely to the catalytic triad residues (Ser199-Asp227-

His312), suggesting a coordinated procession of lipid (Fig. 2i). Top-scoring partners in the

membrane-biogenesis cluster included PGAP5, PIG-H, GPAA1/GAA1 (GPI-anchor

synthesis/remodeling) (Kinoshita et al., 2006; Kinoshita, 2020; Tiede et al., 2000), and

glycosyltransferases (e.g., α4GT2) implicated in ER/Golgi membrane maturation (Fig. 2k)

(Hamel et al., 2010). From the autophagy enriched cluster 8, we recovered autophagy-

trafficking factors involved in multiple steps of autophagy process, including Atg12

(ubiquitin-like conjugation system required for autophagosome formation) (Mulakkal et al.,

2014), Rab26/27/40 (small GTPases coordinating vesicle dynamics) (Gillingham et al.,

2014), CG5367 (Cathepsin L4), and GILT1 (a lysosomal thiol-reductase linked to

autolysosome function) (Kongton et al., 2014) (Fig. 2k, m-p). Based on these predictions,

we investigated whether CG5966 mediated TG hydrolysis regulates autophagy in the fat

body. We assayed autophagy *in vivo* with CYTO-ID® Autophagy Detection Reagent that

stains autophagic vesicles (pre-autophagosomes, autophagosomes, and autolysosomes).

Indeed, fat-body *CG5966* overexpression increased the number of autophagic vesicles,

while vesicle sizes were unchanged (Fig. 2q-s). This is consistent with previous report that

autophagosome formation depends on the membrane delivery, while size scaling requires

other regulators such as ubiquitin-like protein Atg8/LC3 (Weidberg et al., 2011; Xie et al.,

2008). Altogether, our results suggest that CG5966 preferentially liberates C16/C18 acyl

chains from TG, thereby fueling phospholipid synthesis, expanding membrane lipid supply,

and promoting autophagosome formation.

CG5966 promotes autophagosome formation in Yki flies

We next asked whether CG5966 modulates autophagy in the Yki model. Fat-body staining

in Yki flies revealed a robust increase in number of autophagic vesicles, mirroring the effect

of *CG5966* overexpression in wild-type animals, with an additional enlargement of vesicle

sizes unique to the Yki background (Fig. 3a-c). Both phenotypes (increased vesicle

numbers and sizes) were suppressed by fat-body-specific *CG5966* depletion (Fig. 3a-c).

These observations suggest a *CG5966*-mediated upregulation of autophagosome

formation in Yki flies. Elevated autophagosome formation typically reflects enhanced

initiation of the autophagy process (Fig. S3a-d). Supporting this, expression of the

autophagy-initiating kinase *Atg1* and *Atg17* was elevated in the fat body of Yki flies at day 8

(Fig. S3a-c). To directly test whether autophagy initiation was promoted in Yki flies, we

depleted *Atg1* specifically in the fat body of Yki flies. As expected, *Atg1* knockdown blunted

autophagic-vesicle staining, restoring vesicle numbers and sizes to normal levels (Fig. 3d-

f). This result confirms enhanced autophagy initiation in Yki flies. We then examined

whether this activated autophagy initiation contributes to paraneoplastic syndrome.

Indeed, fat-body-specific *Atg1* depletion did not alter tumor burden or proliferation (Fig. 3g-

i) but significantly reduced bloating and total body fluid (Fig. 3g, j, k) and improved climbing

ability (Fig. 3l). Together, these data demonstrate that activation of autophagy initiation

contributes to the paraneoplastic syndrome in *Yki* flies, likely mediated by *CG5966* through

promoting autophagosome formation. Notably, although not observed in *CG5966*-

overexpressing wild-type flies (Fig. 2q, s), autophagic vesicle enlargement was evident in

Yki flies and was rescued by either *CG5966* or *Atg1* knockdown (Fig. 3a, c, d, f). This

discrepancy suggests that in the tumor context, autophagy perturbation extend beyond

initiation, implicating additional mediators besides CG5966 in the dysregulation of

autophagy in Yki flies.

Autophagic flux is blocked in Yki flies

We therefore examined classical markers of autophagic flux to clarify the dysregulation in

Yki flies. Consistent with the increased number of autophagic vesicles, immunoblotting

showed elevated levels of Atg8-II (LC3-II) (Fig. S4a), the lipidated, membrane-bound form

of Atg8 associated with autophagosomes (Xie et al., 2008). Because accumulation of Atg8-

II can reflect enhanced autophagosome biogenesis and/or flux blockade at

autophagosome-lysosome fusion or lysosomal degradation steps, we next assessed

autophagic flux and lysosomal function. The anti-p62/Ref(2)P antibody, a negative indicator

of autophagic flux, did not yield reliable detection in the adult fat body, so we evaluated

cathepsin L (CtsL) maturation as a readout of lysosomal proteolytic activity. CtsL is

synthesized as a pro-enzyme that undergoes proteolytic processing into its mature

lysosomal form (Turk et al., 2001). Notably, Yki flies displayed elevated levels of pro-CtsL

(Fig. 4a), indicating insufficient lysosomal proteolysis. Together with increased

autophagosome number and accumulation of Atg8-II, these data suggest that

autophagosome formation is promoted, whereas lysosomal degradation at the later stage

of autophagy is compromised in the fat body of Yki flies. To further assess lysosomal

alterations, we examined lysosome morphology and abundance in the fat body of Yki flies

using LysoTracker, which labels acidic lysosomes and autolysosomes. Consistent with

compromised lysosomal function, Yki fat bodies exhibited abnormally increased size and

number of lysosomes, and these alterations were suppressed by fat-body specific *CG5966*

depletion (Fig. 4b-d). Because a block in lysosomal degradation can arise from defective

autophagosome-lysosome fusion or intrinsic lysosomal dysfunction (Fig. S3a), we co-

stained autophagic and lysosomal vesicles to examine these possibilities. Co-localization

analysis revealed substantial overlap between enlarged autophagic vesicles and

lysosomes, indicating that the expanded vesicles in Yki fat bodies are predominantly

autolysosomes (autophagosome-lysosome hybrids) (Fig. 4e, f). Notably, the number of

autolysosomes were also increased in Yki flies, suggesting no defects in autophagosome-

lysosome fusion (Fig. 4g). Consistent with the role of CG5966 in supplying lipids for

autophagosome formation, its depletion in Yki flies reduced autolysosome number and

was accompanied by smaller autophagic vesicles and lysosomes (Fig. 3c; 4d, g). Together,

these results rule out autophagic flux blockade at the autophagosome formation or

autophagosome-lysosome fusion steps, instead indicate that the terminal degradation is

impaired due to lysosomal dysfunction.

Ceramide accumulation underlies lysosomal dysfunction in Yki flies

We next investigated why terminal lysosomal degradation is impaired in the fat body of Yki

flies. Intrinsic lysosomal dysfunction can result from several causes, including defective

lysosomal acidification and compromised hydrolase processing (Colacurcio and Nixon,

2016; Saftig and Klumperman, 2009). Surveying our Yki transcriptome and lipidomics

datasets, we found no evidence of altered expression in genes governing lysosomal

acidification (e.g., *Vha100-1*, *Vha16-1*, *VhaAC39-1*) or hydrolase processing (e.g., *Lerp*,

Rab5, *Rab6*, *Rab7*, *Syx17*); with one exception: *CtsL1* was upregulated (Fig. S4b). Together

with the accumulation of pro-CtsL, this pattern is consistent with a possible compensatory

response to impaired CtsL maturation. In contract, we noticed a significant increase in

sphingolipids among the major lipid classes (Fig S4c-g), with a double amount of whole-

body ceramide levels in Yki flies compared with controls (Fig. 4h). Excessive ceramides are

known to disrupt lysosomal function and blocking cargo degradation (Gabandé-Rodríguez

et al., 2014; Liu et al., 2016). These findings suggest a ceramide-driven mechanism for the

lysosomal defect in Yki flies. To test this hypothesis, we depleted *schlank*, the sole

ceramide synthase characterized in *Drosophila*, in the fat body and assessed lysosomal

function by CtsL maturation. As predicted, *schlank* knockdown reduced the accumulation

of pro-CtsL in Yki flies, indicating improved lysosomal proteolysis (Fig. 4i). Concordantly,

schlank depletion restored lysosome number and size to near-normal levels (Fig. 4j-l).

Importantly, co-staining of autophagic and lysosomal vesicles showed reduced

autolysosome number (Fig. 4m), and the enlarged autolysosomes were normalized close

to typical autophagic vesicle dimensions (Fig. 4n). Notably, *schlank* knockdown did not

change autophagic vesicle numbers (Fig. 4o), consistent with our model that

autophagosome biogenesis is mediated by CG5966. Together, these findings indicate that

Schlank depletion enhances lysosomal clearance and alleviates autophagic blockade in

Yki flies. We next accessed whether relieving the lysosomal blockade improves host

physiology. Without altering tumor burden or proliferation (Fig. 4p-r), *schlank* depletion

reduced bloating and total body fluid (Fig. 4p, s, t), restored climbing ability, and extended

survival in Yki flies (Fig. 4u, v). Together, these findings support a model in which ceramide

accumulation-induced lysosomal dysfunction blocks autophagic clearance; the

consequent accumulation of enlarged, dysfunctional autolysosomes contribute causally

to paraneoplastic syndrome pathology in the Yki model.

The JAK–STAT pathway drives fat body autophagy dysregulation

We next asked what upstream signal induces fat-body autophagy dysregulation. Many TG lipases (e.g., *brummer/bmm*, fly homolog of *ATGL*) are upregulated when insulin signaling is low to mobilize stored energy (Wang et al., 2011). Although Yki flies exhibit reduced systemic insulin activity due to elevated circulating ImpL2 (an insulin-like peptide antagonist) (Kwon et al., 2015), *CG5966* expression was not suppressed by restoring fat body insulin signaling via overexpression of a constitutively active from of the insulin receptor (*InRca*) (Fig. S5a). Beyond insulin, prior work showed increased Upd3/JAK-STAT and Pvf1/Pvr-RTK signaling in Yki flies (Ding et al., 2021; Liu et al., 2022, 2025; Song et al., 2019); we therefore tested whether these pathways regulate *CG5966*. Among these candidates, *Upd3* overexpression in intestinal stem cells (ISCs) (*esg>Upd3*) led to an upregulation of *CG5966* in the fat body (Fig. 5a). Consistently, fat body expression of constitutively active from of Stat92E (*Lpp>Stat92E^{act}-HA*) increased *CG5966* expression (Fig. 5b). Strikingly, the ceramide synthase *schlank* showed the same regulatory pattern (Fig. 5c, d). These results suggest that the Upd3/JAK-STAT pathway induces expression of both *CG5966* and *schlank* in wildtype flies.

To validate this regulatory axis in the tumor context, we used the dual binary systems: LexA-LexAop to express Yki in ISCs and GAL4-UAS to deplete the JAK-STAT pathway components *hop* (JAK) and *Stat92e* (STAT) in the fat body. As expected, inhibition of JAK-STAT pathway reduced *CG5966* and *schlank* expression (Fig. 5e-h). Published Stat92e ChIP-seq dataset (ENCODE, ENCSR290OJD/ENCFF873KIF) revealed putative Stat92E occupancy within promoter and intronic regions of *CG5966* and *schlank* (Fig. 5i). In agreement, fat body ChIP confirmed Stat92E association at these loci (Fig. 5j). Consistent with the gene expression regulation, inhibiting JAK-STAT signaling in the fat body lowered whole-body ceramide (Fig. 5k), reduced the size and number of autophagic vesicles and lysosomes, decreased autolysosome number (Fig. 5i-q), and cleared the accumulation of pro-CtsL (Fig. 5r),

indicating restored lysosomal maturation. Together, these data indicate that Upd3/JAK-STAT

signaling upregulates two effectors of autophagy in the fat body: *CG5966*, which boosts

autophagosome biogenesis; and *schlank*, which elevates ceramide and impairs lysosomal

function, together driving autophagy dysregulation in Yki flies.

Conserved pathogenic mechanism in mouse models and humans

Public STAT3 ChIP-seq dataset (ENCODE, ENCSR000DEC) in human Hela cells indicates

putative STAT3 occupancy within the promoter regions of *LPL* and *CERS5* (Fig. S5b, c),

suggesting a conserved regulation in mammals. To test whether this JAK-STAT-mediated

lipid-autophagy pathogenic axis is conserved, we employed a mouse IL-6 tumor model:

C57BL/6 mice bearing Lewis lung carcinoma (LLC) tumors engineered either to secrete IL-6

(LLC+IL-6) or not (LLC). LLC+IL-6 mice exhibit rapid weight loss, indicating progress of

paraneoplastic syndrome (Liu et al., 2025). To determine whether mammalian lipases

functionally homologous to CG5966 act downstream of IL-6 in tumor-bearing mice, we

profiled the expression of its putative orthologs (*Pnlip* and *Lpl*) in the liver as well as

adipose tissue, the major TG storage site in mammals. *Pnlip*, predominantly expressed in

the pancreas, was undetectable in adipose tissue or liver, whereas *Lpl* was induced in both

tissues of LLC+IL-6 mice (Fig. 6a, b). These data indicate that IL-6 promotes lipolysis in

both adipose tissue and liver, aligning with our observation of elevated lipolysis in the fly fat

body, which is functionally analogous to these mammalian tissues. To evaluate functional

conservation, we performed lipidomic profiling of adipose tissue and liver in LLC and

LLC+IL-6 mice. In adipose tissue, TG species containing C16/C18 acyl chains were

significantly reduced in LLC+IL-6 mice (Fig. 6c; Fig. S6a), suggesting preferential liberation

of C16/18 fatty acids through activated lipolysis. A similar selective TG depletion occurred

in liver (Fig. 6d; Fig. S6b), accompanied by significant enrichment of phospholipids (PC, PI,

PE, PG) containing C16/C18 chains (Fig. 6e-h; Fig. S6c-e), mirroring our observation in flies.

Together, these findings support a conserved IL-6-driven program that mobilizes C16/18

fatty acids from TG to supply specific phospholipid synthesis. Given that lipolysis

substrates reside primarily in adipocytes in mammals, these results point to an adipose-

liver metabolic circuit in which adipocyte TG hydrolysis provides fatty acids that fuel

hepatic phospholipid biogenesis.

We next examined whether JAK-STAT dependent upregulation of hepatic ceramide

synthesis is also conserved in mice. Among the six *CerS* genes (*CerS1-6*), *CerS4*, *CerS5*,

and *CerS6* were upregulated in liver following IL-6 induction (Fig. 6i-k; Fig. S6f). Unlike the

fly enzyme schlank (with limited substrate bias), mammalian CerS isoforms exhibit distinct

acyl-chain specificities (Mizutani et al., 2005; Pewzner-Jung et al., 2010; Riebeling et al.,

2003). Concordant with the known C16 preference of CerS5/6 (Mizutani et al., 2005;

Pewzner-Jung et al., 2010; Riebeling et al., 2003), we observed a selective increase in C16:0

ceramide in LLC+IL-6 mice (Fig. 6h), supporting targeted ceramide production. Given

previous report that hepatic ceramides are synthesized from acyl-CoAs (Pewzner-Jung et

al., 2010), together with our observation that hepatic TG species containing C16:0 acyl

chains were significantly reduced (Fig. 6d), it is likely that elevated C16 ceramide synthesis

in LLC+IL-6 mice is fueled by palmitoyl-CoA derived from enhanced lipolysis.

Next, we asked whether autophagic flux is blocked in mouse tumor model similarly as

observed in our fly model. Immunoblot markers of autophagic flux indicated a late-stage

block at the autolysosome in livers of LLC+IL-6 mice (Fig. 6l), evidenced by: accumulation

of pro-CtsL, indicating impaired lysosomal maturation; elevated SQSTM1/p62, indicating

defective cargo degradation; incompletely glycosylated LAMP2, consistent with lysosomal

biogenesis/maturation defects; and increased LC3-II, which, in the context of rising p62,

supports impaired flux downstream of autophagosome formation (Klionsky et al., 2021).

Together, these findings indicate blocked autophagic clearance in the IL6 tumor-bearing

mice. To access the paraneoplastic consequences of these autophagy dysregulations, we

turned to an inducible lung-cancer model (*Kras*^*LSL-G12D*/+; *Lkb*^*flox/flox*; "KL" mice), in which

tumors were initiated by intranasal Ad-Cre. In this model, ~70% of mice display cachexia

(>15% body-weight loss) 5-6 weeks following the tumor induction (Goncalves et al., 2018).

We assessed the expression correlation of *CerS* and their weight loss in cachectic and non-cachectic groups, and found that expression of *CerS4* and *CerS5*, which preferentially synthesize C18-20 and C16 ceramides, respectively, were positively correlated with weight loss (Fig. 6m, n), reinforcing their association with paraneoplastic syndrome progression.

Extending to humans, we analyzed non-diseased liver from GTEx project (226 participants). Because IL-6 activates STAT3, we asked whether hepatic *CERS4/5/6* expression corresponds with STAT3 activity. Expression of *CERS5* and *CERS6* positively correlated with canonical IL-6/STAT3 targets (*CRP*, *HIF1A*, *TIMP1*) and with *STAT3* itself (Fig. 6o-r; Fig. S6g-j) (Castell et al., 1990; Dien et al., 2006; Johnson et al., 2018; Yu et al., 2007), suggesting IL-6 driven regulation of *CERS5* and *CERS6* in the human liver. To explore the clinical relevance of hepatic lipolysis and ceramide synthesis, we analyzed transcriptomic data from the TCGA Pan-Cancer Hepatocellular Carcinoma cohort (372 participants) (Hoadley et al., 2018; Liu et al., 2018). In alignment with our fly and mouse model findings, higher hepatic *LPL* expression associated with worse survival (Fig. 6t). We then examined genes in human *de novo* ceramide synthesis pathway (Fig. 6s): *CERS5* and *CERS6* were significantly associated with worse survival (Fig. 6u, v; Fig. S6k-n), and higher expression of *DEGS1*, which catalyzes the desaturation of dihydroceramide to ceramide (Fig. 6s), aligned with adverse outcomes (Fig. 6w). By contrast, *DEGS2*, a bifunctional C4-hydroxylase/desaturase with tissue-restricted roles (Ota et al., 2023; UniPort Q6QHC5), showed no such association, consistent with its lower hepatic relevance (Fig. S6o). Collectively, these cross-species data support a conserved mechanism: Upd3/IL-6/JAK-STAT signaling induces *LPL* and *CerS* expression (notably CerS5/6), driving a late-stage autophagy block that contributes to paraneoplastic syndrome.

Discussion

IL-6 is a central cytokine in the metabolic crosstalk between tumors and the host, coordinating systemic inflammation and altered fuel handling that drive paraneoplastic

syndromes (Barton, 2001; Johnson et al., 2018). Our work builds upon previous studies by

identifying a novel, cytokine-driven lipid-autophagy axis that underlies paraneoplastic

hepatic dysfunction, specifically: (1) by charting paraneoplastic-syndrome associated

genes organism-wide, we identify two key drivers: the triglyceride lipase *calm*/*CG5966*

(putative human *LPL* ortholog) and the ceramide synthase *schlank* (human *CERS* ortholog);

(2) we reveal a previously unrecognized Upd3/JAK-STAT control of hepatic lipid metabolism

through direct transcriptional upregulation of both genes; (3) we show that this lipid

reprogramming initiates autophagosome formation yet blocks autophagic completion,

leading to a pathologic buildup of enlarged, dysfunctional autolysosomes and

consequently hepatic injury; (4) we validate conservation in preclinical mouse models,

where IL-6 elevates hepatic *Lpl* and *CerS* alongside a late-stage autophagy block; (5) we

extend these findings to humans, showing that higher hepatic *LPL* and *CERS* expression

correlates with poorer survival in hepatocellular carcinoma, thereby nominating the IL-

6/LPL-CERS axis as a tractable therapeutic target.

JAK-STAT signaling orchestrates systemic energy mobilization through coordinated actions

across tissues. Through STAT3 activation, Leukemia inhibitory factor (LIF) suppresses

hepatic lipogenic gene expression and increases adipose triglyceride lipase (ATGL) activity

in adipose tissue, thereby promoting FAs release from TG (Arora et al., 2018; Yang et al.,

2024). Because IL-6 also activates STAT3, similar repression of lipogenesis and activation

of lipolysis via ATGL and/or other lipases are expected with enhanced IL-6 signaling.

Indeed, our data show that IL-6 upregulates *LPL* in adipose tissue and liver, which may act

with ATGL to promote free FAs release from TG. Under physiological conditions, excess FAs

are re-esterified into TAG and phospholipids or oxidized in mitochondria via β-oxidation to

feed the TCA cycle (Houten and Wanders, 2010; Lee and Ridgway, 2020). We previously

showed that hepatic IL-6/JAK-STAT3 signaling induces gluconeogenic programs and

elevates *PDK3*, which inhibits pyruvate dehydrogenase and restricts glycolytic acetyl-CoA

entry into the TCA cycle (Liu et al., 2025). Thus, upon activation of JAK-STAT pathway,

hepatocytes may shift substrate of TCA cycle from glucose (glycolysis-derived) to fatty

acids (β-oxidation-derived). While this may be adaptive during acute stress (Qing et al.,

2020), chronic IL-6 signaling imposes sustained FA influx that can exceed hepatic β-

oxidation capacity (Kerner et al., 2008), prompting diversion of surplus FAs into alternative

lipid pathways, including phospholipid and ceramide synthesis. We therefore propose that

IL-6's normally adaptive substrate-mobilizing role becomes maladaptive in cancer: excess

FAs that cannot be efficiently oxidized are progressively redirected into membrane lipids

and bioactive sphingolipids, predisposing to lipid-driven organelle dysfunction.

Hepatic lipid metabolic reprogramming is an active driver of paraneoplastic pathology.

Although depletion of storage lipid is frequently observed in cancer and often interpreted

solely as a signature wasting phenotype accompanied by disease progression, our findings

reveal that TG depletion and reprogramming of phospholipid and ceramide metabolism

contribute causally to organelle dysfunction, uncovering a novel mechanism contributing

to hepatic dysfunction and systemic paraneoplastic disorders. In Yki flies, fatty-acid

overload augments the membrane lipids supply required for autophagosome formation. In

line with the lipid composition of autophagic structures in flies, where PE species with total

carbon 32 and 34 predominate (C16/C16, C16/C18, C14/C18) (Laczkó-Dobos et al., 2021),

we show that CG5966 preferentially mobilizes C16 and C18 fatty acids from TG, enriching

C16- and C18-containing PE to supply membranes for autophagosome formation. Notably,

this heightened initiation is tolerated, as *CG5966* overexpression alone in flies does not

trigger autophagy dysfunction or induces paraneoplastic phenotypes. By contrast, in the

context of Yki, CG5966-mediated membrane lipid supply and concomitant ceramide

synthesis is deleterious. Sustained ceramide accumulation compromises lysosomal

function, inducing membrane permeabilization, disrupting cathepsin processing, and

blocking late-stage autophagic clearance (Gabandé-Rodríguez et al., 2014; Liu et al.,

2016). Accordingly, we observe defective lysosomal maturation in Yki flies and in tumor-

bearing mice, indicating that cancer-induced lipid reprogramming actively drives

autophagy failure and hepatic dysfunction rather than representing a mere by-product of

systemic disease.

IL-6/ceramide-induced lysosomal dysfunction may constitute a common lipotoxic

pathology across liver diseases. Ceramide synthases are sophisticatedly regulated,

integrating hormonal, stress, and kinase signals. For instance, their transcription is

controlled by factors like 17β-estradiol, GPER1, and FOXP3 (Qi et al., 2021; Wegner et al.,

2014), and their activity is modulated post-translationally by phosphorylation via kinases

such as CK2 and PKC (Fresques et al., 2015; Mullen et al., 2012). Our data position IL-

6/JAK–STAT as a previously unrecognized upstream regulator of hepatic CERS, adding a

critical inflammatory layer to this regulatory network. Notably, *CERS5* and *CERS6* emerge

as actionable effectors of IL-6 associated hepatic dysfunction: higher *CERS5/6* expression

correlates with reduced survival in hepatocellular carcinoma. A possible mechanistic basis

is that these isoforms preferentially generate C16-ceramide, a species implicated in

hepatic insulin resistance, steatosis, and inflammation (Chavez and Summers, 2012;

Pewzner-Jung et al., 2010) and in the pathogenesis of obesity and type 2 diabetes (Raichur

et al., 2019). Moreover, IL-6 has context-dependent roles in obesity and diabetes (Alexaki,

2024; Wueest and Konrad, 2020), suggesting that the IL-6/CERS axis may underlie a shared

lipotoxic program when IL-6 drives liver dysregulation in these settings. Thus, whether

hepatic autophagy is similarly impaired in these diseases warrants further investigation.

Nevertheless, these observations nominate selective CERS5/6 inhibition as a rational

strategy to mitigate lipotoxic stress and restore autophagy-lysosome competence in IL-6

related hepatic dysfunction.

In conclusion, we delineate a mechanistic link from chronic inflammation to failure of lipid

homeostasis and lysosome-limited autophagy, identifying the IL-6/CERS axis as a key

driver and therapeutic entry point of cancer-associated hepatic dysfunction.

Acknowledgments

We thank Mujeeb Qadiri, Baolong Xia, Christians Villalta, Stephanie Mohr, Jonathan Zirin, Luping Liu, Litz Brown, and all members of the Perrimon Lab for their critical suggestions and help on this research. We thank Paula Montero Llopis and Microscopy Resources on the North Quad (MicRoN) core facility at Harvard Medical School for advice and help on confocal imaging. Young Yon Kwon, Yanshan Liang and Sheng Hui Lab for advice and help on lipidomics, and the *Drosophila* RNAi Screening Center (DRSC) and Bloomington Drosophila Stock Center (BDSC) for providing fly stocks used in this study. We thank Erika Bach (NYU School of Medicine) for the generous gift of Stat92E fly stocks. This work is funded in part by R01 DK136945, R01 AR057352, the Cancer Grand Challenges partnership funded by Cancer Research UK (CGCATF-2021/100022), and the National Cancer Institute (1 OT2 CA278685-01). Y.L. is supported by Charles A. King Trust. T. M. is supported by the Cystinosis Research Foundation and the Glenn Foundation for Medical Research Postdoctoral Fellowship in Aging Research. N.P. is an investigator of the Howard Hughes Medical Institute.

This article is subject to HHMI's Immediate Access to Research policy, which requires

that this article be made publicly available as initial and revised preprints deposited on

a designated preprint server under a CC BY 4.0 license.

Author Contributions

Y.L., T.M, and N.P. conceived the study and designed the experiments. Y.L. and T.M. conducted the majority of the experiments and the data analysis. Y.L. and A.W. carried out the mouse experiments. A.H.K performed AFM analysis. Y.L., T.M. and Y.H. were responsible for the bioinformatics analysis. J. M. A. helped for the lipidomics analysis. R.B generated the transgenic fly strains. Z.J.Z and X.M.S. helped for western blotting and

plasmid construction. Y.L., T.M. and N.P. interpreted the results and wrote the manuscript

with contributions and feedback from all authors. All authors reviewed and approved the

final manuscript.

Materials and Methods

Drosophila **strains**

All flies were maintained on standard cornmeal fly food containing yeast and agar. Crosses

were reared at 18°C to inhibit Gal4 and LexA. Adult offspring flies were collected 2 days

after emerging, then kept at 18°C for an additional day and subsequently shifted to 29°C for

indicated days to induce transgene and/or RNAi expression. Experimental fly food was

changed every other day. Stocks used in this study include *esg-LexA::GAD* (BDSC 66632),

tub-Gal80ts, Lpp-Gal4 (Song et al., 2017), *LexAop-Yki3SA-GFP* (Saavedra et al., 2021),

UAS-CG5966-RNAi (RNAi #1: VDRC 13163, RNAi #2: VDRC 13164), *UAS-hop-RNAi* (BDSC

32966), *UAS-Stat92e-RNAi* (BDSC 33637), *UAS-schank-RNAi* (BDSC 29340), *UAS-Atg1-*

RNAi (BDSC 26731), *UAS-HA-Stat92E* dominant-active form (Ekas et al., 2010), *UAS-Upd3*

(Woodcock et al., 2015), and *UAS-Pvf1*(Xu et al., 2022). The *w1118* strain served as the

control. Female flies are used in all experiments as they showed a more significant and

consistent bloating phenotype.

Plasmid and transgenic *Drosophila* strains

The full-length cDNA of *CG5966* (FlyBase ID: FBcl0163613) was obtained from DGRC

(Stock 1514588). The insert was first cloned into pENTR-TOPO (Thermo Fisher) following

the manufacturer's protocol, then transferred into the *pWALIUM10-moe UAS* destination

vector by Gateway LR recombination to generate *UAS-CG5966*. Positive clones were

verified by colony PCR and complete Sanger sequencing. Endotoxin-reduced plasmid DNA

was prepared by EndoFree midiprep for embryo injections. ΦC31 integrase–mediated

transgenesis was used to integrate *UAS-CG5966* into standard attP docking sites: attP40

on chromosome 2L (25C7) or attP2 on chromosome 3L (68A4). Plasmid DNA was injected

into pre-blastoderm embryos by in-house microinjection. Surviving G_0 adults were crossed

individually to balancer stocks, and transformants were identified in the G_1 by *mini-white*

marker selection. GAL4-dependent overexpression of *CG5966* was verified in the fat body

by RT-qPCR.

Lipidomics

Lipidomics and metabolomics of fly samples were performed using the classic Folch

method (Folch et al., 1957). For each sample, 15 adult flies or 40 abdomens were used for

lipidomics and metabolomics. Samples were homogenized in a 1 mL dounce homogenizer

(TIGHT) on ice in 0.6 mL chloroform and 0.3 mL methanol (2:1 chloroform-methanol

mixture). Homogenized samples were transferred to a 15 mL glass tube with a Teflon cap,

with additional 0.6 mL chloroform and 0.3 mL methanol to make a final volume of 1.8 mL.

Samples were vortexed briefly and incubated on a rotator for 30 minutes at room

temperature. After incubation, 0.2 volumes (0.36 mL) of HPLC-grade deionized water

(HPLC dH2O) were added. Samples were then vortexed three times for 5 seconds, followed

by centrifugation 10 minutes at 1000 g at 4°C. Non-polar lipids solution (the lower phase)

was transferred to a 1.85 mL glass tube using a glass pipette, then dried under nitrogen gas.

Dried lipids pellets were stored at -80°C with nitrogen to prevent oxidation. Before

injection, pellets were resuspended in 35 μL of HPLC-grade 50% methanol/50% isopropyl

alcohol (IPA) and injected and analyzed using untargeted LC-MS/MS on a Thermo

QExactive Plus Orbitrap mass spectrometer. Lipid molecules were identified using

LipidSearch version 4.2 (Thermo Scientific). Ion intensity was quantified by measuring the

area size of identified peaks.

Protein lysate preparation and Western blot

30 abdomens with gonads and guts removed were dissected and lysed in RIPA lysis buffer

(50 mM Tris, pH = 8.0, 150 mM NaCl, 0.1% SDS, 0.5% sodium deoxycholate, 1% Triton X-

100, 1× complete ULTRA Mini EDTA-free protease inhibitor (Roche), and 1 mM PMSF).

Dissected tissues in RIPA buffer were mixed with zirconium oxide beads (NextAdvance) and

homogenized using a TissueLyser II (Qiagen). Homogenates were incubated on ice for 15

min and centrifuged for 15 min at 16,000 × g at 4 °C. Supernatants were transferred to new

tubes, and protein concentrations were determined using the BCA Protein Assay Kit

(Pierce) according to the manufacturer's instructions. Samples were diluted to equal

protein concentrations with RIPA buffer and stored at –80 °C. Equal amounts of total

protein were mixed with 4× Laemmli sample buffer (Bio-Rad) containing 10% β-

mercaptoethanol to a final 1× concentration, boiled at 95 °C for 5 min, and centrifuged at

16,000× g for 15 min at 4 °C. Supernatants were transferred to new tubes. Equal amounts

of sample were loaded to a Mini-PROTEAN TGX Stain-Free Precast Gels (Bio-Rad) and ran

using 1× Tris/Tricine/SDS Running Buffer (Bio-Rad) according to the manufacturer's

instructions. Spectra Multicolor Broad Range Protein Ladder (ThermoFish) was used as a

molecular weight marker. The samples on the gel were transferred to a FL PVDF membrane

using Tris/Glycine Buffer (Millipore) for 16 min, according to the manufacturer's

instructions. The membrane was then blocked with 1% Casein in 1× Tris Buffered Saline

(TBS) (Bio-Rad) for 1 hour at room temperature. Next, the membrane was incubated in a

primary antibody dilution in 1% Casein in 1× TBS overnight at 4 °C with gentle shaking.

Primary antibodies were used at the following concentrations: 1:1000 mouse anti-Ctsl

(R&D Systems, MAB22591), 1:2000 rabbit anti-Atg8 (Abcam, ab109364). Next, the

membrane was washed three times quickly in TBST, followed by three 10-min washes in

TBST with gentle shaking. The membrane was then incubated with fluorescently labeled

secondary antibody in 1% Casein in 1× TBS for 1 h at room temperature with gentle

shaking. The dilution of the fluorescently labeled secondary antibody was used as follow:

1:2500 hFAB™ Rhodamine; 1:2500 Goat anti-Rabbit IgG (H+L) Secondary Antibody,

DyLight™ 800 4X PEG; 1:2500 IRDye 680RD Goat anti-Mouse IgG Secondary Antibody. After

incubation, the membrane was washed three times quickly in TBST, followed by three 10-

min washes in TBST with gentle shaking. Then, the membranes were imaged using a Biorad

Chemidoc MP imager.

Quantitative RT-PCR of fly samples

Nucleospin RNA kit (Macherey-Nagel) was used to extract RNA from fly samples according

to the manufacturer's protocol. cDNA was synthesized using iScript™ cDNA Synthesis Kit

(Bio-Rad, 1708890) according to the manufacturer's protocol. qPCR was performed with

Thermal Cycler CFX 96 Real-Time System qPCR machine using iQ™ SYBR® Green Supermix

(Bio-Rad). *RP49* and *CG13220* were used as housekeeping genes. qPCR primers used are:

rp49-qF   ATCGGTTACGGATCGAACAA

rp49-qR   GACAATCTCCTTGCGCTTCT

CG13220-qF GCATATGCGACAAAGTGGGCC

CG13220-qR AACATTCACCGCAAGGGCTCC

CG5966-qF   CGGGCTTGGCATCAATATGCG

CG5966-qR   GTCTTCTTCTTGACCACATCCTGG

Schlank-qF   TGTCATGCTGGTCCGCTAC

Schlank-qR   ACATTTGCCGCTTTCTTAGGC

Body fluid measurements

Body fluid measurement was followed a previous protocol (Liu et al., 2025). Briefly, flies

were weighted before dried at 65 °C for 5 hours, and then weighted again. Body fluid is

calculated by subtracting the second read from the first one.

Climbing index and survival curve of flies

To assess the climbing ability, flies were transferred to a fresh vial and then tapped down to the bottom. Vials were imaged after 4 seconds. The percentages of flies in the upper 2/3 of the vial were recorded. The climbing index was generated from 3-4 independent vials for each genotype tested. Survival of flies was analyzed by calculating the percentage of flies alive in each vial, and 3 vials of 10-13 flies from each genotype were tested and flies were transferred to vials contain fresh food every other day or daily.

Gut and fly imaging

Adult fly guts were dissected in cold PBS and immediately fixed for 30 minutes in 1X PBS contain 4% formaldehyde. Guts were washed three times with 1X PBS contain 0.3% Triton X-100 (PBT) and then mounted in Vectashield with DAPI (Vector Laboratories, H-1200). For pH3 staining, washed guts were incubated with blocking buffer (5% NDS in 1X PBS contain 0.3% Triton X-100) for 2 hours at room temperature, incubated with rabbit anti-pH3 (1:500, CST 9701S) antibody overnight at 4°C. Guts were washed three times in PBT next day before incubating with secondary antibody, donkey anti-rabbit 565 (1:2000, Molecular Probes A31572), for 1 hour. After three final washes with PBT, guts were mounted in Vectashield with DAPI (Vector Laboratories, H-1200). Confocal images were taken with Nikon Ti2 Spinning Disk with Nikon Elements Acquisition Software AR (v5.02). Tumors were quantified by measuring the average GFP signaling strength of gut tumors from individual flies using Fiji-imageJ. Adult fly phenotypes were imaged using a ZEISS Axiozoom V16 fluorescence microscope. Bloating was quantified by the ratio between abdomen and head compartment size using Fiji-imageJ.

Live imaging of autophagic vesicle and lysosome

For live imaging of autophagy and lysosomes, abdominal cuticles were dissected in cold Schneider's insect medium. Samples were then incubated for 10 minutes at room

temperature in a staining buffer composed of Schneider's medium, CYTO-ID® Autophagy

Detection Reagent (1:1000, Enzo Life Sciences ENZ-KIT175), Hoechst nuclear stain

(1:1000), and LysoTracker™ Deep Red (500 nM, Thermo Fisher Scientific L12492). Following

incubation, the samples were rinsed once with fresh Schneider's medium and then twice

with phosphate-buffered saline (PBS). Finally, the stained cuticles were transferred to a

glass slide with mounting medium, coverslipped, and immediately visualized using a Nikon

Ti2 Spinning Disk confocal microscope.

Chromatin Immunoprecipitation

ChIP assay was performed with the SimpleChIP® Plus Enzymatic Chromatin IP Kit (Cell

Signaling, 9005). Fat bodies from 50 adult flies were collected for each sample. Fat body

expressing HA-tagged dominant-active Stat92e were dissected and flash-frozen in liquid

nitrogen. Cross-linked was done with 1.5% formaldehyde for 20 minutes at room

temperature. Cross-linking was stopped by adding glycine solution for 5 minutes at RT,

samples were washed twice with 1 ml 1X PBS containing 1X Protease Inhibitor Cocktail and

homogenized using 1 ml dounce homogenizer to release nuclei. Samples were lysed with

Diagenode Bioruptor sonicator to retrieve cross-linked chromatin. Chromatins were diluted

in 1X ChIP buffer before incubating with 10 ul HA-Tag (C29F4) Rabbit mAb (Cell Signaling,

3724) or Normal Rabbit IgG (Cell Signaling, 2729) overnight with rotation at 4°C. Next day,

each immunoprecipitation was incubated for 2 hours with 30 ul ChIP-Grade Protein G

Magnetic Beads (Cell Signaling, 9006) at 4 °C with rotation. Beads were then washed and

incubated in 150 µl 1X ChIP Elution Buffer at 65 °C for 30 minutes with vortexing (1200 rpm)

to elute the chromatin. 6 µl 5M NaCl and 2 µl Proteinase K was added to the eluted

chromatin supernatant to reverse cross-links and incubated 2 hours at 65°C. DNA was then

purified from each sample using Spin Columns provided by the kit. 1 ul DNA sample was

used as template for qPCR to detect enrichments of certain DNA regions. qPCR of a

fragment in the Sam-S gene region was used as the negative control. Primers used are:

Sam-S-qF   AAA CTT TGA CCT CAG GCC C

712	Sam-S-qR	CGC TGG TAT ATC GGC TGG
713	Schlank-ChIPF1	CATGTGCTGACAACAATTGGAC
714	Schlank-ChIPR1	AGCAAACTTCATCGTTGAGACC
715	Schlank-ChIPF2	GCCATAAGCGCAAGTTAACGAG
716	Schlank-ChIPR2	CACTAATGCACACTCACAGCG
717	CG5966-ChIP-F	CAGATCGGCGGAGATATACACG
718	CG5966-ChIP-R	GTCTCGAGTGTGCCGTTAGC

Mouse models

The $Kras^{G12D/+}$; $Lkb1^{f/f}$ mice described before (Ji et al., 2007) were further backcrossed to FVB

mice. Tumor induction in adult 12- to 20-week-old FVB mice was achieved by intranasal

administration of 75 μL of PBS containing 2.5×10^7 pfu of Adenovirus CMV-Cre (Ad5CMV-

Cre) obtained from the University of Iowa Gene Transfer Vector Core (Iowa City, IA) and

1 mM $CaCl_2$. Male mice were used for liver RNAseq. The $Kras^{G12D/+}$; $Lkb1^{f/f}$ mice experiments

were approved by the Institutional Animal Care and Use Committee (IACUC) of Weill

Cornell Medical College and maintained as approved by the Institutional Animal Care and

Use Committee (IACUC) at Weill Cornell Medicine (NYC).

C57BL/6J mice were obtained from the Jackson Laboratory (Strain #000664). 2×10^6 Lewis

Lung Carcinoma (LLC) cells or LLC cells edited to produce IL-6 (LLC-IL6) were

subcutaneously inoculated into their right flank after a week of acclimation. Mice were kept

in pathogen-free conditions on a 24 hour 12:12 light-dark cycle. 9 weeks old male C57BL/6J

mice were used in the experiments. C57BL/6J mice experiments were approved by the

Institutional Animal Care and Use Committee (IACUC) at Cold Spring Harbor Laboratory

(CSHL) and were conducted in accordance with the National Institutes of Health Guide for

the Care and Use of Laboratory Animals. Body weights and clinical signs of cachexia were

monitored daily. Handling was kept to a minimum. Mice were sacrificed when tumor size

exceeded 2 cm length, when weight loss exceeded 15% from peak weight, or when showing

clinical signs of discomfort indicative of cachectic endpoint as stated by the Animal

Cachexia Score (ACASCO): piloerection, diarrhea or constipation, hunched posture,

tremors, and closed eyes. Death was confirmed by cervical dislocation.

Lewis Lung Carcinoma (LLC) cell line

LLC cells were purchased from American Type Culture Collection (ATCC), cultured in

complete growth medium consisting of Dulbecco's Modified Eagle Medium (DMEM)

(#10027CV; Corning) containing 1x Penicillin-Streptomycin solution (#15-140-122; Thermo

Fisher) and 10% of Heat-Inactivated Fetal Bovine Serum (FBS) (#10-438-026; Thermo

Fisher). LLC cells were transfected with 500ng of plasmid (comprising 2.5:1 PB-IL6 plasmid

and PBase plasmids) using Lipofectamine 3000 (Thermo Fisher) according to the

manufacturer's protocol. PBase plasmid was obtained from System Biosciences

(#PB210PA-1) and PB-IL6 was obtained from VectorBuilding comprising mouse Il6 cDNA

driven by EF1a promoter and flanked by piggyBac elements. 48 hours after transfection, the

media was changed and replaced with DMEM media supplemented with 3 µg/ml

puromycin. After 14 days of antibiotic selection, monoclonal populations were isolated by

serial dilutions in a 96-well plate. To identify clones with constitutive IL-6 expression, we

measured IL-6 in the cell supernatant for each clone using the Mouse IL-6 ELISA Kit

(#ab222503; Abcam).1x Trypsin-EDTA (#15400054; Thermo Fisher) was used for cell

dissociation. Cells were resuspended in FBS-free DMEM and counted using a Vi-Cell

counter prior to subcutaneous injection. For each C57BL/6J mouse, $2x10^6$ viable cells

diluted in 100µL DMEM into the right flank.

Lipid extraction and profiling in mice

Lipid extracts were analyzed using a Dionex Ultimate 3000 RSLC system (Thermo Scientific)

coupled with a QExactive mass spectrometer (Thermo Scientific, Waltham, MA, USA) mass

spectrometer. Chromatographic separation was achieved on an ACQUITY UPLC CSH C18

column (130Å, 1.7 µm, 2.1 mm × 100 mm) with an ACQUITY UPLC CSH C18 VanGuard pre-

column (130Å, 1.7 µm, 2.1 mm × 5 mm) (Waters, Milford, MA) with column temperature at

50 ˚C. For the gradient, mobile phase A consisted of an acetonitrile-water mixture (6:4), and

mobile phase B was a 2-propanol-acetonitrile mixture (9:1), both phases containing 10 mM

ammonium formate and 0.1% formic acid. The linear elution gradient was: 0-3 min, 20% B;

3- 7 min, 20-55% B; 7-15 min, 55-65% B; 15-21 min, 65-70% B; 21-24 min, 70-100% B; and

24-26 min, 100% B, 26-28 min, 100-20% B, 28-30 min, 20% B, with a flow rate of 0.35 mL/

min. The autosampler was at 4˚C. The injection volume was 5 µL. Needle wash was applied

between samples using a mixture of dichloromethane-isopropanol-acetonitrile (1:1:1).

ESI-MS analysis was performed in positive and negative ionization polarities using a

combined full mass scan and data-dependent MS/MS (Top 10) (Full MS/dd-MS^2) approach.

The experimental conditions for full scanning were as follows: resolving power, 70,000;

automatic gain control (AGC) target, 1×10^6; and maximum injection time (IT), 100 ms. The

scan range of the instrument was set to m/z 100-1200 in both positive and negative ion

modes. The experimental conditions for the data-dependent product ion scanning were as

follows: resolving power, 17,500; AGC target, 5×10^4; and maximum IT, 50 ms. The isolation

width and stepped normalized collision energy (NCE) were set to 1.0 m/z, and 10, 20, and 40

eV. The intensity threshold of precursor ions for dd-MS2 analysis and the dynamic exclusion

were set to 1.6×10^5 and 10 s. The ionization conditions in the positive mode were as follows:

sheath gas flow rate, 50 arb; auxiliary (AUX) gas flow rate, 15 arb; sweep gas flow rate, 1 arb;

ion spray voltage, 3.5 kV; AUX gas heater temperature, 325 ˚C; capillary temperature, 350 ˚C;

and S-lens RF level, 55. The ionization conditions in the negative mode were as follows:

sheath gas flow rate, 45 arb; auxiliary (AUX) gas flow rate, 10 arb; sweep gas flow rate, 1 arb;

ion spray voltage, 2.5 kV; AUX gas heater temperature, 320 ˚C; capillary temperature, 320 ˚C;

and S-lens RF level, 55.

Thermo Scientific™ LipidSearch™ software version 5.0 was used for lipid identification and
quantitation. First, the product search mode was used during which lipids were identified
based on the exact mass of the precursor ions and the mass spectra resulting from product
ion scanning. The precursor and product tolerances were set to 10 and 10 ppm mass
windows. The absolute intensity threshold of precursor ions and the relative intensity
threshold of product ions were set to 30000 and 1%. Next, the search results from the
individual positive or negative ion files from each sample were aligned within a retention time
window (±0.25 min) and then all the data were merged for each annotated lipid with a
retention time correction tolerance of 0.5 min. The annotated lipids were then filtered to
reduce false positives by only including a total grade of A or B or C for PC and SM; otherwise
only including grade A or B.

Bulk RNA-Sequencing from KL livers

Total RNA was extracted from the liver using TRIzol (Thermo Fisher), followed by a clean-up
using RNeasy kit (Qiagen). 1mg RNA from each sample was submitted to the WCM
Genomics Resources Core Facility. Raw sequenced reads were aligned to the mouse
reference GRCm38 using STAR (v2.4.1d, 2-pass mode) aligner, and raw counts were
obtained using HTSeq (v0.6.1). Differential expression analysis, batch correction and
principal component analysis (PCA) were performed using R Studio Version 4.2.2 and
DESeq2 (v.1.38.3). Gene set enrichment analysis (GSEA) analysis was performed with the
R package fGSEA (10.18129/B9.bioc.fgsea), using the Reactome pathway database
contained in the 2022 release of Mouse Molecular Signatures Database from the Broad
Institute (https://www.gsea-msigdb.org/gsea/msigdb/mouse/collections.jsp).

Quantitative RT-PCR of mouse samples

For LLC and IL6-secreting LLC mouse liver samples, 100 mg tissue was lysed in 1 mL of
Qia-zol with Qiagen TissueLyser II at 20 Hz for 4 minutes. Samples were centrifuged at

12,000 g for 12 minutes at 4 C to separate aqueous layer from others. Approximately 600 ul

of RNA containing aqueous layer was collected and processed using Qiagen RNeasy lipid

RNA extraction kit and QiaCube machine. RNA were diluted in ddH20 to 100 ng/uL. cDNA

was synthesized using iScript™ cDNA Synthesis Kit (Bio-Rad, 1708890) according to the

manufacturer's protocol. qPCR was performed with Thermal Cycler CFX 96 Real-Time

System qPCR machine using iQ™ SYBR® Green Supermix (Bio-Rad). RN18s was used as

housekeeping gene. Primers used are:

Rn18s-qF   GTAACCCGTTGAACCCCATT

Rn18s-qR   CCATCCAATCGGTAGTAGCG

CerS1 qF   CCACCACACACATCTTTCGG

CerS1 qR   GGAGCAGGTAAGCGCAGTAG

CerS2 qF   AGAGTGGGCTCTCTGGACG

CerS2 qR   CCAGGGTTTATCCACAGTGAC

CerS3 qF   CCTGGCTGCTATTAGTCTGATG

CerS3 qR   CTGCTTCCATCCAGCATAGG

CerS4 qF   CTGTGGTACTGTTGTTGCATGAC

CerS4 qR   GCGCGTGTAGAAGAAGACTAAG

CerS5 qF   GACTGCTTCCAAAGCCTTGAG

CerS5 qR   GCAGTTGGCACCATTGCTAG

CerS6 qF   CCGGAGTGGACAAAGCAAGA

CerS6 qR   ATTGTGCGGAAGCCAAAACC

Pnlip qF   CTGGGAGCAGTAGCTGGAAG

Pnlip qR   AGCGGGTGTTGATCTGTGC

| 842 | Lpl | qF | GGGAGTTTGGCTCCAGAGTTT |
| 843 | Lpl | qR | TGTGTCTTCAGGGGTCCTTAG |

Public datasets, Software, Quantification and Statistical Analyses

Transcriptomic data from non-diseased liver samples of 226 individuals were obtained from the Genotype-Tissue Expression (GTEx) Project. Transcriptomic data and corresponding survival records were obtained from the Hepatocellular Carcinoma (LIHC) cohort of 372 patients in the PanCancer Atlas of The Cancer Genome Atlas (TCGA) Program (Hoadley et al., 2018; Liu et al., 2018). Sex and gender were not considered in the design of present research, and related information was not collected for the analysis. Kaplan-Meier survival curves were generated using the R packages survival and survminer. We used Biorender and PyMOL for a subset of figures, and ChatGPT and Gemini were used to proofread the text. The authors reviewed and edited the content as needed and take full responsibility for the content of the publication. GraphPad Prism was used for generation of figures, statistical analysis, and gene expression correlation analysis. Data distribution was assumed to be normal, but this was not formally tested. Animals and samples were randomly assigned to experimental groups, and the data collection was randomized. Data collection and analysis were not performed blind to the conditions of the experiments. Statistical analysis was done with student's t test (two experimental groups) or ordinary one-way ANOVA (three or more experimental groups) by the default settings of GraphPad Prism (ns indicates not significant, $*$ indicates $p<0.05$, $**$ indicates $p<0.01$, $***$ indicates $p<0.001$, $****$ indicates $p<0.0001$). Gene expression levels (qPCR) were normalized to the mean of control samples. Error bars indicate the standard deviations with the mean as the center. n indicates the number of biological replicates in each experiment, for fly experiments, each biological replicates contains 10-16 flies otherwise noted; for mouse experiment, each biological replicates is one mouse.

a

- 00_epithelial__cell
- 01_muscle_cell
- 02_indirect__flight_muscle
- 03_heart_muscle
- 04_visceral_muscle_of_midgut
- 05_intestinal_stem_cell
- 06_enterocyte
- 07_enterocyte-like
- 08_enteroendocrine_cell
- 09_cardia
- 10_hindgut_A
- 11_hindgut_B
- 12_hindgut_C
- 13_fat_body
- 14_oenocyte
- 15_hemocyte
- 16_tracheal_cell
- 17_malpighian_tubule_principal_cell
- 18_salivary_gland
- 19_ventral_nervous_system
- 20_cell_body_glial_cell
- 21_follicle_cell
- 22_follicle_cell_stage 9+*
- 23_stretch_follicle_cell
- 24_stalk_follicle_cell
- 25_cyst_stem_cells
- 26_germline_cell_A_unknown_stage
- 27_germline_cell_B_germline_cyst
- 28_germline_cell_C_unknown_stage
- 29_oviduct
- 30_female_reproductive_system_A
- 31_female_reproductive_system_B
- 32_ neuron _A
- 33_neuron_ B

b Gut>Yki-GFP

FB> +   FB>CG5966-i1   FB>CG5966-i2

200 um

c Tumor burden (GFP)

d Proliferation (pH3)

e Abdomen/Head

(A/H Ratio)

f Bloating

g Body fluid

h Climbing ability

i Survival

Figure 1. Identification of CG5966 as a paraneoplastic factor

a, Progression association index of differential expressed genes across cell clusters. **b**, Images of gut tumors and phenotypes of Yki flies with or without fat-body *CG5966* depletion at day 6. **c**, Quantification of gut tumors (GFP signal, arbitrary units) of Yki flies with or without fat-body *CG5966* depletion at day 6 (n = 8). **d**, Total pH3 counts per gut of control flies and Yki flies with or without fat-body *CG5966* depletion at day 6 (n = 8). **e**, The bloating quantification by abdomen/head (A/H) size ratio. **f**, Quantification of bloating phenotypes of control flies and Yki flies with or without fat-body *CG5966* depletion at day 6 (A/H ratio, n=9). **g**, Body-fluid levels of Yki flies with or without fat-body *CG5966* depletion at day 6 (n = 4). **h,i**, The climbing ability at day 6 (**h**) (n = 4) and survival curve (**i**) (n = 3) of control flies, Yki flies, and Yki flies with fat-body *CG5966* depletion. $*p < 0.05$, $**p < 0.01$, $***p < 0.001$, $****p < 0.0001$, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

a CG5966 vs PNLIP

CG5966 PNLIP

b CG5966 vs LPL

CG5966 LPL

c TG
- Ctrl
- CG5966-OE

% of total lipid

ns

d C18:1
- Ctrl
- CG5966-OE

Relative quantity

0.073 * * * ** 0.053 ** 0.051

sn-1_18:1_TG sn-2_18:1_TG sn-1_18:1_PE sn-2_18:1_PE sn-2_18:1_PC sn-1_18:1_PI sn-2_18:1_PI sn-2_18:1_PG

e C18:0
- Ctrl
- CG5966-OE

Relative quantity

* ** *

sn-1_18:0_TG sn-3_18:0_TG sn-1_18:0_PI

f C16:1
- Ctrl
- CG5966-OE

Relative quantity

* * 0.056 * * ** * *

sn-1_16:1_TG sn-2_16:1_TG sn-1_16:1_PE sn-2_16:1_PE sn-1_16:1_PC sn-2_16:1_PC sn-1_16:1_PG sn-2_16:1_PG

g C16:0
- Ctrl
- CG5966-OE

Relative quantity

* 0.058 ** * 0.063

sn-2_16:0_TG sn-3_16:0_TG sn-1_16:0_PC sn-1_16:0_PG sn-2_16:0_PG

h TG Docked in CG5966

Green: TG (16:0_18:1_18:1)
Red: CG5966 Catalytic Triad

i AFM screen for CG5966

iLIS

FDR@0.01: 0.55
FDR@0.05: 0.34
FDR@0.10: 0.22

0   5000   10000   15000

j Clustered interaction fingerprint of CG5966

Cluster
1
8

1 39 78 116 155 193 232 270 309 347 386 424 463 501 540
Amino Acid Coordinate

k Interactions of CG5966

PGAP5
CG10425
PIG-H
CG5326   CG5966   Atg12
alpha4GT2   Rab26
CG31523   Rab27
GAA1   Rab40
                                 CG5367
                                 GILT1

Membrane lipid biosynthesis   Autophagy

l Interacting sites

Cluster 1

Cluster 8

m CG5966 - Atg12

A: CG5966
B: Atg12
iLIS: 0.42 ipTM: 0.72

n CG5966 - Rab26

A: CG5966
B: Rab26
iLIS: 0.24 ipTM: 0.5

o CG5966 - Rab27

A: CG5966
B: Rab27
iLIS: 0.37 ipTM: 0.59

p CG5966 - Rab40

A: CG5966
B: Rab40
iLIS: 0.23 ipTM: 0.51

q FB>+   FB>CG5966

30um

r Autophagic vesicle number
- Ctrl
- CG5966-OE

Autophagic vesicle number

**

s Autophagic vesicle size
- Ctrl
- CG5966-OE

Autophagic vesicle size (um²)

ns

Figure 2. CG5966 is a triglyceride lipase that promotes autophagosome formation.

a,b, 3D structural modeling using AlphaFold demonstrating similarity of human PNLIP (**a**) and LPL (**b**) to CG5966. **c**, Relative levels of Abdomen TG levels of flies with or without fat-body *CG5966* overexpression (n=4), data were retrieved from lipidomics analysis. **d-g**, Relative levels of abdomen lipid species with C18:1 (**d**), C18:0 (**e**), C16:1 (**f**), and C16:0 (**g**) acyl chains of flies with or without fat-body *CG5966* overexpression (n=4), data were retrieved from lipidomics analysis. **h**, Molecular docking of TG (16:0/18:1/18:1) to CG5966 by the Boltz-2 docking model. **i**, AFM prediction of interacting partners of CG5966. **j**, Cluster of predicted interacting partners of CG5966 based on interacting sites. Y-axis present grouping of interacting patterners and X-axis indicate the interacting sites of CG5966. **k**, Predicted interactions between CG5966 with membrane lipid biosynthesis and autophagy regulators by AFM. **l**, Predicted interacting pocket of CG5966. **m-p**, AFM prediction of interaction between CG5966 and Atg12 (**m**), Rab26 (**n**), Rab27 (**o**), Rab40 (**p**). **q**, Live imaging of fat bodies with autophagic vesicle staining dye in flies with or without fat-body *CG5966* overexpression at day 7. **r, s**, Quantification of autophagic vesicle numbers (**r**) and sizes (**s**) in **q** (n>8). *$p < 0.05$, **$p < 0.01$, ***$p < 0.001$, ****$p < 0.0001$, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

Figure 3. CG5966 promotes autophagosome formation in the fat body of Yki flies.

a, Live imaging of fat bodies with autophagic vesicle staining dye in Yki flies with or without fat-body *CG5966* depletion at day 7. **b**, **c,** Quantification of autophagic vesicle numbers (**b**) and sizes (**c**) in **a** (n>15). **d,** Live imaging of fat bodies with autophagic vesicle staining dye in Yki flies with or without fat-body *Atg1* depletion at day 7. **e, f,** Quantification of autophagic vesicle numbers (**e**) and sizes (**f**) in **d** (n>15). **g,** Images of gut tumors and phenotypes of Yki flies with or without fat-body *Atg1* depletion at day 6. **h,** Quantification of gut tumors (GFP signal, arbitrary units) of Yki flies with or without fat-body *Atg1* depletion at day 6 (n = 8). **i,** Total pH3 counts per gut of control flies and Yki flies with or without fat-body Atg1 depletion at day 6 (n = 8). **j,** Quantification of bloating phenotypes of control flies and Yki flies with or without fat-body Atg1 depletion at day 6 (A/H ratio, n=9). **k,** Body-fluid levels of Yki flies with or without fat-body *Atg1* depletion at day 6 (n = 4). **l,** The climbing ability at day 6 (n = 4) of control flies, Yki flies, and Yki flies with fat-body *Atg1* depletion. *p < 0.05, **p < 0.01, ***p < 0.001, ****p < 0.0001, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

Figure 4. Autophagic flux is blocked in Yki flies.

a, Western blot showing pro and matured forms of CtsL in Yki and control flies. Rhodamine was used as loading control. **b**, Live imaging of lysosomes in Yki flies with or without fat-body *CG5966* depletion at day 7. **c, d**, Quantification of lysosome numbers (**c**) and sizes (**d**) in **b** (n>15). **e**, Live imaging of lysosome and autophagic vesicles in Yki flies at day 7. **f**, Quantification of sizes of autophagic vesicles, autolysosome and lysosome in Yki flies (n>15). **g**, Quantification of autolysosome numbers in Yki flies with or without fat-body *CG5966* depletion at day 7 (n>15). **h**, Relative levels of whole-body ceramide levels of Yki and control flies (n=3), data were retrieved from lipidomics analysis. **i**, Western blot showing pro and matured forms of CtsL in control flies, Yki flies with or without fat-body *schlank* depletion at day 7. Rhodamine was used as loading control. **j**, Live imaging of lysosomes and autophagic vesicles in Yki flies with or without fat-body *schlank* depletion at day 7. **k-n**, Quantification of lysosome numbers (**k**) and sizes (**l**), autophagic vesicle numbers (**m**) and sizes (**n**), autolysosome numbers (**o**) in **j** (n>15). **p**, Images of gut tumors and phenotypes of Yki flies with or without fat-body *schlank* depletion at day 6. **q**, Quantification of gut tumors (GFP signal, arbitrary units) of Yki flies with or without fat-body *schlank* depletion at day 6 (n = 8). **r**, Total pH3 counts per gut of control flies and Yki flies with or without fat-body *schlank* depletion at day 6 (n = 8). **s**, Quantification of bloating phenotypes of control flies and Yki flies with or without fat-body *schlank* depletion at day 6 (A/H ratio, n=9). **t**, Body-fluid levels of Yki flies with or without fat-body *schlank* depletion at day 6 (n = 4). **u, v**, The climbing ability at day 6 (**u**) (n = 4) and survival curve (**v**) (n = 3) of control flies, Yki flies, and Yki flies with fat-body *schlank* depletion. $*p < 0.05$, $**p < 0.01$, $***p < 0.001$, $****p < 0.0001$, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

Figure 5. The JAK–STAT pathway regulates *CG5966* and *schlank* expression

in the fat body.

a, **c**, qRT–PCR of *CG5966* (**a**) and *schlank* (**c**) mRNA in the fat body of flies with or without

ISC *Upd3* or *Pvf1* expression (*esg>Upd3* or *Pvf1*) at day 8 (n = 3). **b**, **d**, *CG5966* (**b**) and

schlank (**d**) mRNA in the fat body of flies with or without fat-body Stat92E-act (constitutive-

activated form of Stat92e) expression at day 8 (n = 3). **e**, **g**, *CG5966* (**e**) and *schlank* (**g**)

mRNA in the fat body of control, Yki flies, and Yki flies with fat-body *hop* depletion at day 6

(n = 3). **f**, **h**, *CG5966* (**f**) and *schlank* (**h**) mRNA in the fat body of Yki flies with or without fat-

body *Stat92e* depletion at day 6 (n = 3). **i**, Data from the ChIP-seq database indicating

enrichment of Stat92e binding at the *CG5966* and *schlank* promoter and gene regions. **j**,

ChIP revealed the enrichment of HA-tagged Stat92E-act binding at the *CG5966* and

schlank promoter and gene regions, shown by fold changes relative to control IgG at day 8

(n = 3). Neg, negative control. **k**, Relative levels of whole-body ceramide levels of control,

Yki flies, and Yki flies with fat-body *hop or Stat92E* depletion at day 6 (n > 3), data were

retrieved from lipidomics analysis. **l**, Live imaging of lysosome and autophagic vesicles in

Yki flies with or without fat-body *hop* or *Stat92e* depletion at day 7. **m-q**, Quantification of

autophagic vesicle numbers (**m**) and sizes (**n**), lysosome numbers (**o**) and sizes (**p**), and

autolysosome numbers (**q**) in **l** (n > 15). **r**, Western blot showing pro and matured forms of

CtsL in control flies, Yki flies with or without fat-body *hop* or *Stat92e* depletion at day 7.

Rhodamine was used as loading control. The same membrane was probed sequentially

with Atg8 antibody in S4a, loading control is shared. *p < 0.05, **p < 0.01, ***p < 0.001,

****p < 0.0001, ns indicates not significant. Error bars indicate SDs. n indicates the number

of biological replicates in each experiment.

Figure 6. Conserved pathogenic mechanism in mouse models and humans.

a, b, qRT–PCR of *Lpl* mRNA in adipose tissue (**a**) and liver (**b**) B6 mice injected with LLC cells with (n = 4) or without (n = 5) and IL-6 expression. **c,d**, Relative levels of adipose (**c**) and liver (**d**) TG species of B6 mice injected with LLC cells with or without IL-6 expression (n=5). **e-h**, Relative levels of liver lipid species with C18:1 (**e**), C18:2 (**f**), C18:3 (**g**), and C16:0 (**h**) acyl chains of B6 mice injected with LLC cells with or without IL-6 expression (n=5). **i-k**, qRT–PCR of *CerS4* (**i**), *CerS5* (**j**), *CerS6* (**k**) mRNA in liver of B6 mice injected with LLC cells with or without IL-6 expression (n = 7). **i**, Western blot showing forms of CtsL, LAMP2, LC3, and P62 in liver of B6 mice injected with LLC cells with or without IL-6 expression, with the loading control GAPDH. **m,n**, Correlation plots showing the positive relationship between liver *CerS4* (**m**) and *CerS5* (**n**) expression (n = 10) versus weight loss of KL mice. **o-r**, Correlation plots showing the positive relationship between expression of *STAT3* and *CerS5* (**o**), *CPR* and *CerS5* (**p**), *STAT3* and *CerS6* (**q**), *CPR* and *CerS6* (**r**) in non-diseased liver samples of 226 participants in the GTEx Project. TPM, transcript per million. **s**, Pathway map showing *de novo* ceramide synthesis pathway in human. **t-w**, Kaplan–Meier survival curves displaying the estimated survival probabilities of people with hepatocellular carcinoma with low (bottom third) and high (top third) hepatic expression of *LPL* (**t**), *CERS5* (**u**), *CERS6* (**v**), and *DEGS1* (**w**). *p < 0.05, **p < 0.01, ***p < 0.001, ****p < 0.0001, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

a

- 00_epithelial_cell
- 01_muscle_cell
- 02_indirect_flight_muscle
- 03_heart_muscle
- 04_visceral_muscle_of_midgut
- 05_intestinal_stem_cell
- 06_enterocyte
- 07_enterocyte-like
- 08_enteroendocrine_cell
- 09_cardia
- 10_hindgut_A
- 11_hindgut_B
- 12_hindgut_C
- 13_fat_body
- 14_oenocyte
- 15_hemocyte
- 16_tracheal_cell
- 17_malpighian_tubule_principal_cell
- 18_salivary_gland
- 19_ventral_nervous_system
- 20_cell_body_glial_cell
- 21_follicle_cell
- 22_follicle_cell_stage 9+*
- 23_stretch_follicle_cell
- 24_stalk_follicle_cell
- 25_cyst_stem_cells
- 26_germline_cell_A_unknown_stage
- 27_germline_cell_B_germline_cyst
- 28_germline_cell_C_unknown_stage
- 29_oviduct
- 30_female_reproductive_system_A
- 31_female_reproductive_system_B
- 32_ neuron _A
- 33_neuron_ B

b CG14275 **c** Pepck1 **d** IM2 **e** CG5966 **f** ScsβA

988   **Figure S1, related to Figure 1.**

989   **a**, Distribution of progression associated genes across cell clusters. **b-f**, Expression of

990   CG14275 (**b**), Pepck1 (**c**), IM2 (**d**), CG5966 (**e**), ScsbetaA (**f**) across cell clusters, data retried

991   from snRNA-seq.

Figure S2, related to Figure 2.

a, Amino acid sequence alignments showing similarity of human lipases to *CG5966*. **b**, Whole-body TG levels of Yki flies with or without fat-body *CG5966* depletion at day 6 (n = 4). **c**, Lipidomics analysis setting. **d-h**, Proportions of significantly changed abdomen TG species (**d**), and lipid species containing C18:1 (**e**), C18:0 (**f**), C16:1 (**g**), or C16:0 (**h**) acyl chains in flies with or without fat-body *CG5966* overexpression (n=4), data were retrieved from lipidomics analysis. **i-k**, Proportions of abdomen PC (**i**), PG (**j**), PI (**k**) of flies with or without fat-body CG5966 overexpression (n=4), data were retrieved from lipidomics analysis. **l**, AFM analysis setting. *p < 0.05, **p < 0.01, ***p < 0.001, ****p < 0.0001, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

a

Initiation	Nucleation	Elongation	Formation	Fusion
Atg1	Atg2	Atg3	Atg5	Syx17
Atg101	Atg6	Atg4a	Atg10	Vamp7
Atg13	Atg9	Atg4b	Atg12	Snap29
Atg17	Atg14	Atg7	Atg16	nSyb
	Atg18a	Atg8a		
	Vps15	Atg8b		
	CG11975			
	Vps34			

b Atg1 (Log2 Expression)

c Atg17 (Log2 Expression)

d Atg8a (Log2 Expression)

1004

1005   **Figure S3, related to Figure 3.**

1006   **a**, A schematic of autophagy in *Drosophila*, genes upregulated in Yki are labeled in blue,

1007   other genes are not significantly changed. **b-d**, Log2 expression of *Atg1* (**b**), *Atg17* (**c**), and

1008   *Atg8a* (**d**) in day 5 and day 8 control and Yki flies, data were retrieved from snRNAseq

1009   analysis.

a

Atg8 (LC3)

LC3-I
LC3-II

Rhodamine

Gut>Yki   -   +

b

CtsL1 (Log2 Expression)

c

Fatty acyls

d

Glycerolipids

e

Glycerophospholipids

f

Sphingolipids

g

Sterols

1010

Figure S4, related to Figure 4.

a, Western blot of Atg8 (LC3) of abdomen samples from control and Yki flies. Rhodamine

was used as loading control. **b**, Log2 expression of *CtsL1* in day 5 and day 8 control and Yki

flies, data were retrieved from snRNAseq analysis. **c-g**, Whole-body proportions of lipid

subgroups fatty acyls (**c**), glycerolipids (**d**), glycerophospholipids (**e**), sphingolipids (**f**), and

sterols (**g**) in control and Yki flies, data were retrieved from lipidomics analysis.

a

CG5966

b

c

1017

Figure S5, related to Figure 5.

a, *CG5966* mRNA expression in the fat body of control, Yki flies, and Yki flies with fat-body

InR-act (active form of InR) expression at day 6 (n = 3). $p < 0.05$, $p < 0.01$, $p < 0.001$,

$p < 0.0001$, ns indicates not significant. Error bars indicate SDs. n indicates biological

replicates. **b,c**, Data from the ChIP-seq data (ENCSR000EDC) indicating enrichment of

STAT3 binding at the *LPL* (**b**) and *CERS5* (**c**) promoter and gene regions.

Figure S6. related to Figure 6.

a,b, Proportions of significantly changed adipose (**a**) and liver (**b**) TG levels of B6 mice injected with LLC cells with or without IL-6 expression (n=5). **c-e**, Proportions of significantly changed lipid species containing C18:1 (**c**), C18:2 (**d**), or C16:0 (**e**) acyl chains of B6 mice injected with LLC cells with or without IL-6 expression in liver (n=5). **f,** qRT–PCR of *CerS2* mRNA in liver of B6 mice injected with LLC cells with or without IL-6 expression (n = 7). **g-j**, Correlation plots showing the positive relationship between expression of *HIF1A* and *CerS5* (**g**), *TIMP1* and *CerS5* (**h**), *HIF1A* and *CerS6* (**i**), *TIMP1* and *CerS6* (**j**) in non-diseased liver samples of 226 participants in the GTEx Project. TPM, transcript per million. **k-o**, Kaplan–Meier survival curves displaying the estimated survival probabilities of people with hepatocellular carcinoma with low (bottom third) and high (top third) hepatic expression of *CERS1* (**k**), *CERS2* (**l**), *CERS3* (**m**), *CERS4* (**n**), and *DEGS2* (**o**). *p < 0.05, **p < 0.01, ***p < 0.001, ****p < 0.0001, ns indicates not significant. Error bars indicate SDs. n indicates the number of biological replicates in each experiment.

References

Alexaki, V.I., 2024. Adipose tissue-derived mediators of systemic inflammation and metabolic control. Curr. Opin. Endocr. Metab. Res. 37, 100560. https://doi.org/10.1016/j.coemr.2024.100560

Arora, G.K., Gupta, A., Narayanan, S., Guo, T., Iyengar, P., Infante, R.E., 2018. Cachexia-associated adipose loss induced by tumor-secreted leukemia inhibitory factor is counterbalanced by decreased leptin. JCI Insight 3. https://doi.org/10.1172/jci.insight.121221

Barton, B.E., 2001. IL-6-like cytokines and cancer cachexia. Immunol. Res. 23, 41–58. https://doi.org/10.1385/IR:23:1:41

Bilder, D., Ong, K., Hsi, T.-C., Adiga, K., Kim, J., 2021. Tumour–host interactions through the lens of Drosophila. Nat. Rev. Cancer 1–14. https://doi.org/10.1038/s41568-021-00387-5

Castell, J.V., Gómez-Lechón, M.J., David, M., Fabra, R., Trullenque, R., Heinrich, P.C., 1990. Acute-phase response of human hepatocytes: regulation of acute-phase protein synthesis by interleukin-6. Hepatol. Baltim. Md 12, 1179–1186. https://doi.org/10.1002/hep.1840120517

Chavez, J.A., Summers, S.A., 2012. A ceramide-centric view of insulin resistance. Cell Metab. 15, 585–594. https://doi.org/10.1016/j.cmet.2012.04.002

Cheng, C., Liu, Y., Chen, Y., Li, J., Xu, W., Perrimon, N., Song, W., 2025. The Power of Drosophila in Modeling Cancer Cachexia, in: Deng, W.-M., Gonzaléz, C. (Eds.), The Drosophila Model in Cancer: Volume II. Springer Nature Switzerland, Cham, pp. 83–100. https://doi.org/10.1007/978-3-031-97035-1_5

Colacurcio, D.J., Nixon, R.A., 2016. Disorders of lysosomal acidification - the emerging role of v-ATPase in aging and neurodegenerative disease. Ageing Res. Rev. 32, 75–88. https://doi.org/10.1016/j.arr.2016.05.004

Dien, J., Amin, H.M., Chiu, N., Wong, W., Frantz, C., Chiu, B., Mackey, J.R., Lai, R., 2006. Signal Transducers and Activators of Transcription-3 Up-Regulates Tissue Inhibitor of Metalloproteinase-1 Expression and Decreases Invasiveness of Breast Cancer. Am. J. Pathol. 169, 633–642. https://doi.org/10.2353/ajpath.2006.051109

Ding, G., Xiang, X., Hu, Y., Xiao, G., Chen, Y., Binari, R., Comjean, A., Li, J., Rushworth, E., Fu, Z., Mohr, S.E., Perrimon, N., Song, W., 2021. Coordination of tumor growth and host wasting by tumor-derived Upd3. Cell Rep. 36, 109553. https://doi.org/10.1016/j.celrep.2021.109553

Dong, W., He, B., Qian, H., Liu, Q., Wang, D., Li, J., Wei, Z., Wang, Z., Xu, Z., Wu, G., Qian, G., Wang, G., 2018. RAB26-dependent autophagy protects adherens junctional integrity in acute lung injury. Autophagy 14, 1677–1692. https://doi.org/10.1080/15548627.2018.1476811

Ekas, L.A., Cardozo, T.J., Flaherty, M.S., McMillan, E.A., Gonsalves, F.C., Bach, E.A., 2010. Characterization of a dominant-active STAT that promotes tumorigenesis in Drosophila. Dev. Biol. 344, 621–636. https://doi.org/10.1016/j.ydbio.2010.05.497

Evans, R., O'Neill, M., Pritzel, A., Antropova, N., Senior, A., Green, T., Žídek, A., Bates, R., Blackwell, S., Yim, J., Ronneberger, O., Bodenstein, S., Zielinski, M., Bridgland, A.,

Potapenko, A., Cowie, A., Tunyasuvunakool, K., Jain, R., Clancy, E., Kohli, P., Jumper,
J., Hassabis, D., 2021. Protein complex prediction with AlphaFold-Multimer.
https://doi.org/10.1101/2021.10.04.463034

Fearon, K.C.H., Glass, D.J., Guttridge, D.C., 2012. Cancer Cachexia: Mediators, Signaling,
and Metabolic Pathways. Cell Metab. 16, 153–166.
https://doi.org/10.1016/j.cmet.2012.06.011

Ferrer, M., Mourikis, N., Davidson, E.E., Kleeman, S.O., Zaccaria, M., Habel, J., Rubino, R.,
Gao, Q., Flint, T.R., Young, L., Connell, C.M., Lukey, M.J., Goncalves, M.D., White,
E.P., Venkitaraman, A.R., Janowitz, T., 2023. Ketogenic diet promotes tumor
ferroptosis but induces relative corticosterone deficiency that accelerates cachexia.
Cell Metab. 35, 1147-1162.e7. https://doi.org/10.1016/j.cmet.2023.05.008

Flint, T.R., Janowitz, T., Connell, C.M., Roberts, E.W., Denton, A.E., Coll, A.P., Jodrell, D.I.,
Fearon, D.T., 2016. Tumor-Induced IL-6 Reprograms Host Metabolism to Suppress
Anti-tumor Immunity. Cell Metab. 24, 672–684.
https://doi.org/10.1016/j.cmet.2016.10.010

Fresques, T., Niles, B., Aronova, S., Mogri, H., Rakhshandehroo, T., Powers, T., 2015.
Regulation of Ceramide Synthase by Casein Kinase 2-dependent Phosphorylation in
Saccharomyces cerevisiae. J. Biol. Chem. 290, 1395–1403.
https://doi.org/10.1074/jbc.M114.621086

Gabandé-Rodríguez, E., Boya, P., Labrador, V., Dotti, C.G., Ledesma, M.D., 2014. High
sphingomyelin levels induce lysosomal damage and autophagy dysfunction in
Niemann Pick disease type A. Cell Death Differ. 21, 864–875.
https://doi.org/10.1038/cdd.2014.4

Gillingham, A.K., Sinka, R., Torres, I.L., Lilley, K.S., Munro, S., 2014. Toward a
Comprehensive Map of the Effectors of Rab GTPases. Dev. Cell 31, 358–373.
https://doi.org/10.1016/j.devcel.2014.10.007

Goncalves, M.D., Hwang, S.-K., Pauli, C., Murphy, C.J., Cheng, Z., Hopkins, B.D., Wu, D.,
Loughran, R.M., Emerling, B.M., Zhang, G., Fearon, D.T., Cantley, L.C., 2018.
Fenofibrate prevents skeletal muscle loss in mice with lung cancer. Proc. Natl.
Acad. Sci. 115, E743–E752. https://doi.org/10.1073/pnas.1714703115

Hamel, S., Fantini, J., Schweisguth, F., 2010. Notch ligand activity is modulated by
glycosphingolipid membrane composition in Drosophila melanogaster. J. Cell Biol.
188, 581–594. https://doi.org/10.1083/jcb.200907116

Hannun, Y.A., Obeid, L.M., 2018. Sphingolipids and their metabolism in physiology and
disease. Nat. Rev. Mol. Cell Biol. 19, 175–191. https://doi.org/10.1038/nrm.2017.107

Harayama, T., Riezman, H., 2018. Understanding the diversity of membrane lipid
composition. Nat. Rev. Mol. Cell Biol. 19, 281–296.
https://doi.org/10.1038/nrm.2017.138

Hoadley, K.A., Yau, C., Hinoue, T., Wolf, D.M., Lazar, A.J., Drill, E., Shen, R., Taylor, A.M.,
Cherniack, A.D., Thorsson, Vésteinn, Akbani, R., Bowlby, R., Wong, C.K.,
Wiznerowicz, M., Sanchez-Vega, F., Robertson, A.G., Schneider, B.G., Lawrence,
M.S., Noushmehr, H., Malta, T.M., Caesar-Johnson, S.J., Demchok, J.A., Felau, I.,
Kasapi, M., Ferguson, M.L., Hutter, C.M., Sofia, H.J., Tarnuzzer, R., Wang, Z., Yang, L.,
Zenklusen, J.C., Zhang, J. (Julia), Chudamani, S., Liu, J., Lolla, L., Naresh, R., Pihl, T.,

Sun, Q., Wan, Y., Wu, Y., Cho, J., DeFreitas, T., Frazer, S., Gehlenborg, N., Getz, G.,
Heiman, D.I., Kim, J., Lawrence, M.S., Lin, P., Meier, S., Noble, M.S., Saksena, G.,
Voet, D., Zhang, Hailei, Bernard, B., Chambwe, N., Dhankani, V., Knijnenburg, T.,
Kramer, R., Leinonen, K., Liu, Y., Miller, M., Reynolds, S., Shmulevich, I., Thorsson,
Vesteinn, Zhang, W., Akbani, R., Broom, B.M., Hegde, A.M., Ju, Z., Kanchi, R.S.,
Korkut, A., Li, J., Liang, H., Ling, S., Liu, W., Lu, Y., Mills, G.B., Ng, K.-S., Rao, A., Ryan,
M., Wang, Jing, Weinstein, J.N., Zhang, J., Abeshouse, A., Armenia, J., Chakravarty,
D., Chatila, W.K., Bruijn, I. de, Gao, J., Gross, B.E., Heins, Z.J., Kundra, R., La, K.,
Ladanyi, M., Luna, A., Nissan, M.G., Ochoa, A., Phillips, S.M., Reznik, E., Sanchez-
Vega, F., Sander, C., Schultz, N., Sheridan, R., Sumer, S.O., Sun, Y., Taylor, B.S.,
Wang, Jioajiao, Zhang, Hongxin, Anur, P., Peto, M., Spellman, P., Benz, C., Stuart,
J.M., Wong, C.K., Yau, C., Hayes, D.N., Parker, J.S., Wilkerson, M.D., Ally, A.,
Balasundaram, M., Bowlby, R., Brooks, D., Carlsen, R., Chuah, E., Dhalla, N., Holt,
R., Jones, S.J.M., Kasaian, K., Lee, D., Ma, Y., Marra, M.A., Mayo, M., Moore, R.A.,
Mungall, A.J., Mungall, K., Robertson, A.G., Sadeghi, S., Schein, J.E., Sipahimalani,
P., Tam, A., Thiessen, N., Tse, K., Wong, T., Berger, A.C., Beroukhim, R., Cherniack,
A.D., Cibulskis, C., Gabriel, S.B., Gao, G.F., Ha, G., Meyerson, M., Schumacher, S.E.,
Shih, J., Kucherlapati, M.H., Kucherlapati, R.S., Baylin, S., Cope, L., Danilova, L.,
Bootwalla, M.S., Lai, P.H., Maglinte, D.T., Berg, D.J.V.D., Weisenberger, D.J., Auman,
J.T., Balu, S., Bodenheimer, T., Fan, C., Hoadley, K.A., Hoyle, A.P., Jefferys, S.R.,
Jones, C.D., Meng, S., Mieczkowski, P.A., Mose, L.E., Perou, A.H., Perou, C.M.,
Roach, J., Shi, Y., Simons, J.V., Skelly, T., Soloway, M.G., Tan, D., Veluvolu, U., Fan, H.,
Hinoue, T., Laird, P.W., Shen, H., Zhou, W., Bellair, M., Chang, K., Covington, K.,
Creighton, C.J., Dinh, H., Doddapaneni, H., Donehower, L.A., Drummond, J., Gibbs,
R.A., Glenn, R., Hale, W., Han, Y., Hu, J., Korchina, V., Lee, S., Lewis, L., Li, W., Liu,
X., Morgan, M., Morton, D., Muzny, D., Santibanez, J., Sheth, M., Shinbrot, E., Wang,
L., Wang, M., Wheeler, D.A., Xi, L., Zhao, F., Hess, J., Appelbaum, E.L., Bailey, M.,
Cordes, M.G., Ding, L., Fronick, C.C., Fulton, L.A., Fulton, R.S., Kandoth, C., Mardis,
E.R., McLellan, M.D., Miller, C.A., Schmidt, H.K., Wilson, R.K., Crain, D., Curley, E.,
Gardner, J., Lau, K., Mallery, D., Morris, S., Paulauskis, J., Penny, R., Shelton, C.,
Shelton, T., Sherman, M., Thompson, E., Yena, P., Bowen, J., Gastier-Foster, J.M.,
Gerken, M., Leraas, K.M., Lichtenberg, T.M., Ramirez, N.C., Wise, L., Zmuda, E.,
Corcoran, N., Costello, T., Hovens, C., Carvalho, A.L., Carvalho, A.C. de, Fregnani,
J.H., Longatto-Filho, A., Reis, R.M., Scapulatempo-Neto, C., Silveira, H.C.S., Vidal,
D.O., Burnette, A., Eschbacher, J., Hermes, B., Noss, A., Singh, R., Anderson, M.L.,
Castro, P.D., Ittmann, M., Huntsman, D., Kohl, B., Le, X., Thorp, R., Andry, C., Duffy,
E.R., Lyadov, V., Paklina, O., Setdikova, G., Shabunin, A., Tavobilov, M., McPherson,
C., Warnick, R., Berkowitz, R., Cramer, D., Feltmate, C., Horowitz, N., Kibel, A.,
Muto, M., Raut, C.P., Malykh, A., Barnholtz-Sloan, J.S., Barrett, W., Devine, K., Fulop,
J., Ostrom, Q.T., Shimmel, K., Wolinsky, Y., Sloan, A.E., Rose, A.D., Giuliante, F.,
Goodman, M., Karlan, B.Y., Hagedorn, C.H., Eckman, J., Harr, J., Myers, J., Tucker, K.,
Zach, L.A., Deyarmin, B., Hu, H., Kvecher, L., Larson, C., Mural, R.J., Somiari, S.,
Vicha, A., Zelinka, T., Bennett, J., Iacocca, M., Rabeno, B., Swanson, P., Latour, M.,
Lacombe, L., Têtu, B., Bergeron, A., McGraw, M., Staugaitis, S.M., Chabot, J.,

Hibshoosh, H., Sepulveda, A., Su, T., Wang, T., Potapova, O., Voronina, O.,
Desjardins, L., Mariani, O., Roman-Roman, S., Sastre, X., Stern, M.-H., Cheng, F.,
Signoretti, S., Berchuck, A., Bigner, D., Lipp, E., Marks, J., McCall, S., McLendon, R.,
Secord, A., Sharp, A., Behera, M., Brat, D.J., Chen, A., Delman, K., Force, S., Khuri,
F., Magliocca, K., Maithel, S., Olson, J.J., Owonikoko, T., Pickens, A., Ramalingam, S.,
Shin, D.M., Sica, G., Meir, E.G.V., Zhang, Hongzheng, Eijckenboom, W., Gillis, A.,
Korpershoek, E., Looijenga, L., Oosterhuis, W., Stoop, H., Kessel, K.E. van,
Zwarthoff, E.C., Calatozzolo, C., Cuppini, L., Cuzzubbo, S., DiMeco, F., Finocchiaro,
G., Mattei, L., Perin, A., Pollo, B., Chen, C., Houck, J., Lohavanichbutr, P., Hartmann,
A., Stoehr, C., Stoehr, R., Taubert, H., Wach, S., Wullich, B., Kycler, W., Murawa, D.,
Wiznerowicz, M., Chung, K., Edenfield, W.J., Martin, J., Baudin, E., Bubley, G., Bueno,
R., Rienzo, A.D., Richards, W.G., Kalkanis, S., Mikkelsen, T., Noushmehr, H.,
Scarpace, L., Girard, N., Aymerich, M., Campo, E., Giné, E., Guillermo, A.L., Bang,
N.V., Hanh, P.T., Phu, B.D., Tang, Y., Colman, H., Evason, K., Dottino, P.R.,
Martignetti, J.A., Gabra, H., Juhl, H., Akeredolu, T., Stepa, S., Hoon, D., Ahn, K., Kang,
K.J., Beuschlein, F., Breggia, A., Birrer, M., Bell, D., Borad, M., Bryce, A.H., Castle, E.,
Chandan, V., Cheville, J., Copland, J.A., Farnell, M., Flotte, T., Giama, N., Ho, T.,
Kendrick, M., Kocher, J.-P., Kopp, K., Moser, C., Nagorney, D., O'Brien, D., O'Neill,
B.P., Patel, T., Petersen, G., Que, F., Rivera, M., Roberts, L., Smallridge, R., Smyrk, T.,
Stanton, M., Thompson, R.H., Torbenson, M., Yang, J.D., Zhang, L., Brimo, F., Ajani,
J.A., Gonzalez, A.M.A., Behrens, C., Bondaruk, O., Broaddus, R., Czerniak, B.,
Esmaeli, B., Fujimoto, J., Gershenwald, J., Guo, C., Lazar, A.J., Logothetis, C., Meric-
Bernstam, F., Moran, C., Ramondetta, L., Rice, D., Sood, A., Tamboli, P., Thompson,
T., Troncoso, P., Tsao, A., Wistuba, I., Carter, C., Haydu, L., Hersey, P., Jakrot, V.,
Kakavand, H., Kefford, R., Lee, K., Long, G., Mann, G., Quinn, M., Saw, R., Scolyer,
R., Shannon, K., Spillane, A., Stretch, J., Synott, M., Thompson, J., Wilmott, J., Al-
Ahmadie, H., Chan, T.A., Ghossein, R., Gopalan, A., Levine, D.A., Reuter, V., Singer,
S., Singh, B., Tien, N.V., Broudy, T., Mirsaidi, C., Nair, P., Drwiega, P., Miller, J., Smith,
J., Zaren, H., Park, J.-W., Hung, N.P., Kebebew, E., Linehan, W.M., Metwalli, A.R.,
Pacak, K., Pinto, P.A., Schiffman, M., Schmidt, L.S., Vocke, C.D., Wentzensen, N.,
Worrell, R., Yang, H., Moncrieff, M., Goparaju, C., Melamed, J., Pass, H., Botnariuc,
N., Caraman, I., Cernat, M., Chemencedji, I., Clipca, A., Doruc, S., Gorincioi, G.,
Mura, S., Pirtac, M., Stancul, I., Tcaciuc, D., Albert, M., Alexopoulou, I., Arnaout, A.,
Bartlett, J., Engel, J., Gilbert, S., Parfitt, J., Sekhon, H., Thomas, G., Rassl, D.M.,
Rintoul, R.C., Bifulco, C., Tamakawa, R., Urba, W., Hayward, N., Timmers, H.,
Antenucci, A., Facciolo, F., Grazi, G., Marino, M., Merola, R., Krijger, R. de, Gimenez-
Roqueplo, A.-P., Piché, A., Chevalier, S., McKercher, G., Birsoy, K., Barnett, G.,
Brewer, C., Farver, C., Naska, T., Pennell, N.A., Raymond, D., Schilero, C.,
Smolenski, K., Williams, F., Morrison, C., Borgia, J.A., Liptay, M.J., Pool, M., Seder,
C.W., Junker, K., Omberg, L., Dinkin, M., Manikhas, G., Alvaro, D., Bragazzi, M.C.,
Cardinale, V., Carpino, G., Gaudio, E., Chesla, D., Cottingham, S., Dubina, M.,
Moiseenko, F., Dhanasekaran, R., Becker, K.-F., Janssen, K.-P., Slotta-Huspenina, J.,
Abdel-Rahman, M.H., Aziz, D., Bell, S., Cebulla, C.M., Davis, A., Duell, R., Elder, J.B.,
Hilty, J., Kumar, B., Lang, J., Lehman, N.L., Mandt, R., Nguyen, P., Pilarski, R., Rai, K.,

Schoenfield, L., Senecal, K., Wakely, P., Hansen, P., Lechan, R., Powers, J., Tischler, A., Grizzle, W.E., Sexton, K.C., Kastl, A., Henderson, J., Porten, S., Waldmann, J., Fassnacht, M., Asa, S.L., Schadendorf, D., Couce, M., Graefen, M., Huland, H., Sauter, G., Schlomm, T., Simon, R., Tennstedt, P., Olabode, O., Nelson, M., Bathe, O., Carroll, P.R., Chan, J.M., Disaia, P., Glenn, P., Kelley, R.K., Landen, C.N., Phillips, J., Prados, M., Simko, J., Smith-McCune, K., VandenBerg, S., Roggin, K., Fehrenbach, A., Kendler, A., Sifri, S., Steele, R., Jimeno, A., Carey, F., Forgie, I., Mannelli, M., Carney, M., Hernandez, B., Campos, B., Herold-Mende, C., Jungk, C., Unterberg, A., Deimling, A. von, Bossler, A., Galbraith, J., Jacobus, L., Knudson, M., Knutson, T., Ma, D., Milhem, M., Sigmund, R., Godwin, A.K., Madan, R., Rosenthal, H.G., Adebamowo, C., Adebamowo, S.N., Boussioutas, A., Beer, D., Giordano, T., Mes-Masson, A.-M., Saad, F., Bocklage, T., Landrum, L., Mannel, R., Moore, K., Moxley, K., Postier, R., Walker, J., Zuna, R., Feldman, M., Valdivieso, F., Dhir, R., Luketich, J., Pinero, E.M.M., Quintero-Aguilo, M., Carlotti, C.G., Santos, J.S.D., Kemp, R., Sankarankuty, A., Tirapelli, D., Catto, J., Agnew, K., Swisher, E., Creaney, J., Robinson, B., Shelley, C.S., Godwin, E.M., Kendall, S., Shipman, C., Bradford, C., Carey, T., Haddad, A., Moyer, J., Peterson, L., Prince, M., Rozek, L., Wolf, G., Bowman, R., Fong, K.M., Yang, I., Korst, R., Rathmell, W.K., Fantacone-Campbell, J.L., Hooke, J.A., Kovatich, A.J., Shriver, C.D., DiPersio, J., Drake, B., Govindan, R., Heath, S., Ley, T., Tine, B.V., Westervelt, P., Rubin, M.A., Lee, J.I., Aredes, N.D., Mariamidze, A., Stuart, J.M., Benz, C.C., Laird, P.W., 2018. Cell-of-Origin Patterns Dominate the Molecular Classification of 10,000 Tumors from 33 Types of Cancer. Cell 173, 291-304.e6. https://doi.org/10.1016/j.cell.2018.03.022

Houten, S.M., Wanders, R.J.A., 2010. A general introduction to the biochemistry of mitochondrial fatty acid β-oxidation. J. Inherit. Metab. Dis. 33, 469–477. https://doi.org/10.1007/s10545-010-9061-2

Ji, H., Ramsey, M.R., Hayes, D.N., Fan, C., McNamara, K., Kozlowski, P., Torrice, C., Wu, M.C., Shimamura, T., Perera, S.A., Liang, M.-C., Cai, D., Naumov, G.N., Bao, L., Contreras, C.M., Li, D., Chen, L., Krishnamurthy, J., Koivunen, J., Chirieac, L.R., Padera, R.F., Bronson, R.T., Lindeman, N.I., Christiani, D.C., Lin, X., Shapiro, G.I., Jänne, P.A., Johnson, B.E., Meyerson, M., Kwiatkowski, D.J., Castrillon, D.H., Bardeesy, N., Sharpless, N.E., Wong, K.-K., 2007. LKB1 modulates lung cancer differentiation and metastasis. Nature 448, 807–810. https://doi.org/10.1038/nature06030

Johnson, D.E., O'Keefe, R.A., Grandis, J.R., 2018. Targeting the IL-6/JAK/STAT3 signalling axis in cancer. Nat. Rev. Clin. Oncol. 15, 234–248. https://doi.org/10.1038/nrclinonc.2018.8

Kerner, J., Parland, W.K., Minkler, P.E., Hoppel, C.L., 2008. Rat liver mitochondrial carnitine palmitoyltransferase-I, hepatic carnitine, and malonyl-CoA: effect of starvation. Arch. Physiol. Biochem. 114, 161–170. https://doi.org/10.1080/13813450802181062

Kim, A.-R., Hu, Y., Comjean, A., Rodiger, J., Mohr, S.E., Perrimon, N., n.d. Enhanced Protein-Protein Interaction Discovery via AlphaFold-Multimer. bioRxiv 2024. https://doi.org/10.1101/2024.02.19.580970.

Kinoshita, E., Kinoshita-Kikuta, E., Takiyama, K., Koike, T., 2006. Phosphate-binding tag, a
new tool to visualize phosphorylated proteins. Mol. Cell. Proteomics MCP 5, 749–
757. https://doi.org/10.1074/mcp.T500024-MCP200
Kinoshita, T., 2020. Biosynthesis and biology of mammalian GPI-anchored proteins. Open
Biol. 10, 190290. https://doi.org/10.1098/rsob.190290
Klionsky, D.J., Abdel-Aziz, A.K., Abdelfatah, S., Abdellatif, M., Abdoli, A., Abel, S.,
Abeliovich, H., Abildgaard, M.H., Abudu, Y.P., Acevedo-Arozena, A., Adamopoulos,
I.E., Adeli, K., Adolph, T.E., Adornetto, A., Aflaki, E., Agam, G., Agarwal, A., Aggarwal,
B.B., Agnello, M., Agostinis, P., Agrewala, J.N., Agrotis, A., Aguilar, P.V., Ahmad, S.T.,
Ahmed, Z.M., Ahumada-Castro, U., Aits, S., Aizawa, S., Akkoc, Y., Akoumianaki, T.,
Akpinar, H.A., Al-Abd, A.M., Al-Akra, L., Al-Gharaibeh, A., Alaoui-Jamali, M.A.,
Alberti, S., Alcocer-Gómez, E., Alessandri, C., Ali, M., Alim Al-Bari, M.A., Aliwaini, S.,
Alizadeh, J., Almacellas, E., Almasan, A., Alonso, A., Alonso, G.D., Altan-Bonnet, N.,
Altieri, D.C., Álvarez, É.M.C., Alves, S., Alves da Costa, C., Alzaharna, M.M., Amadio,
M., Amantini, C., Amaral, C., Ambrosio, S., Amer, A.O., Ammanathan, V., An, Z.,
Andersen, S.U., Andrabi, S.A., Andrade-Silva, M., Andres, A.M., Angelini, S., Ann, D.,
Anozie, U.C., Ansari, M.Y., Antas, P., Antebi, A., Antón, Z., Anwar, T., Apetoh, L.,
Apostolova, N., Araki, T., Araki, Y., Arasaki, K., Araújo, W.L., Araya, J., Arden, C.,
Arévalo, M.-A., Arguelles, S., Arias, E., Arikkath, J., Arimoto, H., Ariosa, A.R.,
Armstrong-James, D., Arnauné-Pelloquin, L., Aroca, A., Arroyo, D.S., Arsov, I., Artero,
R., Asaro, D.M.L., Aschner, M., Ashrafizadeh, M., Ashur-Fabian, O., Atanasov, A.G.,
Au, A.K., Auberger, P., Auner, H.W., Aurelian, L., Autelli, R., Avagliano, L., Ávalos, Y.,
Aveic, S., Aveleira, C.A., Avin-Wittenberg, T., Aydin, Y., Ayton, S., Ayyadevara, S.,
Azzopardi, M., Baba, M., Backer, J.M., Backues, S.K., Bae, D.-H., Bae, O.-N., Bae,
S.H., Baehrecke, E.H., Baek, A., Baek, S.-H., Baek, S.H., Bagetta, G., Bagniewska-
Zadworna, A., Bai, H., Bai, J., Bai, X., Bai, Y., Bairagi, N., Baksi, S., Balbi, T., Baldari,
C.T., Balduini, W., Ballabio, A., Ballester, M., Balazadeh, S., Balzan, R.,
Bandopadhyay, R., Banerjee, Sreeparna, Banerjee, Sulagna, Bánréti, Á., Bao, Y.,
Baptista, M.S., Baracca, A., Barbati, C., Bargiela, A., Barilà, D., Barlow, P.G.,
Barmada, S.J., Barreiro, E., Barreto, G.E., Bartek, J., Bartel, B., Bartolome, A., Barve,
G.R., Basagoudanavar, S.H., Bassham, D.C., Bast, R.C., Basu, A., Batoko, H., Batten,
I., Baulieu, E.E., Baumgarner, B.L., Bayry, J., Beale, R., Beau, I., Beaumatin, F.,
Bechara, L.R.G., Beck, G.R., Beers, M.F., Begun, J., Behrends, C., Behrens, G.M.N.,
Bei, R., Bejarano, E., Bel, S., Behl, C., Belaid, A., Belgareh-Touzé, N., Bellarosa, C.,
Belleudi, F., Belló Pérez, M., Bello-Morales, R., Beltran, J.S. de O., Beltran, S.,
Benbrook, D.M., Bendorius, M., Benitez, B.A., Benito-Cuesta, I., Bensalem, J.,
Berchtold, M.W., Berezowska, S., Bergamaschi, D., Bergami, M., Bergmann, A.,
Berliocchi, L., Berlioz-Torrent, C., Bernard, A., Berthoux, L., Besirli, C.G., Besteiro, S.,
Betin, V.M., Beyaert, R., Bezbradica, J.S., Bhaskar, K., Bhatia-Kissova, I.,
Bhattacharya, R., Bhattacharya, S., Bhattacharyya, S., Bhuiyan, M.S., Bhutia, S.K.,
Bi, L., Bi, X., Biden, T.J., Bijian, K., Billes, V.A., Binart, N., Bincoletto, C., Birgisdottir,
A.B., Bjorkoy, G., Blanco, G., Blas-Garcia, A., Blasiak, J., Blomgran, R., Blomgren, K.,
Blum, J.S., Boada-Romero, E., Boban, M., Boesze-Battaglia, K., Boeuf, P., Boland, B.,
Bomont, P., Bonaldo, P., Bonam, S.R., Bonfili, L., Bonifacino, J.S., Boone, B.A.,

Bootman, M.D., Bordi, M., Borner, C., Bornhauser, B.C., Borthakur, G., Bosch, J.,
Bose, S., Botana, L.M., Botas, J., Boulanger, C.M., Boulton, M.E., Bourdenx, M.,
Bourgeois, B., Bourke, N.M., Bousquet, G., Boya, P., Bozhkov, P.V., Bozi, L.H.M.,
Bozkurt, T.O., Brackney, D.E., Brandts, C.H., Braun, R.J., Braus, G.H., Bravo-Sagua,
R., Bravo-San Pedro, J.M., Brest, P., Bringer, M.-A., Briones-Herrera, A., Broaddus,
V.C., Brodersen, P., Brodsky, J.L., Brody, S.L., Bronson, P.G., Bronstein, J.M., Brown,
C.N., Brown, R.E., Brum, P.C., Brumell, J.H., Brunetti-Pierri, N., Bruno, D., Bryson-
Richardson, R.J., Bucci, C., Buchrieser, C., Bueno, M., Buitrago-Molina, L.E.,
Buraschi, S., Buch, S., Buchan, J.R., Buckingham, E.M., Budak, H., Budini, M.,
Bultynck, G., Burada, F., Burgoyne, J.R., Burón, M.I., Bustos, V., Büttner, S., Butturini,
E., Byrd, A., Cabas, I., Cabrera-Benitez, S., Cadwell, K., Cai, J., Cai, L., Cai, Q., Cairó,
M., Calbet, J.A., Caldwell, G.A., Caldwell, K.A., Call, J.A., Calvani, R., Calvo, A.C.,
Calvo-Rubio Barrera, M., Camara, N.O., Camonis, J.H., Camougrand, N.,
Campanella, M., Campbell, E.M., Campbell-Valois, F.-X., Campello, S., Campesi, I.,
Campos, J.C., Camuzard, O., Cancino, J., Candido de Almeida, D., Canesi, L.,
Caniggia, I., Canonico, B., Cantí, C., Cao, B., Caraglia, M., Caramés, B., Carchman,
E.H., Cardenal-Muñoz, E., Cardenas, C., Cardenas, L., Cardoso, S.M., Carew, J.S.,
Carle, G.F., Carleton, G., Carloni, S., Carmona-Gutierrez, D., Carneiro, L.A.,
Carnevali, O., Carosi, J.M., Carra, S., Carrier, A., Carrier, L., Carroll, B., Carter, A.B.,
Carvalho, A.N., Casanova, M., Casas, C., Casas, J., Cassioli, C., Castillo, E.F.,
Castillo, K., Castillo-Lluva, S., Castoldi, F., Castori, M., Castro, A.F., Castro-Caldas,
M., Castro-Hernandez, J., Castro-Obregon, S., Catz, S.D., Cavadas, C., Cavaliere, F.,
Cavallini, G., Cavinato, M., Cayuela, M.L., Cebollada Rica, P., Cecarini, V., Cecconi,
F., Cechowska-Pasko, M., Cenci, S., Ceperuelo-Mallafré, V., Cerqueira, J.J., Cerutti,
J.M., Cervia, D., Cetintas, V.B., Cetrullo, S., Chae, H.-J., Chagin, A.S., Chai, C.-Y.,
Chakrabarti, G., Chakrabarti, O., Chakraborty, Tapas, Chakraborty, Trinad, Chami,
M., Chamilos, G., Chan, D.W., Chan, E.Y.W., Chan, E.D., Chan, H.Y.E., Chan, H.H.,
Chan, H., Chan, M.T.V., Chan, Y.S., Chandra, P.K., Chang, C.-P., Chang, C., Chang,
H.-C., Chang, K., Chao, J., Chapman, T., Charlet-Berguerand, N., Chatterjee, S.,
Chaube, S.K., Chaudhary, A., Chauhan, S., Chaum, E., Checler, F., Cheetham, M.E.,
Chen, C.-S., Chen, G.-C., Chen, J.-F., Chen, L.L., Chen, Leilei, Chen, Lin, Chen, M.,
Chen, M.-K., Chen, N., Chen, Q., Chen, R.-H., Chen, S., Chen, Wei, Chen, Weiqiang,
Chen, X.-M., Chen, X.-W., Chen, X., Chen, Yan, Chen, Y.-G., Chen, Yingyu, Chen,
Yongqiang, Chen, Y.-J., Chen, Y.-Q., Chen, Z.S., Chen, Zhi, Chen, Z.-H., Chen, Z.J.,
Chen, Zhixiang, Cheng, H., Cheng, J., Cheng, S.-Y., Cheng, W., Cheng, X., Cheng, X.-
T., Cheng, Y., Cheng, Z., Chen, Zhong, Cheong, H., Cheong, J.K., Chernyak, B.V.,
Cherry, S., Cheung, C.F.R., Cheung, C.H.A., Cheung, K.-H., Chevet, E., Chi, R.J.,
Chiang, A.K.S., Chiaradonna, F., Chiarelli, R., Chiariello, M., Chica, N., Chiocca, S.,
Chiong, M., Chiou, S.-H., Chiramel, A.I., Chiurchiù, V., Cho, D.-H., Choe, S.-K., Choi,
A.M.K., Choi, M.E., Choudhury, K.R., Chow, N.S., Chu, C.T., Chua, J.P., Chua, J.J.E.,
Chung, H., Chung, K.P., Chung, S., Chung, S.-H., Chung, Y.-L., Cianfanelli, V.,
Ciechomska, I.A., Cifuentes, M., Cinque, L., Cirak, S., Cirone, M., Clague, M.J.,
Clarke, R., Clementi, E., Coccia, E.M., Codogno, P., Cohen, E., Cohen, M.M.,
Colasanti, T., Colasuonno, F., Colbert, R.A., Colell, A., Čolić, M., Coll, N.S., Collins,

M.O., Colombo, M.I., Colón-Ramos, D.A., Combaret, L., Comincini, S., Cominetti, M.R., Consiglio, A., Conte, A., Conti, F., Contu, V.R., Cookson, M.R., Coombs, K.M., Coppens, I., Corasaniti, M.T., Corkery, D.P., Cordes, N., Cortese, K., Costa, M. do C., Costantino, S., Costelli, P., Coto-Montes, A., Crack, P.J., Crespo, J.L., Criollo, A., Crippa, V., Cristofani, R., Csizmadia, T., Cuadrado, A., Cui, B., Cui, J., Cui, Yixian, Cui, Yong, Culetto, E., Cumino, A.C., Cybulsky, A.V., Czaja, M.J., Czuczwar, S.J., D'Adamo, S., D'Amelio, M., D'Arcangelo, D., D'Lugos, A.C., D'Orazi, G., da Silva, J.A., Dafsari, H.S., Dagda, R.K., Dagdas, Y., Daglia, M., Dai, X., Dai, Yun, Dai, Yuyuan, Dal Col, J., Dalhaimer, P., Dalla Valle, L., Dallenga, T., Dalmasso, G., Damme, M., Dando, I., Dantuma, N.P., Darling, A.L., Das, H., Dasarathy, S., Dasari, S.K., Dash, S., Daumke, O., Dauphinee, A.N., Davies, J.S., Dávila, V.A., Davis, R.J., Davis, T., Dayalan Naidu, S., De Amicis, F., De Bosscher, K., De Felice, F., De Franceschi, L., De Leonibus, C., de Mattos Barbosa, M.G., De Meyer, G.R.Y., De Milito, A., De Nunzio, C., De Palma, C., De Santi, M., De Virgilio, C., De Zio, D., Debnath, J., DeBosch, B.J., Decuypere, J.-P., Deehan, M.A., Deflorian, G., DeGregori, J., Dehay, B., Del Rio, G., Delaney, J.R., Delbridge, L.M.D., Delorme-Axford, E., Delpino, M.V., Demarchi, F., Dembitz, V., Demers, N.D., Deng, H., Deng, Z., Dengjel, J., Dent, P., Denton, D., DePamphilis, M.L., Der, C.J., Deretic, V., Descoteaux, A., Devis, L., Devkota, S., Devuyst, O., Dewson, G., Dharmasivam, M., Dhiman, R., di Bernardo, D., Di Cristina, M., Di Domenico, F., Di Fazio, P., Di Fonzo, A., Di Guardo, G., Di Guglielmo, G.M., Di Leo, L., Di Malta, C., Di Nardo, A., Di Rienzo, M., Di Sano, F., Diallinas, G., Diao, J., Diaz-Araya, G., Díaz-Laviada, I., Dickinson, J.M., Diederich, M., Dieudé, M., Dikic, I., Ding, S., Ding, W.-X., Dini, L., Dinić, J., Dinic, M., Dinkova-Kostova, A.T., Dionne, M.S., Distler, J.H.W., Diwan, A., Dixon, I.M.C., Djavaheri-Mergny, M., Dobrinski, I., Dobrovinskaya, O., Dobrowolski, R., Dobson, R.C.J., Đokić, J., Dokmeci Emre, S., Donadelli, M., Dong, B., Dong, X., Dong, Z., Dorn Ii, G.W., Dotsch, V., Dou, H., Dou, J., Dowaidar, M., Dridi, S., Drucker, L., Du, A., Du, C., Du, G., Du, H.-N., Du, L.-L., du Toit, A., Duan, S.-B., Duan, X., Duarte, S.P., Dubrovska, A., Dunlop, E.A., Dupont, N., Durán, R.V., Dwarakanath, B.S., Dyshlovoy, S.A., Ebrahimi-Fakhari, D., Eckhart, L., Edelstein, C.L., Efferth, T., Eftekharpour, E., Eichinger, L., Eid, N., Eisenberg, T., Eissa, N.T., Eissa, S., Ejarque, M., El Andaloussi, A., El-Hage, N., El-Naggar, S., Eleuteri, A.M., El-Shafey, E.S., Elgendy, M., Eliopoulos, A.G., Elizalde, M.M., Elks, P.M., Elsasser, H.-P., Elsherbiny, E.S., Emerling, B.M., Emre, N.C.T., Eng, C.H., Engedal, N., Engelbrecht, A.-M., Engelsen, A.S.T., Enserink, J.M., Escalante, R., Esclatine, A., Escobar-Henriques, M., Eskelinen, E.-L., Espert, L., Eusebio, M.-O., Fabrias, G., Fabrizi, C., Facchiano, A., Facchiano, F., Fadeel, B., Fader, C., Faesen, A.C., Fairlie, W.D., Falcó, A., Falkenburger, B.H., Fan, D., Fan, J., Fan, Y., Fang, E.F., Fang, Yanshan, Fang, Yognqi, Fanto, M., Farfel-Becker, T., Faure, M., Fazeli, G., Fedele, A.O., Feldman, A.M., Feng, D., Feng, J., Feng, L., Feng, Yibin, Feng, Yuchen, Feng, W., Fenz Araujo, T., Ferguson, T.A., Fernández, Á.F., Fernandez-Checa, J.C., Fernández-Veledo, S., Fernie, A.R., Ferrante, A.W., Ferraresi, A., Ferrari, M.F., Ferreira, J.C.B., Ferro-Novick, S., Figueras, A., Filadi, R., Filigheddu, N., Filippi-Chiela, E., Filomeni, G., Fimia, G.M., Fineschi, V., Finetti, F., Finkbeiner, S., Fisher, E.A., Fisher, P.B., Flamigni, F., Fliesler, S.J., Flo, T.H., Florance, I., Florey, O., Florio, T.,

Fodor, E., Follo, C., Fon, E.A., Forlino, A., Fornai, F., Fortini, P., Fracassi, A., Fraldi, A.,
Franco, B., Franco, R., Franconi, F., Frankel, L.B., Friedman, S.L., Fröhlich, L.F.,
Frühbeck, G., Fuentes, J.M., Fujiki, Y., Fujita, N., Fujiwara, Y., Fukuda, M., Fulda, S.,
Furic, L., Furuya, N., Fusco, C., Gack, M.U., Gaffke, L., Galadari, S., Galasso, A.,
Galindo, M.F., Gallolu Kankanamalage, S., Galluzzi, L., Galy, V., Gammoh, N., Gan,
B., Ganley, I.G., Gao, F., Gao, H., Gao, M., Gao, P., Gao, S.-J., Gao, W., Gao, X.,
Garcera, A., Garcia, M.N., Garcia, V.E., García-Del Portillo, F., Garcia-Escudero, V.,
Garcia-Garcia, A., Garcia-Macia, M., García-Moreno, D., Garcia-Ruiz, C., García-
Sanz, P., Garg, A.D., Gargini, R., Garofalo, T., Garry, R.F., Gassen, N.C., Gatica, D.,
Ge, L., Ge, W., Geiss-Friedlander, R., Gelfi, C., Genschik, P., Gentle, I.E., Gerbino, V.,
Gerhardt, C., Germain, K., Germain, M., Gewirtz, D.A., Ghasemipour Afshar, E.,
Ghavami, S., Ghigo, A., Ghosh, M., Giamas, G., Giampietri, C., Giatromanolaki, A.,
Gibson, G.E., Gibson, S.B., Ginet, V., Giniger, E., Giorgi, C., Girao, H., Girardin, S.E.,
Giridharan, M., Giuliano, S., Giulivi, C., Giuriato, S., Giustiniani, J., Gluschko, A.,
Goder, V., Goginashvili, A., Golab, J., Goldstone, D.C., Golebiewska, A., Gomes, L.R.,
Gomez, R., Gómez-Sánchez, R., Gomez-Puerto, M.C., Gomez-Sintes, R., Gong, Q.,
Goni, F.M., González-Gallego, J., Gonzalez-Hernandez, T., Gonzalez-Polo, R.A.,
Gonzalez-Reyes, J.A., González-Rodríguez, P., Goping, I.S., Gorbatyuk, M.S.,
Gorbunov, N.V., Görgülü, K., Gorojod, R.M., Gorski, S.M., Goruppi, S., Gotor, C.,
Gottlieb, R.A., Gozes, I., Gozuacik, D., Graef, M., Gräler, M.H., Granatiero, V., Grasso,
D., Gray, J.P., Green, D.R., Greenhough, A., Gregory, S.L., Griffin, E.F., Grinstaff,
M.W., Gros, F., Grose, C., Gross, A.S., Gruber, F., Grumati, P., Grune, T., Gu, X., Guan,
J.-L., Guardia, C.M., Guda, K., Guerra, F., Guerri, C., Guha, P., Guillén, C., Gujar, S.,
Gukovskaya, A., Gukovsky, I., Gunst, J., Günther, A., Guntur, A.R., Guo, Chuanyong,
Guo, Chun, Guo, H., Guo, L.-W., Guo, M., Gupta, P., Gupta, S.K., Gupta, S., Gupta,
V.B., Gupta, V., Gustafsson, A.B., Gutterman, D.D., H B, R., Haapasalo, A., Haber,
J.E., Hać, A., Hadano, S., Hafrén, A.J., Haidar, M., Hall, B.S., Halldén, G., Hamacher-
Brady, A., Hamann, A., Hamasaki, M., Han, W., Hansen, M., Hanson, P.I., Hao, Z.,
Harada, M., Harhaji-Trajkovic, L., Hariharan, N., Haroon, N., Harris, J., Hasegawa, T.,
Hasima Nagoor, N., Haspel, J.A., Haucke, V., Hawkins, W.D., Hay, B.A., Haynes,
C.M., Hayrabedyan, S.B., Hays, T.S., He, C., He, Q., He, R.-R., He, Y.-W., He, Y.-Y.,
Heakal, Y., Heberle, A.M., Hejtmancik, J.F., Helgason, G.V., Henkel, V., Herb, M.,
Hergovich, A., Herman-Antosiewicz, A., Hernández, A., Hernandez, C., Hernandez-
Diaz, S., Hernandez-Gea, V., Herpin, A., Herreros, J., Hervás, J.H., Hesselson, D.,
Hetz, C., Heussler, V.T., Higuchi, Y., Hilfiker, S., Hill, J.A., Hlavacek, W.S., Ho, E.A.,
Ho, I.H.T., Ho, P.W.-L., Ho, S.-L., Ho, W.Y., Hobbs, G.A., Hochstrasser, M., Hoet,
P.H.M., Hofius, D., Hofman, P., Höhn, A., Holmberg, C.I., Hombrebueno, J.R., Yi-Ren
Hong, C.-W.H., Hooper, L.V., Hoppe, T., Horos, R., Hoshida, Y., Hsin, I.-L., Hsu, H.-Y.,
Hu, B., Hu, D., Hu, L.-F., Hu, M.C., Hu, R., Hu, W., Hu, Y.-C., Hu, Z.-W., Hua, F., Hua,
J., Hua, Y., Huan, C., Huang, Canhua, Huang, Chuanshu, Huang, Chuanxin, Huang,
Chunling, Huang, H., Huang, K., Huang, M.L.H., Huang, R., Huang, S., Huang, T.,
Huang, X., Huang, Y.J., Huber, T.B., Hubert, V., Hubner, C.A., Hughes, S.M., Hughes,
W.E., Humbert, M., Hummer, G., Hurley, J.H., Hussain, Sabah, Hussain, Salik,
Hussey, P.J., Hutabarat, M., Hwang, H.-Y., Hwang, S., Ieni, A., Ikeda, F., Imagawa, Y.,

Imai, Y., Imbriano, C., Imoto, M., Inman, D.M., Inoki, K., Iovanna, J., Iozzo, R.V., Ippolito, G., Irazoqui, J.E., Iribarren, P., Ishaq, M., Ishikawa, M., Ishimwe, N., Isidoro, C., Ismail, N., Issazadeh-Navikas, S., Itakura, E., Ito, D., Ivankovic, D., Ivanova, S., Iyer, A.K.V., Izquierdo, J.M., Izumi, M., Jäättelä, M., Jabir, M.S., Jackson, W.T., Jacobo-Herrera, N., Jacomin, A.-C., Jacquin, E., Jadiya, P., Jaeschke, H., Jagannath, C., Jakobi, A.J., Jakobsson, J., Janji, B., Jansen-Dürr, P., Jansson, P.J., Jantsch, J., Januszewski, S., Jassey, A., Jean, S., Jeltsch-David, H., Jendelova, P., Jenny, A., Jensen, T.E., Jessen, N., Jewell, J.L., Ji, J., Jia, L., Jia, R., Jiang, L., Jiang, Q., Jiang, R., Jiang, T., Jiang, X., Jiang, Y., Jimenez-Sanchez, M., Jin, E.-J., Jin, F., Jin, H., Jin, Li, Jin, Luqi, Jin, M., Jin, S., Jo, E.-K., Joffre, C., Johansen, T., Johnson, G.V.W., Johnston, S.A., Jokitalo, E., Jolly, M.K., Joosten, L.A.B., Jordan, J., Joseph, B., Ju, D., Ju, J.-S., Ju, J., Juárez, E., Judith, D., Juhász, G., Jun, Y., Jung, C.H., Jung, S.-C., Jung, Y.K., Jungbluth, H., Jungverdorben, J., Just, S., Kaarniranta, K., Kaasik, A., Kabuta, T., Kaganovich, D., Kahana, A., Kain, R., Kajimura, S., Kalamvoki, M., Kalia, M., Kalinowski, D.S., Kaludercic, N., Kalvari, I., Kaminska, J., Kaminskyy, V.O., Kanamori, H., Kanasaki, K., Kang, C., Kang, R., Kang, S.S., Kaniyappan, S., Kanki, T., Kanneganti, T.-D., Kanthasamy, A.G., Kanthasamy, A., Kantorow, M., Kapuy, O., Karamouzis, M.V., Karim, M.R., Karmakar, P., Katare, R.G., Kato, M., Kaufmann, S.H.E., Kauppinen, A., Kaushal, G.P., Kaushik, S., Kawasaki, K., Kazan, K., Ke, P.-Y., Keating, D.J., Keber, U., Kehrl, J.H., Keller, K.E., Keller, C.W., Kemper, J.K., Kenific, C.M., Kepp, O., Kermorgant, S., Kern, A., Ketteler, R., Keulers, T.G., Khalfin, B., Khalil, H., Khambu, B., Khan, S.Y., Khandelwal, V.K.M., Khandia, R., Kho, W., Khobrekar, N.V., Khuansuwan, S., Khundadze, M., Killackey, S.A., Kim, D., Kim, D.R., Kim, D.-H., Kim, D.-E., Kim, E.Y., Kim, E.-K., Kim, H.-R., Kim, H.-S., Hyung-Ryong Kim, null, Kim, Jeong Hun, Kim, J.K., Kim, J.-H., Kim, J., Kim, Ju Hwan, Kim, K.I., Kim, P.K., Kim, S.-J., Kimball, S.R., Kimchi, A., Kimmelman, A.C., Kimura, T., King, M.A., Kinghorn, K.J., Kinsey, C.G., Kirkin, V., Kirshenbaum, L.A., Kiselev, S.L., Kishi, S., Kitamoto, K., Kitaoka, Y., Kitazato, K., Kitsis, R.N., Kittler, J.T., Kjaerulff, O., Klein, P.S., Klopstock, T., Klucken, J., Knævelsrud, H., Knorr, R.L., Ko, B.C.B., Ko, F., Ko, J.-L., Kobayashi, H., Kobayashi, S., Koch, I., Koch, J.C., Koenig, U., Kögel, D., Koh, Y.H., Koike, M., Kohlwein, S.D., Kocaturk, N.M., Komatsu, M., König, J., Kono, T., Kopp, B.T., Korcsmaros, T., Korkmaz, G., Korolchuk, V.I., Korsnes, M.S., Koskela, A., Kota, J., Kotake, Y., Kotler, M.L., Kou, Y., Koukourakis, M.I., Koustas, E., Kovacs, A.L., Kovács, T., Koya, D., Kozako, T., Kraft, C., Krainc, D., Krämer, H., Krasnodembskaya, A.D., Kretz-Remy, C., Kroemer, G., Ktistakis, N.T., Kuchitsu, K., Kuenen, S., Kuerschner, L., Kukar, T., Kumar, Ajay, Kumar, Ashok, Kumar, Deepak, Kumar, Dhiraj, Kumar, S., Kume, S., Kumsta, C., Kundu, C.N., Kundu, M., Kunnumakkara, A.B., Kurgan, L., Kutateladze, T.G., Kutlu, O., Kwak, S., Kwon, H.J., Kwon, T.K., Kwon, Y.T., Kyrmizi, I., La Spada, A., Labonté, P., Ladoire, S., Laface, I., Lafont, F., Lagace, D.C., Lahiri, V., Lai, Z., Laird, A.S., Lakkaraju, A., Lamark, T., Lan, S.-H., Landajuela, A., Lane, D.J.R., Lane, J.D., Lang, C.H., Lange, C., Langel, Ü., Langer, R., Lapaquette, P., Laporte, J., LaRusso, N.F., Lastres-Becker, I., Lau, W.C.Y., Laurie, G.W., Lavandero, S., Law, B.Y.K., Law, H.K.-W., Layfield, R., Le, W., Le Stunff, H., Leary, A.Y., Lebrun, J.-J., Leck, L.Y.W., Leduc-Gaudet, J.-P., Lee, C., Lee, C.-P., Lee, D.-H., Lee, E.B., Lee, E.F., Lee,

G.M., Lee, H.-J., Lee, H.K., Lee, J.M., Lee, J.S., Lee, J.-A., Lee, J.-Y., Lee, J.H., Lee, M.,
Lee, M.G., Lee, M.J., Lee, M.-S., Lee, Sang Yoon, Lee, S.-J., Lee, Stella Y., Lee, S.B.,
Lee, W.H., Lee, Y.-R., Lee, Y.-H., Lee, Y., Lefebvre, C., Legouis, R., Lei, Y.L., Lei, Y.,
Leikin, S., Leitinger, G., Lemus, L., Leng, S., Lenoir, O., Lenz, G., Lenz, H.J., Lenzi, P.,
León, Y., Leopoldino, A.M., Leschczyk, C., Leskelä, S., Letellier, E., Leung, C.-T.,
Leung, P.S., Leventhal, J.S., Levine, B., Lewis, P.A., Ley, K., Li, B., Li, D.-Q., Li,
Jianming, Li, Jing, Li, Jiong, Li, K., Li, L., Li, Mei, Li, Min, Li, Min, Li, Ming, Li,
Mingchuan, Li, P.-L., Li, M.-Q., Li, Q., Li, S., Li, T., Li, Wei, Li, Wenming, Li, X., Li, Y.-P.,
Li, Y., Li, Zhiqiang, Li, Zhiyong, Li, Zhiyuan, Lian, J., Liang, C., Liang, Q., Liang, W.,
Liang, Yongheng, Liang, YongTian, Liao, G., Liao, L., Liao, M., Liao, Y.-F., Librizzi, M.,
Lie, P.P.Y., Lilly, M.A., Lim, H.J., Lima, T.R.R., Limana, F., Lin, C., Lin, C.-W., Lin, D.-S.,
Lin, F.-C., Lin, J.D., Lin, K.M., Lin, K.-H., Lin, L.-T., Lin, P.-H., Lin, Q., Lin, S., Lin, S.-J.,
Lin, W., Lin, X., Lin, Y.-X., Lin, Y.-S., Linden, R., Lindner, P., Ling, S.-C., Lingor, P.,
Linnemann, A.K., Liou, Y.-C., Lipinski, M.M., Lipovšek, S., Lira, V.A., Lisiak, N., Liton,
P.B., Liu, C., Liu, C.-H., Liu, C.-F., Liu, C.H., Liu, F., Liu, Hao, Liu, H.-S., Liu, H.-F., Liu,
Huifang, Liu, Jia, Liu, Jing, Liu, Julia, Liu, Leyuan, Liu, Longhua, Liu, M., Liu, Q., Liu,
Wei, Liu, Wende, Liu, X.-H., Liu, Xiaodong, Liu, Xingguo, Liu, Xu, Liu, Xuedong, Liu,
Yanfen, Liu, Yang, Liu, Yang, Liu, Yueyang, Liu, Yule, Livingston, J.A., Lizard, G.,
Lizcano, J.M., Ljubojevic-Holzer, S., LLeonart, M.E., Llobet-Navàs, D., Llorente, A.,
Lo, C.H., Lobato-Márquez, D., Long, Q., Long, Y.C., Loos, B., Loos, J.A., López, M.G.,
López-Doménech, G., López-Guerrero, J.A., López-Jiménez, A.T., López-Pérez, Ó.,
López-Valero, I., Lorenowicz, M.J., Lorente, M., Lorincz, P., Lossi, L., Lotersztajn, S.,
Lovat, P.E., Lovell, J.F., Lovy, A., Lőw, P., Lu, G., Lu, H., Lu, J.-H., Lu, J.-J., Lu, M., Lu,
S., Luciani, A., Lucocq, J.M., Ludovico, P., Luftig, M.A., Luhr, M., Luis-Ravelo, D.,
Lum, J.J., Luna-Dulcey, L., Lund, A.H., Lund, V.K., Lünemann, J.D., Lüningschrör, P.,
Luo, H., Luo, R., Luo, S., Luo, Z., Luparello, C., Lüscher, B., Luu, L., Lyakhovich, A.,
Lyamzaev, K.G., Lystad, A.H., Lytvynchuk, L., Ma, A.C., Ma, C., Ma, M., Ma, N.-F., Ma,
Q.-H., Ma, X., Ma, Y., Ma, Z., MacDougald, O.A., Macian, F., MacIntosh, G.C.,
MacKeigan, J.P., Macleod, K.F., Maday, S., Madeo, F., Madesh, M., Madl, T., Madrigal-
Matute, J., Maeda, A., Maejima, Y., Magarinos, M., Mahavadi, P., Maiani, E., Maiese,
K., Maiti, P., Maiuri, M.C., Majello, B., Major, M.B., Makareeva, E., Malik, F.,
Mallilankaraman, K., Malorni, W., Maloyan, A., Mammadova, N., Man, G.C.W.,
Manai, F., Mancias, J.D., Mandelkow, E.-M., Mandell, M.A., Manfredi, A.A., Manjili,
M.H., Manjithaya, R., Manque, P., Manshian, B.B., Manzano, R., Manzoni, C., Mao,
K., Marchese, C., Marchetti, S., Marconi, A.M., Marcucci, F., Mardente, S.,
Mareninova, O.A., Margeta, M., Mari, M., Marinelli, S., Marinelli, O., Mariño, G.,
Mariotto, S., Marshall, R.S., Marten, M.R., Martens, S., Martin, A.P.J., Martin, K.R.,
Martin, Sara, Martin, Shaun, Martín-Segura, A., Martín-Acebes, M.A., Martin-Burriel,
I., Martin-Rincon, M., Martin-Sanz, P., Martina, J.A., Martinet, W., Martinez, Aitor,
Martinez, Ana, Martinez, J., Martinez Velazquez, M., Martinez-Lopez, N., Martinez-
Vicente, M., Martins, D.O., Martins, J.O., Martins, W.K., Martins-Marques, T.,
Marzetti, E., Masaldan, S., Masclaux-Daubresse, C., Mashek, D.G., Massa, V.,
Massieu, L., Masson, G.R., Masuelli, L., Masyuk, A.I., Masyuk, T.V., Matarrese, P.,
Matheu, A., Matoba, S., Matsuzaki, S., Mattar, P., Matte, A., Mattoscio, D., Mauriz,

J.L., Mauthe, M., Mauvezin, C., Maverakis, E., Maycotte, P., Mayer, J., Mazzoccoli, G.,
Mazzoni, C., Mazzulli, J.R., McCarty, N., McDonald, C., McGill, M.R., McKenna, S.L.,
McLaughlin, B., McLoughlin, F., McNiven, M.A., McWilliams, T.G., Mechta-Grigoriou,
F., Medeiros, T.C., Medina, D.L., Megeney, L.A., Megyeri, K., Mehrpour, M., Mehta,
J.L., Meijer, A.J., Meijer, A.H., Mejlvang, J., Meléndez, A., Melk, A., Memisoglu, G.,
Mendes, A.F., Meng, D., Meng, F., Meng, T., Menna-Barreto, R., Menon, M.B., Mercer,
C., Mercier, A.E., Mergny, J.-L., Merighi, A., Merkley, S.D., Merla, G., Meske, V.,
Mestre, A.C., Metur, S.P., Meyer, C., Meyer, H., Mi, W., Mialet-Perez, J., Miao, J.,
Micale, L., Miki, Y., Milan, E., Milczarek, M., Miller, D.L., Miller, S.I., Miller, S.,
Millward, S.W., Milosevic, I., Minina, E.A., Mirzaei, H., Mirzaei, H.R., Mirzaei, M.,
Mishra, A., Mishra, N., Mishra, P.K., Misirkic Marjanovic, M., Misasi, R., Misra, A.,
Misso, G., Mitchell, C., Mitou, G., Miura, T., Miyamoto, S., Miyazaki, Makoto,
Miyazaki, Mitsunori, Miyazaki, T., Miyazawa, K., Mizushima, N., Mogensen, T.H.,
Mograbi, B., Mohammadinejad, R., Mohamud, Y., Mohanty, A., Mohapatra, S.,
Möhlmann, T., Mohmmed, A., Moles, A., Moley, K.H., Molinari, M., Mollace, V.,
Møller, A.B., Mollereau, B., Mollinedo, F., Montagna, C., Monteiro, M.J., Montella, A.,
Montes, L.R., Montico, B., Mony, V.K., Monzio Compagnoni, G., Moore, M.N.,
Moosavi, M.A., Mora, A.L., Mora, M., Morales-Alamo, D., Moratalla, R., Moreira, P.I.,
Morelli, E., Moreno, S., Moreno-Blas, D., Moresi, V., Morga, B., Morgan, A.H., Morin,
F., Morishita, H., Moritz, O.L., Moriyama, M., Moriyasu, Y., Morleo, M., Morselli, E.,
Moruno-Manchon, J.F., Moscat, J., Mostowy, S., Motori, E., Moura, A.F., Moustaid-
Moussa, N., Mrakovcic, M., Muciño-Hernández, G., Mukherjee, A., Mukhopadhyay,
S., Mulcahy Levy, J.M., Mulero, V., Muller, S., Münch, C., Munjal, A., Munoz-Canoves,
P., Muñoz-Galdeano, T., Münz, C., Murakawa, T., Muratori, C., Murphy, B.M., Murphy,
J.P., Murthy, A., Myöhänen, T.T., Mysorekar, I.U., Mytych, J., Nabavi, S.M., Nabissi, M.,
Nagy, P., Nah, J., Nahimana, A., Nakagawa, I., Nakamura, K., Nakatogawa, H.,
Nandi, S.S., Nanjundan, M., Nanni, M., Napolitano, G., Nardacci, R., Narita, M.,
Nassif, M., Nathan, I., Natsumeda, M., Naude, R.J., Naumann, C., Naveiras, O.,
Navid, F., Nawrocki, S.T., Nazarko, T.Y., Nazio, F., Negoita, F., Neill, T., Neisch, A.L.,
Neri, L.M., Netea, M.G., Neubert, P., Neufeld, T.P., Neumann, D., Neutzner, A.,
Newton, P.T., Ney, P.A., Nezis, I.P., Ng, C.C.W., Ng, T.B., Nguyen, H.T.T., Nguyen, L.T.,
Ni, H.-M., Ní Cheallaigh, C., Ni, Z., Nicolao, M.C., Nicoli, F., Nieto-Diaz, M., Nilsson,
P., Ning, S., Niranjan, R., Nishimune, H., Niso-Santano, M., Nixon, R.A., Nobili, A.,
Nobrega, C., Noda, T., Nogueira-Recalde, U., Nolan, T.M., Nombela, I., Novak, I.,
Novoa, B., Nozawa, T., Nukina, N., Nussbaum-Krammer, C., Nylandsted, J.,
O'Donovan, T.R., O'Leary, S.M., O'Rourke, E.J., O'Sullivan, M.P., O'Sullivan, T.E.,
Oddo, S., Oehme, I., Ogawa, M., Ogier-Denis, E., Ogmundsdottir, M.H., Ogretmen,
B., Oh, G.T., Oh, S.-H., Oh, Y.J., Ohama, T., Ohashi, Y., Ohmuraya, M., Oikonomou, V.,
Ojha, R., Okamoto, K., Okazawa, H., Oku, M., Oliván, S., Oliveira, J.M.A., Ollmann,
M., Olzmann, J.A., Omari, S., Omary, M.B., Önal, G., Ondrej, M., Ong, S.-B., Ong, S.-
G., Onnis, A., Orellana, J.A., Orellana-Muñoz, S., Ortega-Villaizan, M.D.M., Ortiz-
Gonzalez, X.R., Ortona, E., Osiewacz, H.D., Osman, A.-H.K., Osta, R., Otegui, M.S.,
Otsu, K., Ott, C., Ottobrini, L., Ou, J.-H.J., Outeiro, T.F., Oynebraten, I., Ozturk, M.,
Pagès, G., Pahari, S., Pajares, M., Pajvani, U.B., Pal, R., Paladino, S., Pallet, N.,

Palmieri, M., Palmisano, G., Palumbo, C., Pampaloni, F., Pan, L., Pan, Q., Pan, W.,
Pan, X., Panasyuk, G., Pandey, R., Pandey, U.B., Pandya, V., Paneni, F., Pang, S.Y.,
Panzarini, E., Papademetrio, D.L., Papaleo, E., Papinski, D., Papp, D., Park, E.C.,
Park, H.T., Park, J.-M., Park, J.-I., Park, J.T., Park, J., Park, S.C., Park, S.-Y., Parola, A.H.,
Parys, J.B., Pasquier, A., Pasquier, B., Passos, J.F., Pastore, N., Patel, H.H., Patschan,
D., Pattingre, S., Pedraza-Alva, G., Pedraza-Chaverri, J., Pedrozo, Z., Pei, G., Pei, J.,
Peled-Zehavi, H., Pellegrini, J.M., Pelletier, J., Peñalva, M.A., Peng, D., Peng, Y.,
Penna, F., Pennuto, M., Pentimalli, F., Pereira, C.M., Pereira, G.J.S., Pereira, L.C.,
Pereira de Almeida, L., Perera, N.D., Pérez-Lara, Á., Perez-Oliva, A.B., Pérez-Pérez,
M.E., Periyasamy, P., Perl, A., Perrotta, C., Perrotta, I., Pestell, R.G., Petersen, M.,
Petrache, I., Petrovski, G., Pfirrmann, T., Pfister, A.S., Philips, J.A., Pi, H., Picca, A.,
Pickrell, A.M., Picot, S., Pierantoni, G.M., Pierdominici, M., Pierre, P., Pierrefite-
Carle, V., Pierzynowska, K., Pietrocola, F., Pietruczuk, M., Pignata, C., Pimentel-
Muiños, F.X., Pinar, M., Pinheiro, R.O., Pinkas-Kramarski, R., Pinton, P., Pircs, K.,
Piya, S., Pizzo, P., Plantinga, T.S., Platta, H.W., Plaza-Zabala, A., Plomann, M.,
Plotnikov, E.Y., Plun-Favreau, H., Pluta, R., Pocock, R., Pöggeler, S., Pohl, C., Poirot,
M., Poletti, A., Ponpuak, M., Popelka, H., Popova, B., Porta, H., Porte Alcon, S.,
Portilla-Fernandez, E., Post, M., Potts, M.B., Poulton, J., Powers, T., Prahlad, V.,
Prajsnar, T.K., Praticò, D., Prencipe, R., Priault, M., Proikas-Cezanne, T., Promponas,
V.J., Proud, C.G., Puertollano, R., Puglielli, L., Pulinilkunnil, T., Puri, D., Puri, R., Puyal,
J., Qi, X., Qi, Y., Qian, W., Qiang, L., Qiu, Y., Quadrilatero, J., Quarleri, J., Raben, N.,
Rabinowich, H., Ragona, D., Ragusa, M.J., Rahimi, N., Rahmati, M., Raia, V.,
Raimundo, N., Rajasekaran, N.-S., Ramachandra Rao, S., Rami, A., Ramírez-Pardo,
I., Ramsden, D.B., Randow, F., Rangarajan, P.N., Ranieri, D., Rao, H., Rao, L., Rao, R.,
Rathore, S., Ratnayaka, J.A., Ratovitski, E.A., Ravanan, P., Ravegnini, G., Ray, S.K.,
Razani, B., Rebecca, V., Reggiori, F., Régnier-Vigouroux, A., Reichert, A.S., Reigada,
D., Reiling, J.H., Rein, T., Reipert, S., Rekha, R.S., Ren, H., Ren, J., Ren, W., Renault,
T., Renga, G., Reue, K., Rewitz, K., Ribeiro de Andrade Ramos, B., Riazuddin, S.A.,
Ribeiro-Rodrigues, T.M., Ricci, J.-E., Ricci, R., Riccio, V., Richardson, D.R., Rikihisa,
Y., Risbud, M.V., Risueño, R.M., Ritis, K., Rizza, S., Rizzuto, R., Roberts, H.C.,
Roberts, L.D., Robinson, K.J., Roccheri, M.C., Rocchi, S., Rodney, G.G., Rodrigues,
T., Rodrigues Silva, V.R., Rodriguez, A., Rodriguez-Barrueco, R., Rodriguez-Henche,
N., Rodriguez-Rocha, H., Roelofs, J., Rogers, R.S., Rogov, V.V., Rojo, A.I., Rolka, K.,
Romanello, V., Romani, L., Romano, A., Romano, P.S., Romeo-Guitart, D., Romero,
L.C., Romero, M., Roney, J.C., Rongo, C., Roperto, S., Rosenfeldt, M.T., Rosenstiel, P.,
Rosenwald, A.G., Roth, K.A., Roth, L., Roth, S., Rouschop, K.M.A., Roussel, B.D.,
Roux, S., Rovere-Querini, P., Roy, A., Rozieres, A., Ruano, D., Rubinsztein, D.C.,
Rubtsova, M.P., Ruckdeschel, K., Ruckenstuhl, C., Rudolf, E., Rudolf, R., Ruggieri,
A., Ruparelia, A.A., Rusmini, P., Russell, R.R., Russo, G.L., Russo, M., Russo, R.,
Ryabaya, O.O., Ryan, K.M., Ryu, K.-Y., Sabater-Arcis, M., Sachdev, U., Sacher, M.,
Sachse, C., Sadhu, A., Sadoshima, J., Safren, N., Saftig, P., Sagona, A.P., Sahay, G.,
Sahebkar, A., Sahin, M., Sahin, O., Sahni, S., Saito, N., Saito, S., Saito, T., Sakai, R.,
Sakai, Y., Sakamaki, J.-I., Saksela, K., Salazar, G., Salazar-Degracia, A., Salekdeh,
G.H., Saluja, A.K., Sampaio-Marques, B., Sanchez, M.C., Sanchez-Alcazar, J.A.,

Sanchez-Vera, V., Sancho-Shimizu, V., Sanderson, J.T., Sandri, M., Santaguida, S.,
Santambrogio, L., Santana, M.M., Santoni, G., Sanz, A., Sanz, P., Saran, S., Sardiello,
M., Sargeant, T.J., Sarin, A., Sarkar, C., Sarkar, Sovan, Sarrias, M.-R., Sarkar, Surajit,
Sarmah, D.T., Sarparanta, J., Sathyanarayan, A., Sathyanarayanan, R., Scaglione,
K.M., Scatozza, F., Schaefer, L., Schafer, Z.T., Schaible, U.E., Schapira, A.H.V.,
Scharl, M., Schatzl, H.M., Schein, C.H., Scheper, W., Scheuring, D., Schiaffino, M.V.,
Schiappacassi, M., Schindl, R., Schlattner, U., Schmidt, O., Schmitt, R., Schmidt,
S.D., Schmitz, I., Schmukler, E., Schneider, A., Schneider, B.E., Schober, R.,
Schoijet, A.C., Schott, M.B., Schramm, M., Schröder, B., Schuh, K., Schüller, C.,
Schulze, R.J., Schürmanns, L., Schwamborn, J.C., Schwarten, M., Scialo, F.,
Sciarretta, S., Scott, M.J., Scotto, K.W., Scovassi, A.I., Scrima, A., Scrivo, A.,
Sebastian, D., Sebti, S., Sedej, S., Segatori, L., Segev, N., Seglen, P.O., Seiliez, I.,
Seki, E., Selleck, S.B., Sellke, F.W., Selsby, J.T., Sendtner, M., Senturk, S., Seranova,
E., Sergi, C., Serra-Moreno, R., Sesaki, H., Settembre, C., Setty, S.R.G., Sgarbi, G.,
Sha, O., Shacka, J.J., Shah, J.A., Shang, D., Shao, C., Shao, F., Sharbati, S., Sharkey,
L.M., Sharma, D., Sharma, G., Sharma, K., Sharma, P., Sharma, S., Shen, H.-M.,
Shen, H., Shen, J., Shen, M., Shen, W., Shen, Z., Sheng, R., Sheng, Z., Sheng, Z.-H.,
Shi, J., Shi, X., Shi, Y.-H., Shiba-Fukushima, K., Shieh, J.-J., Shimada, Y., Shimizu, S.,
Shimozawa, M., Shintani, T., Shoemaker, C.J., Shojaei, S., Shoji, I., Shravage, B.V.,
Shridhar, V., Shu, C.-W., Shu, H.-B., Shui, K., Shukla, A.K., Shutt, T.E., Sica, V.,
Siddiqui, A., Sierra, A., Sierra-Torre, V., Signorelli, S., Sil, P., Silva, B.J. de A., Silva,
J.D., Silva-Pavez, E., Silvente-Poirot, S., Simmonds, R.E., Simon, A.K., Simon, H.-U.,
Simons, M., Singh, A., Singh, L.P., Singh, R., Singh, S.V., Singh, S.K., Singh, S.B.,
Singh, S., Singh, S.P., Sinha, D., Sinha, R.A., Sinha, S., Sirko, A., Sirohi, K., Sivridis,
E.L., Skendros, P., Skirycz, A., Slaninová, I., Smaili, S.S., Smertenko, A., Smith, M.D.,
Soenen, S.J., Sohn, E.J., Sok, S.P.M., Solaini, G., Soldati, T., Soleimanpour, S.A.,
Soler, R.M., Solovchenko, A., Somarelli, J.A., Sonawane, A., Song, F., Song, H.K.,
Song, J.-X., Song, K., Song, Z., Soria, L.R., Sorice, M., Soukas, A.A., Soukup, S.-F.,
Sousa, D., Sousa, N., Spagnuolo, P.A., Spector, S.A., Srinivas Bharath, M.M., St Clair,
D., Stagni, V., Staiano, L., Stalnecker, C.A., Stankov, M.V., Stathopulos, P.B., Stefan,
K., Stefan, S.M., Stefanis, L., Steffan, J.S., Steinkasserer, A., Stenmark, H.,
Sterneckert, J., Stevens, C., Stoka, V., Storch, S., Stork, B., Strappazzon, F.,
Strohecker, A.M., Stupack, D.G., Su, H., Su, L.-Y., Su, L., Suarez-Fontes, A.M.,
Subauste, C.S., Subbian, S., Subirada, P.V., Sudhandiran, G., Sue, C.M., Sui, X.,
Summers, C., Sun, G., Sun, J., Sun, K., Sun, M.-X., Sun, Q., Sun, Y., Sun, Z.,
Sunahara, K.K.S., Sundberg, E., Susztak, K., Sutovsky, P., Suzuki, H., Sweeney, G.,
Symons, J.D., Sze, S.C.W., Szewczyk, N.J., Tabęcka-Łonczynska, A., Tabolacci, C.,
Tacke, F., Taegtmeyer, H., Tafani, M., Tagaya, M., Tai, H., Tait, S.W.G., Takahashi, Y.,
Takats, S., Talwar, P., Tam, C., Tam, S.Y., Tampellini, D., Tamura, A., Tan, C.T., Tan, E.-
K., Tan, Y.-Q., Tanaka, Masaki, Tanaka, Motomasa, Tang, D., Tang, J., Tang, T.-S.,
Tanida, I., Tao, Z., Taouis, M., Tatenhorst, L., Tavernarakis, N., Taylor, A., Taylor, G.A.,
Taylor, J.M., Tchetina, E., Tee, A.R., Tegeder, I., Teis, D., Teixeira, N., Teixeira-Clerc, F.,
Tekirdag, K.A., Tencomnao, T., Tenreiro, S., Tepikin, A.V., Testillano, P.S., Tettamanti,
G., Tharaux, P.-L., Thedieck, K., Thekkinghat, A.A., Thellung, S., Thinwa, J.W.,

Thirumalaikumar, V.P., Thomas, S.M., Thomes, P.G., Thorburn, A., Thukral, L., Thum, T., Thumm, M., Tian, L., Tichy, A., Till, A., Timmerman, V., Titorenko, V.I., Todi, S.V., Todorova, K., Toivonen, J.M., Tomaipitinca, L., Tomar, D., Tomas-Zapico, C., Tomić, S., Tong, B.C.-K., Tong, C., Tong, X., Tooze, S.A., Torgersen, M.L., Torii, S., Torres-López, L., Torriglia, A., Towers, C.G., Towns, R., Toyokuni, S., Trajkovic, V., Tramontano, D., Tran, Q.-G., Travassos, L.H., Trelford, C.B., Tremel, S., Trougakos, I.P., Tsao, B.P., Tschan, M.P., Tse, H.-F., Tse, T.F., Tsugawa, H., Tsvetkov, A.S., Tumbarello, D.A., Tumtas, Y., Tuñón, M.J., Turcotte, S., Turk, B., Turk, V., Turner, B.J., Tuxworth, R.I., Tyler, J.K., Tyutereva, E.V., Uchiyama, Y., Ugun-Klusek, A., Uhlig, H.H., Ułamek-Kozioł, M., Ulasov, I.V., Umekawa, M., Ungermann, C., Unno, R., Urbe, S., Uribe-Carretero, E., Üstün, S., Uversky, V.N., Vaccari, T., Vaccaro, M.I., Vahsen, B.F., Vakifahmetoglu-Norberg, H., Valdor, R., Valente, M.J., Valko, A., Vallee, R.B., Valverde, A.M., Van den Berghe, G., van der Veen, S., Van Kaer, L., van Loosdregt, J., van Wijk, S.J.L., Vandenberghe, W., Vanhorebeek, I., Vannier-Santos, M.A., Vannini, N., Vanrell, M.C., Vantaggiato, C., Varano, G., Varela-Nieto, I., Varga, M., Vasconcelos, M.H., Vats, S., Vavvas, D.G., Vega-Naredo, I., Vega-Rubin-de-Celis, S., Velasco, G., Velázquez, A.P., Vellai, T., Vellenga, E., Velotti, F., Verdier, M., Verginis, P., Vergne, I., Verkade, P., Verma, M., Verstreken, P., Vervliet, T., Vervoorts, J., Vessoni, A.T., Victor, V.M., Vidal, M., Vidoni, C., Vieira, O.V., Vierstra, R.D., Viganó, S., Vihinen, H., Vijayan, V., Vila, M., Vilar, M., Villalba, J.M., Villalobo, A., Villarejo-Zori, B., Villarroya, F., Villarroya, J., Vincent, O., Vindis, C., Viret, C., Viscomi, M.T., Visnjic, D., Vitale, I., Vocadlo, D.J., Voitsekhovskaja, O.V., Volonté, C., Volta, M., Vomero, M., Von Haefen, C., Vooijs, M.A., Voos, W., Vucicevic, L., Wade-Martins, R., Waguri, S., Waite, K.A., Wakatsuki, S., Walker, D.W., Walker, M.J., Walker, S.A., Walter, J., Wandosell, F.G., Wang, B., Wang, Chao-Yung, Wang, Chen, Wang, Chenran, Wang, Chenwei, Wang, Cun-Yu, Wang, D., Wang, Fangyang, Wang, Feng, Wang, Fengming, Wang, G., Wang, Han, Wang, Hao, Wang, Hexiang, Wang, H.-G., Wang, Jianrong, Wang, Jigang, Wang, Jiou, Wang, Jundong, Wang, K., Wang, Lianrong, Wang, Liming, Wang, M.H., Wang, M., Wang, N., Wang, Pengwei, Wang, Peipei, Wang, Ping, Wang, Ping, Wang, Q.J., Wang, Q., Wang, Q.K., Wang, Q.A., Wang, W.-T., Wang, W., Wang, Xinnan, Wang, Xuejun, Wang, Yan, Wang, Yanchang, Wang, Yanzhuang, Wang, Y.-Y., Wang, Yihua, Wang, Yipeng, Wang, Yu, Wang, Yuqi, Wang, Zhe, Wang, Zhenyu, Wang, Zhouguang, Warnes, G., Warnsmann, V., Watada, H., Watanabe, E., Watchon, M., Wawrzyńska, A., Weaver, T.E., Wegrzyn, G., Wehman, A.M., Wei, H., Wei, L., Wei, T., Wei, Y., Weiergräber, O.H., Weihl, C.C., Weindl, G., Weiskirchen, R., Wells, A., Wen, R.H., Wen, X., Werner, A., Weykopf, B., Wheatley, S.P., Whitton, J.L., Whitworth, A.J., Wiktorska, K., Wildenberg, M.E., Wileman, T., Wilkinson, S., Willbold, D., Williams, B., Williams, R.S.B., Williams, R.L., Williamson, P.R., Wilson, R.A., Winner, B., Winsor, N.J., Witkin, S.S., Wodrich, H., Woehlbier, U., Wollert, T., Wong, E., Wong, J.H., Wong, R.W., Wong, V.K.W., Wong, W.W.-L., Wu, A.-G., Wu, C., Wu, Jian, Wu, Junfang, Wu, K.K., Wu, M., Wu, Shan-Ying, Wu, Shengzhou, Wu, Shu-Yan, Wu, Shufang, Wu, W.K.K., Wu, Xiaohong, Wu, Xiaoqing, Wu, Y.-W., Wu, Y., Xavier, R.J., Xia, H., Xia, L., Xia, Z., Xiang, G., Xiang, J., Xiang, M., Xiang, W., Xiao, B., Xiao, G., Xiao, H., Xiao, H.-T., Xiao, J., Xiao, L., Xiao, S., Xiao, Y., Xie, B., Xie, C.-M., Xie,

M., Xie, Y., Xie, Zhiping, Xie, Zhonglin, Xilouri, M., Xu, C., Xu, E., Xu, H., Xu, Jing, Xu,
JinRong, Xu, L., Xu, W.W., Xu, X., Xue, Y., Yakhine-Diop, S.M.S., Yamaguchi, M.,
Yamaguchi, O., Yamamoto, A., Yamashina, S., Yan, S., Yan, S.-J., Yan, Z., Yanagi, Y.,
Yang, C., Yang, D.-S., Yang, Huan, Yang, H.-T., Yang, Hui, Yang, J.-M., Yang, Jing, Yang,
Jingyu, Yang, Ling, Yang, Liu, Yang, M., Yang, P.-M., Yang, Q., Yang, Seungwon, Yang,
Shu, Yang, S.-F., Yang, W., Yang, W.Y., Yang, Xiaoyong, Yang, Xuesong, Yang, Yi, Yang,
Ying, Yao, H., Yao, S., Yao, X., Yao, Y.-G., Yao, Y.-M., Yasui, T., Yazdankhah, M., Yen,
P.M., Yi, C., Yin, X.-M., Yin, Y., Yin, Zhangyuan, Yin, Ziyi, Ying, M., Ying, Z., Yip, C.K.,
Yiu, S.P.T., Yoo, Y.H., Yoshida, K., Yoshii, S.R., Yoshimori, T., Yousefi, B., Yu, B., Yu, H.,
Yu, J., Yu, J., Yu, L., Yu, M.-L., Yu, S.-W., Yu, V.C., Yu, W.H., Yu, Zhengping, Yu, Zhou,
Yuan, J., Yuan, L.-Q., Yuan, S., Yuan, S.-S.F., Yuan, Y., Yuan, Z., Yue, J., Yue, Z., Yun, J.,
Yung, R.L., Zacks, D.N., Zaffagnini, G., Zambelli, V.O., Zanella, I., Zang, Q.S., Zanivan,
S., Zappavigna, S., Zaragoza, P., Zarbalis, K.S., Zarebkohan, A., Zarrouk, A., Zeitlin,
S.O., Zeng, J., Zeng, J.-D., Žerovnik, E., Zhan, L., Zhang, B., Zhang, D.D., Zhang,
Hanlin, Zhang, Hong, Zhang, Hong, Zhang, Honghe, Zhang, Huafeng, Zhang, Huaye,
Zhang, Hui, Zhang, H.-L., Zhang, Jianbin, Zhang, Jianhua, Zhang, J.-P., Zhang, K.Y.B.,
Zhang, L.W., Zhang, Lin, Zhang, Lisheng, Zhang, Lu, Zhang, Luoying, Zhang, M.,
Zhang, P., Zhang, S., Zhang, W., Zhang, Xiangnan, Zhang, X.-W., Zhang, Xiaolei,
Zhang, Xiaoyan, Zhang, Xin, Zhang, Xinxin, Zhang, X.D., Zhang, Yang, Zhang, Yanjin,
Zhang, Yi, Zhang, Y.-D., Zhang, Yingmei, Zhang, Y.-Y., Zhang, Yuchen, Zhang, Zhe,
Zhang, Zhengguang, Zhang, Zhibing, Zhang, Zhihai, Zhang, Zhiyong, Zhang, Zili,
Zhao, H., Zhao, L., Zhao, S., Zhao, T., Zhao, X.-F., Zhao, Ying, Zhao, Yongchao, Zhao,
Yongliang, Zhao, Yuting, Zheng, G., Zheng, K., Zheng, L., Zheng, S., Zheng, X.-L.,
Zheng, Y., Zheng, Z.-G., Zhivotovsky, B., Zhong, Q., Zhou, A., Zhou, B., Zhou, C.,
Zhou, G., Zhou, Hao, Zhou, Hong, Zhou, Hongbo, Zhou, Jie, Zhou, Jing, Zhou, Jing,
Zhou, Jiyong, Zhou, K., Zhou, R., Zhou, X.-J., Zhou, Yanshuang, Zhou, Yinghong,
Zhou, Yubin, Zhou, Z.-Y., Zhou, Z., Zhu, B., Zhu, C., Zhu, G.-Q., Zhu, Haining, Zhu,
Hongxin, Zhu, Hua, Zhu, W.-G., Zhu, Yanping, Zhu, Yushan, Zhuang, H., Zhuang, X.,
Zientara-Rytter, K., Zimmermann, C.M., Ziviani, E., Zoladek, T., Zong, W.-X., Zorov,
D.B., Zorzano, A., Zou, W., Zou, Zhen, Zou, Zhengzhi, Zuryn, S., Zwerschke, W.,
Brand-Saberi, B., Dong, X.C., Kenchappa, C.S., Li, Zuguo, Lin, Y., Oshima, S., Rong,
Y., Sluimer, J.C., Stallings, C.L., Tong, C.-K., 2021. Guidelines for the use and
interpretation of assays for monitoring autophagy (4th edition)1. Autophagy 17, 1–
382. https://doi.org/10.1080/15548627.2020.1797280
Komatsu, M., Waguri, S., Koike, M., Sou, Y.-S., Ueno, T., Hara, T., Mizushima, N., Iwata, J.-I.,
Ezaki, J., Murata, S., Hamazaki, J., Nishito, Y., Iemura, S.-I., Natsume, T., Yanagawa,
T., Uwayama, J., Warabi, E., Yoshida, H., Ishii, T., Kobayashi, A., Yamamoto, M., Yue,
Z., Uchiyama, Y., Kominami, E., Tanaka, K., 2007. Homeostatic levels of p62 control
cytoplasmic inclusion body formation in autophagy-deficient mice. Cell 131, 1149–
1163. https://doi.org/10.1016/j.cell.2007.10.035
Komatsu, M., Waguri, S., Ueno, T., Iwata, J., Murata, S., Tanida, I., Ezaki, J., Mizushima, N.,
Ohsumi, Y., Uchiyama, Y., Kominami, E., Tanaka, K., Chiba, T., 2005. Impairment of
starvation-induced and constitutive autophagy in Atg7-deficient mice. J. Cell Biol.
169, 425–434. https://doi.org/10.1083/jcb.200412022

Kongton, K., McCall, K., Phongdara, A., 2014. Identification of gamma-interferon-inducible lysosomal thiol reductase (GILT) homologues in the fruit fly *Drosophila melanogaster*. Dev. Comp. Immunol. 44, 389–396. https://doi.org/10.1016/j.dci.2014.01.007

Kwon, Y., Song, W., Droujinine, I.A., Hu, Y., Asara, J.M., Perrimon, N., 2015. Systemic Organ Wasting Induced by Localized Expression of the Secreted Insulin/IGF Antagonist ImpL2. Dev. Cell 33, 36–46. https://doi.org/10.1016/j.devcel.2015.02.012

Laczkó-Dobos, H., Maddali, A.K., Jipa, A., Bhattacharjee, A., Végh, A.G., Juhász, G., 2021. Lipid profiles of autophagic structures isolated from wild type and Atg2 mutant *Drosophila*. Biochim. Biophys. Acta BBA - Mol. Cell Biol. Lipids 1866, 158868. https://doi.org/10.1016/j.bbalip.2020.158868

Lee, J., Ridgway, N.D., 2020. Substrate channeling in the glycerol-3-phosphate pathway regulates the synthesis, storage and secretion of glycerolipids. Biochim. Biophys. Acta BBA - Mol. Cell Biol. Lipids, Endoplasmic reticulum platforms for lipid dynamics 1865, 158438. https://doi.org/10.1016/j.bbalip.2019.03.010

Liu, F., Li, X., Lu, C., Bai, A., Bielawski, J., Bielawska, A., Marshall, B., Schoenlein, P.V., Lebedyeva, I.O., Liu, K., 2016. Ceramide activates lysosomal cathepsin B and cathepsin D to attenuate autophagy and induces ER stress to suppress myeloid-derived suppressor cells. Oncotarget 7, 83907–83925. https://doi.org/10.18632/oncotarget.13438

Liu, Jianfang, Lichtenberg, T., Hoadley, K.A., Poisson, L.M., Lazar, A.J., Cherniack, A.D., Kovatich, A.J., Benz, C.C., Levine, D.A., Lee, A.V., Omberg, L., Wolf, D.M., Shriver, C.D., Thorsson, V., Caesar-Johnson, S.J., Demchok, J.A., Felau, I., Kasapi, M., Ferguson, M.L., Hutter, C.M., Sofia, H.J., Tarnuzzer, R., Wang, Z., Yang, L., Zenklusen, J.C., Zhang, J. (Julia), Chudamani, S., Liu, Jia, Lolla, L., Naresh, R., Pihl, T., Sun, Q., Wan, Y., Wu, Y., Cho, J., DeFreitas, T., Frazer, S., Gehlenborg, N., Getz, G., Heiman, D.I., Kim, J., Lawrence, M.S., Lin, P., Meier, S., Noble, M.S., Saksena, G., Voet, D., Zhang, Hailei, Bernard, B., Chambwe, N., Dhankani, V., Knijnenburg, T., Kramer, R., Leinonen, K., Liu, Y., Miller, M., Reynolds, S., Shmulevich, I., Thorsson, V., Zhang, W., Akbani, R., Broom, B.M., Hegde, A.M., Ju, Z., Kanchi, R.S., Korkut, A., Li, J., Liang, H., Ling, S., Liu, W., Lu, Y., Mills, G.B., Ng, K.-S., Rao, A., Ryan, M., Wang, Jing, Weinstein, J.N., Zhang, J., Abeshouse, A., Armenia, J., Chakravarty, D., Chatila, W.K., Bruijn, I. de, Gao, J., Gross, B.E., Heins, Z.J., Kundra, R., La, K., Ladanyi, M., Luna, A., Nissan, M.G., Ochoa, A., Phillips, S.M., Reznik, E., Sanchez-Vega, F., Sander, C., Schultz, N., Sheridan, R., Sumer, S.O., Sun, Y., Taylor, B.S., Wang, Jioajiao, Zhang, Hongxin, Anur, P., Peto, M., Spellman, P., Benz, C., Stuart, J.M., Wong, C.K., Yau, C., Hayes, D.N., Parker, J.S., Wilkerson, M.D., Ally, A., Balasundaram, M., Bowlby, R., Brooks, D., Carlsen, R., Chuah, E., Dhalla, N., Holt, R., Jones, S.J.M., Kasaian, K., Lee, D., Ma, Y., Marra, M.A., Mayo, M., Moore, R.A., Mungall, A.J., Mungall, K., Robertson, A.G., Sadeghi, S., Schein, J.E., Sipahimalani, P., Tam, A., Thiessen, N., Tse, K., Wong, T., Berger, A.C., Beroukhim, R., Cherniack, A.D., Cibulskis, C., Gabriel, S.B., Gao, G.F., Ha, G., Meyerson, M., Schumacher, S.E., Shih, J., Kucherlapati, M.H., Kucherlapati, R.S., Baylin, S., Cope, L., Danilova, L., Bootwalla, M.S., Lai, P.H., Maglinte, D.T., Berg, D.J.V.D., Weisenberger, D.J., Auman, J.T., Balu, S., Bodenheimer,

T., Fan, C., Hoadley, K.A., Hoyle, A.P., Jefferys, S.R., Jones, C.D., Meng, S.,
Mieczkowski, P.A., Mose, L.E., Perou, A.H., Perou, C.M., Roach, J., Shi, Y., Simons,
J.V., Skelly, T., Soloway, M.G., Tan, D., Veluvolu, U., Fan, H., Hinoue, T., Laird, P.W.,
Shen, H., Zhou, W., Bellair, M., Chang, K., Covington, K., Creighton, C.J., Dinh, H.,
Doddapaneni, H., Donehower, L.A., Drummond, J., Gibbs, R.A., Glenn, R., Hale, W.,
Han, Y., Hu, J., Korchina, V., Lee, S., Lewis, L., Li, W., Liu, X., Morgan, M., Morton, D.,
Muzny, D., Santibanez, J., Sheth, M., Shinbro, E., Wang, L., Wang, M., Wheeler, D.A.,
Xi, L., Zhao, F., Hess, J., Appelbaum, E.L., Bailey, M., Cordes, M.G., Ding, L., Fronick,
C.C., Fulton, L.A., Fulton, R.S., Kandoth, C., Mardis, E.R., McLellan, M.D., Miller,
C.A., Schmidt, H.K., Wilson, R.K., Crain, D., Curley, E., Gardner, J., Lau, K., Mallery,
D., Morris, S., Paulauskis, J., Penny, R., Shelton, C., Shelton, T., Sherman, M.,
Thompson, E., Yena, P., Bowen, J., Gastier-Foster, J.M., Gerken, M., Leraas, K.M.,
Lichtenberg, T.M., Ramirez, N.C., Wise, L., Zmuda, E., Corcoran, N., Costello, T.,
Hovens, C., Carvalho, A.L., Carvalho, A.C. de, Fregnani, J.H., Longatto-Filho, A.,
Reis, R.M., Scapulatempo-Neto, C., Silveira, H.C.S., Vidal, D.O., Burnette, A.,
Eschbacher, J., Hermes, B., Noss, A., Singh, R., Anderson, M.L., Castro, P.D.,
Ittmann, M., Huntsman, D., Kohl, B., Le, X., Thorp, R., Andry, C., Duffy, E.R., Lyadov,
V., Paklina, O., Setdikova, G., Shabunin, A., Tavobilov, M., McPherson, C., Warnick,
R., Berkowitz, R., Cramer, D., Feltmate, C., Horowitz, N., Kibel, A., Muto, M., Raut,
C.P., Malykh, A., Barnholtz-Sloan, J.S., Barrett, W., Devine, K., Fulop, J., Ostrom, Q.T.,
Shimmel, K., Wolinsky, Y., Sloan, A.E., Rose, A.D., Giuliante, F., Goodman, M.,
Karlan, B.Y., Hagedorn, C.H., Eckman, J., Harr, J., Myers, J., Tucker, K., Zach, L.A.,
Deyarmin, B., Hu, H., Kvecher, L., Larson, C., Mural, R.J., Somiari, S., Vicha, A.,
Zelinka, T., Bennett, J., Iacocca, M., Rabeno, B., Swanson, P., Latour, M., Lacombe,
L., Têtu, B., Bergeron, A., McGraw, M., Staugaitis, S.M., Chabot, J., Hibshoosh, H.,
Sepulveda, A., Su, T., Wang, T., Potapova, O., Voronina, O., Desjardins, L., Mariani,
O., Roman-Roman, S., Sastre, X., Stern, M.-H., Cheng, F., Signoretti, S., Berchuck,
A., Bigner, D., Lipp, E., Marks, J., McCall, S., McLendon, R., Secord, A., Sharp, A.,
Behera, M., Brat, D.J., Chen, A., Delman, K., Force, S., Khuri, F., Magliocca, K.,
Maithel, S., Olson, J.J., Owonikoko, T., Pickens, A., Ramalingam, S., Shin, D.M., Sica,
G., Meir, E.G.V., Zhang, Hongzheng, Eijckenboom, W., Gillis, A., Korpershoek, E.,
Looijenga, L., Oosterhuis, W., Stoop, H., Kessel, K.E. van, Zwarthoff, E.C.,
Calatozzolo, C., Cuppini, L., Cuzzubbo, S., DiMeco, F., Finocchiaro, G., Mattei, L.,
Perin, A., Pollo, B., Chen, C., Houck, J., Lohavanichbutr, P., Hartmann, A., Stoehr, C.,
Stoehr, R., Taubert, H., Wach, S., Wullich, B., Kycler, W., Murawa, D., Wiznerowicz,
M., Chung, K., Edenfield, W.J., Martin, J., Baudin, E., Bubley, G., Bueno, R., Rienzo,
A.D., Richards, W.G., Kalkanis, S., Mikkelsen, T., Noushmehr, H., Scarpace, L.,
Girard, N., Aymerich, M., Campo, E., Giné, E., Guillermo, A.L., Bang, N.V., Hanh, P.T.,
Phu, B.D., Tang, Y., Colman, H., Evason, K., Dottino, P.R., Martignetti, J.A., Gabra, H.,
Juhl, H., Akeredolu, T., Stepa, S., Hoon, D., Ahn, K., Kang, K.J., Beuschlein, F.,
Breggia, A., Birrer, M., Bell, D., Borad, M., Bryce, A.H., Castle, E., Chandan, V.,
Cheville, J., Copland, J.A., Farnell, M., Flotte, T., Giama, N., Ho, T., Kendrick, M.,
Kocher, J.-P., Kopp, K., Moser, C., Nagorney, D., O'Brien, D., O'Neill, B.P., Patel, T.,
Petersen, G., Que, F., Rivera, M., Roberts, L., Smallridge, R., Smyrk, T., Stanton, M.,

Thompson, R.H., Torbenson, M., Yang, J.D., Zhang, L., Brimo, F., Ajani, J.A.,
Gonzalez, A.M.A., Behrens, C., Bondaruk, J., Broaddus, R., Czerniak, B., Esmaeli, B.,
Fujimoto, J., Gershenwald, J., Guo, C., Lazar, A.J., Logothetis, C., Meric-Bernstam, F.,
Moran, C., Ramondetta, L., Rice, D., Sood, A., Tamboli, P., Thompson, T., Troncoso,
P., Tsao, A., Wistuba, I., Carter, C., Haydu, L., Hersey, P., Jakrot, V., Kakavand, H.,
Kefford, R., Lee, K., Long, G., Mann, G., Quinn, M., Saw, R., Scolyer, R., Shannon, K.,
Spillane, A., Stretch, J., Synott, M., Thompson, J., Wilmott, J., Al-Ahmadie, H., Chan,
T.A., Ghossein, R., Gopalan, A., Levine, D.A., Reuter, V., Singer, S., Singh, B., Tien,
N.V., Broudy, T., Mirsaidi, C., Nair, P., Drwiega, P., Miller, J., Smith, J., Zaren, H., Park,
J.-W., Hung, N.P., Kebebew, E., Linehan, W.M., Metwalli, A.R., Pacak, K., Pinto, P.A.,
Schiffman, M., Schmidt, L.S., Vocke, C.D., Wentzensen, N., Worrell, R., Yang, H.,
Moncrieff, M., Goparaju, C., Melamed, J., Pass, H., Botnariuc, N., Caraman, I.,
Cernat, M., Chemencedji, I., Clipca, A., Doruc, S., Gorincioi, G., Mura, S., Pirtac, M.,
Stancul, I., Tcaciuc, D., Albert, M., Alexopoulou, I., Arnaout, A., Bartlett, J., Engel, J.,
Gilbert, S., Parfitt, J., Sekhon, H., Thomas, G., Rassl, D.M., Rintoul, R.C., Bifulco, C.,
Tamakawa, R., Urba, W., Hayward, N., Timmers, H., Antenucci, A., Facciolo, F.,
Grazi, G., Marino, M., Merola, R., Krijger, R. de, Gimenez-Roqueplo, A.-P., Piché, A.,
Chevalier, S., McKercher, G., Birsoy, K., Barnett, G., Brewer, C., Farver, C., Naska, T.,
Pennell, N.A., Raymond, D., Schilero, C., Smolenski, K., Williams, F., Morrison, C.,
Borgia, J.A., Liptay, M.J., Pool, M., Seder, C.W., Junker, K., Omberg, L., Dinkin, M.,
Manikhas, G., Alvaro, D., Bragazzi, M.C., Cardinale, V., Carpino, G., Gaudio, E.,
Chesla, D., Cottingham, S., Dubina, M., Moiseenko, F., Dhanasekaran, R., Becker,
K.-F., Janssen, K.-P., Slotta-Huspenina, J., Abdel-Rahman, M.H., Aziz, D., Bell, S.,
Cebulla, C.M., Davis, A., Duell, R., Elder, J.B., Hilty, J., Kumar, B., Lang, J., Lehman,
N.L., Mandt, R., Nguyen, P., Pilarski, R., Rai, K., Schoenfield, L., Senecal, K., Wakely,
P., Hansen, P., Lechan, R., Powers, J., Tischler, A., Grizzle, W.E., Sexton, K.C., Kastl,
A., Henderson, J., Porten, S., Waldmann, J., Fassnacht, M., Asa, S.L., Schadendorf,
D., Couce, M., Graefen, M., Huland, H., Sauter, G., Schlomm, T., Simon, R.,
Tennstedt, P., Olabode, O., Nelson, M., Bathe, O., Carroll, P.R., Chan, J.M., Disaia, P.,
Glenn, P., Kelley, R.K., Landen, C.N., Phillips, J., Prados, M., Simko, J., Smith-
McCune, K., VandenBerg, S., Roggin, K., Fehrenbach, A., Kendler, A., Sifri, S., Steele,
R., Jimeno, A., Carey, F., Forgie, I., Mannelli, M., Carney, M., Hernandez, B., Campos,
B., Herold-Mende, C., Jungk, C., Unterberg, A., Deimling, A. von, Bossler, A.,
Galbraith, J., Jacobus, L., Knudson, M., Knutson, T., Ma, D., Milhem, M., Sigmund, R.,
Godwin, A.K., Madan, R., Rosenthal, H.G., Adebamowo, C., Adebamowo, S.N.,
Boussioutas, A., Beer, D., Giordano, T., Mes-Masson, A.-M., Saad, F., Bocklage, T.,
Landrum, L., Mannel, R., Moore, K., Moxley, K., Postier, R., Walker, J., Zuna, R.,
Feldman, M., Valdivieso, F., Dhir, R., Luketich, J., Pinero, E.M.M., Quintero-Aguilo,
M., Carlos Gilberto Carlotti, J., Santos, J.S.D., Kemp, R., Sankarankuty, A., Tirapelli,
D., Catto, J., Agnew, K., Swisher, E., Creaney, J., Robinson, B., Shelley, C.S., Godwin,
E.M., Kendall, S., Shipman, C., Bradford, C., Carey, T., Haddad, A., Moyer, J.,
Peterson, L., Prince, M., Rozek, L., Wolf, G., Bowman, R., Fong, K.M., Yang, I., Korst,
R., Rathmell, W.K., Fantacone-Campbell, J.L., Hooke, J.A., Kovatich, A.J., Shriver,
C.D., DiPersio, J., Drake, B., Govindan, R., Heath, S., Ley, T., Tine, B.V., Westervelt, P.,

Rubin, M.A., Lee, J.I., Aredes, N.D., Mariamidze, A., Hu, H., 2018. An Integrated TCGA Pan-Cancer Clinical Data Resource to Drive High-Quality Survival Outcome Analytics. Cell 173, 400-416.e11. https://doi.org/10.1016/j.cell.2018.02.052

Liu, Y., Saavedra, P., Perrimon, N., 2022. Cancer cachexia: lessons from Drosophila. Dis. Model. Mech. 15, dmm049298. https://doi.org/10.1242/dmm.049298

Liu, Ying, Dantas, E., Ferrer, M., Miao, T., Qadiri, M., Liu, Yifang, Comjean, A., Davidson, E.E., Perrier, T., Ahmed, T., Hu, Y., Goncalves, M.D., Janowitz, T., Perrimon, N., 2025. Hepatic gluconeogenesis and PDK3 upregulation drive cancer cachexia in flies and mice. Nat. Metab. 7, 823–841. https://doi.org/10.1038/s42255-025-01265-2

Mirdita, M., Schütze, K., Moriwaki, Y., Heo, L., Ovchinnikov, S., Steinegger, M., 2022. ColabFold: making protein folding accessible to all. Nat. Methods 19, 679–682. https://doi.org/10.1038/s41592-022-01488-1

Mizutani, Y., Kihara, A., Igarashi, Y., 2005. Mammalian Lass6 and its related family members regulate synthesis of specific ceramides. Biochem. J. 390, 263–271. https://doi.org/10.1042/BJ20050291

Mulakkal, N.C., Nagy, P., Takats, S., Tusco, R., Juhász, G., Nezis, I.P., 2014. Autophagy in Drosophila: From Historical Studies to Current Knowledge. BioMed Res. Int. 2014, 273473. https://doi.org/10.1155/2014/273473

Mullen, T.D., Hannun, Y.A., Obeid, L.M., 2012. Ceramide synthases at the centre of sphingolipid metabolism and biology. Biochem. J. 441, 789–802. https://doi.org/10.1042/BJ20111626

Ni, H.-M., Woolbright, B.L., Williams, J., Copple, B., Cui, W., Luyendyk, J.P., Jaeschke, H., Ding, W.-X., 2014. Nrf2 promotes the development of fibrosis and tumorigenesis in mice with defective hepatic autophagy. J. Hepatol. 61, 617–625. https://doi.org/10.1016/j.jhep.2014.04.043

Ota, A., Morita, H., Naganuma, T., Miyamoto, M., Jojima, K., Nojiri, K., Matsuda, J., Kihara, A., 2023. Bifunctional DEGS2 has higher hydroxylase activity toward substrates with very-long-chain fatty acids in the production of phytosphingosine ceramides. J. Biol. Chem. 299. https://doi.org/10.1016/j.jbc.2023.104603

Passaro, S., Corso, G., Wohlwend, J., Reveiz, M., Thaler, S., Somnath, V.R., Getz, N., Portnoi, T., Roy, J., Stark, H., Kwabi-Addo, D., Beaini, D., Jaakkola, T., Barzilay, R., 2025. Boltz-2: Towards Accurate and Efficient Binding Affinity Prediction. BioRxiv Prepr. Serv. Biol. 2025.06.14.659707. https://doi.org/10.1101/2025.06.14.659707

Pelosof, L.C., Gerber, D.E., 2010. Paraneoplastic Syndromes: An Approach to Diagnosis and Treatment. Mayo Clin. Proc. 85, 838–854. https://doi.org/10.4065/mcp.2010.0099

Pewzner-Jung, Y., Park, H., Laviad, E.L., Silva, L.C., Lahiri, S., Stiban, J., Erez-Roman, R., Brügger, B., Sachsenheimer, T., Wieland, F., Prieto, M., Merrill, A.H., Futerman, A.H., 2010. A Critical Role for Ceramide Synthase 2 in Liver Homeostasis: I. ALTERATIONS IN LIPID METABOLIC PATHWAYS*. J. Biol. Chem. 285, 10902–10910. https://doi.org/10.1074/jbc.M109.077594

Qi, D., Song, X., Xue, C., Yao, W., Shen, P., Yu, H., Zhang, Z., 2021. AKT1/FOXP3 axis-mediated expression of CerS6 promotes p53 mutant pancreatic tumorigenesis. Cancer Lett. 522, 105–118. https://doi.org/10.1016/j.canlet.2021.06.024

Qian, H., Chao, X., Williams, J., Fulte, S., Li, T., Yang, L., Ding, W.-X., 2021. Autophagy in liver diseases: A review. Mol. Aspects Med. 82, 100973. https://doi.org/10.1016/j.mam.2021.100973

Qing, H., Desrouleaux, R., Israni-Winger, K., Mineur, Y.S., Fogelman, N., Zhang, C., Rashed, S., Palm, N.W., Sinha, R., Picciotto, M.R., Perry, R.J., Wang, A., 2020. Origin and Function of Stress-Induced IL-6 in Murine Models. Cell 182, 372-387.e14. https://doi.org/10.1016/j.cell.2020.05.054

Queiroz, A.L., Dantas, E., Ramsamooj, S., Murthy, A., Ahmed, M., Zunica, E.R.M., Liang, R.J., Murphy, J., Holman, C.D., Bare, C.J., Ghahramani, G., Wu, Z., Cohen, D.E., Kirwan, J.P., Cantley, L.C., Axelrod, C.L., Goncalves, M.D., 2022. Blocking ActRIIB and restoring appetite reverses cachexia and improves survival in mice with lung cancer. Nat. Commun. 13, 4633. https://doi.org/10.1038/s41467-022-32135-0

Raichur, S., Brunner, B., Bielohuby, M., Hansen, G., Pfenninger, A., Wang, B., Bruning, J.C., Larsen, P.J., Tennagels, N., 2019. The role of C16:0 ceramide in the development of obesity and type 2 diabetes: CerS6 inhibition as a novel therapeutic approach. Mol. Metab. 21, 36–50. https://doi.org/10.1016/j.molmet.2018.12.008

Riebeling, C., Allegood, J.C., Wang, E., Merrill, A.H., Futerman, A.H., 2003. Two Mammalian Longevity Assurance Gene (LAG1) Family Members, *trh1* and *trh4*, Regulate Dihydroceramide Synthesis Using Different Fatty Acyl-CoA Donors*. J. Biol. Chem. 278, 43452–43459. https://doi.org/10.1074/jbc.M307104200

Rowland, L.A., Guilherme, A., Henriques, F., DiMarzio, C., Munroe, S., Wetoska, N., Kelly, M., Reddig, K., Hendricks, G., Pan, M., Han, X., Ilkayeva, O.R., Newgard, C.B., Czech, M.P., 2023. De novo lipogenesis fuels adipocyte autophagosome and lysosome membrane dynamics. Nat. Commun. 14, 1362. https://doi.org/10.1038/s41467-023-37016-8

Ryter, S.W., Cloonan, S.M., Choi, A.M.K., 2013. Autophagy: A Critical Regulator of Cellular Metabolism and Homeostasis. Mol. Cells 36, 7–16. https://doi.org/10.1007/s10059-013-0140-8

Saavedra, P., Dumesic, P.A., Hu, Y., Jouandin, P., Binari, R., Wilensky, S.E., Filine, E., Rodiger, J., Wang, H., Spiegelman, B.M., Perrimon, N., 2021. REPTOR/CREBRF encode key regulators of muscle energy metabolism. https://doi.org/10.1101/2021.12.17.473012

Saftig, P., Klumperman, J., 2009. Lysosome biogenesis and lysosomal membrane proteins: trafficking meets function. Nat. Rev. Mol. Cell Biol. 10, 623–635. https://doi.org/10.1038/nrm2745

Schütter, M., Graef, M., 2020. Localized de novo phospholipid synthesis drives autophagosome biogenesis. Autophagy 16, 770–771. https://doi.org/10.1080/15548627.2020.1725379

Skotland, T., Sandvig, K., 2019. The role of PS 18:0/18:1 in membrane function. Nat. Commun. 10, 2752. https://doi.org/10.1038/s41467-019-10711-1

Song, W., Kir, S., Hong, S., Hu, Y., Wang, X., Binari, R., Tang, H.-W., Chung, V., Banks, A.S., Spiegelman, B., Perrimon, N., 2019. Tumor-Derived Ligands Trigger Tumor Growth and Host Wasting via Differential MEK Activation. Dev. Cell 48, 277-286.e6. https://doi.org/10.1016/j.devcel.2018.12.003

Song, W., Owusu-Ansah, E., Hu, Y., Cheng, D., Ni, X., Zirin, J., Perrimon, N., 2017. Activin signaling mediates muscle-to-adipose communication in a mitochondria dysfunction-associated obesity model. Proc. Natl. Acad. Sci. 114, 8596–8601. https://doi.org/10.1073/pnas.1708037114

Stone, R.L., Nick, A.M., McNeish, I.A., Balkwill, F., Han, H.D., Bottsford-Miller, J., Rupaimoole, R., Armaiz-Pena, G.N., Pecot, C.V., Coward, J., Deavers, M.T., Vasquez, H.G., Urbauer, D., Landen, C.N., Hu, W., Gershenson, H., Matsuo, K., Shahzad, M.M.K., King, E.R., Tekedereli, I., Ozpolat, B., Ahn, E.H., Bond, V.K., Wang, R., Drew, A.F., Gushiken, F., Lamkin, D., Collins, K., DeGeest, K., Lutgendorf, S.K., Chiu, W., Lopez-Berestein, G., Afshar-Kharghan, V., Sood, A.K., 2012. Paraneoplastic Thrombocytosis in Ovarian Cancer [WWW Document]. N. Engl. J. Med. https://doi.org/10.1056/NEJMoa1110352

Taniguchi, M., Kitatani, K., Kondo, T., Hashimoto-Nishimura, M., Asano, S., Hayashi, A., Mitsutake, S., Igarashi, Y., Umehara, H., Takeya, H., Kigawa, J., Okazaki, T., 2012. Regulation of Autophagy and Its Associated Cell Death by "Sphingolipid Rheostat." J. Biol. Chem. 287, 39898–39910. https://doi.org/10.1074/jbc.M112.416552

Tiede, A., Nischan, C., Schubert, J., Schmidt, R.E., 2000. Characterisation of the enzymatic complex for the first step in glycosylphosphatidylinositol biosynthesis. Int. J. Biochem. Cell Biol. 32, 339–350. https://doi.org/10.1016/S1357-2725(99)00122-3

Turk, V., Turk, B., Turk, D., 2001. Lysosomal cysteine proteases: facts and opportunities. EMBO J. 20, 4629–4633. https://doi.org/10.1093/emboj/20.17.4629

Ueno, T., Komatsu, M., 2017. Autophagy in the liver: functions in health and disease. Nat. Rev. Gastroenterol. Hepatol. 14, 170–184. https://doi.org/10.1038/nrgastro.2016.185

Wang, B., Moya, N., Niessen, S., Hoover, H., Mihaylova, M.M., Shaw, R.J., Yates, J.R., Fischer, W.H., Thomas, J.B., Montminy, M., 2011. A hormone-dependent module regulating energy balance. Cell 145, 596–606. https://doi.org/10.1016/j.cell.2011.04.013

Wegner, M.-S., Wanger, R.A., Oertel, S., Brachtendorf, S., Hartmann, D., Schiffmann, S., Marschalek, R., Schreiber, Y., Ferreirós, N., Geisslinger, G., Grösch, S., 2014. Ceramide synthases CerS4 and CerS5 are upregulated by 17β-estradiol and GPER1 via AP-1 in human breast cancer cells. Biochem. Pharmacol. 92, 577–589. https://doi.org/10.1016/j.bcp.2014.10.007

Weidberg, H., Shvets, E., Elazar, Z., 2011. Biogenesis and Cargo Selectivity of Autophagosomes. Annu. Rev. Biochem. 80, 125–156. https://doi.org/10.1146/annurev-biochem-052709-094552

Woodcock, K.J., Kierdorf, K., Pouchelon, C.A., Vivancos, V., Dionne, M.S., Geissmann, F., 2015. Macrophage-derived upd3 cytokine causes impaired glucose homeostasis and reduced lifespan in Drosophila fed a lipid-rich diet. Immunity 42, 133–144. https://doi.org/10.1016/j.immuni.2014.12.023

Wu, X., Tao, P., Zhou, Q., Li, Jie, Yu, Z., Wang, X., Li, Jiaanfang, Li, C., Yan, M., Zhu, Z., Liu, B., Su, L., 2017. IL-6 secreted by cancer-associated fibroblasts promotes epithelial-mesenchymal transition and metastasis of gastric cancer via JAK2/STAT3 signaling pathway. Oncotarget 8, 20741–20750. https://doi.org/10.18632/oncotarget.15119

Wueest, S., Konrad, D., 2020. The controversial role of IL-6 in adipose tissue on obesity-
induced dysregulation of glucose metabolism. Am. J. Physiol.-Endocrinol. Metab.
319, E607–E613. https://doi.org/10.1152/ajpendo.00306.2020
Xie, Z., Nair, U., Klionsky, D.J., 2008. Atg8 controls phagophore expansion during
autophagosome formation. Mol. Biol. Cell 19, 3290–3298.
https://doi.org/10.1091/mbc.e07-12-1292
Xu, J., Kim, A.-R., Cheloha, R.W., Fischer, F.A., Li, J.S.S., Feng, Y., Stoneburner, E., Binari, R.,
Mohr, S.E., Zirin, J., Ploegh, H.L., Perrimon, N., 2022. Protein visualization and
manipulation in Drosophila through the use of epitope tags recognized by
nanobodies. eLife 11, e74326. https://doi.org/10.7554/eLife.74326
Xu, J., Liu, Y., Yang, F., Cao, Y., Chen, W., Li, J.S.S., Zhang, S., Comjean, A., Hu, Y., Perrimon,
N., 2024. Mechanistic characterization of a Drosophila model of paraneoplastic
nephrotic syndrome. Nat. Commun. 15, 1241. https://doi.org/10.1038/s41467-024-
45493-8
Yang, X., Wang, J., Chang, C.-Y., Zhou, F., Liu, J., Xu, H., Ibrahim, M., Gomez, M., Guo, G.L.,
Liu, H., Zong, W.-X., Wondisford, F.E., Su, X., White, E., Feng, Z., Hu, W., 2024.
Leukemia inhibitory factor suppresses hepatic de novo lipogenesis and induces
cachexia in mice. Nat. Commun. 15, 627. https://doi.org/10.1038/s41467-024-
44924-w
Yu, H., Kortylewski, M., Pardoll, D., 2007. Crosstalk between cancer and immune cells: role
of STAT3 in the tumour microenvironment. Nat. Rev. Immunol. 7, 41–51.
https://doi.org/10.1038/nri1995
2027