Title page

Full title: Researchers' perspectives on preregistration in animal research

Short title: Preregistration in animal experimentation

Cristina Priboi[1¶], Boris Mayer[2¶], Evie Vergauwe[3&], Bernice Elger[4&], Hanno Würbel[1#a*¶]

[1] Veterinary Public Health Institute, University of Bern, Bern, Switzerland

[2] Institute of Psychology, University of Bern, Switzerland

[3] Faculty of Psychology and Educational Sciences, University of Geneva, Switzerland

[4] Institute for Biomedical Ethics, University of Basel, Switzerland

[#a] Current address: Veterinary Public Health Institute, University of Bern, Bern, Switzerland

* Corresponding author

E-mail: hanno.wuerbel@unibe.ch (HW)

[¶] These authors contributed equally to this work.

[&] These authors also contributed equally to this work.

Abstract

Preregistration is arguably one of the most promising and impactful Open Science practices. Defined as the a priori registration of study designs and analysis plans, preregistration has long been established as standard practice in clinical human research and is increasingly taken up in other fields of science. Despite growing evidence suggesting that preregistration can mitigate questionable research practices, and the existence of two platforms targeting animal studies, preregistration remains uncommon in animal research. In light of the reproducibility crisis and calls for more transparency and rigor also in animal research, preregistration represents a potentially promising step forward. However, implementing such policies without understanding their impact carries potential risks. It is, therefore, essential to uncover the strengths, weaknesses, opportunities, and threats of preregistration before advancing its implementation in animal research. This current study addressed this need as part of a larger feasibility project on preregistration of animal experiments in Switzerland, and aimed to: 1) assess the researchers experiences with preregistration; 2) examine their attitudes, subjective norms, perceived behavioral control, intentions, motivations, and perceived obstacles regarding preregistration; 3) explore associations between these psychosocial constructs and relevant background characteristics; 4) identify perceived facilitators and barriers to preregistration; and 5) summarize researchers' suggestions for improving preregistration. A preregistered cross-sectional online survey was conducted among all registered study directors of ongoing animal experiments in Switzerland. Of the 1,385 invited study directors, 418 completed the survey (30.2% return rate; 41% female; age $M = 47.1$, $SD = 9.52$). Among them, 39.2% had never heard of preregistration, and only 10% had preregistered studies before participating in the survey. Bureaucratic burden (77.6%), time costs (71.4%), and low flexibility (65.7%) were the most common reported barriers to

preregistration. On average, participants described rather unfavorable attitudes towards

preregistration, negative subjective norms, relatively low perceived behavioral control, weak

intention, and limited motivation to preregister, along with high perceived obstacles.

Participants who had never preregistered a study, as well as those with more research

experience, showed more negative scores on all assessed psychosocial constructs related

to preregistration. Our findings offer guidance on promising measures to enhance acceptance

of preregistration among animal researchers, including raising awareness, offering education

and training, and facilitating procedures, to enhance the acceptance of preregistration among

animal researchers.

Introduction

The scientific community is facing a profound methodological reformation towards Open Science in response to the so-called reproducibility crisis. Institutions, funders and journals are implementing policies to enhance rigor, transparency and reproducibility, with the goal of increasing credibility and trust in science. Preregistration is a promising tool for improving transparency and quality of research, and is arguably among the most impactful Open Science practices. Defined as the registration of hypotheses, study designs and analysis plans in independent open repositories before data collection or analysis (1-4), preregistration may reduce the use of questionable research practices such as publication bias, selective reporting, *p*-hacking, and HARKing, leading to more reproducible research findings (1-3, 5-9). Although the effects of preregistration have only recently begun to be studied systematically, and robust evidence is still scarce, available research from different disciplines provides direct or indirect support for a positive impact of preregistration on the reproducibility of research findings (10, 11). Preregistered studies report lower proportions of statistically significant results, find smaller effect sizes, and provide more thorough methodological descriptions compared to studies that have not been preregistered (5, 8, 12-17).

The inability to replicate published results, e.g. in cancer research (18), and the low rate of translating preclinical findings to clinical studies (19, 20) have questioned the rigor and reproducibility of animal research (18, 21-23). This could reduce public support for the responsible use of animals in research, which depends not only on the implementation of the 3Rs but also on the assumption that such practices will lead to important contributions to science and medical progress, or nature conservation. It has been shown that study protocols and results from many research projects using animals are never published or not published in full (24-27). Furthermore, substantial deficiencies in the use and reporting of measures

against risks of bias have been documented (28, 29), including in an exemplary study

conducted in Switzerland (30, 31). Apart from increasing public doubts about animal

research, these questionable research practices can slow down scientific progress, waist

animal lives for inconclusive results, and expose participants in clinical trials to unnecessary

risks (32-34).

Although study registries tailored to animal research have been established (1, 4), the animal

research community appears to meet preregistration with reservations (34). This may be due

to a number of reasons, including researchers' concerns that preregistration would increase

administrative burden, that it would stifle creativity and discovery, that others might steal their

ideas, or that they would become targets of animal rights activists (17, 35-37). In addition,

researchers may not be aware of the possibilities, functioning, and benefits of preregistration

(34). Nevertheless, policies regarding preregistration are already shifting with key

stakeholders adopting preregistration standards for animal studies. A report by the US

National Institute of Health working group has recommended preregistration for animal

studies (38), an increasing number of journals are adopting preregistration badges as part of

their publication policies (3, 8), and a recent call has been made to implement preclinical

study preregistration in the animal research community (37). Despite the growing popularity

of preregistration, the relevance, applicability, and implementation of preregistration have not

yet been properly analyzed for animal research. There is a risk of changing policies too far or

prematurely before the potential costs and benefits for innovation and research quality, and

the practical implications of preregistration have been understood by all parties involved.

There is, therefore, an urgent need to evaluate the perceived strengths, weaknesses,

opportunities, and threats of preregistration in animal research. As part of a project to address

these different aspects, we conducted the present survey among all animal study directors

registered in Switzerland. The study was informed by Spitzer and Mueller (39), who

investigated attitudes and experiences with preregistration in psychology researchers. Building on their framework, the specific aims of our study were to:

1. Assess the experience of animal researchers in Switzerland with study preregistration.
2. Examine several psychosocial constructs related to preregistration, including attitudes, subjective norms, perceived behavioral control, intentions, motivations, and perceived obstacles.
3. Explore associations between these six psychosocial constructs and background characteristics, such as animal researchers' preregistration experience, animal research experience, gender, field of animal research, and organization of employment.
4. Identify perceived barriers and facilitators to study preregistration from the perspective of Swiss animal researchers.
5. Summarize participants' suggestions for improving the practice of preregistration in Switzerland.

We reasoned that achieving these aims is important to provide guidance on promising measures to enhance acceptance of preregistration among animal researchers and facilitate its implementation.

Materials and methods

The aims, design and analysis plan of this study were preregistered during data collection on the Open Science Framework on June 25, 2024 (https://doi.org/10.17605/OSF.IO/CAUFW). All deviations from the preregistered plan are described following Willroth and Atherton (40) and can be found in the supplementary material (S1 Table).

Study design

This cross-sectional study received ethical approval from the Ethical Commission of the Faculty of Human Sciences at the University of Bern, Switzerland (Nr. 2024-03-06).

Sample

The study sample included researchers accredited as "study directors" of animal experiments under Swiss law. In Switzerland, all applications for animal experiments must be submitted through the federal platform Animex-ch. According to Swiss animal welfare legislation (TSchV Art. 131), study directors are responsible for designing and conducting animal experiments in compliance with the national and cantonal legal requirements. To qualify as a study director, researchers need to hold a biomedical university degree, have at least three years of experience with animal experimentation, and complete specific additional education and training. Importantly, the role of "study director" is a legal designation and does not necessary overlap with the role of "principal investigator". Participants of this study were sampled from this population of study directors. Only researchers who held an active animal research license and were registered as study directors or deputy study directors at the time of recruitment were eligible to participate.

Procedure & data collection

Data collection was conducted with the support of the Federal Food Safety and Veterinary Office (FSVO) in Switzerland and took place between 29.05.2024 and 26.06.2024. The FSVO, which holds the contact information for all registered study directors and deputy study directors in the country, sent an official invitation email with the survey link to all eligible study directors. Two further reminders were sent by the FSVO, seven and 14 days after the initial invitation email. Additionally, one more reminder was issued at the institutional level by the

145   Animal Welfare Officers (AWO). At the time of the study, 49 institutions in Switzerland had

146   designated AWOs, whose role, as defined by the Animal Welfare Ordinance, is to ensure that

147   applications for animal experiments are complete and coherent, particularly regarding the

148   justification of the experiment's necessity, defined endpoints and harm-reduction measures,

149   and the harm–benefit analysis.

150   Questionnaires

Participants completed an online survey in English that included both closed-ended and

open-ended items. The items were adapted from the questionnaire developed by Spitzer and

Mueller (39) and modified to align with the field of animal research and the study's research

questions. An overview of the specific changes can be consulted in the supplementary

material (S2 Codebook). The online survey collected information related to study

preregistration, such as participants' experience with preregistration, their attitudes,

subjective norms, perceived behavioral control, intentions, motivations, obstacles, facilitators,

barriers, and suggestions for improving preregistration, as well as socio-demographic

characteristics.

160   Socio-demographic characteristics

161   The following demographic variables were collected from the sample: age, gender, years

162   registered as study directors, years of animal research experience, academic age,

163   educational attainment, seniority level, organization of employment, and field of animal

164   research.

General experiences

Between three and seven closed-ended items, depending on whether participants had ever preregistered a study or not, were used to assess participants' general practices and their experiences with study preregistration (S2 Codebook).

Psychosocial constructs

The survey included six Preregistration Scales, each evaluating one of the following six psychosocial constructs related to preregistration: attitudes (23 items); subjective norms (7 items); perceived behavioral control (7 items); intentions (3 items); motivations (10 items); obstacles (10 items). The attitudes scale measured participants' evaluations of and opinions toward the concept of preregistration. The subjective norms scale explored the social pressure and expectations perceived by participants regarding preregistering their studies. The perceived behavioral control scale assessed participants' judgment of their own ability and confidence to preregister studies. The intentions scale evaluated the determination to preregister future studies, while the motivations scale focused on understanding the rationales behind researchers' decisions to preregister or not preregister their studies. The obstacles scale measured challenges perceived by researchers in the preregistration process. A detailed description of the items for each scale is provided in the supplementary material (S2 Codebook). All items were closed-ended and to be responded to on a 7-point Likert scale ranging from 1 to 7. The values were recoded from the original scale to a scale centered around 0 ranging from -3 to +3.

Barriers and facilitators

The number and wording of items addressing barriers and facilitators of preregistration varied depending on whether participants had previously preregistered a study or not (S2 Codebook). Barriers were assessed with one closed-ended item and up to four open-ended

items *("What do you perceive as drawbacks of preregistration?"; "What do you think would*

be the long-term negative consequences of mandatory preregistration?"; "What are the

reasons for not preregistering your studies?"; "I am now less motivated to preregister than I

was before because____"). Facilitators were examined exclusively with open-ended items

("What do you perceive as benefits of preregistration?"; "What do you think would be the long-

term benefits of mandatory preregistration?"; "I am now more motivated to preregister than I

was before because____").

Suggestions

The following open-ended items were used to collect suggestions for improving

preregistration of animal experiments in Switzerland: *"We are interested in how we can*

improve various aspects of preregistration (e.g. templates, repositories, reviewing process,

integrations in published articles, education etc.). Do you have any suggestions? What do

you think should be improved about preregistration?"; "What would make you (and perhaps

other researchers) preregister more often?"; "Do you have any suggestions as to how to lower

your (or other researchers') negative perceptions of preregistration?".

Data analysis

Sample description

Descriptive statistics are reported to summarize the socio-demographic characteristics of the

study participants. To examine differences between participants and non-participants,

independent samples *t*-tests were conducted for continuous variables and chi-square tests

for categorical variables. The following information was provided by the FSVO: the total

number of eligible study directors invited to participate, and, separately for participants and

non-participants, their age (range, median, mean, and standard deviation), gender (number

and percentage of female and male participants), and years since their registration as study

directors (range, median, mean, and standard deviation). Due to differences in the operationalization of the gender variable and to ensure comparability with FSVO data, the survey responses were recoded prior to analysis. The FSVO used two categories ("female" and "male"), while our survey included four options ("female", "male", "other", and "prefer not to say"). For consistency, responses coded as "other" and "prefer not to say" were treated as missing in the comparative analysis. The values made available by the FSVO enabled comparisons between participants and non-participants with respect to age, gender, and years since registration as study directors.

General experiences (Aim 1)

Descriptive statistics were calculated and reported for each item assessing participants' general experiences with preregistration. In addition, participants with and without preregistration experience were compared across all socio-demographic characteristics. Independent samples *t*-tests were used to analyze mean differences in continuous variables, while percentage differences in categorical variables were tested using Fisher's Exact Test.

Psychosocial constructs (Aim 2)

Psychometric quality

The items of the scales used in the survey were adapted from a questionnaire developed by Spitzer and Mueller (39), who reported high reliabilities for all six Preregistration Scales. However, it remained unclear whether these scales were truly unidimensional. Therefore, we performed principal component analyses (PCA) to explore the dimensional structure of the items within each of the six scales. Subsequently, we calculated McDonald's omega to assess the internal consistency of each scale (or subscale–in case of more than one dimension obtained in the PCA for a specific scale). To determine the appropriate number of components, we applied both the scree-plot criterion and parallel analysis, using the mean

eigenvalues of 1,000 randomly generated samples for comparison. If more than one

component was identified for a specific scale, the extraction was followed by an oblique

Oblimin-rotation to arrive at a simple structure even when components were correlated.

Overview scales

Descriptive results are reported for each of the six Preregistration Scales (attitudes,

subjective norms, perceived behavioral control, intentions, motivations, obstacles).

Association analysis (Aim 3)

A multivariate analysis of covariance (MANCOVA) was conducted to examine the overall

effect of several predictors on all Preregistration Scales, which served as the outcome

variables. The predictors included in the multivariate model were: preregistration experience

("preregistered at least one study", "never preregister a study"), animal research experience

(in years), gender ("female", "male", "prefer not to say"), field of animal research ("basic

biological research", "general biology", "basic and experimental medical research"), and

organization of employment ("academia", "private sector", "other"). Due to the very low

frequency of responses in the "other" gender category, this category was recoded as missing

prior to analysis. Wilks' Lambda and Pillai's Trace were used to test the overall effects of the

MANCOVA model for each predictor variable. If a significant multivariate effect was detected,

univariate analyses of covariance (ANCOVAs) were performed for each outcome separately

to identify which predictors were significantly associated with which outcome. Partial eta-

squared (η_p^2) was computed for each predictor within each outcome to estimate the effect

sizes in the univariate models. Values of 0.01, 0.06, and 0.14 for η_p^2 were considered small,

medium and large (41). For categorical predictors with more than two levels which showed

significant effects in the ANCOVAs, post hoc pairwise comparisons were conducted using

Tukey's correction for multiple comparisons.

Thematic analysis (Aims 4 and 5)

The answers provided to the qualitative open-ended items were analyzed using thematic analysis (42, 43). The data were inductively coded and categorized into facilitators, barriers, and suggestions for improving preregistration. In a subsequent step, recurring themes were identified and described within each category.

Results

Sample description

The FSVO identified 1,428 eligible study directors and invited them via email to take part in the online survey. Each study director was provided with a unique access code required to enter the survey. Forty-three emails bounced back, resulting in 1,385 successfully reached study directors. Of these, 744 individuals clicked on the survey link. However, 58 did not enter an access code, 59 entered an incorrect code, and 106 either failed to check the consent box or explicitly declined consent, preventing them from proceeding. Additionally, 17 access codes were used to complete the questionnaire twice, and 2 codes were used three times. In such cases, only the first completed attempt was kept, and subsequent entries were deleted. Three additional cases were removed at the request of the participants. After these exclusions, 497 valid entries remained. A further 17 cases were excluded due to over 90% missing data, and 62 for failing the attention check item (S3 Image). A final sample of $N = 418$ participants was included in the analysis, resulting in a response rate of 30.2% among the reached population.

Socio-demographic characteristics

Participants had a mean age of 47.1 ($SD = 9.52$) years, and slightly less than half identified as female (Table 1). On average, participants were registered as study directors for 12.6 (SD

= 5.86) years and worked in animal research for 20.1 (*SD* = 8.83) years. The majority were highly educated, with over 90% reporting a PhD, Dr. med. or higher, and 60% occupying senior positions such as group leader or professor. The predominant research field was basic and experimental medical research (72.6%), and most participants were employed in academic institutions (77.6%).

Table 1: Sample description

Characteristics	Participants (*n* = 418)	Non-participants (*n* = 1010)	Total (*N* = 1428)
Age[a]			
M (SD)	47.1 (9.52)	47.9 (9.65)	47.8 (9.60)
Mdn	46.0	47.0	47.0
Range	24 – 84	27 - 94	24 - 94
n	418 (0 missing)	943 (67 missing)	1361 (67 missing)
Gender[b]			
Female	41.0% (170)	44.0% (276)	-
Male	55.4% (230)	56.0% (352)	-
Other	0.2% (1)	-	-
Prefer not to say	3.4% (14)	-	-
n	415 (3 missing)	628 (382 missing)	-
Years registered as study director[c]			
M (SD)	12.6 (5.86)	12.8 (5.86)	12.8 (5.86)
Mdn	12.7	13.3	13.3
Range	0.2 – 28.4	0.3 – 26.2	0.2 -28.4
N	418 (0 missing)	1010 (0 missing)	1428 (0 missing)
Animal research experience			
M (SD)	20.1 (8.83)	-	-
Mdn	19.0	-	-
Range	2 - 44	-	-
n	414 (4 missing)	-	-
Academic age			
M (SD)	17.3 (9.32)	-	-
Mdn	16.0	-	-
Range	0 - 40	-	-
n	408 (10 missing)		
Educational attainment			
Master's degree	5.3% (22)	-	-
PhD / Dr. med.	51.6% (214)	-	-
Habilitation / professorship	41.9% (174)	-	-
Other	1.2% (5)	-	-
n	415 (3 missing)	-	-

Seniority level			
PhD student / technician	3.9% (16)	-	-
Postdoc. / senior researcher	26.6% (110)	-	-
Lecturer	2.7% (11)	-	-
Group leader / Professor	60.0% (248)	-	-
Other	6.8% (28)	-	-
n	413 (5 missing)	-	-
Field of animal research			
Basic and experimental medical research[d]	72.6% (302)	-	-
General biology[e]	13.9% (58)	-	-
Basic biological research[f]	13.5% (56)	-	-
n	416 (2 missing)	-	-
Organization of employment			
Academic	77.6% (323)	-	-
Academic & other	2.1% (9)	-	-
Private	13.7% (57)	-	-
Governmental	2.6% (11)	-	-
Non-profit	3.8% (16)	-	-
n	416 (2 missing)	-	-

Note. M = mean; *SD* = standard deviation; *Mdn* = median; *n* = subgroup sample size; *N* = total sample size.

[a] The values for both participants and non-participants were provided by the Swiss Federal Food Safety and Veterinary Office (FSVO). FSVO calculated age using exact birthdates (day, month, year), whereas our survey asked only for the year of birth to protect confidentiality. Therefore, to ensure comparability, FSVO-provided age values are presented. The mean age of participants calculated from the survey data was nearly identical to the FSVO value (*M* = 46.9, *SD* = 9.20).

[b] The values for non-participants are FSVO-provided data, whereas those for participants are based on survey responses. This distinction arises because FSVO collected gender data using only two categories (female, male), while our survey allowed for four options (female, male, other, and prefer not to say).

[c] The values for both participants and non-participants are FSVO-provided data. They are reported instead of the survey data for participants because the FSVO dataset contained no missing values for this variable.

[d] Including following fields: Biomedical Engineering; Cancer Research; Cardiovascular Research; Endocrinology; Immunology; Medical Microbiology; Neuroscience; Nutrition and Metabolism; Pathology and/or Pathophysiology; Pharmacology; Physiology; Regenerative Medicine; Toxicology; Veterinary Medicine; Virology.

[e] Including following fields: Animal Breeding; Animal Nutrition; Animal Welfare; Ecology; Ethology; Evolution; Laboratory Animal Science; Wildlife Biology; Zoology.

[f] Including following fields: Biochemistry; Biophysics; Cell Biology; Cytology; Developmental Biology; Embryology; Epigenetics; Experimental Microbiology; Genetics; Molecular Biology; Radiobiology; Structural Biology.

 Comparison participants vs. non-participants

An independent samples *t*-test was conducted to compare the mean age of participating

study directors (*M* = 47.1, *SD* = 9.52, *N* = 418) with that of non-participating study directors

(*M* = 47.9, *SD* = 9.65, *N* = 1010). The analysis revealed no statistically significant difference

between the two groups, *t*(809.2) = -1.59, *p* = .112. A chi-square test of independence was

also conducted to examine whether gender distribution differed between participants and

non-participants. The association was not statistically significant, χ^2(1, *N* = 1028) = 0.22, *p* =

.642, suggesting that the proportion of male and female study directors was similar across

the two group (participants: 42.5% female and 57.5% male; non-participants: 44% female

and 56% male). Similarly, the average number of years registered as study director did not

significantly differ between participants (*M* = 12.6, *SD* = 5.85, *N* = 418) and non-participants

(*M* = 12.8, *SD* = 5.85, *N* = 943), *t*(778.8) = -0.50, *p* = .619. Taken together, these results

suggest that participants and non-participants were comparable in terms of age, gender

distribution, and animal research experience.

General experiences (Aim 1)

Out of the total sample, 10.0% (*n* = 42) reported having previously preregistered at least one

study, while 90.0% (*n* = 376) have never done so (S4 Table). Overall, 39.2% (*n* = 147) of

participants had never heard of preregistration prior to completing the online survey, while

31.5% (*n* = 118) learned about it through independent readings, and 27.2% (*n* = 102) were

introduced to it during further education (S4 Table). Institutional policies were most frequently

chosen as influencing the decision to preregister or not (47.6%, *n* = 175), followed by funding

guidelines (35.6%, *n* = 131), superior(s) (32.6%, *n* = 120), and journal guidelines (26.4%, *n*

= 97). Notably, 28.0% of participants (*n* = 103) stated that nobody can influence their decision

(S4 Table). Among participants with preregistration experience, the median number of

preregistered studies was 3.0 (range 1 - 80) and the estimated median time required to preregister a study was 11.0 hours (range 1 - 150) (S4 Table). Furthermore, the comparison of participants with and without preregistration experience revealed no statistically significant differences across all tested socio-demographic characteristics, indicating that the two groups were largely comparable (S5 Table).

Psychosocial constructs (Aim 2)

Psychometric quality

The dimensionality and internal consistency of all preregistration scales was assessed using PCA and McDonald's omega. When necessary, items with poor psychometric properties and weak conceptual alignment were removed, resulting in improved internal consistency and construct validity of each scale. The Preregistration Scales for Attitudes, Subjective Norms, Intentions, and Motivations showed clear unidimensional structures and good to excellent reliability (ω = .84 to ω = .96). In contrast, the Perceived Behavioral Control Scale and the Obstacles Scale revealed a two-component structure and were therefore each divided into two subscales. The Perceived Behavioral Control Scale was separated into: the Perceived Behavioral Control – Resources Subscale (ω = .72), reflecting resources and support for preregistration from colleagues and supervisors; and the Perceived Behavioral Control – Knowledge Subscale (ω = .65), reflecting the knowledge required and authority to decide about preregistration. Similarly, the Obstacles Scale was structured into: the Practical Obstacles Subscale (ω = .84), reflecting perceived disadvantages in terms of time and effort; and the Competitive Obstacles Subscale (ω = .66), describing concerns about scooping and competitive challenges. For detailed results of these analyses, see S6 Psychometric quality.

Overview of scales

Based on the psychometric analysis, the following Preregistration Scales and Subscales were used as outcomes in all subsequent analyses: attitudes scale (21 items), subjective norms scale (6 items), perceived behavioral control – resources subscale (4 items), perceived behavioral control – knowledge subscale (3 items) intentions scale (3 items), motivations scale (10 items), practical obstacles subscale (6 items), and competitive obstacles subscale (4 items).

Descriptive statistics of all Preregistration Scales and Subscales are presented in Table 2. In the total sample, participants reported slightly negative attitudes toward preregistration (M = -0.9, SD = 1.22), low subjective norms (M = -1.6, SD = 1.00), and moderate perceived behavioral control (resources subscale: M = -0.7, SD = 1.06; knowledge subscale: M = -0.4, SD = 1.30). Similarly, both intentions (M = -0.8, SD = 1.65) and motivations to preregister (M = -0.8, SD = 1.36) were rather low. In contrast, perceived obstacles were rated to be rather high (practical obstacles: M = 1.5, SD = 1.04; competitive obstacles: M = 0.7, SD = 1.05), indicating that many participants perceived substantial barriers to preregistration.

Table 2: Overview Preregistration Scales

Scales	Total participants (N = 418)
Attitudes Scale	
M (SD)	-0.9 (1.22)
Mdn	-0.8
Range	[-3.0; +2.2]
N	371 (47 missing)
Subjective Norms Scale	
M (SD)	-1.6 (1.00)
Mdn	-1.7
Range	[-3.0; +1.8]
N	353 (65 missing)
Perceived Behavioral Control	
Resources Subscale	
M (SD)	-0.7 (1.06)

Mdn	-0.8
Range	[-3.0; +2.2]
N	351 (67 missing)
Knowledge Subscale	
M (SD)	-0.4 (1.30)
Mdn	-0.8
Range	[-3.0; +3.0]
N	351 (67 missing)
Intentions Scale	
M (SD)	-0.8 (1.65)
Mdn	-0.7
Range	[-3.0; +3.0]
N	349 (69 missing)
Motivations Scale	
M (SD)	-0.8 (1.36)
Mdn	-0.8
Range	[-3.0; +2.2]
N	348 (70 missing)
Obstacles	
Practical Obstacles Subscales	
M (SD)	1.5 (1.04)
Mdn	1.7
Range	[-2.2; +3.0]
N	348 (70 missing)
Competitive Obstacles Subscales	
M (SD)	0.7 (1.05)
Mdn	0.8
Range	[-2.5; +3.0]
N	348 (70 missing)

369 *Note. M* = mean; *SD* = standard deviation; *Mdn* = median; *N* = total sample size.

Association analysis (Aim 3)

A MANCOVA was conducted to examine the effects of preregistration experience, animal research experience, gender, field of research, and organization of employment on the eight Preregistration Scales and Subscales. The multivariate model revealed significant effects of all predictors: preregistration experience [Wilks' Λ = 0.815, F(8, 326) = 9.25, p < .001]; animal research experience [Wilks' Λ = 0.935, F(8, 326) = 2.84, p = .005]; gender [Wilks' Λ = 0.862, F(16, 652) = 3.13, p = .001]; field of research [Wilks' Λ = 0.891, F(16, 652) = 2.42, p = .002]; and organization of employment (Wilks' Λ = 0.904, F(16, 652) = 2.12, p = .007). The Pillai's Trace test confirmed these results.

Preregistration experience

The separate univariate ANCOVAs showed that having preregistration experience was significantly associated with more positive attitudes [b = 1.16, F(1, 333) = 21.10, p < .001, η_p^2 = .06]; higher subjective norms [b = 1.10, F(1, 333) = 22.56, p < .001, η_p^2 = .06]; greater perceived behavioral control regarding both resources [b = 0.88, F(1, 333) = 13.42, p < .001, η_p^2 = .04] and knowledge [b = 1.36, F(1, 333) = 25.38, p < .001, η_p^2 = .07]; higher intentions [b = 1.31, F(1, 333) = 12.62, p < .001, η_p^2 = .04]; higher motivations [b = 1.11, F(1, 333) = 14.22, p < .001, η_p^2 = .04]; and fewer perceived practical obstacles [b = -0.79, F(1, 333) = 12.44, p < .001, η_p^2 = .03]. No significant association was found for perceived competitive obstacles [b = -0.37, F(1, 333) = 2.26, p = .134, η_p^2 = .01].

Animal research experience

By contrast, more experience in animal research was negatively associated with the outcomes in the univariate ANCOVAs. Longer research experience was linked to less positive attitudes [b = -0.02, F(1, 333) = 12.72, p < .001, η_p^2 = .04]; lower perceived behavioral control

– resources [b = -0.01, $F(1, 333)$ = 4.42, p = .036, η_p^2 = .01]; lower intentions [b = -0.03, $F(1,$

$333)$ = 10.43, p = .001, η_p^2 = .03]; and lower motivations to preregister [b = -0.03, $F(1, 333)$ =

15.17, p < .001, η_p^2 = .04]. In addition, animal research experience showed no significant

effects for subjective norms [b = -0.001, $F(1, 333)$ = 0.14, p = .708, η_p^2 = .00]; perceived

behavioral control – knowledge [b = 0.01, $F(1, 333)$ = 0.42, p = .520, η_p^2 = .00]; and both

practical [b = 0.01, $F(1, 333)$ = 3.86, p = .050, η_p^2 = .01], and competitive obstacles [b = -

0.005, $F(1, 333)$ = 0.19, p = .660, η_p^2 = .00].

Gender

The univariate analyses also showed differences across genders for attitudes [$F(2, 333)$ =

4.99, p = .007, η_p^2 = .03]; perceived behavioral control – knowledge [$F(2, 333)$ = 16.35, p <

.001, η_p^2 = .08]; intentions [$F(2, 333)$ = 5.79, p = .003, η_p^2 = .03]; motivations [$F(2, 333)$ = 7.80,

p < .001, η_p^2 = .04]; and practical obstacles [$F(2, 333)$ = 5.20, p = .006, η_p^2 = .02]. No significant

gender effects were found for subjective norms [$F(2, 333)$ = 0.39, p = .678, η_p^2 = .00];

perceived behavioral control – resources [$F(2, 333)$ = 0.05, p = .949, η_p^2 = .00]; and

competitive obstacles [$F(2, 333)$ = 2.52, p = .082, η_p^2 = .01].

Follow-up pairwise comparisons (S7 Table) revealed that participants who preferred not to

state their gender reported significantly less positive attitudes and lower motivations to

preregister than participants identifying as female or male; also, they reported significantly

lower intentions to preregister than those identifying as female. In contrast, females rated

their perceived behavioral control – knowledge significantly lower than males as well as those

who preferred not to disclose their gender. Although the overall effect of gender on the

practical obstacles subscale was significant, no significant differences resulted in the pairwise

comparisons of the three gender categories after Tukey correction.

Field of research

Differences across animal research fields were found in the univariate ANCOVA models for attitudes [$F(2, 333) = 5.43$, $p = .005$, $\eta_p^2 = .02$]; perceived behavioral control – resources [$F(2, 333) = 3.96$, $p = .020$, $\eta_p^2 = .03$]; motivations [$F(2, 333) = 7.02$, $p = .001$, $\eta_p^2 = .04$]; and competitive obstacles [$F(2, 333) = 6.06$, $p = .003$, $\eta_p^2 = .03$]. No significant effects were observed for subjective norms [$F(2, 333) = 0.13$, $p = .880$, $\eta_p^2 = .00$]; perceived behavioral control – knowledge [$F(2, 333) = 0.43$, $p = .653$, $\eta_p^2 = .005$]; intentions [$F(2, 333) = 2.60$, $p = .075$, $\eta_p^2 = .02$]; and for practical obstacles [$F(2, 333) = 1.86$, $p = .157$, $\eta_p^2 = .01$].

The subsequent pairwise comparisons (S8 Table) showed that participants working in General Biology reported significantly more positive attitudes towards preregistration, higher motivation, and fewer competitive obstacles compared to those working in Basic Biological Research. They also scored significantly higher on perceived behavioral control – resources and reported fewer competitive obstacles than participants working in Basic and Experimental Medical Research. No further pairwise comparisons between research fields were statistically significant.

Organization of employment

The only significant difference across organizations of employment was found for perceived behavioral control – knowledge [$F(2, 333) = 9.15$, $p < .001$, $\eta_p^2 = .05$]. No significant effects were observed for attitudes [$F(2, 333) = 2.40$, $p = .092$, $\eta_p^2 = .01$]; subjective norms [$F(2, 333) = 0.19$, $p = .826$, $\eta_p^2 = .00$]; perceived behavioral control – resources [$F(2, 333) = 0.04$, $p = .962$, $\eta_p^2 = .00$]; intentions [$F(2, 333) = 0.45$, $p = .637$, $\eta_p^2 = .00$]; motivations [$F(2, 333) = 0.48$, $p = .619$, $\eta_p^2 = .00$]; practical obstacles [$F(2, 333) = 0.24$, $p = .784$, $\eta_p^2 = .00$]; or competitive obstacles [$F(2, 333) = 0.51$, $p = .602$, $\eta_p^2 = .00$].

439 The pairwise comparisons (S9 Table) revealed that participants employed in academic

440 institutions reported significantly higher perceived behavioral control – knowledge compared

441 to those working in the private industry. No further significant differences between types of

442 organizations of employment were detected.

Barriers and facilitators (Aim 4)

Barriers

Based on the closed-ended items, participants who had never preregistered a study chose

bureaucratic burden (77.6%), time costs (71.4%), and low flexibility (65.7%) as the most

common barriers to preregistration (Fig 1). Additionally, more than half also indicated the fear

of being scooped (53.8%) and the inability to make necessary future changes to their study

protocol (52.4%) as important concerns (Fig 1). Similarly, bureaucratic burden (60%), the

time-consuming nature of the process (40%), and the insecurity about what to include in the

preregistration (33.3%) were the problems most frequent encountered by those who had

previously preregistered studies (Fig 1). Further barriers chosen by those with preregistration

experience were limited flexibility during analysis (26.7%) and the prevention of the

necessary changes of the protocol (20%) (Fig 1).

In addition to the closed-ended questions, open-ended responses on preregistration barriers

were provided by up to 313 participants (S10 Table 1). The thematic analysis of these

responses revealed four overarching themes: *practical and structural barriers*, *knowledge*

barriers, *scientific barriers*, and *regulatory barriers* (Fig 2).

Practical and structural barriers

Participants described both practical and structural challenges as barriers to preregistering

their studies. Regarding practical barriers, they identified the overall bureaucratic burden, the

time-consuming nature of the preregistration process, a lack of resources, and the increased

costs and delays preregistration might entail. Concerns were also raised about the risk of

scooping, confidentiality issues, and incompatibility with the industry practices and patent

system, along with worries about external complaints and harassment. Structural barriers

included the absence of institutional, journal, or funder requirements, as well as a lack of

incentives or feedback mechanisms related to preregistration. In some cases, researchers

reported limited support from co-authors and research partners for preregistering, while

others were not in the position to make the decision themselves.

Knowledge barriers

Many participants stated that they were not aware that preregistration even existed. Some

were unfamiliar with the procedure, describing a lack of guidance or uncertainty about the

steps involved and the appropriate platforms for their studies. Others expressed general

skepticism about the potential benefits and overall impact of preregistration in science.

Scientific barriers

Scientific barriers focused on concerns that preregistration stifles creativity, limits flexibility,

and compromises innovation. Often, participants working in exploratory or fundamental

research questioned the feasibility of preregistration for their studies. They emphasized the

need to frequently deviate from their initial methodological plans as part of the iterative study

designs necessary in their research, making preregistration difficult or unfeasible.

Regulatory barriers

A central issue under regulatory barriers was the overregulation of animal research in

Switzerland. Some participants noted that the country's highly controlled research

environment limits the number of approved animal studies and reduces its international

competitiveness. In some extreme cases, participants expressed concerns that additional

practices, such as (mandatory) preregistration, could contribute to the relocation of Swiss

research to countries with more permissive regulations.

Facilitators

When asked about the benefits of preregistration, up to 140 participants described various

advantages of the practice (S10 Table 2). These perceived positive aspects could serve as

motivators for adopting study preregistration in the future. Three main themes emerged from

the thematic analysis: *transparency and integrity drivers*, *collaboration and protection of*

intellectual property, and *practical and contextual incentives* (Fig 2). However, while some

participants recognized these advantages, many saw no benefits at all, or found it appropriate

only for confirmatory studies.

Transparency and integrity drivers

Despite the overall negative perception of preregistration, some participants pointed out that

it could promote transparency in science, increase credibility and trustworthiness, and

support the Open Science movement. Others highlighted its role in reducing parallel research

and contributing to a better public understanding of the research world. In addition to

transparency and openness, participants mentioned preregistration's potential to promote

scientific rigor and integrity. Some noted that it could help prevent questionable research

practices, such as HARKing and p-hacking. Others explained that preregistration fosters

thorough methodological planning and better study designs, while some described its role in

mitigating publication bias, as all planned data collection is known in advance. Participants

also suggested that preregistration may reduce researcher bias, enhance research quality,

and promote less deviations and uniformity of experimental protocols. Furthermore, a few

participants view preregistration as contributing to better consideration of animal use (3Rs)

and improving the reliability and reproducibility of research findings.

Collaboration and protection of intellectual property

Participants also described collaboration-related benefits of preregistration. Some pointed out that preregistration may encourage scientific feedback and exchange, while others described its potential to foster collaborations and synergies. In addition, preregistration was seen by some as providing a clear track record of the studies, which could help protect researchers' intellectual property.

Practical and contextual incentives

Finally, participants mentioned a few practical and contextual incentives related to preregistration that may facilitate its future use. Some noted that it may help with drafting papers and even speed up the journal review process, as parts of the manuscript are already written during the preregistration phase. Others highlighted the improved time and project management, which they attributed to better study planning required when preregistering research.

Suggestions (Aim 5)

Up to 131 participants responded to the open-ended items regarding suggestions for improving preregistration (S10 Table 3). The following overarching themes emerged from the thematic analysis: *practical and structural recommendations*, *education and awareness recommendations*, and *incentive recommendations* (Fig 2).

Practical and structural recommendations

Participants offered a wide range of practical and structural recommendations to adapt the preregistration process to the Swiss context. They suggested the implementation of an easy-to-use tool with a clear, yet flexible, template and emphasized the need to make changes after preregistration. Some also proposed linking this tool to the license application procedure

for animal studies and extending the embargo period to more than five years. In addition,

participants asked for institutional support and resources, such as dedicated staff and

funding, and highlighted the value of receiving expert feedback on the preregistered studies.

Strong confidentiality measures were also recommended, and a few participants called for

the international rather than national implementation of preregistration. Furthermore, many

participants advocated for preregistration to remain voluntary in Switzerland, and if made

mandatory, to apply it only to confirmatory studies.

Education and awareness recommendations

To facilitate the adoption of preregistration in Switzerland, participants described a need for

more knowledge and awareness. Specifically, they requested information on where and how

to preregister, concrete examples of preregistered studies, and access to workshops,

courses, or continued education options. Furthermore, several participants emphasized the

importance of proof that preregistration is beneficial across all types of research, including

exploratory and fundamental studies.

Incentive recommendations

Principal investigators, institutions, funders, journals, and the scientific community were

identified as essential in fostering the practice of preregistration. Several participants noted

that endorsement or requirement from these parties would legitimize preregistration in animal

research. Participants also listed a series of incentives that could encourage researchers to

preregister, including faster licensing procedure for animal studies, benefits from funding

organizations, institutional rewards, or publishing advantages.

Discussion

This study represents the first attempt to evaluate the researchers' experience with, and perspectives on, preregistration in animal research by examining the practices, attitudes and perceived challenges related to its implementation using the population of animal study directors accredited in Switzerland as a study population. To our knowledge, this is the first study worldwide evaluating psychosocial constructs related to preregistration among animal researchers.

General experiences

We found that almost half of the participants were unaware of preregistration, and only 10% had preregistered a study before. These results are in strong contrast with a recent study conducted in the field of psychology in Germany (39), where only 4% of participants had never heard of preregistration, and 62% had preregistered at least one study in the past. Similarly, a further survey conducted in the Netherland reported that 43% of researchers across all research fields had prior experience with preregistration (44), while studies from behavioral and social sciences found rates of approximately 20% (45, 46). Although these differences may be partly explained by sampling biases inherent to the convenience samples of previous studies, our findings nonetheless suggest that preregistration awareness and experience are rather limited among animal researchers.

Interestingly, the motivations for first-time preregistration also differed across studies. In our sample, almost half of the participants indicated that they had preregistered because it was mandatory for a project, while only one third was self-motivated. By comparison, in the German study on psychologists, 49% had preregistered voluntarily, and only 13% reported preregistering because it was mandatory. This suggests that enforcement, rather than an

intrinsic motivation, led Swiss animal scientists to preregister. In line with this, nearly half of

the participants indicated that institutional policies could influence their decision to preregister

in the future. However, almost a third stated that nothing could affect their decision. Our

findings therefore suggest that policy changes may hold the greatest potential in promoting

preregistration among animal researchers, but the widespread resistance within the research

community should be considered when developing and implementing new policies.

Psychosocial constructs and associations

On average, participants showed negative perceptions on all psychosocial constructs

assessed here. They reported rather negative attitudes toward preregistration, perceived

social norms as discouraging preregistration, and indicated limited abilities to preregister their

own studies in terms of both resources and knowledge. Once again, our results differ from

those described in other disciplines and countries, where preregistration was typically

perceived and evaluated rather positively (39, 46, 47). Furthermore, both the intention and

motivation to preregister future studies were low in our sample, while obstacles to preregister

were perceived as relatively high. These findings indicate that animal researchers are

reluctant to engage in preregistration and perceive the barriers to do so as substantial.

However, participants with prior preregistration experience held more positive views of

preregistration compared to those who had never preregistered a study, a pattern also

observed in the field of psychology (39, 47). In contrast, participants who had worked more

years in animal research expressed more negative perceptions of preregistration, aligning

with evidence from behavioral science and psychology, where more experienced researchers

showed greater reluctance toward preregistration (39, 46). Taken together, our findings

underline substantial resistance and little support for preregistration within the Swiss animal

research community, particularly among researchers who have never preregistered a study

before and those with greater research seniority. Future efforts to promote preregistration

should therefore tailor their approach to target these critical subgroups.

Interestingly, our analysis also revealed notable effects of gender and organization of

employment on researchers' perceived ability to preregister. Female researchers and

participants employed in the private industry rated their knowledge required to preregister

studies substantially lower than male researchers and those working in academic institutions.

These findings may suggest potential structural differences in animal researchers' capacities

to preregister, with women and industry researchers perceiving themselves less equipped to

engage in preregistration. However, the gender difference could also reflect that men tend to

overestimate their knowledge more often than women, suggesting that women's lower ratings

may indicate more accurate or honest self-evaluations rather than a true lack of capacity.

There were also pronounced differences between those who preferred not to state their

gender in the survey and those who did: this very small group of participants showed very

negative attitudes, and very low intentions and motivations to preregister, but reported a much

higher knowledge regarding preregistration. We can only speculate that these participants

may have had negative experiences with preregistration and/or may have high privacy

concerns that leaves them in general reluctant to disclose information, being it research ideas

or private information such as their gender.

Lastly, the field of animal research in which participants were active also affected their

perceptions of preregistration. Thus, researchers from General Biology (including such fields

as animal behavior, nutrition, ecology and zoology) reported more favorable perceptions of

and less competitive obstacles regarding preregistration than biomedical researchers. This

might be due to a higher competitive pressure and resulting fear of scooping in these more

applied fields of research. Such disciplinary differences should be considered when allocating

resources toward fostering preregistration among all animal researchers.

Barriers and facilitators

The most common practical and structural barriers identified by participants without preregistration experience included bureaucratic burden, excessive time investment, restricted flexibility, and challenges related to implementing necessary modifications to the study plan. However, the concerns anticipated by those without preregistration experience were substantially greater than the actual problems reported by participants who had preregistered before. These findings reveal a clear gap between perceived and actual barriers to preregistration, likely stemming from assumptions rather than practical realities of preregistration.

Targeted education for animal scientists may help address some of these perceived barriers as well as correct some misconceptions. Notably, aside from bureaucratic burden, similar barriers and discrepancies have been observed in psychology (39), revealing that these issues are shared across research fields. At the same time, it is paramount to acknowledge the existing administrative burden and the regulatory pressure faced by the animal research community in Switzerland. Before implementing new policies, authorities should be mindful of the potential resistance these changes may raise. Following the invitation to participate in the current study, the first author received several phone calls and emails from frustrated researchers expressing concerns about the possibility of an additional mandatory administrative requirement. Although these reactions were not always communicated diplomatically, they do reflect the general frustration and pressure experienced by Swiss animal scientists.

In addition to practical and structural barriers, several participants raised the issue of compatibility of preregistration with exploratory research. Differentiating between confirmatory and exploratory studies is essential to avoid promoting false-positive results as

true effects (7, 46, 48). This delimitation could help reduce research waste by avoiding

repetition and support the refinement of future studies, contributing to overall less animals

use (24, 49). A common misunderstanding is that preregistration cannot be used in

exploratory research and applies only to confirmatory studies. However, this barrier can be

addressed by educating animal researchers about existing flexible preregistration templates

(e.g., AsPredicted, OSF) that support the preregistration of their specific type of research.

Apart from the barriers to preregistration, participants also acknowledged a range of

advantages. Although not always framed as direct facilitators, these perceived benefits could

serve as motivators for adopting study preregistration. Participants saw value in

preregistration for promoting transparency, improving study design and fostering scientific

integrity. Some noted its potential to mitigate publication bias, enhance research quality and

support better consideration of animal use. Emphasizing preregistration's role in addressing

questionable research practices and the overall contribution to scientific rigor might help

convince researchers to engage more actively in study preregistration. Taken together, the

barriers and facilitators observed in this study highlight the complexity of implementing

preregistration in animal experimentation. Addressing misconceptions, emphasizing the

benefits, and providing support for targeted problems may help reduce resistance and

facilitate adoption of preregistration among animal researchers.

Suggestions

Participants provided a wide range of recommendations for improving the preregistration

process. Among practical aspects, they highlighted the need for a clear and flexible template,

strong confidentiality measures, additional funding, specialized staff, and a connection

between preregistration and the application procedure for animal experimentation. Moreover,

participants stressed the importance of keeping preregistration voluntary. These suggestions

underline the need to adapt preregistration to the setting-specific context (e.g. in terms of the

authorization procedure) in order to enhance feasibility and promote broader acceptance

among scientists. Given the limited knowledge about preregistration within the animal

research community, participants also emphasized the need to increase awareness and offer

education and training. Similar to findings in behavioral science (46), participants expressed

uncertainty about the benefits of preregistration and highlighted the importance of evidence

demonstrating that preregistration improves scientific quality. In addition, participants

indicated a preference for concrete incentives to encourage preregistration, such as

preregistration accelerating the authorization procedure, funding benefits, and publishing

advantages. Providing the necessary infrastructure, appropriate educational options and a

well-designed incentive system might thus help foster the use of preregistration in the animal

research community.

Strengths and limitations

A major strength of this study lies in the large response rate, with nearly one third of all

accredited study directors of animal experiments in Switzerland participating in the survey.

Moreover, study participants and non-responders appear similar with respect to the socio-

demographic characteristics that were compared. Unlike previous studies, which were

typically based on convenience samples and thus less representative of their target

populations, our study reached the entire population of accredited study directors. Taken

together, these aspects support the representativeness of the study sample and justify

extrapolation of the findings to the overall population of animal scientists in Switzerland.

Given that the Swiss animal research community is highly international and research cultures

often vary more by field of research than by country, our findings may also offer valuable

insights for the global animal research community. Particularly for countries with similar

regulatory structures as those in Switzerland, the countries of the EU, our findings may

provide useful guidance in view of fostering preregistration in animal research. Another

important strength of the study is its mixed-methods design. The use of both closed-ended

and open-ended measurements allowed for a deeper and more nuanced understanding of

the studied constructs and enhances the robustness of the findings.

Apart from these strengths, a few limitations of the current study should be considered. First,

despite the relatively large response rate, our sample might still have been affected by

selection bias. Thus, individuals with particularly strong opinions about preregistration may

have been more likely to participate in the study, leading to skewed outcomes. However,

given that almost 40% of the participants had never heard of preregistration prior to the

survey, it is rather unlikely that such strong views were held by many participants. Second,

despite being introduced to the definition of preregistration at the beginning of the survey,

some participants may not have read or fully understood the concept and may have confused

it with the mandatory authorization procedure required to obtain a license for an animal

experiment in Switzerland. Such misunderstanding would further reduce the proportion of

participants with actual preregistration experience in our sample. This is supported by

requests received after survey completion from three participants who asked to have their

data deleted upon realizing that they had confused the two concepts. Finally, we do not know

whether participants with preregistration experience had preregistered preclinical animal

studies or clinical human studies, which may again lower the proportion of those with actual

preregistration experience in animal research. As almost half of the participants indicated that

their first preregistration was carried out because it was mandatory for a project, it is plausible

that these cases may refer to clinical human studies where preregistration is legally required.

Nevertheless, this may not compromise our conclusions, as the underlying concept and

purpose of preregistration is the same across both research domains.

Conclusion

Preregistration is arguably among the most impactful practices promoted by the Open Science movement. While it has long been established as standard practice in human clinical trials (17) and is increasingly taken up in other fields of research (45), preregistration has not been widely adopted in animal research. Given the limited knowledge of preregistration among animal scientists in Switzerland, as revealed by this study, comprehensive education and efforts to increase awareness are necessary before the research community would consider adopting preregistration. The widespread skepticism and resistance among specific subgroups of researchers – particularly those with no prior preregistration experience, greater research seniority, and those working in biomedical research – highlight the need for tailored strategies. Addressing key concerns, such as the bureaucratic burden and time constraints faced by animal researchers, and providing them with institutional support and adequate resources, would represent essential steps toward the successful implementation of preregistration in Switzerland and possibly elsewhere.

Acknowledgments

We would like to acknowledge and thank Dr. Annamari Alitalo and Dr. med. vet. Otto Maissen

for identifying the eligible study directors and carrying out the recruitment process for this

study, as well as for their professional conduct and excellent communication in the

administration of this research. We are also grateful to the AWO-Network for their support in

issuing institutional reminders and facilitating participation. Finally, we would like to thank all

participants who took the time to complete our survey.

References

References

1.   Bert B, Heinl C, Chmielewska J, Schwarz F, Grune B, Hensel A, et al. Refining animal
research: the animal study registry. PLoS biology. 2019;17(10):e3000463.

2.   Nosek BA, Beck ED, Campbell L, Flake JK, Hardwicke TE, Mellor DT, et al.
Preregistration is hard, and worthwhile. Trends in cognitive sciences. 2019;23(10):815-8.

3.   Nosek BA, Ebersole CR, DeHaven AC, Mellor DT. The preregistration revolution.
Proceedings of the National Academy of Sciences. 2018;115(11):2600-6.

4.   Menon JM, van der Naald M, Chamuleau SA, Duncker DJ. Preclinicaltrials. eu:
prospective registration of animal studies. Oxford University Press US; 2023.

5.   Scheel AM, Schijen MR, Lakens D. An excess of positive results: Comparing the
standard psychology literature with registered reports. Advances in Methods and Practices in
Psychological Science. 2021;4(2):25152459211007467.

6.   Munafò MR, Nosek BA, Bishop DV, Button KS, Chambers CD, Percie du Sert N, et al.
A manifesto for reproducible science. Nature human behaviour. 2017;1(1):1-9.

7.   Hardwicke TE, Wagenmakers E-J. Reducing bias, increasing transparency and
calibrating confidence with preregistration. Nature Human Behaviour. 2023;7(1):15-26.

8.   van den Akker OR, van Assen MA, Bakker M, Elsherif M, Wong TK, Wicherts JM.
Preregistration in practice: A comparison of preregistered and non-preregistered studies in
psychology. Behavior Research Methods. 2023:1-10.

9.   Kerr NL. HARKing: Hypothesizing after the results are known. Personality and social
psychology review. 1998;2(3):196-217.

10.   Kaplan RM, Irvin VL. Likelihood of null effects of large NHLBI clinical trials has

increased over time. PloS one. 2015;10(8):e0132382.

11.   Strømland E. Preregistration and reproducibility. Journal of Economic Psychology.

2019;75:102143.

12.   Dechartres A, Ravaud P, Atal I, Riveros C, Boutron I. Association between trial

registration and treatment effect estimates: a meta-epidemiological study. BMC medicine.

2016;14:1-9.

13.   Emdin C, Odutayo A, Hsiao A, Shakir M, Hopewell S, Rahimi K, Altman DG.

Association of cardiovascular trial registration with positive study findings: Epidemiological

Study of Randomized Trials (ESORT). JAMA internal medicine. 2015;175(2):304-7.

14.   Odutayo A, Emdin CA, Hsiao AJ, Shakir M, Copsey B, Dutton S, et al. Association

between trial registration and positive study findings: cross sectional study (Epidemiological

Study of Randomized Trials—ESORT). bmj. 2017;356.

15.   Schäfer T, Schwarz MA. The meaningfulness of effect sizes in psychological research:

Differences between sub-disciplines and the impact of potential biases. Frontiers in

psychology. 2019;10:442717.

16.   Soderberg CK, Errington TM, Schiavone SR, Bottesini J, Thorn FS, Vazire S, et al.

Initial evidence of research quality of registered reports compared with the standard

publishing model. Nature Human Behaviour. 2021;5(8):990-7.

17.   Toth AA, Banks GC, Mellor D, O'Boyle EH, Dickson A, Davis DJ, et al. Study

preregistration: An evaluation of a method for transparent reporting. Journal of Business and

Psychology. 2021;36:553-71.

18.   Begley CG, Ellis LM. Raise standards for preclinical cancer research. Nature.

2012;483(7391):531-3.

19.   Arrowsmith J, Miller P. Phase II and Phase III attrition rates 2011-2012. Nature reviews

Drug discovery. 2013;12(8):569-70.

20.   Schmidt-Pogoda A, Bonberg N, Koecke MHM, Strecker JK, Wellmann J, Bruckmann

NM, et al. Why most acute stroke studies are positive in animals but not in patients: a

systematic comparison of preclinical, early phase, and phase 3 clinical trials of

neuroprotective agents. Annals of neurology. 2020;87(1):40-51.

21.   Jarvis MF, Williams M. Irreproducibility in preclinical biomedical research: perceptions,

uncertainties, and knowledge gaps. Trends in pharmacological sciences. 2016;37(4):290-

302.

22.   Prinz F, Schlange T, Asadullah K. Believe it or not: how much can we rely on published

data on potential drug targets? Nature reviews Drug discovery. 2011;10(9):712-.

23.   Baker M. 1,500 scientists lift the lid on reproducibility. Nature Publishing Group UK

London; 2016.

24.   van der Naald M, Wenker S, Doevendans PA, Wever KE, Chamuleau SA. Publication

rate in preclinical research: a plea for preregistration. BMJ open science. 2020;4(1):e100051.

25.   Wieschowski S, Biernot S, Deutsch S, Glage S, Bleich A, Tolba R, Strech D.

Publication rates in animal research. Extent and characteristics of published and non-

published animal studies followed up at two German university medical centres. PloS one.

2019;14(11):e0223758.

26.   Sena ES, Van Der Worp HB, Bath PM, Howells DW, Macleod MR. Publication bias in

reports of animal stroke studies leads to major overstatement of efficacy. PLoS biology.

2010;8(3):e1000344.

27.   Tsilidis KK, Panagiotou OA, Sena ES, Aretouli E, Evangelou E, Howells DW, et al.

Evaluation of excess significance bias in animal studies of neurological diseases. PLoS

biology. 2013;11(7):e1001609.

28.   Macleod MR, Lawson McLean A, Kyriakopoulou A, Serghiou S, de Wilde A, Sherratt

N, et al. Risk of bias in reports of in vivo research: a focus for improvement. PLoS biology.

2015;13(10):e1002273.

29.   Landis SC, Amara SG, Asadullah K, Austin CP, Blumenstein R, Bradley EW, et al. A

call for transparent reporting to optimize the predictive value of preclinical research. Nature.

2012;490(7419):187-91.

30.   Vogt L, Reichlin TS, Nathues C, Würbel H. Authorization of animal experiments is

based on confidence rather than evidence of scientific rigor. PLoS Biology.

2016;14(12):e2000598.

31.   Skibba R. Swiss survey highlights potential flaws in animal studies. Nature. 2016;10.

32.   Kimmelman J, Anderson JA. Should preclinical studies be registered? Nature

biotechnology. 2012;30(6):488-9.

33.   Voelkl B, Altman NS, Forsman A, Forstmeier W, Gurevitch J, Jaric I, et al.

Reproducibility of animal research in light of biological variation. Nature Reviews

Neuroscience. 2020;21(7):384-93.

34.   Heinl C, Scholman-Végh AM, Mellor D, Schönfelder G, Strech D, Chamuleau S, Bert

B. Declaration of common standards for the preregistration of animal research—speeding up

the scientific progress. PNAS nexus. 2022;1(1):pgac016.

35.   Van Der Naald M, Chamuleau SA, Menon JM, De Leeuw W, De Haan J, Duncker DJ,

Wever KE. Preregistration of animal research protocols: development and 3-year overview

of preclinicaltrials. eu. BMJ Open Science. 2022;6(1).

36.   Wieschowski S, Laser H, Sena ES, Bleich A, Tolba R, Strech D. Attitudes towards
animal study registries and their characteristics: an online survey of three cohorts of animal
researchers. PLoS One. 2020;15(1):e0226443.

37.   Jeffers MS, MacLellan A, Avey MT, Menon JM, Sunohara-Neilson J, Fergusson DA,
Lalu MM. A call to implement preclinical study registration in animal ethics review. Plos
Biology. 2023;21(10):e3002293.

38.   Wold B, Tabak L. ACD working group on enhancing rigor, transparency, and
translatability in animal research: final report. Bethesda (MD): NIH Advisory Committee to the
Director. 2021.

39.   Spitzer L, Mueller S. Registered report: Survey on attitudes and experiences regarding
preregistration in psychological research. Plos one. 2023;18(3):e0281086.

40.   Willroth EC, Atherton OE. Best laid plans: A guide to reporting preregistration
deviations. Advances in Methods and Practices in Psychological Science.
2024;7(1):25152459231213802.

41.   Richardson JT. Eta squared and partial eta squared as measures of effect size in
educational research. Educational research review. 2011;6(2):135-47.

42.   Braun V, Clarke V. Using thematic analysis in psychology. Qualitative research in
psychology. 2006;3(2):77-101.

43.   Braun V, Clarke V. In H. Cooper, P. M. Camic, D. L. Long, A. T. Panter, D. Rindskopf,
& K. J. Sher (Eds), APA handbook of research methods in psychology, Vol. 2: Research
designs: Quantitative, qualitative, neuropsychological, and biological (pp. 57-71).
Washington, DC: American Psychological Association; 2012.

44.   Gopalakrishna G, Wicherts JM, Vink G, Stoop I, van den Akker OR, Ter Riet G, Bouter

LM. Prevalence of responsible research practices among academics in The Netherlands.

F1000Research. 2022;11:471.

45.   Christensen G, Wang Z, Levy Paluck E, Swanson N, Birke D, Miguel E, Littman R.

Open science practices are on the rise: The state of social science (3S) survey. 2020.

46.   Logg JM, Dorison CA. Pre-registration: Weighing costs and benefits for researchers.

Organizational Behavior and Human Decision Processes. 2021;167:18-27.

47.   Sarafoglou A, Kovacs M, Bakos B, Wagenmakers E-J, Aczel B. A survey on how

preregistration affects the research workflow: Better science but more work. Royal Society

Open Science. 2022;9(7):211997.

48.   Wicherts JM, Veldkamp CL, Augusteijn HE, Bakker M, Van Aert R, Van Assen MA.

Degrees of freedom in planning, running, analyzing, and reporting psychological studies: A

checklist to avoid p-hacking. Frontiers in psychology. 2016:1832.

49.   Wieschowski S, Silva DS, Strech D. Animal study registries: results from a stakeholder

analysis on potential strengths, weaknesses, facilitators, and barriers. PLoS biology.

2016;14(11):e2000391.

Figure 1: Barriers to preregistration

Worries of participants who never preregistered (*n* = 377)

Category	Percentage
None	3.7%
Supervisor/superior would object	7.6%
Co-author(s) would object	8.8%
Other	12.5%
Errors cannot be changed	28.9%
Loosing credibility due changes	32.9%
Insecure what to include	36.3%
May stifle creativity	47.6%
Could prevent necessary changes	52.4%
Scooping	53.8%
Low flexibility	65.7%
High time costs	71.4%
Bureaucratic burden	77.6%

Encountered problems by participants who preregistered (*n* = 42)

Category	Percentage
Conflict with co-author	0.0%
Conflict with supervisor/superior	0.0%
Got scooped	3.3%
Other	6.7%
Lost credibility due deviations	10.0%
Stifled creativity	13.3%
Errors could not be changed	13.3%
None	13.3%
Prevented necessary changes	20.0%
Low flexibility	26.7%
Insecure what to include	33.3%
High time costs	40.0%
Bureaucratic burden	60.0%

Note. n = subgroup sample size

Figure 2: Thematic analysis