Title

Tradeoffs and cultural diversity

Authors

Omer Karin[1], Uri Alon[1]

Affiliations

[1]Dept. of Molecular Cell Biology, Weizmann Institute of Science, Rehovot, Israel

76100

Abstract

Culture is humanity's prime adaptation. Which cultural traits contribute to adaptive

value, and how they do so, is however, unclear and debated. Here, we apply an

approach from systems biology, known as Pareto task inference (ParTI), to bring a

fresh perspective to these questions. ParTI considers biological systems that need to

perform multiple tasks. No system can be optimal at all tasks at once, leading to a

fundamental tradeoff. Such tradeoffs constrain evolution, because adaptive change for

one task may be prevented because it compromises other tasks. These constraints result

in specific patterns in multivariate trait data: data falls inside polygons in trait space,

whose vertices are trait complexes that are adaptive for each of the tasks. ParTI detects

these polygons and their vertices, in order to infer the number of adaptive tasks and

their nature. Here, we applied ParTI to two datasets of human cultural traits, on

Austronesian cultures and modern hunter-gatherers, adjusting for phylogeny and

spatial diffusion effects. We find that these independent datasets show the hallmarks of

a tradeoff between the same three tasks. We identify the tasks as resource defense,

resource competition, and mobility/exchange. Specific combinations of cultural traits

are adaptive for each of these tasks. We thus find evidence that at the macro, between-

society level, part of the diversity of human cultural traits is constrained by tradeoffs

between key tasks, explaining why certain combinations of traits recur, whereas other

combinations seem to be missing.

Introduction

Evolving systems often need to perform multiple tasks, and performance in each task contributes to fitness. This leads to a fundamental tradeoff, because no phenotype can be optimal at all tasks at once. Such tradeoffs have long been recognized to be a major constraint on evolution[1,2]. For example, a bird's beak may provide fitness from the tasks of eating seeds and eating pollen. Seeds require a beak shaped like a plier, whereas pollen requires a beak shaped like pincers. No single beak phenotype can be optimal at both tasks. Other examples include tradeoffs between reproduction and survival[3] and between clutch size and offspring size[4]. Tradeoffs are important also at the level of cells[5], such as the tradeoff between bacterial growth and survival[6], and at the level of proteins[7], and organs[8].

In most studies on tradeoffs, researchers propose the tasks a-priori. However, in some cases the tasks cannot be easily determined in advance. To address this, a recent theorem allows inferring tradeoffs and identifying tasks directly from data on multiple traits. This approach, called Pareto task inference (ParTI), links the geometrical structure of high-dimensional phenotypic data to its evolutionary tradeoffs[6]. ParTI was used to define evolutionary tasks and tradeoffs in gene expression in cells[6,9–11], development[12], animal morphology[6,13], behavior[6], and life-history strategies[14] (Supplementary Information 1).

Figure 1. Triangular structure of biological data shaped by three tasks with tradeoffs. A) According to multi-task evolutionary theory, when three tasks with tradeoffs are present we expect the observed trait combinations to fall within a triangle. Each vertex of the triangle corresponds to an adaptive complex for a single task, and the data points closest to that vertex are specialists for that task. Points at the center of the triangle are generalists. B) Darwin's finches, measured for five morphological traits fall on a triangle whose axes are the two first principal components of the five traits[6]. The three tasks of the adaptive complexes can be inferred from the specialization of the species closest to each vertex: eating large seeds, small seeds and insects/nectar. Other species are generalists that combine these tasks.

ParTI considers the case where fitness is determined by performance at several tasks at once. ParTI theory shows that the best tradeoff trait combinations fall inside low-

dimensional polygonal shapes in trait space (Figure 1AB). These shapes have vertices and

flat sides, such as lines, triangles, tetrahedra and so on[6]. Each vertex is an adaptive complex

of traits that is optimal for one of the tasks. For two tasks, the data should fall in a line

segment between the two adaptive complexes; for three tasks, it should fall in a triangle with

the three adaptive complexes at the vertices and so on. For example, as shown in Figure 1B,

Darwin's finches' beaks fall on a triangle with three vertices that correspond to eating small

seeds, large seeds and pollen. Specialists at each task lie near a vertex, and generalists lie in

the center of the triangle. The intuitive reason for the triangle is that any point outside of the

triangle has a point inside the triangle that is closer to all three vertices, and hence has better

performance at all tasks and hence higher fitness.

To determine the number and nature of the tasks, ParTI algorithms determine the

best-fit polygon that describes the data and its vertices. The number of tasks is equal to the

number of vertices. The nature of the tasks need not be assumed in advance; instead, the tasks

can be inferred from the properties of the data points that are closest to each vertex[9] (Figure

1B). ParTI applies to any type of process that increases adaptive value, not only genetic

evolution.

Here, we apply the ParTI approach to study tradeoffs in human cultural datasets.

Cultures are remarkably diverse, and this diversity is key to explaining humanity's success in

inhabiting most of the earth's terrestrial environments[15–17]. However, the adaptive origins of

the distribution of cultural traits remains unclear and debated[18–20]. While many studies

examined adaptive cultural behavior at the level of the individual, only few tested adaptive

hypotheses about behavioral or cultural diversity at the between-societies, macro-level[21,22].

So far, no study has directly inferred the impact of tradeoffs on macro-level cultural

adaptation, without assuming what the tasks are in advance. Given the crucial role of

tradeoffs in biological evolution, it is important to examine whether tradeoffs can be detected

also in cultural traits and if so, between what tasks.

To test the role of tradeoffs in shaping cultural diversity, we apply ParTI to cultural

traits in human societies using multivariate cross-cultural datasets. We hypothesize that the

adaptive advantage of cultural traits is due to their contribution to several tasks, whose

number and nature is unknown a-priori. ParTI predicts that the adaptive part of the variation

between cultures should therefore lie in a polygon in cultural trait space. The number of

vertices of the polygon corresponds to the number of tasks, and the features found in the

cultures nearest each vertex should provide clues to the nature of the tasks, while controlling

for phylogeny and spatial diffusion effects.

Methods

Cross-cultural datasets. The *Pulotu*[23] dataset on traits of 113 Austronesian cultures, linked

to a language-based family tree, was downloaded from https://pulotu.econ.mpg.de/. We used

traits that are cultural (i.e. not physical) and belong to the traditional time focus as defined by

Watts et al.[23] (see Supplementary Information 2 for information on data preparation).

Binford's Hunter-Gatherer (BHG)[24] which includes cultural traits for 339 modern hunter-

gatherer cultures, was downloaded from http://ajohnson.sites.truman.edu/data-and-program/

(see Supplementary Information 3 for information on data preparation). The two datasets

differ both in the mode of subsistence of societies that are included (*Pulotu* includes mostly

agricultural societies) and in the cultural traits measured, which are largely non-overlapping

between the datasets. In Supplementary Tables 1,2 we list the traits used for our analysis

(codebooks for traits are available in the links above). Importantly, we verified that the

results are not confounded by the structure of the dataset. That is, the empty regions in the

trait-space of both datasets consist of (a-priori) feasible trait combinations (see

Supplementary Information 5 for discussion).

Language tree phylogenies. To generate a phylogenetic null model for principal component

analysis and for triangle statistical significance, we used a tree with informative branch

lengths for 93 Austronesian cultures from the *Pulotu* dataset (see Watts et al.[25]), tree1. For

phylogenetic adjustment of enrichment calculations, which does not require informative

branch lengths, we constructed a larger tree, tree2, by adding the other Austronesian cultures

according to their language families (tree2, provided in Supplementary Information 8).

Similarly, we constructed a phylogenetic tree for the cultures in *Binford's Hunter-Gatherer*

according to language families (tree3, provided in Supplementary Information 9).

Number of significant principal components. To test the effective dimensionality of

Pulotu, we determined the number of principal components that cannot be explained by a

phylogenetic null model in which cultural traits are acquired and lost at random based on

tree1 (see Supplementary Information 4 for details).

Polytope inference and statistical significance. To infer the vertices of the polytopes

(polytopes are the generalization of polygons and polyhedra to higher dimensions) we

applied Principal Convex Hull Analysis (PCHA)[9,26] as implemented in the python package

py_pcha. We tested statistical significance of triangles by using the t-ratio test as specified by

Shoval et al.[6]. The t-ratio is the ratio between the areas of the convex hull of the data and the

area of the minimal enclosing triangle. The close the t-ratio to one, the more the data fills out

the triangle. A p-value for the triangle was computed by the probability that the t-ratio of

shuffled data is smaller or equal to the t-ratio of the real data based on 10,000 data shuffling.

(see Supplementary Information 5 for details).

Feature enrichment calculation. We tested for enrichment of features by performing

regression, where the response variable is the feature and the predictor variable is the

Euclidean distance from vertex in the space of the first two PCs. To adjust for spatial and

phylogenetic effects, we added to each regression, and for each feature, covariates for the

average feature value among the 10 nearest phylogenetic neighbors (tree2 and tree3) and 10

nearest spatial neighbors (see Supplementary Information 6 for details), similar to the

adjustment performed by Botero et al.[27]. For binary variables, we performed logistic

regression, and for other variables, we performed linear regression.

Results

Figure 2. ParTI analysis of *Pulotu* dataset suggests three adaptive complexes. (A) *Pulotu* cultural traits are

well described by a triangle ($p<10^{-3}$) in the plain of the first two principal components. The three vertices of the

triangle correspond to adaptive trait complexes for the putative tasks of mobility/exchange, resource defense and

resource competition. (B) To test for statistical significance, we used the t-ratio test[28] . The t-ratio is the ratio

between the areas of the convex hull (pink) and the area of the minimal enclosing triangle. A t-ratio close to one

means the data fills the triangle. (C) A consensus language tree for Austronesian languages. Cultures are color

coded according to their relative distance from each vertex of the triangle. (D) A geographical map, with color

coding as in C. (E) To infer tasks for each vertex, we seek traits that appear at higher frequency in the data

points closest to the vertex. Such strongly enriched traits are listed. Sign (+/-) indicates positive or negative

enrichment. Nine of the enriched traits are visualized on the data points, with red (yellow) corresponding to a

high (low) level of the trait – for example, lack of a myth of mans' creation is found predominantly in cultures

near the mobility/exchange vertex, whereas deified ancestor worship is frequent in cultures closest to the

resource competition vertex.

ParTI analysis of Pulotu dataset

Using ParTI analysis, we find that the distribution of traits for the *Pulotu* cultures are

well described by a triangle ($p<10^{-3}$) (Figure 2A, Supplementary Information 5). We plot this

triangle in the plane of the first two principal components, which explain 20% of the variance

and are significant compared to a phylogenetic null model (methods). The triangle is

populated by cultures almost uniformly. Many a-priori possible combinations of traits do not

seem to occur, resulting in the empty trait-space around the triangle. Shuffled data does not

fill in a triangle (Fig 2B).

According to Pareto theory, this triangle indicates three tasks that have tradeoffs

between them. The three vertices of the triangle are adaptive complexes of traits for these

three tasks (see Table S1 for the adaptive complexes). Below, we infer the three putative

tasks. For clarity, we now label the three vertices by these tasks – Resource Competition,

Mobility/Exchange and Resource Defense.

In order to study the relation between the traits and language phylogeny, we displayed

the cultures on a language tree. We color-coded each culture according to its distances from

the vertices of the triangle (Fig 2C). For example, cultures colored red are closest to the

Resource Defense vertex on the triangle. We note an early-late phylogenetic gradient, from

Resource Defense to Mobility/Exchange to Resource Competition. Similarly, we displayed

the cultures on a geographical map (Fig 2D), showing an east-west geographical gradient

from Resource Defense to Mobility/Exchange to Resource Competition. There are notable

exceptions in which cultures that are close geographically and phylogenetically are not close

on the triangle (Figure 2CD), suggesting that geographical proximity and phylogenetic inertia

are not the only forces at play. Below, we adjusted for phylogenetic and geographic gradients

in our analysis.

Characterization of adaptive complexes for *Pulotu*

To characterize the underlying tasks, we asked which cultural traits characterize the

cultures closest to each vertex. For this purpose, we used regression for each trait on its

distance on the triangle from each vertex, adjusted for spatial and phylogenetic effects

(Methods). Each of the three adaptive complexes shows distinct cultural traits (Figure 2E).

The cultures closest to the Resource Competition vertex are the stratified Polynesian

cultures[29]. Closeness to this vertex is strongly associated with *mana* (supernatural power),

especially when linked with descent and social status, and with the worship of deified

ancestors. These traits are related to colonization and conquest - founders of colonies become

revered ancestors and their descendants enjoy high status ("founder-focused ideology")[30,31].

Other traits found near this vertex include low egalitarianism and the existence of a social

hierarchy *tapu*.

The Mobility/Exchange vertex is associated with cultures that live in areas of low

resource density. The cultures closest to this vertex include the sea-nomad cultures of *Sama*

Dilaut and *Moken* and the sea dwelling people of *Manus*. The Polynesian and Micronesian

cultures that lie on low atolls are also close to this vertex (Supplementary Information 7). The

Mobility/Exchange vertex is enriched with infrequent conflict between communities, high

reliance on trade and wage labor rather than on agriculture, and large ritual social groups that

transcend political communities. It is enriched with piercing as a feature of rite, as well as

with belief in ancestral spirits (which have a smaller sphere of influence than do deified

ancestors). Otherwise, this vertex is characterized by its lacks in religious complexity – lack

of *mana*, lack of human sacrifice, lack of a myth of man's creation, and lack of belief in

deified ancestors and in nature gods.

The third vertex, Resource Defense, is enriched with highlander cultures that rely on

agriculture and land-based hunting as opposed to fishing and water-based gathering, as well

as with belief in nature gods, and with the belief that the actions of oneself affect the nature

of one's afterlife.

ParTI analysis of the *BHG* dataset

To test the generality of these findings, we analyzed an independent dataset of

modern hunter-gatherer cultures[24] (Figure 3). Considering the first two principal components,

which explain 33% of the variance of this dataset, we again find a distribution inside a

triangle ($p<10^{-3}$) with three well-defined vertices (Figure 3A, Supplementary Information 5

and Table S2). For reasons discussed below, we assign the same three labels to these vertices.

As with the *Pulotu* dataset, the traits show geographical trends (Figure 3B), and hence we

performed regression adjusted for phylogenetic and spatial effects (Supplementary

Information 6).

Figure 3. ParTI analysis of *BHG* dataset suggests three adaptive complexes. (A) Data plotted on the first

two principal components of *BHG* dataset is well-described by a triangle (p<10⁻³). The three vertices of the

triangle are hypothesized to be adaptive complexes of traits for three tasks. (B) Cultures are color coded

according to their relative distance from each vertex on a geographical map. (C) List of strongly enriched traits

for each vertex. Sign (+/-) indicates positive or negative enrichment. Six of the enriched traits are displayed on

the data distribution, with red (yellow) corresponding to a high (low) level of the trait. For example, social class

distinctions are strongest close to the resource competition vertex, whereas elaborate puberty rites occur

predominantly near the resource defense vertex.

Characterization of adaptive complexes for *BHG*

The hunter-gatherer cultures closest to the Resource Competition vertex are the

stratified societies of the North-American Pacific Northwest, with strong enrichments for

prerogatives of leadership, intense and aggressive warfare and political complexity, as well as

sedentism (Figure 4C). As with the Austronesian cultures, the hunter-gatherers that are the

closest to the Mobility/Exchange vertex come from areas with the lowest resource density –

the arctic tundra and some deserts. This vertex is enriched with high mobility, low inter-

group violence and low religious and political complexity. Last, the cultures closest to the

Resource Defense vertex are Australian cultures from the relatively fertile Arnhem Land, and

closeness to this vertex is associated with low dependence on food storage, elaborate male

puberty rituals, and other traits that relate to marriage patterns.

We next asked whether the tasks of the three vertices found in the two datasets might

be similar. This comparison is challenging due to the small overlap in traits between the two

datasets, and the differences in subsistence strategies. We note that in both datasets, the

Resource Competition vertex is enriched with traits that relate to territorial conquest and

social dominance and the cultures near the Mobility/Exchange vertex live in areas with lower

resource density. We tentatively conclude that the vertices might correspond to comparable

tasks, and use information from both datasets to provide an interpretation of these tasks.

Economic defendability theory and the tasks

We interpret the tasks of the three adaptive complexes using economic defendability

theory, a theory from behavioral ecology which relates variation in territorial behavior with

differences in resource density and predictability. This theory observes that only when a

resource is dense and predictable it is worthwhile to engage in costly behaviors to defend it.

Otherwise, other behaviors, such as mobility and exchange, will be preferred[33]. Economic

defendability was first used to explain the evolution of territorial systems in birds[32], and has

been applied to study-small scale human societies[33].

In agreement with economic defendability theory, the Mobility/Exchange vertex,

which is associated with cultures that live in areas with low resource density, is enriched with

lack of competitive cultural traits. The cultures nearest this vertex are highly mobile; their

reliance on trade or wage labor may compensate for poor and unpredictable resources;

prevalence of piercing may be explained by recent findings that extreme rituals promote pro-

sociality and inclusive social identity[36]; and their large ritual groups may reflect the need to

reinforce cultural identity in the face of dispersal[37]. For these reasons, we conclude that this

vertex is an adaptive complex of traits for the task of mobility and exchange.

Conversely, when resources are sufficiently dense and predictable, territorial

strategies should emerge. Territorial strategies require two separate tasks[34] – resource defense

and resource competition. The Resource Competition adaptive complex is enriched in both

datasets with socially competitive traits, which are associated with conquest and colonization,

whereas the Resource Defense adaptive complex is associated with traits that are more

cooperative.

Resource competition may become more important than resource defense when there

are strong resource gradients[38], unpredictable natural disasters[39] or due to population

pressure[31,40]. The enrichments for hierarchy-related traits near the Resource Competition

vertex may be due to the advantages of hierarchy for group-coordination[41] or for outgroup

exploitation[42].

As an example, the difference between the tasks can be illustrated by the headhunting

practices in two phylogenetically close cultures that lie on two sides of the same island:

Laboya from the western part of the island of Sumba, and *East Sumba* from its less fertile

eastern part. *Laboya* lies close to the Resource Defense adaptive complex while *East Sumba*

lies close to the Resource Competition adaptive complex. Both cultures used to practice

headhunting (the practice of killing people to obtain their heads); however, in West Sumba

the motivation for headhunting was reported to be defense of traditional territories, whereas

in East Sumba its motivation was reported to be territorial expansion[43], in accordance with

the proposed tasks for these adaptive complexes.

Discussion

In this study, we tested the hypothesis that tradeoffs are important for shaping cultural

diversity, by using an approach from systems biology to infer tasks and tradeoffs and

applying it multivariate datasets of cultural traits. We find a triangular geometrical structure

of two independent cultural datasets, for Austronesian cultures and modern hunter-gatherers,

in the space of traits. This triangle can be explained by a fundamental tradeoff between three

tasks. We identify these tasks as mobility/exchange, resource defense and resource

competition, and detect specific combinations of cultural traits that are predicted to be

adaptive for each task, suggesting adaptive trait complexes. We conclude that tradeoffs may

contribute to shaping some of the diversity of cultural traits.

The ParTI approach does not depend on the evolutionary mechanisms at play, nor

does it suppose that a culture is perfectly adapted to its environment[44]. It provides a

quantifiable, geometrical signature for generating hypotheses on the adaptive tasks of human

social organization and cultural evolution.

The empty space around the triangle that describes the datasets corresponds to

combinations of cultural traits that could a-priori have existed, but are not found in the data.

For example, a combination of small ritual groups (as in resource defense vertex) together

with reliance on trade/wage labour (as in mobility/exchange) is rare in the *Pulotu* dataset. In

contrast, other combinations of traits often co-occur: such trait 'syndromes' are described by

the vertexes of the triangle. ParTI, adjusted for phylogeny and spatial diffusion, explains both

empty space and co-occurring traits based on tradeoffs between adaptive tasks.

ParTI might be useful to complement the methods of cultural evolutionary analysis. It

overcomes some of the difficulties of existing approaches. One difficulty is in the

interpretation of correlations between a given cultural trait and environmental factors[45]. For

example, collectivist cultural values are correlated with pathogen prevalence, which led to the

hypothesis they may represent an anti-pathogen defense strategy[46]. Interpreting such

environmental associations is, however, often ambiguous, since they often relate to the

latitudinal gradient and may be explained by other factors[21]. ParTI uses multivariate data,

rather than single traits, allowing stronger statistical inference and the ability to adjust for

confounding geographical and phylogenetic factors.

Other approaches to model the function of cultural traits include optimality models

from behavioral ecology[20,47] and co-evolutionary analyses[48]. Optimality models require

information on costs and benefits that is not always available. Co-evolutionary models follow

traits along phylogenetic trees, constructed for example from languages. They have been used

to study associations such as the link between human sacrifice and social stratification[49] and

the link between livestock and descent[50]. Such models, however, require strong phylogenetic

signals and are not applicable to traits that have weak phylogenetic transmission.

The ParTI approach can, in principle, apply to any cross-cultural dataset, and thus

may open new ways to test hypotheses on the tradeoffs that shape cultural adaptations. It

provides a top-down way to provide hypotheses on the function of cultural traits and the

trade-offs that shape cultural variation.

References

1. Stearns, S. C. Trade-Offs in Life-History Evolution. *Funct. Ecol.* **3,** 259–268 (1989).

2. Dwyer, J. M. & Laughlin, D. C. Constraints on trait combinations explain climatic drivers
of biodiversity: the importance of trait covariance in community assembly. *Ecol. Lett.*
20, 872–882 (2017).

3. Williams, G. C. Pleiotropy, Natural Selection, and the Evolution of Senescence.
Evolution **11,** 398 (1957).

4. Smith, C. C. & Fretwell, S. D. The Optimal Balance between Size and Number of
Offspring. *Am. Nat.* **108,** 499–506 (1974).

5. Lang, G. I., Murray, A. W. & Botstein, D. The cost of gene expression underlies a fitness
trade-off in yeast. *Proc. Natl. Acad. Sci.* **106,** 5755–5760 (2009).

6. Shoval, O. *et al.* Evolutionary trade-offs, Pareto optimality, and the geometry of
phenotype space. *Science* **336,** 1157–1160 (2012).

7. Studer, R. A., Christin, P.-A., Williams, M. A. & Orengo, C. A. Stability-activity tradeoffs
constrain the adaptive evolution of RubisCO. *Proc. Natl. Acad. Sci.* **111,** 2223–2228
(2014).

8. Navarrete, A., van Schaik, C. P. & Isler, K. Energetics and the evolution of human brain
size. *Nature* **480,** 91–93 (2011).

9. Hart, Y. *et al.* Inferring biological tasks using Pareto analysis of high-dimensional data.
Nat. Methods **12,** 233–235 (2015).

10. Ni, B. *et al.* Evolutionary Remodeling of Bacterial Motility Checkpoint Control. *Cell Rep.*
18, 866–877 (2017).

11. Korem, Y. *et al.* Geometry of the Gene Expression Space of Individual Cells. *PLOS*
Comput. Biol. **11,** e1004224 (2015).

12. Kavanagh, K. D. *et al.* Developmental bias in the evolution of phalanges. *Proc. Natl.*
Acad. Sci. **110,** 18190–18195 (2013).

13. Tendler, A., Mayo, A. & Alon, U. Evolutionary tradeoffs, Pareto optimality and the
morphology of ammonite shells. *BMC Syst. Biol.* **9,** (2015).

14. Szekely, P., Korem, Y., Moran, U., Mayo, A. & Alon, U. The Mass-Longevity Triangle:
Pareto Optimality and the Geometry of Life-History Trait Space. *PLOS Comput. Biol.* **11,**
e1004524 (2015).

15. Boyd, R. & Richerson, P. J. *Culture and the evolutionary process*. (University of Chicago
Press, 1988).

16.   Henrich, J. P. *The secret of our success: how culture is driving human evolution,*
357   *domesticating our species, and making us smarter*. (Princeton University Press, 2016).

358   17.   Mesoudi, A. *Cultural evolution: how Darwinian theory can explain human culture and*
359   *synthesize the social sciences*. (University of Chicago Press, 2011).

360   18.   Laland, K. N. & Brown, G. R. *Sense and nonsense: evolutionary perspectives on human*
361   *behaviour*. (Oxford University Press, 2002).

362   19.   Barkow, J. H., Cosmides, L. & Tooby, J. *The Adapted Mind: Evolutionary Psychology and*
363   *the Generation of Culture*. (Oxford University Press, 1995).

364   20.   Nettle, D., Gibson, M. A., Lawson, D. W. & Sear, R. Human behavioral ecology: current
365   research and future prospects. *Behav. Ecol.* **24,** 1031–1040 (2013).

366   21.   Mace, R. & Jordan, F. M. Macro-evolutionary studies of cultural diversity: a review of
367   empirical studies of cultural transmission and cultural adaptation. *Philos. Trans. R. Soc.*
368   *B Biol. Sci.* **366,** 402–411 (2011).

369   22.   Richerson, P. *et al.* Cultural group selection plays an essential role in explaining human
370   cooperation: A sketch of the evidence. *Behav. Brain Sci.* **39,** (2016).

371   23.   Watts, J. *et al.* Pulotu: Database of Austronesian Supernatural Beliefs and Practices.
372   *PLOS ONE* **10,** e0136783 (2015).

373   24.   Binford, L. R. *Constructing frames of reference: an analytical method for archaeological*
374   *theory building using hunter-gatherer and environmental data sets*. (University of
375   California Press, 2001).

376   25.   Watts, J., Sheehan, O., Atkinson, Q. D., Bulbulia, J. & Gray, R. D. Ritual human sacrifice
377   promoted and sustained the evolution of stratified societies. *Nature* **532,** 228–231
378   (2016).

379   26.   Mørup, M. & Hansen, L. K. Archetypal analysis for machine learning and data mining.
380   *Neurocomputing* **80,** 54–63 (2012).

381   27.   Botero, C. A. *et al.* The ecology of religious beliefs. *Proc. Natl. Acad. Sci.* **111,** 16784–
382   16789 (2014).

383   28.   Shoval, O. *et al.* Fold-change detection and scalar symmetry of sensory input fields.
384   *Proc. Natl. Acad. Sci.* **107,** 15995–16000 (2010).

385   29.   Sahlins, M. & American Ethnological Society. *Social stratification in Polynesia*.
386   (University of Washington Press, 1972).

387   30.   Peter Bellwood. Hierarchy, founder ideology and Austronesian expansion. in *Origins,*
388   *ancestry and alliance: explorations in Austronesian ethnography* (eds. Fox, J. J., Sather,
389   C., Australian National University & Aystralian National University) (Dept. of
390   Anthropology, Australian National University, 1996).

31. Kirch, P. V. *The evolution of the Polynesian chiefdoms*. (Cambridge University Press,
1996).

32. J.L. Brown. The evolution of diversity in avian territorial systems. *Wilson Bull.* **76,** 160–
169 (1964).

33. Dyson-Hudson, R. & Smith, E. A. Human Territoriality: An Ecological Reassessment. *Am.*
Anthropol. **80,** 21–41 (1978).

34. Durham, W. H. Resource Competition and Human Aggression, Part I: A Review of
Primitive War. *Q. Rev. Biol.* **51,** 385–415 (1976).

35. Johnson, D. D. P. & Toft, M. D. Grounds for War: The Evolution of Territorial Conflict.
Int. Secur. **38,** 7–38 (2014).

36. Xygalatas, D. *et al.* Extreme Rituals Promote Prosociality. *Psychol. Sci.* **24,** 1602–1605
(2013).

37. Gmelch, S. B. Groups That Don't Want In: Gypsies and Other Artisan, Trader, and
Entertainer Minorities. *Annu. Rev. Anthropol.* **15,** 307–330 (1986).

38. James L. Boone. Competition, Cooperation and the Development of Social Hierarchies.
Ecol. Evol. Soc. Behav. 301–337

39. Ember, C. R. & Ember, M. Resource Unpredictability, Mistrust, and War: A Cross-
Cultural Study. *J. Confl. Resolut.* **36,** 242–262 (1992).

40. Keeley, L. H. Hunter-gatherer economic complexity and 'population pressure': A cross-
cultural analysis. *J. Anthropol. Archaeol.* **7,** 373–411 (1988).

41. Van Vugt, M., Hogan, R. & Kaiser, R. B. Leadership, followership, and evolution: Some
lessons from the past. *Am. Psychol.* **63,** 182–196 (2008).

42. Sidanius, J. & Pratto, F. *Social dominance: an intergroup theory of social hierarchy and*
oppression. (Cambridge University Press, 1999).

43. *Headhunting and the social imagination in Southeast Asia*. (Stanford University Press,
1996).

44. Brown, G. R. & Richerson, P. J. Applying evolutionary theory to human behaviour: past
differences and current debates. *J. Bioeconomics* **16,** 105–128 (2014).

45. Nettle, D. Ecological influences on human behavioural diversity: a review of recent
findings. *Trends Ecol. Evol.* **24,** 618–624 (2009).

46. Cashdan, E. & Steele, M. Pathogen Prevalence, Group Bias, and Collectivism in the
Standard Cross-Cultural Sample. *Hum. Nat.* **24,** 59–75 (2013).

47. Sosis, R. & Bulbulia, J. The behavioral ecology of religion: the benefits and costs of one
evolutionary approach. *Religion* **41,** 341–362 (2011).

48.   Mace, R. & Holden, C. A phylogenetic approach to cultural evolution. *Trends Ecol. Evol.*
426   **20,** 116–121 (2005).

427   49.   Watts, J., Sheehan, O., Atkinson, Q. D., Bulbulia, J. & Gray, R. D. Ritual human sacrifice
428   promoted and sustained the evolution of stratified societies. *Nature* **532,** 228–231
429   (2016).

430   50.   Holden, C. J. & Mace, R. Spread of cattle led to the loss of matrilineal descent in Africa:
431   a coevolutionary analysis. *Proc. R. Soc. B Biol. Sci.* **270,** 2425–2433 (2003).

432   51.   Gray, R. D., Greenhill, S. J. & Ross, R. M. The Pleasures and Perils of Darwinizing Culture
433   (with Phylogenies). *Biol. Theory* **2,** 360–375 (2007).

435