SequencEnG: an Interactive Knowledge Base of Sequencing Techniques

Yi Zhang[1,2], Mohith Manjunath[2], Yeonsung Kim[2], Joerg Heintz[2], and Jun S. Song[2,3*]

[1]Department of Bioengineering, [2]Carl R. Woese Institute for Genomic Biology, [3]Department of Physics, University of Illinois at Urbana-Champaign, Urbana, IL 61801, USA

*To whom correspondence should be addressed: songj@illinois.edu

Abstract

Next-generation sequencing (NGS) techniques are revolutionizing biomedical research by providing powerful methods for generating genomic and epigenomic profiles. The rapid progress is posing an acute challenge to students and researchers to stay acquainted with the numerous available methods. We have developed an interactive online educational resource called SequencEnG (acronym for Sequencing Techniques Engine for Genomics) to provide a tree-structured knowledge base of 61 different sequencing techniques and step-by-step NGS da0ta analysis pipelines comparing popular tools. SequencEnG is designed to facilitate barrier-free learning of current NGS techniques and provides a user-friendly interface for searching through experimental and analysis methods. SequencEnG is part of the project KnowEnG (Knowledge Engine for Genomics) and is freely available at http://education.knoweng.org/sequenceng/.

1 Introduction

The bioinformatics field is constantly challenged with the increasing diversity and large amounts of experimental data being generated. For instance, numerous high-throughput next-generation sequencing (NGS) techniques, such as RNA-seq, ChIP-seq, and Hi-C, are now widely used in biomedical research, each with accompanying active development of computational algorithms and tools (Shendure *et al.*, 2017). Students and researchers are thus challenged with the difficulty of keeping pace with the rapidly growing number of new NGS techniques and their analysis methods. The research community as a whole would therefore benefit from a centralized resource to learn about currently available NGS techniques. There are already some resources available to explore NGS data analysis tools, such as OMICtools (Henry *et al*., 2014) and AZTEC (https://aztec.bio/). OMICtools is an online database of bioinformatics tools where a bioinformatics software developer can submit their own tool and a researcher can discover these tools. The number of tools listed in the OMICtools database, where tool evaluation is based on user reviews, has been steadily increasing. However, this resource relies on active user participation, and many listed tools currently have no reviews or ratings available. AZTEC is another web resource where many bioinformatics tools, web services, publications and libraries are documented; but, it currently does not provide self-contained educational resources or basic analysis pipelines. Other web resources contain data analysis tutorials, but are only for a specific analysis; e.g., GATK (https://software.broadinstitute.org/gatk/) for variant calling and Homer (http://homer.ucsd.edu/homer/basicTutorial/index.html) for motif, ChIP-seq and RNA-seq analyses. The above resources also lack an overview and comparison among commonly used and state-of-the-art tools.

The National Institute of Health (NIH) has recently funded Big Data to Knowledge (BD2K) Centers as well as multiple BD2K Training projects to develop and disseminate educational resources for bioinformatics. As part of the Knowledge Engine for Genomics (KnowEnG) BD2K center (Kim *et al.,* 2017; Manjunath *et al.*, 2017), we have developed a web resource called SequencEnG that annotates and explains currently available NGS techniques and their data analysis methods. Our interactive website consists of two parts: the NGS knowledge tree, and the data analysis pipelines. SequencEnG contains 61 NGS techniques and organizes them into a knowledge tree based on genetic or epigenetic information being assayed. For each sequencing technique, we graphically illustrate the major experimental steps involved in the protocol. The interactive data analysis pipelines are currently available for four popular NGS techniques: RNA-seq, ChIP-seq, Hi-C, and Whole Genome Bisulfite Sequencing (WGBS), with distinct analysis strategies. For each analysis step in the pipeline, major bioinformatics tools are listed in a searchable table containing the description, comparison to similar tools, evaluation from benchmarking papers, and other relevant features.

2 Software description

2.1 A knowledge tree of sequencing techniques

We have manually curated 61 NGS techniques with distinct sequencing goals, amounting to 3 general and 27 specific categories classified as branches in an interactive knowledge tree (Fig. 1A). Each leaf of the tree shows one NGS technique with a corresponding description that references the original NGS paper and includes a simple yet informative graphical summary of the experimental steps (Fig. 1A, bottom right). An interactive tutorial will take the user on a tour of the website when the user visits the SequencEnG website for the first time.



Software	Description	Features	Strength
Tophat2	A spliced read mapper for RNA-Seq.	It aligns RNA-Seq reads to mammalian-sized genomes using the ultra high-throughput short read aligner Bowtie, and then analyzes the mapping results to identify splice junctions between exons. (see link).	It performs accurate alignment of transcriptomes in the presence of insertions, deletions and gene fusions
STAR	Spliced Transcripts Alignment to a Reference (STAR)	An ultrafast universal RNA-seq aligner. It can also do de novo detection of canonical junctions, and discovers non-canonical splices and chimeric (fusion) transcripts.	It runs fast; can also be used in differential splicing analysis if ran in 2-pass mode. STAR is recommended by ENCODE project, and used by GATK best practice. It also generates gene count data along mapping.
HISAT2	HISAT2 is a fast and sensitive alignment program for mapping next-generation sequencing reads (whole-genome, transcriptome, and exome sequencing data) against the general human population (as well as against a single reference genome).	The algorithm is based on HISAT and Bowtie2; uses a graph FM index (GFM) to index the genome before read mapping.	It uses a newer indexing scheme called Hierarchical Graph FM index

Fig. 1. Snapshots of SequencEnG. (**A**) The interactive NGS knowledge tree with sequencing goals as branches and sequencing techniques as leaves; Bottom right shows an example of the graphical experimental steps for ATAC-seq. (**B**) An example of the analysis pipeline for RNA-seq. (**C**) An example of major bioinformatics tools available for the RNA-seq analysis step of read mapping.

2.2 Analysis pipelines with tool comparisons

For four of the most widely used NGS techniques – ChIP-seq, RNA-seq, Hi-C, and WGBS – we provide interactive analysis pipelines (Fig. 1B) and corresponding popular computational tools available for each step in the pipeline (Fig. 1C). For example, different pipelines for performing RNA-seq analysis, from quality control to differential gene expression calling, are illustrated in a

flowchart in Fig. 1B, where gene quantification can be done with canonical read mapping methods such as HISAT (Kim *et al*., 2015), or with alignment-free tools such as kallisto (Bray *et al.*, 2016).

A set of popular tools for each pipeline step is shown in a searchable table when the user selects a step. The table summarizes their basic features, strengths, limitations, input/output format, working platforms, references, and other features such as whether a ChIP-seq peak caller is suitable for transcription factors or histone modifications, and whether a tool accepts file formats from another software. For example, sleuth (Pimentel *et al.*, 2017) accepts the output of kallisto. The respective strengths and limitations are summarized from available benchmarking papers or resources, with references and links provided in the interactive table. The table thus not only includes multiple tools available, but also provides evaluation information in three ways: 1) performance evaluation based on benchmarking papers; 2) application in large projects such as ENCODE (ENCODE Project Consortium, 2012); 3) ranking based on Relative Citation Ratio (RCR, Hutchins *et al.*, 2016) score queried from iCite (https://icite.od.nih.gov/) to reflect the importance and popularity of the tool. Tool recommendation and comparison can be a major challenge in the rapidly growing field of bioinformatics for various reasons; for example, it is difficult to assess the quality of algorithms for calling topologically associated domains (TADs) in Hi-C data analysis, because of the ambiguity in defining the notion of TAD in biology (Forcato *et al.*, 2017). Therefore, instead of recommending a single tool per pipeline step, SequencEnG allows researchers to be aware of various strengths and limitations of using competing bioinformatics tools.

3 Conclusions

SequencEnG is an interactive web resource for active learning or teaching NGS techniques, graphically summarizing experimental protocols and describing detailed analysis pipelines. The user can interact with the NGS knowledge tree to learn about 61 different NGS techniques, and also explore the NGS data analysis pipelines to gather quickly a list of popular and useful tools. SequencEnG thus provides a friendly learning environment for students and researchers entering bioinformatics and the NGS field, especially for those in small colleges without extensive teaching resources on these subjects.

Acknowledgements

The authors would like to thank the members of the Song group for feedback.

Funding

This work has been supported by the grant 1U54GM114838, awarded by National Institute of General Medical Sciences (NIGMS) through funds provided by the trans-NIH (NIH) Big Data to Knowledge (BD2K) initiative.

References

Shendure, J., Balasubramanian, S., Church, G. M., Gilbert, W., Rogers, J., Schloss, J. A., & Waterston, R. H. (2017). DNA sequencing at 40: past, present and future. Nature, 550(7676), 345.

Henry, V. J., Bandrowski, A. E., Pepin, A. S., Gonzalez, B. J., & Desfeux, A. (2014). OMICtools: an informative directory for multi-omic data analysis. Database, 2014.

Kim, M., Kim, Y., Qian, L., & Song, J. S. (2017) TeachEnG: a Teaching Engine for Genomics. Bioinformatics, 33, 3296–3298.

Manjunath, M., Zhang, Y., Yeo, S. H., Sobh, O., Russell, N., Followell, C., Bushell, C., Ravaioli, U., & Song, J. S. (2017). ClusterEnG: An interactive educational web resource for clustering big data. bioRxiv, 120915.

Kim, D., Langmead, B., & Salzberg, S. L. (2015). HISAT: a fast spliced aligner with low memory requirements. Nature methods, 12(4), 357.

Bray, N. L., Pimentel, H., Melsted, P., & Pachter, L. (2016). Near-optimal probabilistic RNA-seq quantification. Nature biotechnology, 34(5), 525.

Pimentel, H., Bray, N. L., Puente, S., Melsted, P., & Pachter, L. (2017). Differential analysis of RNA-seq incorporating quantification uncertainty. Nature methods, 14(7), 687.

ENCODE Project Consortium. (2012). An integrated encyclopedia of DNA elements in the human genome. Nature, 489(7414), 57.

Hutchins, B. I., Yuan, X., Anderson, J. M., & Santangelo, G. M. (2016). Relative Citation Ratio (RCR): A new metric that uses citation rates to measure influence at the article level. PLoS biology, 14(9), e1002541.

Forcato, M., Nicoletti, C., Pal, K., Livi, C. M., Ferrari, F., & Bicciato, S. (2017). Comparison of computational methods for Hi-C data analysis. Nature methods, 14(7), 679.