Dogs, but not wolves, lose their sensitivity towards novelty with age

Christina Hansen Wheat[1*], Wouter van der Bijl[1] & Hans Temrin[1]

[1]*Department of Zoology, Stockholm University, SE-10691 Stockholm, Sweden*
[*]Correspondence: Christina Hansen Wheat, christina.hansen@zoologi.su.se

Abstract

Selection on behavioural traits holds a prominent role in the domestication of animals, with reductions in fear behaviour considered to be a key component. Specifically, there is a general assumption that domesticated species express reduced fear and reactivity towards novel stimuli compared to their ancestral species. However, very few studies have explicitly tested this proposed link between domestication and reduced fear responses. Of the limited number of studies experimentally addressing the alterations of fear during domestication, the majority have been done on canids. Previous work in foxes, wolves and dogs has led to the suggestion that decreased expression of fear in domesticated animals is linked to a domestication driven delay in the first onset of fearful behaviour during early ontogeny. Thus, wolves are expected to express exaggerated fearfulness earlier during ontogeny compared to dogs. However, while adult dogs are less fearful towards novelty than adult wolves and wolf-dog hybrids, consensus is lacking on when differences in fear expression arise in wolves and dogs. Here we present the first extended examination of fear development in hand-raised dogs and European grey wolves, using repeated novel object tests from six to 26 weeks of age. Contrary to expectations, we found no evidence in support of an increase in fearfulness in wolves with age or a delayed onset of fear response in dogs compared to wolves. Instead, we found that dogs strongly reduced their fear response in the period between six and 26 weeks of age, resulting in a significant species difference in fear expression towards novelty at 26 weeks. Critically, as wolves did not differ in their fear response towards novelty over time, the detected species difference was caused solely by a progressive reduced fear response in dogs. Our results thereby suggest that species differences in fear of novelty between wolves and dogs are not caused by a domestication driven shift in the first onset of fear response. Instead, we suggest that a loss of sensitivity towards novelty with age in dogs causes the difference in fear expression towards novelty in wolves and dogs.

Key words: *Fear, domestication, sensitive period, behavioural ontogeny, neophobia, dogs, wolves*

Introduction

Humans have successfully domesticated a wide range of plants and animals and abundant evidence demonstrates how domesticated species express dramatically altered phenotypes compared to their wild counterparts (Driscoll et al. 2009). In animals, selection on behavioural traits had a prominent role in creating the domesticated phenotype (Belyaev et al. 1985; Trut 1999). In wild animal populations, fear is a key behaviour as a timely and proper response to novelty (e.g. flight response versus exploration) has direct fitness consequences (Boissy 1995; Weidenmayer 2009). In contrast, in domesticated animals living in human-controlled environments, strong fear responses and high reactivity towards novelty are undesirable traits (Leiner and Fendt 2011), and selection for docility (i.e. tameness) and against fearfulness was likely a key component in the successful domestication of animals (Belyaev et al. 1985; Trut 1999). Consequently, there is now a general assumption that domesticated species express reduced flight distances and reactivity towards novel stimuli (Zeder 2012) compared to their ancestral species. However, though good evidence exists that cortisol secretion and brain structures associated with fear responses have been significantly reduced in domesticated animals (Kruska 1988; Trut et al. 2009), excessive fear behaviour prevails in various domesticated species (Hemsworth et al. 1996), including rabbits (Csatádi et al. 2005), chickens (Jones and Waddington 1992), dogs (Döring et al. 2009) and horses (Christensen et al. 2008). These discrepancies impair our understanding of how the expression of fear has changed during animal domestication and this shortcoming is further complicated by the fact that very few studies have explicitly tested the proposed link between domestication and reduced fear responses.

In wild populations appropriate fear responses are formed and modified throughout ontogeny, during which juvenile animals gradually combine individual experience and social information, thereby developing the ability to discriminate between threatening and neutral stimuli (Scott and Fuller 1965; Griffin 2004; Weidenmayer 2009). Ontogeny has been modified in several ways during domestication and compared to ancestral species, domesticated animals express altered developmental rates, a phenomenon known as heterochrony (Goodwin et al. 1997; Price 1999; Dobney and Larson 2006). Specifically, domesticated animals express accelerated and/or delayed onsets of various ontogenetic stages, such as earlier sexual maturation and the retention of juvenile traits into adulthood (Morey 1994; Price 1999; Coppinger et al. 1987; Crockford 2002). Heterochrony has been suggested to affect behavioural ontogeny by prolonging the sensitive period (Martin 1978; Belyaev et al. 1985; Gariépy et al. 2001; Wilkins et al. 2014), an important period during behavioural development in which the juvenile animal is particularly sensitive to imprint on and form social bonds with conspecifics (Scott 1962; Scott and Fuller 1965; Freedman et al. 1961; Coppinger and Coppinger 2001). During the sensitive period juvenile animals show increased exploratory behaviour, as they readily approach novel stimuli and thereby learn about and socialize with their environment (Morrow et al. 2015). Importantly, the end of the sensitive period is marked by a progressive increase in fear and decreased exploration of novelty (Freedman et al. 1961; Belyaev et al. 1985). Based primarily on the findings in a long-term selection study on silver foxes (*Vulpes vulpes*), it has been suggested that domestication causes a shift in the sensitive period resulting in a delayed onset of fearful response in domesticated compared to non-domesticated animals (Belyaev et al. 1985; Trut, et al. 2004) (but see also Coppinger and Coppinger, 2001). While this might indicate that differences in fear expression between domesticated and non-domesticated animals arise already during early ontogeny, only a very limited body of studies have experimentally compared the ontogeny of fear in wild and domestic species under controlled conditions and with ambiguous results (Bilkó and Altbäcker 2000; Lord 2013). Therefore, it remains largely an open question whether the ontogeny of fear and the sensitive period have been altered by domestication.

The domestic dog (*Canis familiaris*) is an excellent study species when addressing questions
about how domestication has affected behavioural ontogeny. Domestication of the dog from
the grey wolf (*Canis lupus*) occurred at least 15,000 years ago (Driscoll et al. 2009), making
the dog the first domesticated species and with the ancestral species extant, the opportunities
for comparisons are ideal (Price 2002). Studies of behavioural ontogeny in dogs have largely
focused on the sensitive period, and fear of novelty in the dog puppy has traditionally been
reported to manifest at eight weeks of age and continually increase onward (Scott and
Marston 1950; Scott 1958; Freedman et al. 1961; Scott and Fuller 1965). However, recent
evidence suggests that the development of fear might be highly breed-specific and subject to
considerable variation (Morrow et al. 2015), thereby highlighting substantial gaps in our
knowledge of the ontogeny of fear in dogs. In wolves, consensus on when fear behaviour is
established is lacking, with the onset of fearful response reported to occur as varied as four to
eight weeks of age across studies (Scott and Marston 1950; Fentress 1967; Wooply and
Ginsburg 1967; Fox 1972; Zimen 1987; Lord 2013). The ambiguity of these wolf studies is
further complicated by the fact that the majority of them were conducted over a short period
of time and/or focused on isolated individuals or single litters, thereby limiting our ability to
generalize from these findings. Additionally, a recent study found no difference in fear
related behaviours or the latency to make contact with a novel object in six and eight week
old wolves and dogs(Marshall-Pescini et al. 2017), thereby suggesting that wolves might not
express fear towards novelty at an earlier age than dogs. Thus, while adult wolves (Moretti et
al. 2015) and wolf-dog hybrids (Hansen Wheat et al. 2018) are more fearful of novelty than
dogs, the question of when during development species differences in fear expression is
established remains unresolved. Furthermore, both juvenile and adult wolves explore and
interact with novel objects more than similar aged dogs (Moretti et al. 2015; Marshall-Pescini
et al. 2017), and adult dogs have been reported to be less likely to approach a novel object
than wolves (Moretti et al. 2015). While these findings have been interpreted as less interest
in novelty, and not fear, in dogs compared to wolves (Moretti et al. 2015), more studies are
needed to tease these components apart and provide more detailed insight into how, and at
which developmental stage, domestication changes fear expression in wolves and dogs.

The lack of consensus across studies comparing wolves and dogs to uncover implications of
domestication illustrates a fundamental challenge in this field, namely the combination of
limited animal availability and the enormous effort necessary to hand-raise, socialize and test
acquired animals. These challenges inherently lead to small sample sizes rarely exceeding N
= 11 for wolves and N = 13 for dogs in contemporary studies where animals are hand-raised
under identical conditions for species comparisons (Miklósi et al. 2003; Marshall-Pescini et
al. 2017; Gácsi et al. 2005; Moretti et al. 2015; Range et al. 2015; Topál et al. 2005; Udell et
al. 2012; Udell et al 2008). Hand-raising wolves and dogs under similar conditions is
imperative, as behavioural development is highly influenced by environmental factors
(Zimen 1987). Thus, because we heavily rely on these studies, with small sample sizes, to
further increase our understanding of the domestication driven behavioural changes from
wolf to dog, the importance of standardizing and reporting variation found across studies
comparing wolves and dogs becomes critical. Furthermore, wolves used in studies to uncover
the behavioural implications of domestication are predominantly North American wolves
(Udell et al. 2008; Udell et al. 2012; Moretti et al. 2015; Range et al. 2015; Marshall-Pescini
et al. 2017), and implementing standardized studies also on other sub-species of wolves
might therefore add significant value to wolf-dog comparisons.

Here we examine the development of fear towards novelty in European grey wolves and dogs
during the first six months of life, using standardized methods for both hand-raising,
socializing (Klinghammer and Goodman 1987; Range and Virányi 2011; Udell et al. 2008)

and testing (Marshall-Pescini et al. 2017; Moretti et al. 2015). We tested three litters of
wolves (N = 13) and two litters of dogs (N = 12), hand-raised under identical conditions, at
six, 10, 14, 18, 22 and 26 weeks of age, i.e. before sexual maturity, in repeated novel object
tests. We used a new novel object in each of the six tests, choosing vastly different objects
between tests to avoid the risk of habituation (van Oers et al. 2005; Noer et al. 2015). Novel
objects were of different shape, size, colour and texture, and some objects included the
element of sound and/or movement, similar to objects that have previously been used in
novel object tests on dogs and wolves (Moretti et al. 2015; Marshall-Pescini et al. 2017). The
novel object test is an established method to quantify fear and exploration of novelty and has
been used on numerous species (Bremner-Harrison et al. 2004; Boogert et al. 2006;
Mainwaring et al. 2011; Moretti et al. 2015; Marshall-Pescini et al. 2017). As is commonly
applied in novel object tests, we used latency to approach and contact the novel object to
quantify fear (Boissy 1995; Malmkvist and Hansen 2002; Meehan and Mench 2002; Ley et
al. 2007; Moretti et al. 2015). Our longitudinal design allowed us to assess fear development
and expression in juvenile wolves and dogs over an unprecedented period of time, and
address our overall goal to test the hypothesis that domestication has altered fear responses in
dogs compared to wolves. Based on studies reporting delayed onset of fear behaviour in
domestic species (Martin and Fitzgerald 2005; Belyaev et al. 1985), including dogs and
wolves (Coppinger and Coppinger 2001; Lord 2013), we expected wolves to express
exaggerated fearfulness compared to dogs already at six to ten weeks of age by increased
latency to approach the novel object and decreased exploratory behaviour. Furthermore, we
predicted that domestication has lowered the interest of novelty in dogs (Brust and Guenther
2014; Moretti et al. 2015; Marshall-Pescini et al. 2017), and dogs therefore would express
decreased interest in investigating and manipulating the novel object compared to wolves
throughout the testing period.
181
Materials and Methods
Ethical statement
Daily care and all experiments were performed in accordance with relevant guidelines and
regulations under national Swedish Law. The experimental protocols in this study were
approved by the Ethical Committee in Uppsala, Sweden (approval number: C72/14).
Facilities and daily care routines were approved by the Swedish National Board of
Agriculture (approval number: 5.2.18-12309/13).
189
Study animals
During 2014 – 2016 two litters of Alaskan huskies (N = 12) and three litters of European grey
wolves (N = 13) were hand-raised and extensively socialized under similar conditions from
the age of 10 days. This set-up was chosen to minimize environmental bias, including
maternal effects, which is well-documented to affect the development of behavioural patterns
(Wilsson and Sundgren 1998; Bray et al. 2017; Clark and Galef 1982). The Alaskan husky is
a not a registered dog breed, but a type of dog specifically bred for dog sledding, consisting
of a blend of registered dog breeds including Siberian Husky, Alaskan Malamute, Greenland
Dog and various pointer breeds. Besides the issue of availability, Alaskan husky was our dog
type of choice based on the morphological similarities with wolves (i.e. erect ears, similar
size, long snouts etc.). This study was part of a bigger project to investigate domestication-
driven changes in behavioural ontogeny in dogs, including social behaviour such as
dominance. Thus, it was important to ensure that wolves and dogs had the same
morphological basis providing them with equal opportunities to perform the same
behavioural repertoires. Our choice of European grey wolves stands out as the majority of
wolf-dog comparisons are based on North American wolves (Udell et al. 2008; Udell et al.
2012; Moretti et al. 2015; Range et al. 2015; Marshall-Pescini et al. 2017). The dog litter
from 2014 consisted of five males and one female and the 2015 litter of three males and three

females. The three wolf litters consisted of three females and two males in 2014, two males in
2015 and four males and two females in 2016.
210
Puppies were raised within litters and socialization involved 24-hour presence of human
caregivers for the first two months. From two months of age, caregiver presence was
decreased with a few hours a day until three months of age and then further decreased during
every other night at four months of age. At six months of age, caregivers spent four to six
hours with the puppies a day. All wolf and dog litters were kept separate, but reared under
standardized conditions. From the age of 10 days to five weeks, puppies were reared in
identical indoor rooms and here after given access to smaller roofed outdoor enclosures. After
a week of habituation to the roofed outdoor enclosure, puppies were given access to a larger
fenced grass enclosure at six weeks of age. Hereafter the puppies had free access to all three
enclosures during the day and access to the indoor room and the roofed enclosure during the
night. When the puppies where three months old they were moved to large outdoor
enclosures (2,000 square meters), in which they remained for the rest of the study period. We
started behavioural observations at 10 days of age and behavioural testing was initiated at six
weeks of age. Testing procedures and exposure to the new environments were standardized
over all three years. As required by national law, all hand-raisers were ethically certified and
trained to handle animals. Furthermore, rules were implemented to assure that rearing was
standardized across all caregivers. This included that puppies were never disciplined, trained
or forced to have contact with their caregivers. From the age of eight weeks, puppies were
gradually exposed to strangers through the fence with the support of one or more human
caregivers.
231
Experimental design
To investigate the ontogeny of fear expression in wolves and dogs, we designed a
longitudinal experiment with novel object testing once a month starting at six weeks of age
and ending at 26 weeks of age. The reason we chose to start testing at six weeks of age was
to ensure that the puppies' senses were fully developed (Lord 2013). Novel object tests were
hereafter performed on a monthly basis at 10, 14, 18, 22 and 26 weeks of age using protocols
similar to previous studies subjecting wolves and dogs to novel object tests (Marshall-Pescini
et al. 2017; Moretti et al. 2015). To avoid environmental bias and disturbances by testing
wolves and dogs in their out door home enclosures, we chose to conduct our tests in an
indoor testing arena, which was familiar to both wolves and dogs. The equal familiarity
among wolves and dogs with the test room also ensured that animals would focus on the
novel object and not a novel environment (Moretti et al. 2015). In the test room (5x5 meters)
a novel object was presented, placed opposite of where the puppy would enter the room,
approximately four meters away from the door. This placement of the novel object ensured
that puppies would actively have to approach the object to investigate and interact with it.
Puppies were lead into the room by a caregiver, who quickly left the room and closed the
door. The duration of a trial was 10 minutes and trials were always monitored. Some trials (N
= 11, all wolves) were stopped prematurely to avoid destruction of the novel object. All test
were filmed with two mounted GoPro cameras (model 3-4, GoPro Inc.) on opposite sides of
the room.
252
Novel objects
Due to the repeated exposure to novel objects in our experimental design, we chose vastly
different objects between tests to avoid the risk of habituation (van Oers et al. 2005; Noer et
al. 2015). We therefore chose novel objects of different shape, size, colour and texture,
similar to objects that have previously been used for novel object tests on dogs and wolves
(Moretti et al. 2015). Increasing the complexity of the novel object, such as adding sound or
movement, has previously been used to avoid maturity and/or experience effects on

habituation in novel object tests (Malmkvist et al. 2012). Thus, as a way of implementing complexity in later tests (week 22 and 26) we added movement and/or sound to the novel object, i.e. a mechanical dog and a moving bed sheet, respectively. Moving objects are well known to elicit fear responses (Boissy 1995) and mechanical toys have previously been used in novel object tests on wolves and/or dogs (Marshall-Pescini et al. 2017; Goddard and Beilharz 1984; Plutchik 1971; King et al. 2003). As we wished to test the response towards a fear eliciting stimuli in general, including social fear (Gray 1987), we opted to use a mirror as a novel object in week 14. While mirrors have previously been used in novel object tests to mimic a novel social context (Noer et al. 2015), we acknowledge that the use of a mirror to quantify fear responses might be considered controversial, and we therefore analysed our data both with and without the test at week 14 (see Statistical methods below).

According to procedures in previous novel object tests on wolves and dogs (Moretti et al. 2015), objects were handled as little as possible and always with freshly washed hands to avoid food smells transferring to the objects and possibly affecting the puppy's behaviour towards the object. Novel objects chosen were at six weeks: a rolled up mattress, 10 weeks: a wheelbarrow (up-side down), 14 weeks: a mirror mounted to the wall, 18 weeks: a stuffed wolverine toy, 22 weeks: a moving mechanical dog and 24 weeks: a moving bed sheet (attached to a string).

Behavioural scoring
As reported in other studies quantifying fear in dogs using novel objects (Stellato et al. 2017), the occurrence of subtle behaviours such as auto-grooming, vocalization, tail wagging and yawning was limited and we therefore chose to not include these behaviours in our analyses. The same was true for startle responses and piloerection, which were rarely expressed across tests. Differences in body posture are sometimes used as an indication of fear expression in dogs (Stellato et al. 2017; King et al. 2003). However, dogs can express altered body posture in neutral test conditions (i.e. no novel object present, (Stellato et al. 2017)). Thus, though dogs and wolves in our study were tested in a familiar room, we cannot rule out that confinement in an isolated room did not affect individuals differently. Therefore, to avoid potential bias by assessing body postures across individuals in two different species, we chose to use avoidance and approach (i.e. latency) behaviours related exclusively to the novel object to quantify fear. Avoidance behaviour and latency to approach a novel object is commonly applied to quantify fearfulness in various animal species (Boissy 1995; Malmkvist and Hansen 2002; Meehan and Mench 2002), including dogs and wolves (Ley et al. 2007; Moretti et al. 2015).

Behavioural scoring was carried out using the software BORIS v. 5.1.3. (Friard and Gamba 2016) based on an ethogram (Table 1). We chose our behavioural categories based on clear, non-overlapping segregation between behaviours directed at the novel object and behaviours not directed at the novel object, with prioritization of behaviours directed at the novel object. For instance, if the puppy was looking at the novel object while moving around the test room this was scored as *looking at novel object* and not *active behaviour*. We also attempted to graduate the behaviours directed at the novel object based on the puppies' distance from the novel object. For example, we differentiated between the categories of *investigating novel object* and *looking at novel object*, based on how close the puppy was to the novel object (Table 1). Behaviours were logged in a non-overlapping way as durations, i.e. seconds (Table S1, S2 and S3). Similar to previous studies (Moretti et al. 2015), *latency to approach the novel object* was measured as the duration from test start to the time the puppy came within 1 meters distance of the novel object, and *latency to make contact with the novel object* was measured as the time lag to make physical contact with the novel object for the first time *after* the novel object had been approached within a distance of 1 meter. Based on cross

312 coding, reliability of the behavioural scoring was calculated using Cohen's kappa and was
313 considered good with a value of 87.4%.
314
Statistical methods
We tested for the effect of species in each behaviour by fitting linear mixed models, with
either latency or the time spent on a behaviour as the dependent variable. The fixed effects of
interest were species, age, their interaction and sex. Additionally, for the models of time
spent, we controlled for variation in the duration of each trial by including duration as a
covariate. To account for the repeated measures of individuals and the non-independence of
individuals from the same litter, we included random intercepts for both factors. The full
model in lme4 syntax: y ~ species * age + sex + duration + (1|individual) + (1|litter). Models
were then reduced by backwards model selection using AIC (cut-off $\Delta AIC > 2$, Table S4),
where the parameters for species, duration and the random effects were always maintained.

Both latencies were $\log_{10}$ transformed, and the time spent looking, investigating and
manipulating the novel object were log transformed after adding 1, in order to fulfil the
assumption of normality in the model residuals. We centred the age variable to aid
interpretation of the species effect in case of an interaction. When the interaction was retained
in the model, we additionally fitted a model where age was a discrete variable, and used that
to perform post-hoc tests for species differences at each age (Table S5 and S6). All p-values
were obtained using Satterwaithe's approximation of denominator degrees of freedom. Post-
hoc p-values were corrected for multiple comparisons using the Holm method.
333
Because there were cases where the total duration of the test was less than 10 minutes, the
total test duration was included as a covariate in our models. All but four puppies (dogs: N =
2, wolves: N = 2, Table S1) approached the novel object within a distance of 1 meter, and we
assigned the total test time as latency to approach for the four puppies that did not approach
the novel object. In eight cases (dogs: N = 6, wolves: N = 2) puppies did not make contact
with the novel object (Table S1). Because it is inherently problematic for interpretation to
assign a value to a non-occurring event, we took two different approaches to address this
problem for latency to make contact to the novel object in our analyses. Following Marshall-
Pescini et al. 2017, we performed the analysis for latency to make contact with the novel
object using missing values for the eight cases were contact was not made (Table 2). We then
repeated the analysis, using the lag time from the novel object was approached to the test
ended as a measurement for non-occurring contact with the novel object. While the latter
approach resulted in an overall species difference in latency to make contact with the novel
object (Table S7 and S8), this difference was only significant at 22 weeks and this effect
disappeared upon adjusting p-values for multiple comparisons (Holm method, Table S9).
Therefore, the results from these two different approaches to analyse latency to make contact
to the novel object were qualitatively the same, and we present results from the analyses
using missing values for the eight cases were puppies did not make contact with the novel
object below (Table 2).
353
354 An alternative way of handling the latency measures is to conduct a survival analyses, since
355 the trials with no observed latency can be handled as censored data. We therefore performed
356 a survival analyses on latency to approach and latency to contact and found that the results
357 were qualitatively the same as the main analyses (Table S10 and S11). We therefore present
358 the main analyses with the transformed latency measures in the Results section.
359
360 To investigate whether the use of a mirror as a novel object in week 14 affected our
361 conclusions, we chose to analyse our data with and without the test at 14 weeks. Upon
362 excluding week 14 from our analyses we found, that while interaction terms for investigating

and looking at the novel object disappeared, the results were overall similar to analyses including week 14 (Tables S12 and S13, Figures S1 and S2). Importantly, the exclusion of week 14 did not affect our main conclusion and we have therefore presented our results below based on our complete data set including week 14.

All statistical analyses were performed in R (v3.4.3, R Core Team 2016), with mixed effects models fitted using *lme4* v. 1.1-15 (Bates et al. 2015), survival analysis using *coxme* (Therneau 2018), Satterwaithe's approximation from *lmerTest* v. 2.0-36 (Kuznetsova et al. 2017) and post-hoc testing using *emmeans* v. 1.1.2 (Lenth 2016).

Results
Latency measures
We found that wolves and dogs developed differently in latency to approach the novel object within 1 meter, where dogs expressed a larger reduction in latency with age compared to wolves (t = 2.35, df = 120.046, p = 0.02, Table 2, Figure 1 and 3). Dogs significantly decreased their latency with time, while wolves did not (see table S6 for slopes per species), resulting in dogs expressing significantly lowered latency to approach at 26 weeks compared to wolves (t = -3.131, df = 18.666, p = 0.006, $p_{adjusted}$ = 0.034, Table S5). At younger ages we did not detect significant differences in latency to approach the novel object between dogs and wolves (Table S5).

For the latency to make contact with the novel object, we found no differences in wolves and dogs (t = 1.931, df = 2.16, p = 0.186, Table 2, Figure 2a and 3), neither did we find evidence of sex differences in either species.

Behaviours related to the novel object
We found that wolves and dogs developed differently in looking at the novel object from a distance (t = -2.058, df = 120.667, p = 0.042, Table 1, Figure 2d and 3), but no such differences were detected in the post hoc tests (Table S5). While both wolves and dogs increased their time spent looking at the novel object from a distance with age (t = 5.848, df = 117.899, p <0.001, Table 2, Figure 2d), dogs expressed a stronger effect of age than wolves (Figure 2d, Table S6).

Wolves and dogs also showed different developmental trajectories for the time spent investigating the novel object (t = 1.994, df = 139.315, p = 0.048, Table 2, Figure 2e and 3). Post-hoc tests revealed that wolves investigated the novel object for longer at 22 weeks than dogs (t = -2.831, df = 28.029, p = 0.008, $p_{adjusted}$ = 0.051, Figure 2e, Table S5). The significant interaction between species and age in investigating the novel object again consisted of stronger effect of age in dogs than in wolves (Figure 1f, Table S6), but with an overall decrease with age in both species (t = -6.384, df = 138.727, p <0.001, Table 2, Figure 2e). Wolves and dogs developed similarly in time spent manipulating the novel object (Table 2, Figure 2f and 3). There was no evidence of sex differences in either species.

Behaviours not related to the novel object
We found that both species increased time spent on active behaviour with age (t = 2.2, df = 122.362, p = 0.03, Table 1, Figure 2b), with wolves expressing higher levels of activity than dogs (t = 4.26, df = 2.977, p = 0.024, Table 2, Figure 2b, Table S5). Passive behaviour decreased with age in both wolves and dogs (t = -4.268, df = 121.140, p <0.001, Table 2, Figure 2c), and while dogs appeared more passive than wolves the species differences was not significant. We found no evidence of sex differences.

Discussion

Decreased expression of fear is considered a key behavioural alteration in domesticated animals, and it has further been suggested that domestication drives altered developmental rates delaying the initial onset of fear response (Belyaev et al. 1985). However, few studies have actually tested this experimentally and for wolves and dogs specifically, it remains unclear if and how a developmental shift during early ontogeny affects the continued development and expression of fear in either species. Here we present the first extended examination of the development of fear behaviour within the juvenile period in wolves and dogs. Contrary to expectations, we found no evidence in support of an increase in fearfulness in wolves with age or a delayed onset of fear response in dogs compared to wolves during early stages of development. Instead we found that dogs strongly reduced their fear response to a novel object in the period between six and 26 weeks of age. Critically, wolves did not differ in their fear response towards novelty over time, and the detected species difference was caused solely by a progressive reduced fear response in dogs. Furthermore, dogs and wolves did on average not differ in their interaction with the novel object. Together our results suggest that species differences in fear of novelty between wolves and dogs are not caused by a domestication driven shift in the first onset of fear response. Instead, we suggest that a loss of sensitivity towards novelty with increasing age in dogs causes the difference in fear expression towards novelty in wolves and dogs.

Fearfulness has previously been quantified by the latency to approach and explore novelty, and novel stimuli such as objects, arenas and people have been used to detect the timing of the initial onset of fear response in both wolves and dogs (Scott and Marston 1950; Freedman et al. 1961; Scott and Fuller 1965; Belyaev et al. 1985; Lord 2013; Morrow et al. 2015). However, while there is a general expectation that domestication has caused a delay in the sensitive period in dogs, resulting in later onset of fear behaviour compared to wolves (Scott and Fuller 1965; Fox 1970; Zimen 1987; Coppinger and Coppinger 2001; Lord 2013), we detected no species differences in fear expression during early development. This finding is in agreement with a recent study comparing exploration of novelty in six and eight weeks old wolves and dogs, which found no species differences in in fear behaviours or the latency to make contact with a novel object (Marshall-Pescini et al. 2017). Yet, it has been reported that adult wolves express increased latency to make contact to a novel object compared to dogs (Moretti et al. 2015), thereby suggesting that species differences in fear expression might arise later in development than previously thought. Thus, our finding that a species difference in latency to approach a novel object occurred at 26 weeks of age represents the first indication of when a quantifiable difference in fear towards novelty arises in wolves and dogs. We do, however, caution against an overly strong confidence in the exact timing of a species difference occurring at 26 weeks of age as it is possible that species differences emerge in the weeks prior, but that the current sample size is insufficient for earlier detection. Nonetheless, it is clear that a difference between species progressively develops towards the later end of the time period measured, and that we have captured the transition from equal expression of fear towards novelty in wolves and dogs to a clear species difference at 26 weeks of age. Importantly, the species difference in fear towards novelty did not occur because wolves became more fearful with age, as expected, but rather because dogs decreased their time to approach the novel object, which suggests that dogs, but not wolves lose their sensitivity towards novelty with age.

Upon subjecting individuals to repeated novel object tests, though objects differ between trials, there is a risk of habituation to novelty itself (Réale et al. 2007), and such a generalization of novelty *per se* can affect the potential to interpret fear responses from novel object tests. As such, one could speculate whether the decreased latency time to approach the novel object in dogs with age is a sign of habituation to the test situation itself.

Furthermore, habituation to novelty itself can also be reflected in a decreased motivation to
interact with a novel object (Zimmermann et al. 2001). Indeed, previous studies have
demonstrated that while dogs and wolves show equal interest in approaching and exploring
novel objects at 3-4 weeks of age (Gácsi et al. 2005), dogs seem to loose interest in
investigating and interacting with novel objects with age (Moretti et al. 2015; Marshall-
Pescini et al. 2017). While we do find an overall interaction between species and age in time
spend investigating and looking at the novel object, wolves and dogs only differ in their
investigation of the novel object at week 22 (the mechanical dog). Both wolves and dogs
decrease the time they spend investigating the novel object with age, but increase the time
they spend looking at the novel object with age, thereby suggesting that an interest in the
novel object remains with age. Furthermore, the interaction effects seen in the investigation
of and looking at the novel object does not extend to time spend on manipulating the novel
object, in which neither wolves nor dogs differ with age. Thus, in our study wolves and dogs
overall show equal interest in interacting with the novel object and we therefore find it
unlikely that habituation to novelty in the dogs is driving our results.

The species difference we found in the latency to approach the novel object is not clearly
reflected in differences in interaction with the same novel object. While fear of novelty was
expressed immediately, through a delayed approach in wolves, once the novel object was
approached this initial fearfulness appears to no longer affect behavioural responses in either
species. This is reflected in wolves and dogs not differing in their latency to make contact
with or interact with the novel object. While the latency to approach the novel object and the
time spent being active and passive while in the test room showed consistent linear
development over time in both wolves and dogs, the pattern in looking at, investigating and
manipulating the novel object appeared variable across trials. This variability was most
likely caused by the different novel objects that were used in the study, i.e. behaviours that
are more closely related to the object itself show more variability across tests. It is possible
that this increased variance may have prohibited detection of additional species differences
in behavioural measures directly related to the novel object, such as increased exploration
and manipulation of novel objects as reported in both juvenile and adult wolves compared to
dogs (Marshall-Pescini et al. 2017; Moretti et al. 2015). Importantly, the linear development
in latency to approach the novel object in both wolves dogs appeared to be less affected by
the choice of novel object, indicating that latency to approach was more influenced by
novelty itself.

Wolves develop physically faster than dogs (Frank and Frank 1982), and it has been
suggested that wolves express increased activity at an earlier age than dogs due to this
difference in developmental pace of motor patterns (Frank and Frank 1982; Marshall-Pescini
et al. 2017). However, while we do find a species difference in how much time is spent on
active behaviour during tests, this species difference is consistent across age and not
restricted to early ontogeny alone. This indicates that wolves, on a general scale, are more
active when in the test room than dogs. While it cannot be ruled out that active behaviour is
affected by the presence of a novel object, it is a less likely explanation for our finding as we
measured behaviours in a non-overlapping way with priority of behaviours related to the
novel object. Thus, the measurement of activity does not include looking at, manipulating or
approaching the novel object, but only time spent on active behaviour with no attention to the
novel object. Instead the higher activity in wolves might reflect an increased reactivity of
being separated from littermates and being confined in the test room compared to dogs.

Domestication has caused a general acceleration of sexual maturity in animals (Price 1999).
Earlier sexual maturity in dogs (Morey 1994; Goodwin et al. 1997) could explain the steeper
behavioural change observed in dogs compared to wolves across some of the behaviours

related to the novel object in our study. However, while reproduction in wild living wolf
packs is restricted to the breeding couple, it is currently unresolved if the lack of sexual
activity in non-reproducing pack members is caused by delayed sexual maturity, behavioural
suppression or restricted access to nutrition (Packard et al. 1985; Medjo and Mech 1976;
Mech 1999). Nevertheless, it has been demonstrated that captive wolves removed from social
constraints sexually mature as early as nine months of age (Medjo and Mech 1976). Thus, it
is unclear if we should expect behavioural ontogeny to be affected by a shift in
developmental pace caused by earlier sexual maturity when comparing wolves and dogs
living in captive, non-reproductive groups. Our study was conducted before sexual maturity
occurred in either wolves or dogs and as we found no effect of sex on the expression of
behaviour, we suggest that the steeper development of some behaviours in dogs are instead
related to the loss of sensitivity towards novelty.
531
Here we have compared behavioural development in wolves and dogs using standardized
methods in both hand-raising, socialization (Klinghammer and Goodman 1987; Range and
Virányi 2011; Udell et al. 2008) and testing (Marshall-Pescini et al. 2017; Moretti et al.
2015), thereby making our study comparable to some of the previous findings on fear
development in the two species. Subsequently, our reporting of previously undetected
variation in the development of fear expression is highly relevant for the on-going discussion
of behavioural implications of domestication in dogs. In sum, our study shows that wolves
and dogs do not differ in their fear towards novelty before late in the juvenile period.
Importantly, the species difference does not occur because wolves become more fearful with
age, but because dogs become less fearful with age. While it is possible that our novel results
are reflected in our choice of European grey wolves, as the majority of studies on wolf dog
comparison uses North American wolves, it emphasizes that different sub-species of wolves
might reveal diverse behavioural variation. With more than 400 registered dog breeds in the
world today (Lindblad-Toh et al. 2005), standardization of dog breeds used across studies
comparing behaviours in wolves and dogs is less clear. Various dog breeds such as Poodle
(Feddersen-Petersen 1991), Alaskan Malamute (Frank and Frank 1985) and German
Shepherd, Siberian Husky, Alaskan Malamute, Czechoslovakian Wolfdog (Hansen Wheat et
al. 2018) as well as mixed breeds (Range et al. 2015) have been used to uncover the
behavioural implications of domestication from wolves, and with dogs being bred to fulfil
highly specialized behavioural niches (Coppinger and Coppinger 2001; Mehrkam and Wynne
2014; Svartberg 2006), results will inevitably vary across studies (Morrow et al. 2015; Scott
and Fuller 1965). However, detection of differences between wolves and dogs, no matter the
breed of dog or subspecies of wolf, is of great importance to the continued discussion of the
paradigm of domestication driven changes in behaviour. In conclusion, because of the small
sample sizes inherently available in studies comparing behaviour in wolves and dogs, it is
critical that continued, standardized studies on wolf dog comparisons are encouraged to
further uncover the resolution in behavioural variation during domestication.
559
560

Acknowledgements
We wish to thank the Department of Zoology, Stockholm University, for funding this study,
our hand-raisers Patricia Berner, Anna Björk, Marjut Pokela, Linn Larsson, Charles Gent,
Åsa Lycke, Erika Grasser, Joanna Schinner, Yrsa Andersson, Christoffer Sernert and Mija
Jansson, and the staff at Tovetorp Zoological Research Station.

Author contribution
CHW and HT designed the study, conducted the experiments and prepared data for analyses.
WVDB and CHW planned how to analyse the data and WVDB analysed the data. CHW

wrote the manuscript with input from HT and WVDB. All authors reviewed the manuscript
prior to submission.
572
573 **Conflict of interest**
574 The authors declare no conflict of interest.
575
576
577
578

References
Bates Douglas, Mächler M, Bolker B, Walker S. 2015. Fitting Linear Mixed-Effects Models
Using Lme4. *Journal of Statistical Software* 67 (1). doi:10.18637/jss.v067.i01.
Belyaev, D K, Plyusnina I Z, Trut L N. 1985. Domestication in the Silver Fox (*Vulpes*
Fulvus Desm): Changes in Physiological Boundaries of the Sensitive Period of Primary
Socialization. *Applied Animal Behaviour Science* 13: 359–70. doi:10.1016/0168-
1591(85)90015-2.
Bilkó Á, Altbäcker V. 2000. Regular Handling Early in the Nursing Period Eliminates Fear
Responses Toward Human Beings in Wild and Domestic Rabbits. *Developmental*
Psychobiology 36: 78–87. doi:10.1002/(SICI)1098-2302(200001)36:1
Boissy A. 1995. Fear and Fearfulness in Animals. *The Quarterly Review of Biology* 70: 165–
91.
Boogert N J, Reader S M, Laland K N. 2006. The Relation Between Social Rank,
Neophobia and Individual Learning in Starlings. *Animal Behaviour* 72: 1229–39.
doi:10.1016/j.anbehav.2006.02.021.
Bray E E, Sammel M D, Cheney D L, Serpell J A, Seyfarth R M. 2017. Effects of Maternal
Investment, Temperament, and Cognition on Guide Dog Success. *PNAS* 114 (34):
9128–33. doi:10.1073/pnas.1704303114.
Bremner-Harrison, S, Prodohl P A, Elwood R W. 2004. Behavioural Trait Assessment as a
Release Criterion: Boldness Predicts Early Death in a Reintroduction Programme of
Captive-Bred Swift Fox (*Vulpes Velox*). *Animal Conservation* 7 (3): 313–20.
doi:10.1017/S1367943004001490.
Brust V, Guenther A. 2014. Domestication Effects on Behavioural Traits and Learning
Performance: Comparing Wild Cavies to Guinea Pigs. *Animal Cognition* 18 (1): 99–
109. doi:10.1016/0169-5347(94)90134-1.
Christensen J W, Zharkikh T, Ladewig J. 2008. Do Horses Generalise Between Objects
During Habituation? *Applied Animal Behaviour Science* 114 (3-4): 509–20.
doi:10.1016/j.applanim.2008.03.007.
Weidenmayer C P. 2009. Plasticity of Defensive Behavior and Fear in Early Development.
Neuroscience & Biobehavioral Reviews 33 (3): 1447–57.
doi:10.1016/j.neubiorev.2008.11.004.
Clark M M, Bennet G G Jr. 1982. Environmental Effects on the Ontogey of Exploratory and
Escape Behaviors of Mongolian Gerbils. *Developmental Psychobiology* 15 (2): 121–29.
doi:10.1002/dev.420150205.
Coppinger R, Coppinger L. 2001. *Dogs: a Startling New Understanding of Canine Origin,*
Behavior & Evolution. The University of Chicago Press
Coppinger R, Glendinning J, Torop E, Matthay C, Sutherland M, Smith C. 1987. Degree of
Behavioural Neoteny Differentiates Canid Polymorphs. *Ethology* 75: 89–108.
Crockford S J. 2002. *Animal Domestication and Heterochronic Speciation: the Role of*
Thyroid Hormone. The Johns Hopkins University Press, 122–53.
Csatádi K, Kustos K, Eiben C, Bilkó Á, Altbäcker V. 2005. Even Minimal Human Contact
Linked to Nursing Reduces Fear Responses Toward Humans in Rabbits. *Applied Animal*
Behaviour Science 95 (1-2): 123–28. doi:10.1016/j.applanim.2005.05.002.

Dobney K, Larson G. 2006. Genetics and Animal Domestication: New Windows on an Elusive Process. *Journal of Zoology* 269 (0): 261–71. doi:10.1111/j.1469-7998.2006.00042.x.

Döring D, Roscher A, Scheipl F, Küchenhoff H, Erhard M H. 2009. Fear-Related Behaviour of Dogs in Veterinary Practice. *The Veterinary Journal* 182 (1). Elsevier Ltd: 38–43. doi:10.1016/j.tvjl.2008.05.006.

Driscoll C A, Macdonald D W, O'Brien S J. 2009. From Wild Animals to Domestic Pets, an Evolutionary View of Domestication. *PNAS* 106 (1): 9971–78.

Feddersen-Petersen D. 1991. The Ontogeny of Social Play and Agonistic Behaviour in Selected Canid Species. *Bonn. Zool.Beitr.* 2 (42): 97–114.

Fentress J C. 1967. Observations on the Behavioural Developement of a Hand-Reared Male Timber Wolf. *American Zoologist* 7 (2): 339–51.

Fox M W. 1970. A Comparative Study of the Development of Facial Expressions in Canids; Wolf, Coyote and Foxes. *Behaviour* 36 (1/2): 49–73.

Fox M W. 1972. Socio-Ecological Implications of Individual Differences in Wolf Litters : a Developmental and Evolutionary Perspective. *Behaviour* 41 (3): 298–313. doi:10.1163/156853972X00077.

Frank H, Frank M G. 1982. Comparison of Problem-Solving Performance in Six-Week-Old Wolves and Dogs. *Animal Cognition* 30: 95–98.

Frank H, Frank M G. 1985. Comparative Manipulation-Test Performance in Ten-Week-Old Wolves (Canis Lupus) and Alaskan Malamutes (Canis Familiaris): a Piagetian Interpretation. *Journal of Comparative Psychology* 99 (3): 266–74.

Freedman D G, King J A, Elliot O. 1961. Critical Period in the Social Development of Dogs. *Science* 31 (January): 1016–62.

Friard O, Gamba M. 2016. BORIS: a Free, Versatile Open-Source Event-Logging Software for Video/Audio Coding and Live Observations. Edited by Richard Fitzjohn. *Methods in Ecology and Evolution* 7 (11): 1325–30. doi:10.1006/anbe.1993.1127.

Gariépy J-L, Bauer D J, Cairns R B. 2001. Selective Breeding for Differential Aggression in Mice Provides Evidence for Heterochrony in Social Behaviours. *Anima lBehaviour* 61 (5): 933–47. doi:10.1006/anbe.2000.1700.

Gácsi M, Győri B, Miklósi Á, Virányi Z, Kubinyi E, Topál J, Csányi V. 2005. Species-Specific Differences and Similarities in the Behavior of Hand-Raised Dog and Wolf Pups in Social Situations with Humans. *Developmental Psychobiology* 47 (2): 111–22. doi:10.1002/dev.20082.

Goddard, M E, Beilharz R G. 1984. A Factor Analysis of Fearfulness in Potential Guide Dogs. *Applied Animal Behaviour Science* 12: 253–65.

Goodwin D, Bradshaw J W S, Wickens S M. 1997. Paedomorphosis Affects Agonistic Visual Signals of Domestic Dogs. *Animal Behaviour* 53: 297–304.

Gray J A. 1987. *The Psychology of Fear and Stress*. CUP Archive.

Griffin A S. 2004. Social Learning About Predators: a Review and Prospectus. *Learning & Behavior* 32 (1): 131–40. doi:10.3758/BF03196014.

Hansen Wheat C, Fitzpatrick J, Tapper I, Temrin H. 2018. Wolf (*Canis Lupus*) Hybrids Highlight the Importance of Human-Directed Play Behavior During Domestication of Dogs (*Canis Familiaris*). *Journal of Comparative Psychology*, *32*(4), 373-381. doi:10.1037/com0000119.

Hemsworth P H, Price E O, Borgwardt R. 1996. Behavioural Responses of Domestic Pigs and Cattle to Humans and Novel Stimuli. *Applied Animal Behaviour Science* 50: 43–56.

Jones R B, Waddington D. 1992. Modification of Fear in Domestic Chicks, *Gallus Gallus Domesticus*, via Regular Handling and Early Environmental Enrichment. *Animal Behaviour, Short Communications* 43: 1021–33.

King T, Hemsworth P H, Coleman G J. 2003. Fear of Novel and Startling Stimuli in Domestic Dogs . *Applied Animal Behaviour Science* 188 (1): 45–64.

674  doi:10.1016/j.applanim.2016.12.007.

675 Klinghammer E, Goodman P A. 1987. *Socialization and Management of Wolves in*
676  *Captivity.* In Man and Wolf, edited by Harry Frank. Dordrecht, Netherlands: Dr W Junk
677  Publishers.

678 Kruska D. 1988. Mamalian Domestication and Its Effect on Brain Structure and Behaviour.
679  *Intelligence and Evolutionary Biology* 17: 211–50.

680 Kuznetsova A, Brockhoff P B, Christensen R H B. 2017. lmerTestPackage: Tests in Linear
681  Mixed Effects Models. *Journal of Statistical Software* 82 (13).
682  doi:10.18637/jss.v082.i13.

683 Leiner L, Fendt M. 2011. Behavioural Fear and Heart Rate Responses of Horses After
684  Exposure to Novel Objects: Effects of Habituation . *Applied Animal Behaviour Science*
685  131 (3-4). Elsevier B.V.: 104–9. doi:10.1016/j.applanim.2011.02.004.

686 Lenth R V. 2016. Least-Squares Means: the RPackage Lsmeans. *Journal of Statistical*
687  *Software* 69 (1). doi:10.18637/jss.v069.i01.

688 Ley J, Coleman G J, Holmes R, Hemsworth P H. 2007. Assessing Fear of Novel and
689  Startling Stimuli in Domestic Dogs. *Applied Animal Behaviour Science* 104 (1-2): 71–
690  84. doi:10.1016/j.applanim.2006.03.021.

691 Lindblad-Toh K, Wade C M, Mikkelsen T S, Karlsson E K, Jaffe D B, Kamal M, Clamp M,
692  et al. 2005. Genome Sequence, Comparative Analysis and Haplotype Structure of the
693  Domestic Dog. *Nature* 438 (7069): 803–19. doi:10.1038/nature04338.

694 Lord K. 2013. A Comparison of the Sensory Development of Wolves (*Canis Lupus Lupus*)
695  and Dogs (*Canis Lupus Familiaris*). *Ethology* 119 (2): 110–20. doi:10.1016/0304-
696  3762(83)90109-8.

697 Mainwaring M C, Beal J L, Hartley I R. 2011. Zebra Finches Are Bolder in an Asocial,
698  Rather Than Social, Context. *Behavioural Processes* 87 (2): 171–75.
699  doi:10.1016/j.beproc.2011.03.005.

700 Malmkvist J, Hansen S W. 2002. Generalization of Fear in Farm Mink, Mustela Vison,
701  Genetically Selected for Behaviour Towards Humans. *Animal Behaviour* 64 (3): 487–
702  501. doi:10.1006/anbe.2002.3058.

703 Malmkvist J, Poulsen J M, Luthersson N, Palme R, Christensen J W, Søndergaard E. 2012.
704  Behaviour and Stress Responses in Horses with Gastric Ulceration. *Applied Animal*
705  *Behaviour Science* 142 (3-4): 160–67. doi:10.1016/j.applanim.2012.10.002.

706 Marshall-Pescini S, Virányi Z, Kubinyi E, Range F. 2017. Motivational Factors Underlying
707  Problem Solving: Comparing Wolf and Dog Puppies' Explorative and Neophobic
708  Behaviors at 5, 6, and 8 Weeks of Age. *Frontiers in Psychology* 8: e20231.
709  doi:10.1093/icb/7.2.357.

710 Martin J T. 1978. Embryonic Pituitary Adrenal Axis, Behavior Development and
711  Domestication in Birds. *American Zoologist* 18: 489–99.

712 Martin L B II, Fitzgerald L. 2005. A Taste for Novelty in Invading House Sparrows, Passer
713  Domesticus. *Behavioral Ecology* 16 (4): 702–7. doi:10.1006/anbe.2000.1725.

714 Mech D L. 1999. Alpha Status, Dominance, and Division of Labor in Wolf Packs. *Can. J.*
715  *Zool.* 77: 1196–1203.

716 Medjo D C, Mech D L. 1976. Reproductive Activity in Nine- and Ten-Month_Old Wolves.
717  *Journal of Mammalogy* 57 (May): 406–8. doi:10.2307/1379708.

718 Meehan C L, Mench J A. 2002. Environmental Enrichment Affects the Fear and Exploratory
719  Responses to Novelty of Young Amazon Parrots. *Applied Animal Behaviour Science* 79:
720  75–88.

721 Mehrkam L R, Wynne C D L. 2014. Behavioral Differences Among Breeds of Domestic
722  Dogs (*Canis Lupus Familiaris*): Current Status of the Science. *Applied Animal*
723  *Behaviour Science* 155: 12–27. doi:10.1016/j.applanim.2014.03.005.

724 Miklósi Á, Kubinyi E, Topál J, Gácsi M, Virányi Z, Csányi V. 2003. A Simple Reason for a
725  Big Difference. *Current Biology* 13 (9): 763–66. doi:10.1016/S0960-9822(03)00263-X.

Moretti L, Hentrup M, Kotrschal K, Range F. 2015. The Influence of Relationships on
Neophobia and Exploration in Wolves and Dogs. *Animal Behaviour* 107: 159–73.
doi:10.1016/j.anbehav.2015.06.008.
Morey D F. 1994. The Early Evolution of the Domestic Dog. *American Scientist* 82 (4):
336–47.
Morrow M, Ottobre J, Ottobre A, Neville P, St-Pierre N, Dreschel N, Pate J L. 2015. Breed-
Dependent Differences in the Onset of Fear-Related Aviodance Behaviour in Puppies.
Journal of Veterinary Behavior: Clinical Applications and Research 10: 286–94.
doi:10.1016/j.jveb.2015.03.002.
Noer C L, Needham E K, Wiese A-S, Balsby T J S, Dabelsteen T. 2015. Context Matters:
Multiple Novelty Tests Reveal Different Aspects of Shyness-Boldness in Farmed
American Mink (*Neovison Vison*). *PLoS ONE* 10 (6):
e0130474.doi:10.1371/journal.pone.0130474.s002.
Packard J M, Seal U S, Mech D L, Plotka E D. 1985. Causes of Reproductive Failure in
Two Family Groups of Wolves (*Canis Lupus*). *Zeitschrift Für Tierpsychologie* 68 (1):
24–40. doi:10.1111/j.1439-0310.1985.tb00112.x.
Plutchik R. 1971. Individual and Breed Differences in Approach and Withdrawal in Dogs.
Behaviour 40: 302–11.
Price E O. 2002. *Animal Domestication and Behavior*. CABI Publishing, CAB Int.
Price E O. 1999. Behavioral Development in Animals Undergoing Domestication. *Applied*
Animal Behaviour Science 65: 245–71.
Range F, Ritter, Viranyi Z. 2015. Testing the Myth: Tolerant Dogs and Aggressive Wolves.
Proceedings of the Royal Society of London B: Biological Sciences 282 (1807):
20150220–20. doi:10.1016/j.tics.2005.08.009.
Range F, Virányi Z. 2011. Development of Gaze Following Abilities in Wolves (Canis
Lupus). *PLoS ONE* 6 (2): e16888. doi:10.1371/journal.pone.0016888.s002.
Réale D, Reader S M, Sol D, McDougall P T and Dingemanse N J. 2007. Integrating
Animal Temperament Within Ecology and Evolution. *Biological Reviews* 82 (2): 291–
318. doi:10.1016/S0091-6773(76)90901-9.
Scott J P. 1958. Critical Periods in the Development of Social Behavior in Puppies.
Psychosomatic Medicine 20: 42–54. doi:10.1097/00006842-195801000-00005.
Scott J P. 1962. Critical Periods in Behavioural Development. *Science* 138: 949–58.
Scott J P, Fuller J L. 1965. *Genetics and the Social Behavior of the Dog - the Classic Study*.
University of Chicago Press.
Scott J P, Marston M V. 1950. Critical Periods Affecting the Development of Normal and
Mal-Adjustive Social Behavior of Puppies. *The Pedagogical Seminary and Journal of*
Genetic Psychology 77 (1): 25–60. doi:10.1111/j.1749-6632.1950.tb27330.x.
Stellato A C, Flint H E, Widowski T M, Serpell J A, Niel L. 2017. Assessment of Fear-
Related Behaviours Displayed by Companion Dogs (*Canis Familiaris*) in Response to
Social and Non-Social Stimuli. *Applied Animal Behaviour Science* 188: 84–90.
doi:10.1016/j.applanim.2016.12.007.
Svartberg K. 2006. Breed-Typical Behaviour in Dogs—Historical Remnants or Recent
Constructs? *Applied Animal Behaviour Science* 96 (3-4): 293–313.
doi:10.1016/j.applanim.2005.06.014.
Therneau T M. 2018. Mixed Effects Cox Models. *Cran*, May, 1–21. https://CRAN.R-
project.org/package=coxme.
Topál J, Gácsi M, Miklósi Á, Virányi Z, Kubinyi E, Csányi V. 2005. Attachment to
Humans: a Comparative Study on Hand-Reared Wolves and Differently Socialized Dog
Puppies. *Animal Behaviour* 70 (6): 1367–75. doi:10.1016/j.anbehav.2005.03.025.
Trut L N, Plyusnina I Z, Oskina I N. 2004. An Experiment on Fox Domestication and
Debatable Issues of Evolution of the Dog. *Russian Journal of Genetics* 40 (6): 644–55.
doi:10.1023/B:RUGE.0000033312.92773.c1.

Trut L N. 1999. Early Canid Domestication: the Farm-Fox Experiment: Foxes Bred for
Tamability in a 40-Year Experiment Exhibit Remarkable Transformations That Suggest
an Interplay Between Behavioral Genetics and Development. *American Scientist* 87:
160–69.
Trut L N, Oskina I N, Kharlamova A. 2009. Animal Evolution During Domestication: the
Domesticated Fox as a Model. *Bioessays* 31 (3): 349–60. doi:10.1002/bies.200800070.
Udell M A R, Spencer J M, Dorey N R, Wynne C D L. 2012. Human-Socialized Wolves
Follow Diverse Human Gestures...and They May Not Be Alone. *International Journal*
of Comparative Psychology 25: 97–177.
Udell M A R, Dorey N R, Wynne C D L. 2008. Wolves Outperform Dogs in Following
Human Social Cues. *Animal Behaviour* 76 (6): 1767–73.
doi:10.1016/j.anbehav.2008.07.028.
van Oers K, Klunder M, Drent P J. 2005. Context Dependence of Personalities: Risk-Taking
Behavior in a Social and a Nonsocial Situation. *Behavioral Ecology* 16 (4): 716–23.
doi:10.1016/0168-1591(95)00557-9.
Wilkins A S, Wrangham R W, Fitch W T. 2014. The 'Domestication Syndrome' in
Mammals: a Unified Explanation Based on Neural Crest Cell Behavior and Genetics.
Genetics 197 (3): 795–808. doi:10.1534/genetics.114.165423.
Wilsson E, Sundgren P-E. 1998. Behaviour Test for Eight-Week Old Puppies—
Heritabilities of Tested Behaviour Traits and Its Correspondence to Later Behaviour.
Applied Animal Behaviour Science 58: 151–62.
Wooply J H, Ginsburg B E. 1967. Wolf Socialization: a Study of Temperament in a Wild
Social Species. *American Zoologist* 7 (2): 357–63.
Zeder M A. 2012. The Domestication of Animals. *Journal of Anthropological Research* 68:
161–90.
Zimen E. 1987. *Ontogeny of Approach and Flight Behavior Towards Humans in Wolves,*
Poodles and Wolf-Poodle Hybrids. In Man and Wolf, edited by H Frank. Dr. W. Junk
Publishers, Dordrecht.
Zimmerman A, Stauffacher M, Langhans W, Würbel H. 2001. Enrichment-Dependent
Differences in Novelty Exploration in Rats Can Be Explained by Habituation.
Behavioural Brain Research 121 (1-2): 11–20.

830　**Tables**
831
832　**Table 1. Ethogram.** Behaviours scored during novel object tests. Behaviours were scored in
833　a non-overlapping way, with prioritization of behaviours related to the novel object. Latency
834　times were measured regardless of the behaviour performed
835

Behaviour	Description
Active behaviour	Moving around in, or interacting with, the test room with no attention to the novel object
Investigating novel object	Sniffing novel object or looking novel object form less than 1 meter
Latency to approach novel object	Time delay to approach the novel object with less than 1 meter
Latency make contact with novel object	Time delay to physically touch the novel object (sniffing) after having approached the object within a distance of less than 1 meter
Looking at novel object	Looking at novel object from a distance of more than 1 meter
Manipulating novel object	Pawing, nosing, scratching, biting, carrying, standing on novel object
Passive behaviour	Standing, sitting or lying passively with no attention to the novel object or the test room, including by the door

Line		
867	**Table 2. Model summary**. Results for the best fitted model of repeated measures, with dogs	
868	as the reference, on 1) Latency to approach the novel object, 2) Latency to make contact	
869	with the novel object, 3) Looking at novel object (NO), 4) Investigating novel object, 5)	
870	Manipulating novel object, 6) Active behaviour and 7) Passive behaviour. Estimate,	
871	standard error, degrees of freedom, t-value and p-value are given. Significant p-values are	
872	marked in bold italic.	
873		

Behaviour	Term	Estimate	Std. error	df	t	p
Latency, approach	*(Intercept)*	0.875	0.133	2.240	6.576	***0.017***
	species	0.312	0.180	2.568	1.737	0.196
	age	-0.055	0.011	118.419	-5.067	***<0.0001***
	species:age	0.036	0.015	120.046	2.350	***0.020***
Latency, contact	*(Intercept)*	0.253	0.094	1.821	2.704	0.126
	species	0.246	0.129	2.164	1.913	0.186
Looking at NO	*(Intercept)*	2.136	0.827	94.332	2.581	***0.011***
	species	0.037	0.354	2.939	0.104	0.924
	age	0.121	0.021	117.899	5.848	***<0.0001***
	duration	0.001	0.001	124.417	0.426	0.671
	species:age	-0.064	0.031	120.667	-2.058	***0.042***
Investigating NO	*(Intercept)*	0.416	0.717	126.889	0.580	0.563
	species	0.141	0.234	3.493	0.601	0.585
	age	-0.119	0.019	138.727	-6.384	***<0.0001***
	duration	0.004	0.001	140.535	3.834	***0.0002***
	species:age	0.056	0.028	139.315	1.994	***0.048***
Manipulating NO	*(Intercept)*	2.812	1.078	90.449	2.610	***0.011***
	species	0.494	0.494	2.915	1.000	0.393
	duration	-0.001	0.002	141.262	-0.786	0.433
Active behaviour	*(Intercept)*	-145.265	57.693	97.323	-2.518	***0.013***
	species	102.697	24.105	2.977	4.260	***0.024***
	age	2.587	1.176	122.299	2.200	***0.030***
	duration	0.598	0.090	127.554	6.644	***<0.0001***
Passive behaviour	*(Intercept)*	152.645	54.263	25.688	2.813	***0.009***
	species	-91.478	39.977	3.003	-2.288	0.106
	age	-4.106	0.962	121.459	-4.268	***<0.0001***
	duration	0.149	0.074	127.572	2.029	***0.045***

Line	
874	
875	
876	
877	
878	
879	
880	
881	
882	
883	

Figures

886
887 **Figure 1. Dog – wolf comparisons, latency to approach**. Boxplots shows behavioural
888 scores during a novel object test, comparing dogs and wolves across age. Overlaid are the
889 fits and confidence intervals from the best model, selected by AIC. Boxes indicate the
890 quartiles, and the whiskers reach maximally 1.5 times the interquartile range. Values beyond
891 that are shown as points. An a log(x) scale) was used. Photos: Christina Hansen Wheat

Figure 2a-f. Dog – wolf comparisons. Boxplots shows behavioural scores during a novel object test, comparing dogs and wolves across age. Overlaid are the fits and confidence intervals from the best model, selected by AIC. Boxes indicate the quartiles, and the whiskers reach maximally 1.5 times the interquartile range. Values beyond that are shown as points. Note that b makes use of a log(x) scale, and panels d, e and f use log(x + 1).

916
917 **Figure 3. Standardized regression coefficients**. Standardized regression coefficients for
918 the best model for each behaviour, selected by AIC. Ranges indicate confidence intervals,
919 computed using the likelihood profile. Missing estimates indicate that the term was not
920 included in the best model.
921
922