Are working memory training effects paradigm-specific?

7 Joni Holmes[1], Francesca Woolgar[1], Adam Hampshire[2] & Susan E. Gathercole[1, 3]

8 [1]MRC Cognition & Brain Sciences Unit, University of Cambridge, UK

9 [2]Imperial College London, UK

10 [3]University of Cambridge, UK

Abstract

A randomized controlled trial compared complex span and n-back training regimes to
investigate the generality of training benefits across materials and paradigms. The memory
items and training intensities were equated across programs, providing the first like-with-like
comparison of transfer in these two widely-used training paradigms. The stimuli in transfer
tests of verbal and visuo-spatial n-back and complex span differed from the trained tasks, but
were matched across the untrained paradigms. Pre-to-post changes were observed for
untrained n-back tasks following n-back training. Following complex span training there was
equivocal evidence for improvements on a verbal complex span task, but no evidence for
changes on an untrained visuo-spatial complex span activity. Relative to a no intervention
group, the evidence supported no change on an untrained verbal complex span task following
either n-back or complex span training. Equivocal evidence was found for improvements on
visuo-spatial complex span and verbal and visuo-spatial n-back tasks following both training
regimes. Evidence for selective transfer (comparing the two active training groups) was only
found for an untrained visuo-spatial n-back task following n-back training. There was no
evidence for cross-paradigm transfer. Thus transfer is constrained by working memory
paradigm and the nature of individual processes executed within complex span tasks.
However, within-paradigm transfer can occur when the change is limited to stimulus
category, at least for n-back.

Keywords: working memory; cognitive training; transfer; intervention; memory

56   Introduction

Research investigating transfer within and across working memory paradigms
following training has largely concluded that transfer is confined to untrained working
memory tests that are highly similar to the trained activities (e.g. Blacker, Negooita, Ewen &
Courtney, 2017; Harrison, Shipstead, Hicks, Hambrick, Redick & Engle, 2013; Minear,
Brasher, Guerro, Brasher, Moore & Sukeena, 2016; Sprenger et al., 2013; Soveri, Antfolk,
Karlsson, Salo & Laine, 2018; von Bastian, Langer, Jancke & Oberauer, 2013). This has led
to speculation that training induces changes in the processes and strategies tied to particular
training experiences rather than fundamental improvements in the more general capacity of
the working memory system (see Dahlin, Neely, Larsson, Backmann & Nyberg, 2008;
Dunning & Holmes, 2014; Sprenger et al., 2013; von Bastian & Oberauer, 2013, 2014).
Progress in understanding the boundary conditions for transfer and the nature of the cognitive
training changes induced by training has been hampered by the absence of robust theories of
transfer and, consequently, a lack of hypothesis-driven research. Experimental studies
manipulating the overlap in key task features between training and transfer measures are
needed to identify the precise conditions under which transfer does and does not occur (e.g.
Minear et al., 2016; von Bastian et al., 2013). The current study addressed this by examining
the degree to which near transfer across working memory tasks is limited by two properties
of both the trained and untrained tasks: the stimulus category and the working memory
paradigm.

Several process- and task-specific theories of transfer have been advanced. One
proposal is that the efficiency of specific kinds of working memory activity may be enhanced
through training. Dahlin et al. (2008), for example, suggested that training on n-back tasks
that require the continuous updating of the contents of working memory enhances a process
of updating the contents of working memory that can be applied to other updating paradigms
such as running span. Gathercole, Dunning, Holmes & Norris (2018) adopted a broader
perspective and speculated that training leads to the development of paradigm-specific skill-
like cognitive routines when the working memory task is an unfamiliar one that is not readily
supported by the basic short-term memory system. This theory predicts that transfer will be
limited by paradigm: a cognitive routine that is learned through training will only benefit
untrained tasks with the same higher-level cognitive structure. Alternatively, training may
lead to the development of explicit mnemonic strategies such as learning to group individual
memory items into larger chunks, or recoding items into alternative and more distinctive
forms (Dunning & Holmes, 2014; Minear et al., 2016; von Bastian & Oberauer, 2013). A
further possibility is that transfer may not have a single origin at all but is instead the product
of multiple training-induced changes in processes specific to individual task features. These
could include the nature of stimulus items, the response modality, and the timing parameters
of the task, as well as the broader paradigms in which they are embedded (Minear et al.,
2016; Sprenger et al., 2013; von Bastian & Oberauer, 2013).

The current study examined the limits to transfer in two commonly-used training
regimes, complex span and n-back. Transfer to untrained n-back tasks following n-back
training is common (e.g. Soveri et al., 2017). This holds true when the stimulus items are
either from both the same (e.g. letters to digits) or different domain (e.g spatial locations to
digits) to the trained items (Anguera et al., 2012; Blacker et al., 2017; Bürki, Ludwig,
Chicherio & de Ribaupierre, 2014; Jaeggi, Buschkuehl, Perrig & Meier, 2010; Li.
Schmiedek, Huxhold, Röcke, Smith, & Lindenberger, 2008; Minear et al., 2016; Kuper &
Karbach, 2016; Waris, Soveri & Laine, 2015). All complex span training studies to date have

changed both the storage items and the nature of the interpolated distraction (e.g. symmetry
judgements vs spatial orientation decisions, or sentence judgements vs mathematical
operations) between trained and untrained tasks. Significant transfer has been reported across
the majority of these studies (Harrison et al., 2013; Henry, Messer & Nash, 2014; von Bastian
et al., 2013; Richmond, Wolk, Chein & Morrison, 2010). However, transfer across stimulus
categories is not always consistent. Minear et al. (2016) reported mixed patterns of transfer
within and across domains in different conditions. Following training on a verbal complex
span task transfer was found for operation and rotation span, but not for symmetry or
alignment span. Blacker et al. (2017) reported no transfer between two verbal variants of
complex span.

The evidence to date largely indicates little transfer across n-back and complex span
paradigms. Although a few studies report positive transfer following n-back training to a
variety of complex span tasks (Anguera et al., 2012; Minear et al., 2016; Schwarb, Nail &
Schumacher, 2015; Sprenger et al., 2013), the majority have failed to observe transfer
(Blacker et al., 2017; Burki et al., 2014; Chooi & Thompson, 2012; Li et al., 2008; Thompson
et al., 2013; Jaeggi, Buschkeuhl, Jonides & Perrig, 2008; Jaeggi et al., 2010; Lilienthal,
Tamez, Shelton, Myerson & Hale, 2013; Minear et al., 2016; Redick et al., 2013; Schwarb et
al., 2015; Sprenger et al., 2013). Only three studies have tested transfer from complex span
training to n-back. Minear et al. (2016) reported transfer to an object n-back task but not to a
letter n-back task following training on a verbal complex span task. von Bastian et al. (2013)
failed to find transfer to a letter n-back task following training on a verbal complex span task.
Blacker et al. (2017) found that training on a symmetry span task did not improve
performance on an object n-back task.

The primary purpose of the study was to test whether transfer occurs with a paradigm
when the stimuli between training and transfer (for both paradigms) and the interpolated
distractor activity (for complex span) differ. It is the first to compare the two training
approaches while matching potentially key features for transfer across paradigms: the stimuli
in the transfer tests within and across paradigm, and the duration of training of the two
training regimes. Holding these features constant provides a direct test of whether paradigm
is the critical factor constraining transfer.

It was predicted that transfer would be limited to new tasks employing the same
working memory paradigm. The weight of evidence to date suggests that it is, and this is
consistent with accounts of paradigm-specific accounts of transfer (Gathercole et al., 2018).
No transfer is therefore predicted between the two paradigms. Minear et al. (2016) is one of
two studies to compare directly these two different forms of training. They used spatial n-
back and verbal complex span training tasks, and found no evidence for cross-paradigm
transfer. However, as both the stimulus category and domain of the memory items differed
between the training regimes it is impossible to determine from this study whether transfer
was restricted by working memory paradigm or differences in the training stimuli. A second
study comparing dual n-back training with locations and letters to a symmetry span training
regime, which also failed to find cross-paradigm transfer, is limited by the same confounds;
one training regime targeted only visuo-spatial abilities while the other included both verbal
and visuo-spatial materials (Blacker et al., 2017). Matching the stimuli across the training
paradigms and in the transfer tests enabled us to test the extent to which training paradigm
per se is a boundary condition to transfer.

Transfer across n-back tasks that differ only in the stimulus category within a
common domain was expected on the basis of previous findings (e.g. Jaeggi et al., 2010 &

Minear et al., 2016; Kuper & Karbach, 2016; Soveri et al., 2017). A final question addressed
in this study was whether transfer occurs across complex span tasks with different storage
items and distractor activities. We tested this by employing trained and untrained complex
span tasks with distinct distractor activities (lexical decision and rhyme judgement; symmetry
judgement and mental rotation) and memory items (digits and letters; spatial locations and
visual objects). Previous evidence has pointed to transfer across tasks sharing only the
paradigm and not either the stimuli or distractor activity (Harrison et al., 2013; Henry et al.,
2013; Minear et al., 2016; Richmond et al., 2014; von Bastian et al., 2013). The cognitive
routine theory (Gathercole et al., 2018) makes no strong predictions about the level of
specificity of a complex span routine. If it was a high-level specification reflecting the
alternating stimulus presentation and distractor processing episodes, it might be expected to
be readily applied to other complex span tasks with different stimuli and distractor activities.
Alternatively, the component processes involved in the routine might be specified at a greater
level of detail including subroutines for specific distractor activities, in which case no transfer
across different complex span tasks would be expected. Either way, the study will provide
key information regarding the boundary conditions to transfer that will inform new theory.

167   INSERT TABLE 1 HERE

The trained and untrained tasks are summarised in Table 1, with images of the tasks
shown in Figure 1. Bayesian inference was used to evaluate the strength of the evidence of
training and transfer effects. Bayes factors (BF) quantify the evidence for both null
hypotheses (the absence of training and transfer) and alternative hypotheses (the presence of
training and transfer). BFs are increasingly popular in cognitive training research as a means
of quantifying positive evidence for the null hypothesis of no transfer (e.g. DiSimoni & von
Bastian, 2018; Sprenger et al., 2013).

175   INSERT FIGURE 1 HERE

178   Materials and Method

Participants

Target recruitment was 16 participants per group (total N=48), yielding power of .86
to detect a large effect size, f^2=.35 or Cohen's d=.8, with linear regression. Data were
excluded for eight participants who failed to complete all training sessions and four
participants who did not attend for the Time 2 assessment. The training program failed for
one participant. Further participants were recruited to replace those with incomplete data.

The final sample included 48 native-English speaking adults aged between 18 and 35
years (12 males, mean age 28 years and 9 months). Participants were recruited through the
MRC Cognition & Brain Sciences Unit research participation system and provided written
informed consent prior to participation. Ethical approval was obtained from the University of
Cambridge's Psychology Research Ethics Committee (PRE.2012.86).

Materials

Transfer tasks

Complex span. Participants completed two complex span tasks, one verbal and one
visuo-spatial. For both tasks participants were presented with a series of storage items
interpolated with a same-domain processing task performed for a 6000ms period intervening
between the presentation of successive memory items. Participants were required to recall the
storage items in serial order at the end of the trial. Two practice trials were presented at a list
length of one item. Test trials were presented in blocks of 3. The first block started at a list
length of one (a single memory item followed by a processing episode prior to recall) and
increased by one item (additional storage item and an additional processing episode) if two or
more trials were correct in any block. Trials were scored as correct if all storage items were
recalled in the correct serial order and >66% of the processing items were correct. The tasks
discontinued if two of the three trials in a block were incorrect. A trial was incorrect if the
storage items were recalled incorrectly, accuracy for the processing tasks was <66%, or if
there were no responses for the processing tasks. The maximum span reached was scored.
This was counted as the span level at which the task discontinued.

The auditory stimulus items in the verbal complex span task were the digits 1 through
to 9. Digital recordings of each item spoken in a female voice were p-centered - a process of
aligning the waveforms of the recordings so the digits sound regular (Morton, Marcus &
Frankish, 1976). Individual lists were compiled by sampling the digits drawn randomly
without replacement. Presentation rate was 1000ms; each spoken item had a duration of
750ms and was followed by an ISI of 250ms. The duration of the interpolated processing task
was 6000ms, starting after the presentation of the first list item. The processing activity
required participants to judge whether pairs of spoken letters rhymed. The letter pairs
consisted of monosyllabic English alphabet letter names. Pairs were constrained to avoid
successive letters in the alphabet (e.g. J,K), highly confusable fricative letter names (e.g. F,
S), and familiar acronyms (e.g. PC, IT, GB). Each letter sound was presented within a
800ms window, followed by a 200ms window of silence before the onset of the second letter
sound. The task was participant-paced with an inter-stimulus interval (ISI) of 200ms between
a response and the onset of the next letter pair. New letter pairs were not presented if there
was <500ms remaining of the 6000ms window. Participants were able to respond at the onset
of the second letter in a pair by clicking on an on-screen "rhyme" or "non-rhyme" button.

For the visuo-spatial complex span task, participants were required to remember a
series of static, visually presented abstract line figures for serial recall. Each stimulus was
presented on screen for 1000ms (750ms followed by a 250ms ISI). The stimuli set consisted
of 9 line figures presented in random order. A dynamic visual processing task was
interpolated between each line figure. This required participants to mentally rotate two
identically-shaped polygons to an upright position to decide whether they were pointing in
the same or opposite (mirror image) direction. The polygon on the left was always presented
in an upright position. The one on the right could appear at one of 7 rotated positions (45°, 90
$^{\circ}$, 135°, 180°, 225°, 270°, 315°). Pairs of polygons were presented in a random order from a
choice of 5 shapes (total stimuli set size of 70). The shapes remained on screen until a
response was made. An ISI of 200ms followed a response before the onset of the next
polygon pair. New pairs were not presented if there was <500ms remaining of the 6000ms
window. Participants could respond by clicking an on screen "same" or "mirror" button as
soon as each pair of shapes was presented.

N-back. Two variants of the n-back task were used – one verbal and one visuo-spatial.
For both tasks, participants were presented with a series of stimuli one at a time. The stimuli
presented were identical to the storage items used in the complex span transfer tasks
(auditory p-centered digits for the verbal *n*-back task, and static visually presented abstract

line figures for the visuo-spatial task). Participants were to judge whether each stimuli
matched the one presented *n* items previously in the sequence by pressing the down arrow on
the keyboard if it was a match (target) and by not responding if it was not a match (non-
target). The inter-stimulus interval was 2500ms. Participants could respond as soon as the
stimulus had been presented. Stimuli were presented in blocks of 20+*n* trials, with 6 targets
and 14+*n* non-targets presented randomly in each block. Errors included misses (failing to
respond to a target) and false alarms (responding to a non-target). Both tasks started with two
blocks of practice trials at 1-back. Test trials began with a block at 1-back. If there were
fewer than five errors (sum of misses and false alarms) the level of *n* increased by one in the
next block. If there were five or more errors the tasks discontinued and the maximum *n*-level
reached to this point was scored.

Training tasks

Complex span. Participants in the complex span training group completed 32 trials
per training session, 16 trials each on the verbal and visuo-spatial tasks. The training tasks
had the same task structure as the transfer tasks with storage items interpolated with a same-
domain processing task. The presentation rate of the storage items and overall length of each
processing episode (6000ms) was identical to the transfer tasks. To account for learning of
the processing items across training sessions, the presentation rate of the stimuli within each
processing window was titrated to individual performance for the training tasks. To
determine these presentation rates, participants completed 2 minutes of the processing task
before each training session. Average RTs for correct items were calculated and 50% was
added to calculate the rate of presentation during training.

Training started with a list length of one (one storage item, one processing episode) in
the first session. Task difficulty was adapted across the 20 training sessions based on
individual performance. There was an increase of 1 storage item and corresponding
processing episode following 2 consecutive correct trials (a correct trial being the storage
item(s) recalled in serial order and accuracy >75% across the processing episodes). Task
difficulty decreased by 1 storage item and processing episode if there were 2 consecutive
incorrect trials (storage items recalled incorrectly and processing performance <75%).
Otherwise, difficulty remained the same. Each new training session started at one span level
lower than the level reached at the end of the previous session. The average span level
reached in each training session was recorded.

The storage items for the verbal complex span training task were consonants
presented visually on-screen. The interpolated processing task was a lexical decision task.
Words and nonwords were presented one at a time visually on-screen. Participants were
required to judge whether each stimulus was a real word by clicking on "word" or "nonword"
buttons. They could respond as soon as each stimulus was presented. The word stimuli were
drawn at random from a pool of 187 items generated by searching the MRC Psycholinguistic
database (Colheart, 1981) for single syllable words of 4-6 letters with Kucera-Francis written
word frequency > 50 per million (Kucera & Francis, 1967). An equivalent numbers of
nonwords were constructed by blending words from the real word stimuli set (e.g. swapping
the initial consonant or consonant cluster) to form nonwords with a similar phonotactic
composition.

For the visuo-spatial complex span training task, participants were required to recall a
series of spatial locations presented dynamically in a 4x4 grid (akin to a Corsi task). The
presentation of each storage item was interleaved with a symmetry decision task that

involved judging whether patterns presented on screen were symmetrical. Participants could
respond as soon as each pattern was presented by clicking on-screen buttons labelled
"symmetrical" and "asymmetrical".

N-back. Participants completed 10 blocks of verbal *n*-back and 10 blocks of visuo-
spatial *n*-back in each training session, totalling 20 blocks per session. The n-back training
tasks differed from the transfer tasks only in the stimuli – all other features including the
presentation rate of the stimuli were the same as in the training tasks. For the verbal *n*-back
training, consonants were presented visually on-screen. For the visuo-spatial *n*-back training,
spatial locations were presented sequentially one at a time as highlighted green squares in a
4x4 grid. Training started with a block of trials at 1-back and adapted up and down to match
participants' current performance throughout each training session. If there were fewer than
three errors (sum of misses and false alarms) in block, the level of *n*-back increased by one in
the next block. If there were five or more errors in a block the level of n decreased by one in
the subsequent block. In all other cases the level of *n* remained the same. Each new training
session started at *n*-1 from the end of the previous training session. The average level of *n*
reached in each session was scored.

Analysis Plan

Bayesian ANOVAs were conducted to analyse on-task training gains across the four training
tasks with session (2 to 20) and training task (four training tasks) entered as factors. To
investigate whether transfer effects differed by group, Bayesian general linear regression
models (GLMs) were performed separately for each transfer task. As there were three groups,
three dummy variables were used to run two regression models for each outcome variable. In
the first, dummy variables one (D1) and two (D2) were entered to compare the effects of *n*-
back training to complex span training (D1 result) and to compare complex span training to
no intervention (D2 result). To compare the effects of *n*-back training to the no intervention
group, a second regression model was run for each measure in which D2 and dummy variable
three (D3) were entered (D2 result). The outcomes of these models also replicated the
comparison between the *n*-back and complex span training groups (D3 result) obtained in the
first regression models.

Three questions were addressed in the analyses. The first is whether the outcome
measures improve after training for each group. The second is whether there is evidence for
transfer to each outcome measure for the n-back and complex span training groups relative to
the no intervention group. The final question is whether there is evidence for each training
condition relative to the other paradigm (complex span or n-back). This is the most stringent
comparison that allows us to examine the paradigm-specificity of transfer.

All results are reported as BF. Bayesian methods were conducted in JASP (Love,
Selker, Marsman, Jamil, Verhagen & Ly, 2015) with default prior scales. Inverse Bayes
Factors (BF_{10}) are used to express the odds in favour of the alternative hypothesis compared
to the null (Jeffreys, 1961). Values lower than .33 provide evidence for the null hypothesis
(no training or transfer), values .33-3 provide equivocal evidence for both hypotheses, and
those higher than 3 provide evidence in favour of the alternative hypothesis (training and
transfer effects).

Procedure

Participants were pseudo-randomly assigned to complex span training, n-back
training or no training at recruitment (*n*=16 per group). Stratified randomization was used to

ensure the groups were matched at baseline in terms of age and gender. All participants
completed four tasks during a Time 1 assessment at the MRC Cognition & Brain Sciences
Unit lasting approximately one hour. Participants assigned to either of the active training
groups also completed their first training session during this visit, adding another 30 minutes
to the session. Trainees completed the subsequent 18 online training sessions remotely (e.g.
at home) before returning to the MRC Cognition & Brain Sciences Unit to complete their
final training session and a Time 2 assessment that was identical to the Time 1 assessment.
Participants in the no training group were contacted and asked to return to the MRC
Cognition and Brain Sciences Unit for their Time 2 assessment at intervals equivalent to
those taken for the trainees. There was substantial evidence for a null effect for differences in
the intervals between Time 1 and Time 2 between groups, $BF_{10}=.185$. Participants were paid
£6 per hour for their time plus a contribution towards travel costs. All tasks were hosted by
the online platform Cambridge Brain Sciences (www.cambridgebrainsciences.com).

Training task order was counterbalanced across participants with half of the
participants completing the verbal then the visuo-spatial task in each session, and half
completing the visuo-spatial then the verbal task in each session. All participants completed
20 training sessions, but the data failed to upload for the final two sessions for five
participants in the complex span training group. Analyses testing for order effects were run
including only sessions with complete data for all participants (Sessions 1 to 18 for both
tasks). There was equivocal evidence for order effects for gains on the verbal complex span,
$BF_{10} =2.458$ and the visuo-spatial complex span training tasks, $BF_{10} =1.478$.

Data failed to upload for the final two sessions for three participants on the n-back
training tasks. Analyses testing for the effect of training task order were run including
sessions where there was complete data for all participants (Sessions 2 to 18 for both tasks).
There was equivocal evidence for an order effect for the verbal *n*-back, $BF_{10} =2.435$ and the
visuo-spatial n-back training tasks, $BF_{10} =.48$.

359   Results

Training task progress

To provide a comparable measure of changes across time across each training task, a standard
gain score was calculated by dividing the difference between the average difficulty level
attained on each session and the first session by the SD for the first session (Harrison et al.,
2013). These scores relative to the first session of training are shown in Figure 2.
Improvements of at least 1SD from baseline were observed on all training tasks.

366   FIGURE 2 ABOUT HERE

Descriptive statistics for the four training tasks are reported in Table 2. Note that Session 1
was not included as participants were reaching baseline during this session. Gains on the four
training tasks were examined in Bayesian ANOVAs performed on the average difficulty
levels of each session from 2 to 20. A 4 x 19 Bayesian repeated measures ANOVA with
session (2 to 20) and training task (four training tasks) provided evidence for main effects of
session, $BF_{10}= >100$ and condition $BF_{10}= >100$. There was substantial evidence for an
interaction between task and session, $BF_{10}=>100$. Post hoc analyses revealed that gains were

greater on the verbal complex span training task relative to both the visuo-spatial complex
span and the visuo-spatial n-back training tasks.

376　　　　　　　　　　　　　　　TABLE 2 ABOUT HERE

Transfer

Bayesian t-tests compared pre- to post- scores for each of the four outcome measures
for each training group (see Table 3). There was equivocal evidence for transfer to verbal
complex span, verbal n-back and visuo-spatial n-back following complex span training, with
evidence favouring a null effect for transfer to visuo-spatial complex span following complex
span training (BF=.325). There was strong evidence for transfer for the *n*-back training group
on both the verbal and visuo-spatial *n*-back transfer tasks (BF= 23.18 for verbal and
BF=20.02 for visuo-spatial n-back transfer tasks). Evidence favoured a null effect for transfer
to the complex span outcome measures following n-back training (BF=.33 and .34 for verbal
and visuo-spatial complex span respectively). There was equivocal evidence for both the null
and alternative hypotheses across the four transfer tasks for the no intervention group (BFs
.35 as above to 1).

389　　　　　　　　　　　　　　　TABLE 3 ABOUT HERE

The second set of analyses examined evidence for transfer following training relative
to the no intervention condition. There was equivocal evidence for group differences at
baseline on the verbal complex span, $BF_{10}=.478$, Cohen's d=.530, visuo-spatial complex
span, $BF_{10}=.782$, Cohen's d=.639, and visuo-spatial *n*-back tasks, $BF_{10}=1.176$. Post-training
scores were therefore entered as the dependent variable with group and pre-training scores
entered as independent variables in each of the Bayesian linear regressions for these three
outcome measures. There was evidence for baseline group differences on the verbal *n*-back
task, $BF_{10}=3.811$, Cohen's d=.908. To investigate whether group differences in post-test
scores on this task were associated with differences in baseline scores both centred baseline
scores and centred baseline score x group product terms were also entered into the regression
models. Product terms were derived by the product of the centred scores (individual score
minus the group mean) and the grouping variable. The product terms were not significantly
associated with post-training scores, meaning the general linear regression models could be
run without the product term or centred scores in the final analyses (i.e. with post-training
scores as the dependent variable and group and pre-training scores as independent variables).

405　　　　　　　　　　　　　　　　　TABLE 4

The outcomes of the regression analyses for each transfer task comparing each active
training group to the no intervention group (testing for re-test effects) are reported in Table 4.
There was substantial evidence for an absence of transfer to verbal complex span following
complex span training relative to the no intervention group (BF=.291). For the visuo-spatial
complex span, verbal and visuo-spatial complex, the outcomes were equivocal (BFs .377 to
1.21). Equivocal outcomes were also observed for the visuo-spatial complex span and verbal
and visuo-spatial n-back transfer tasks following n-back training (BFs.392 to 1.032). The
evidence favoured the null hypothesis for the verbal complex span transfer task (BF=.327),
indicating that the changes on this task following n-back training were no greater than for the
no intervention group.

416　　　　　　　　　　　　　　　　　TABLE 5

417    The third set of analyses compared transfer to each outcome measures across the two
418 active training groups (see Table 5). There was substantial evidence for the null hypothesis
419 for the visuo-spatial complex span task showing that changes on this transfer measure were
420 not selective to the complex span training group (BF=.287). There was equivocal evidence
421 for the null and alternative hypotheses for the verbal complex span transfer task when the two
422 active training groups were compared. Combined with the outcome of the analyses
423 comparing the complex span training group to the no intervention group on the verbal
424 complex span transfer task (BF=.291), this provides evidence that there is no selective
425 transfer for verbal complex span following complex span training. Evidence for differences
426 in transfer on the verbal n-back transfer task between the n-back and complex span training
427 groups was equivocal (BF=.542), as for equivocal differences between the n-back and no
428 intervention groups on this transfer measure. It is therefore not possible to determine whether
429 there is a selective enhancement to verbal n-back following n-back training. There was
430 substantial evidence for a group effect for the visuo-spatial n-back transfer task, with greater
431 gains found for those who trained on n-back relative to those who trained on complex span
432 $(BF_{10}=9.702)$.

435                     Discussion

436    This experiment compared transfer patterns from two working memory training
437 paradigms (n-back and complex span) matched for memory items (letters and spatial
438 locations) and training intensity to outcome measures that were also matched for memory
439 items (digits and objects). There was no evidence for transfer across the two paradigms under
440 these matched conditions. This is consistent with many previous studies in which less
441 systematic designs have been used to map transfer (Bürki et al., 2014; Chooi & Thompson,
442 2012; Jaeggi et al., 2008; Jaeggi et al., 2010; Li et al., 2008; Lilienthal et al., 2013; Minear et
443 al., 2016; Oelhafem, Nikolaidis, Padovani, Blaser, Koenig, & Perrig, 2013; Redick et al.,
444 2013; Schwarb et al., 2015; Sprenger et al., 2013; von Bastian et al., 2013).

445    This lack of cross-paradigm transfer is consistent with theories that explain training
446 gains in terms of working memory processes specific to particular paradigms. Dahlin et al.
447 (2008), for example, proposed that updating the contents of working memory is trainable.
448 This process would not be expected to contribute to non-updating paradigms such as complex
449 span. The findings also fit with the suggestion that training involves learning (in the form of
450 the development of novel cognitive routines) how to perform specific working memory tasks
451 (Gathercole et al., 2018). The coordinated set of processes necessary to accomplish n-back
452 (in which the greatest challenge is to keep track of the last n items) and complex span
453 (requiring maintenance of stimulus items in the face of distraction) have little in common and
454 hence, as indeed found here, to show little transfer. Note, though, that the present findings
455 cannot distinguish between process- and paradigm specific transfer boundaries. To do this it
456 would be necessary to track transfer across two paradigms sharing a common working
457 memory process, such as running span and n-back updating tasks. Note that although Dahlin
458 et al. (2008) did this and found improvements in the untrained task, the study lacked an active
459 control condition.

460    In line with previous findings, there was evidence suggesting n-back training transfers
461 to n-back tasks with new stimulus materials (Anguera et al., 2012; Jaeggi et al., 2010; Kuper
462 & Karbach, 2015; Minear et al., 2016; Soveri et al., 2017). There was strong evidence for

substantial improvements in the two untrained n-back tasks containing digits and visual
objects following training on n-back activities with spatial locations and letters. Relative to a
no intervention group, there was no strong evidence for the benefits of n-back training for
untrained n-back tasks. Compared with complex span training there was substantial evidence
that n-back training led to greater improvements on the visuo-spatial n-back task. This
suggests indicates that material specificity is not a boundary condition to transfer with n-back
training. Instead, training-related changes (possibly in the formation of a new cognitive
routine for n-back) appears to operate at a more general level than item-level category.

The strength of transfer from complex span training to other complex span tasks with
different materials and distractor processing was more equivocal, varying between weak or
absent. Performance on the untrained visuo-spatial complex span task did not improve
following complex span compared with n-back training. There was also no evidence for
greater gains for the complex span training group on the verbal complex span transfer task
relative to the test re-test group. This suggests that the cognitive processes modified during
training on complex span are tied to the training task materials (either the memory items or
the distractor stimuli). This outcome has implications for the nature of the putative cognitive
routines developed during training (Gathercole et al., 2018). A critical feature of a successful
routine for complex span could be coordinated processes designed to maintain stimulus items
while performing interpolated distraction activities. This might, for example, involve rapid
switching between the distractor activity and either rehearsal of the memory items (Towse,
Hitch & Hutton, 1999) or refreshing them attentionally (Barrouillet, Bernadin & Camos,
2004). The present findings suggest that a sub-routine that controls such a process is likely to
be specific the particular memory items and distractor activities engaged by the training task:
it does not operate at a more general level that would generalize across these changes in
materials. There is little evidence that participants receiving complex span training in this
experiment do not appear to have learned at a general level how to carry out the attentional
shifting or other types of processes to protect memory representations from interference.
Instead, they appeared to learn how to do so in the context of the specific trained tasks.

The present findings both add to other evidence for lack of transfer across complex
span tasks (Blacker et al., 2017; Minear et al., 2016) and stand in contrast to other reports of
transfer across different memory items and interpolated distraction activities (e.g. Harrison et
al., 2013; Henry et al., 2014; Richmond et al., 2014; von Bastian et al., 2013). Why the
outcomes are so variable across studies requires further systematic investigation.

In summary, the current findings provide evidence that the cognitive changes
resulting from intensive working memory training are relatively specific not only to the
training paradigms but, in the case of complex span, to the detailed characteristics of the
distractor activities. The data clearly establish that transfer does not extend across global
changes in working memory paradigm and is even limited within task. While the benefits of
training extend to n-back tasks employing other stimuli, for complex working memory tasks
they are much more restricted. Any potential learning of the unfamiliar task during training
thus appears to be highly specific.

Author note

JH and SG led the conception and design of the work and took primary responsibility for
drafting the manuscript. FW collected the data, and AH developed the online tasks. FW and
AH commented on drafts. Correspondence concerning this article should be sent to Joni
Holmes (joni.holmes@mrc-cbu.cam.ac.uk). This research was supported by the Medical
Research Council of Great Britain, the University of Cambridge.

Conflict of interest statement

This work was not carried out in the presence of any personal, professional or financial
relationships that could potentially be construed as a conflict of interest.

519   References

Anguera, J. A., Bernard, J. A., Jaeggi, S. M., Buschkuehl, M., Benson, B. L., Jennett, S., ... &
Seidler, R. D. (2012). The effects of working memory resource depletion and training on
sensorimotor adaptation. Behavioural Brain Research, 228(1), 107-115.

Barrouillet, P., Bernardin, S., & Camos, V. (2004). Time constraints and resource sharing in
adults' working memory spans. Journal of Experimental Psychology: General, 133(1), 83.

Blacker, K. J., Negoita, S., Ewen, J. B., & Courtney, S. M. (2017). N-back versus complex
span working memory training. Journal of cognitive enhancement, 1(4), 434-454.

Bürki, C. N., Ludwig, C., Chicherio, C., & de Ribaupierre, A. (2014). Individual differences
in cognitive plasticity: an investigation of training curves in younger and older
adults. Psychological Research, 78(6), 821-835.

Chooi, W. T., & Thompson, L. A. (2012). Working memory training does not improve
intelligence in healthy young adults. Intelligence, 40(6), 531-542.

Coltheart, M. (1981). The MRC psycholinguistic database. The Quarterly Journal of
Experimental Psychology, 33(4), 497-505.

Dahlin, E., Neely, A. S., Larsson, A., Backman, L., & Nyberg, L. (2008). Transfer of learning
after updating training mediated by the striatum. Science, 320(5882), 1510-1512.

De Simoni, C., & von Bastian, C. C. (2018). Working memory updating and binding training:
Bayesian evidence supporting the absence of transfer. Journal of Experimental Psychology:
General, 147(6), 829.

Dunning, D. L., & Holmes, J. (2014). Does working memory training promote the use of
strategies on untrained working memory tasks? Memory and Cognition, 42(6), 854-862.

Gathercole, S.E., Dunning, D.L., Holmes, J. & Norris, D. (2018). Working memory training
involves learning new skills, under revision.

Harrison, T. L., Shipstead, Z., Hicks, K. L., Hambrick, D. Z., Redick, T. S., & Engle, R. W.
(2013). Working memory training may increase working memory capacity but not fluid
intelligence. Psychological Science, 24(12), 2409-2419.

Henry, L. A., Messer, D. J., & Nash, G. (2014). Testing for near and far transfer effects with
a short, face-to-face adaptive working memory training intervention in typical children.
Infant and Child Development, 23(1), 84-103.

Jaeggi, S. M., Buschkuehl, M., Jonides, J., & Perrig, W. J. (2008). Improving fluid
intelligence with training on working memory. Proceedings of the National Academy of
Sciences of the United States of America, 105(19), 6829-6833.

Jaeggi, S. M., Buschkuehl, M., Perrig, W. J., & Meier, B. (2010). The concurrent validity of
the N-back task as a working memory measure. Memory, 18(4), 394-412.

Jeffreys, H. (1961). Theory of probability. Oxford, UK: Open University Press. Kane, M. J.,
Conway, A. R., Miura, T. K., & Colflesh, G. J. (2007). Working memory, attention control,

and the N-back task: a question of construct validity. Journal of Experimental Psychology:
Learning, Memory, & Cognition, 33(3), 615.

Kučera, H., & Francis, W. N. (1967). Computational analysis of present-day American
English. Dartmouth Publishing Group.

Küper, K., & Karbach, J. (2016). Increased training complexity reduces the effectiveness of
brief working memory training: evidence from short-term single and dual n-back training
interventions. Journal of Cognitive Psychology, 28(2), 199-208.

Li, S. C., Schmiedek, F., Huxhold, O., Röcke, C., Smith, J., & Lindenberger, U. (2008).
Working memory plasticity in old age: practice gain, transfer, and maintenance. Psychology
& Aging, 23(4), 731.

Lilienthal, L., Tamez, E., Shelton, J. T., Myerson, J., & Hale, S. (2013). Dual n-back training
increases the capacity of the focus of attention. Psychonomic Bulletin & Review, 20(1), 135-
141.

Love, J., Selker, R., Marsman, M., Jamil, T., Verhagen, A. J., & Ly, A. (2015). JASP
(Version 0.6. 6). Computer software.

Minear, M., Brasher, F., Guerrero, C. B., Brasher, M., Moore, A., & Sukeena, J. (2016). A
simultaneous examination of two forms of working memory training: Evidence for near
transfer only. Memory & Cognition, 44(7), 1014-1037.

Morton, J., Marcus, S., & Frankish, C. (1976). Perceptual centers (P-centers). Psychological
Review, 83(5), 405.

Oelhafen, S., Nikolaidis, A., Padovani, T., Blaser, D., Koenig, T., & Perrig, W. J. (2013).
Increased parietal activity after training of interference control. Neuropsychologia, 51(13),
2781-2790.

Redick, T. S., Shipstead, Z., Harrison, T. L., Hicks, K. L., Fried, D. E., Hambrick, D. Z., ... &
Engle, R. W. (2013). No evidence of intelligence improvement after working memory
training: a randomized, placebo-controlled study. Journal of Experimental Psychology:
General, 142(2), 359.

Richmond, L. L., Wolk, D., Chein, J., & Olson, I. R. (2014). Transcranial Direct Current
Stimulation Enhances Verbal Working Memory Training Performance over Time and Near
Transfer Outcomes. Journal of Cognitive Neuroscience, 26(11), 2443-2454.

Schwarb, H., Nail, J., & Schumacher, E. H. (2016). Working memory training improves
visual short-term memory capacity. Psychological Research, 80(1), 128-148.

Soveri, A., Antfolk, J., Karlsson, L., Salo, B., & Laine, M. (2017). Working memory training
revisited: A multi-level meta-analysis of n-back training studies. Psychonomic Bulletin &
Review, 1-20.

Sprenger, A. M., Atkins, S. M., Bolger, D. J., Harbison, J. I., Novick, J. M., Chrabaszcz, J.
S.,. . . Dougherty, M. R. (2013). Training working memory: Limits of transfer. Intelligence,
41(5), 638-663.

Thompson, T. W., Waskom, M. L., Garel, K. L. A., Cardenas-Iniguez, C., Reynolds, G. O.,
Winter, R., ... & Gabrieli, J. D. (2013). Failure of working memory training to enhance
cognition or intelligence. PloS One, 8(5), e63614.

Towse, J. N., Hitch, G. J., & Hutton, U. (1999). The resource king is dead! Long live the
resource king! Behavioral & Brain Sciences, 22(1), 111-111.

von Bastian, C. C., Langer, N., Jancke, L., & Oberauer, K. (2013). Effects of working
memory training in young and old adults. Memory & Cognition, 41(4), 611-624.

von Bastian, C. C., & Oberauer, K. (2013). Distinct transfer effects of training different facets
of working memory capacity. Journal of Memory and Language, 69(1), 36-58.

von Bastian, C. C., & Oberauer, K. (2014). Effects and mechanisms of working memory
training: a review. Psychological Research, 78(6), 803-820.

Waris, O., Soveri, A., & Laine, M. (2015). Transfer after working memory updating training.
PloS One, 10(9), e0138734.

615
616   Figure 1. Training and transfer tasks

617
618

Figure 2. Average difficulty level attained on each session was converted to standard deviation units relative to session 1 (e.g. (session 2 - session 1) / SD session 1; (session 3 – session 1)/session 1 SD. Note that averages are based on the maximum number of data points available for that session.

Table 1. Trained and untrained tasks

Paradigm	Domain	Category of stimulus materials		Interpolated distractor activity	
		Training	*Transfer*	*Training*	*Transfer*
n-back	verbal	letters	digits		
	visuo-spatial	spatial locations	visual objects		
complex span	verbal	letters	digits	lexical decision	rhyme judgement
	visuo-spatial	spatial locations	visual objects	symmetry judgement	mental rotation

Table 2. On-task training gains

	Session 2		Session 20	
Training task	*M*	*SD*	*M*	*SD*
Verbal complex span	3.867	1.984	7.671	3.020
Visuo-spatial complex span	2.400	0.354	4.921	2.981
Verbal n-back	3.725	0.909	6.600	2.474
Visuo-spatial n-back	3.362	0.840	4.147	1.171

N.B. Although all participants completed 20 sessions, the data did not upload for the final two sessions for 8 participants due to the server failing to respond. Re-running the analyses including only sessions where there was complete data (comparing gains from Session 2 to Session 18 for all training tasks) did not alter the pattern of effects. Note that data for Session 1 is not included because participants were reaching baseline during this session.

Table 3. Within group transfer to untrained tasks

Training group	Untrained task		Pre-training		Post-training				
	Domain	Paradigm	M	SD	M	SD	t	BF10	Cohen's d
Complex Span	Verbal	Complex span	6.69	2.21	7.44	2.61	-1.40	0.58	0.31
	Visuo-spatial	Complex span	2.13	1.75	2.56	3.10	-0.74	0.33	0.18
	Verbal	N-back	3.69	1.25	4.50	1.32	-2.21	1.95	0.63
	Visuo-spatial	N-back	4.31	1.99	3.75	1.57	1.86	1.03	-0.31
N-back	Verbal	Complex span	5.94	2.08	6.31	1.92	-0.78	0.33	0.19
	Visuo-spatial	Complex span	1.19	0.40	1.31	0.60	-0.81	0.34	0.24
	Verbal	N-back	3	0.97	5.56	2.63	-3.79	23.19	1.42
	Visuo-spatial	N-back	3.13	0.83	4.87	2.07	-3.75	20.02	1.20
No intervention	Verbal	Complex span	7.13	1.31	7.63	1.63	-1.10	0.43	0.34
	Visuo-spatial	Complex span	2.13	1.71	3.19	2.74	-2.31	1.00	0.48
	Verbal	N-back	4.31	1.40	4.75	1.18	-1.07	0.42	0.34
	Visuo-spatial	N-back	4.19	1.38	4.56	1.86	-0.86	0.35	0.23

Table 4. Transfer for each active training group relative to the no intervention group

Training group		Untrained task			
		Verbal	Visuo-spatial	Verbal	Visuo-spatial
			Complex		
		Complex span	span	n-back	n-back
Complex Span	Beta	-0.01	0.12	0.02	0.23
	t	-0.10	1.00	0.13	1.64
	BF_{10}	0.29	0.38	1.21	0.89
	Cohen's d	0.03	0.25	0.05	0.48
N-back	Beta	0.14	0.15	-0.30	-0.26
	t	0.96	1.21	-1.64	-1.77
	BF_{10}	0.33	0.39	0.55	1.03
	Cohen's d	0.29	0.31	0.64	0.56

Table 5. Selective transfer relative to the other active training condition

Training group		Untrained task			
		Verbal	Visuo-spatial	Verbal	Visuo-spatial
			Complex		
		Complex span	span	n-back	n-back
Complex span	Beta	-0.01	0.12	0.02	0.23
	t	-0.10	1.00	0.13	1.64
	BF_{10}	0.29	0.38	1.21	0.89
	Cohen's d	0.03	0.25	0.05	0.48
n-back	Beta	0.14	0.15	-0.30	-0.26
	t	0.96	1.21	-1.64	-1.77
	BF_{10}	0.33	0.39	0.55	1.03
	Cohen's d	0.29	0.31	0.64	0.56