1   Looking forward does not mean forgetting about the past: ERP evidence

2   for the interplay of predictive coding and interference during language

3   processing

5   Short Title: Interplay of predictive coding and interference

Pia Schoknecht[1,2], Dietmar Roehm[1,2], Matthias Schlesewsky[3,4], Ina

Bornkessel-Schlesewsky[3,4]

[1] Department of Linguistics, University of Salzburg, Salzburg, Austria

[2] Centre for Cognitive Neuroscience (CCNS), University of Salzburg, Salzburg, Austria

[3] School of Psychology, Social Work and Social Policy, University of South Australia,

Adelaide, Australia

[4] Centre for Cognitive and Systems Neuroscience, University of South Australia, Adelaide,

Australia

Acknowledgements: The authors would like to thank Jonas Diekmann and Phillip M.
Alday for helpful discussions related to the research reported here. We also thank Mante S.
Nieuwland and two anonymous reviewers for their helpful comments on an earlier version
of this manuscript. Thanks are also due to Anja Bergmair, Nadine Furtner and Veronica
Baldin for their contributions to the experimental materials and to Barbara Sophie Hartl
and again Anja Bergmair for their assistance during data acquistion. This research was
supported by a research grant awarded to P.S. by the University of Salzburg. I.B.-S.
acknowledges the support of an Australian Research Council Future Fellowship
(FT160100437).

Authors report no conflict of interest.

Corresponding author: Pia Schoknecht, pia.schoknecht@sbg.ac.at
27   Erzabt-Klotz-Straße 1, 5020 Salzburg, Austria

Abstract

Interference and prediction have independently been identified as crucial influencing factors during language processing. However, their interaction remains severely underinvestigated. Furthermore, the neurobiological basis of cue-based retrieval and retrieval interference during language processing remains insufficiently understood. Here, we present an ERP experiment that systematically examined the interaction of interference and prediction during language processing. We used the neurobiologically well-established predictive coding framework and insights regarding the neuronal mechanisms of memory for the theoretical framing of our study. German sentence pairs were presented word-by-word, with an article in the second sentence constituting the critical word. We analyzed mean single trial EEG activity in the N400 time window and found an interaction between interference and prediction (measured by cloze probability). Under high predictability, no interference effects were observable. Under the predictive coding account, highly predictable input is totally explained by top-down activity. Therefore the input induces no retrieval operations which could be influenced by interference. In contrast, under low predictability, conditions with high interference or with a close, low-interference distractor showed a broadly distributed negativity compared to conditions with a distant, low-interference distractor. We interpret this result as showing that when unpredicted input induces model updating, this may elicit memory retrieval including the evaluation of distractor items, thus leading to interference effects. We conclude that interference should be included in predictive coding-based accounts of language because prediction errors can trigger retrieval operations and, therefore, induce interference.

Keywords: Interference, predictive coding, ERPs, N400, memory retrieval, German

1. Introduction

Interference and prediction have independently been identified as crucial influencing factors during language processing. However, their interaction remains severely underinvestigated. Furthermore, despite numerous behavioral studies investigating interference during sentence processing, its neurobiological basis remains insufficiently understood. We addressed these issues with the present study: We aimed to deepen the neurobiological understanding of interference during language comprehension by studying the interplay of interference and prediction within the neurobiologically well-established predictive coding framework. In the remainder of the introduction, we introduce interference during language processing and the sources of neurobiological grounding of our study: Neuronal mechanisms of memory representations and the predictive coding framework including the neurobiology of the N400 component. Then we turn to the interplay of interference and prediction and finally to the present study.

1.1 Interference during Language Processing

To successfully process a sentence or discourse, it is necessary to access previously encountered words, so that new words can be integrated with ones that have already been processed. The cognitive mechanisms underlying this process have been modeled in detail within the cue-based parsing framework (Lewis, Vasishth, & Van Dyke, 2006; Van Dyke & Lewis, 2003). (Please note that we use the cue-based parsing models put forward by Lewis and Vasishth (2005) and McElree (2000) interchangeably. The two models only differ in aspects of retrieval latency which are not essential to the presented study; (see Nicenboim & Vasishth, 2018 for detailed discussion of the models). The cue-based parsing framework views memory retrieval as a cue-based process, which compares retrieval cues generated at the retrieval site with the features of the words in memory. Each new word or

constituent is encoded into memory as a feature bundle (e.g. case, number, gender etc.).

Importantly, not only the constituent itself is represented, but also predicted constituents

that are required to form a grammatical sentence. Thus, when the noun *toy* is encountered

in example 1 (from Lewis et al., 2006), two memory representations are constructed: one

depicting its features and the other a prediction of the corresponding predicate (verb).

When the verb *arrived* is processed, retrieval cues are generated to integrate it into the

sentence context. The cues are matched in parallel against all (recent) memory

representations. A sufficient match results in retrieval of the predicate prediction and the

integration of verb and noun.

(1) Melissa knew that the toy from her uncle in Bogotá arrived today.

But retrieval and, hence, comprehension difficulty can arise due to similarity-based

interference from cue overlap, i.e. an overlap between the retrieval cues and features of

more than one word / prediction recently stored in memory (Lewis et al., 2006). The

correct to-be-retrieved word / prediction is called the target of the retrieval and other words

/ predictions in memory may function as interfering distractors during the retrieval process.

Numerous behavioral studies have provided evidence of similarity-based interference (see

Jäger, Engelmann, and Vasishth (2017) for a recent review and meta-analysis). For

example, Van Dyke and McElree (2006) used a dual-task paradigm to study interference

from extra-sentential memory items (see 2a) during sentence comprehension. They

presented it-clefts (see 2b) that required a retrieval operation to integrate the matrix

sentence verb (*sailed / fixed*) with its object (*boat*). The object is the target of the retrieval.

(2a) Memory load set: table – sink – truck

(2b) It was the boat that the guy who lived by the sea <u>sailed</u> / <u>fixed</u> in two sunny days.

In load conditions, three nouns functioning as distractors (cf. 2a) were presented before a

self-paced sentence reading task (for sentences such as 2b). In high interference conditions,

the distractors were plausible objects of the matrix verb, and in low interference

conditions, they were implausible (i.e. it is possible to fix, but not to sail a table / sink /

truck). To ensure that there were no confounding differences in the comprehension of the

verbs, no load conditions, in which participants just read the sentences without an

additional task, were also included. Reading times for the critical verb carrying the

interference manipulation were longest for high interference conditions with memory load.

These results were interpreted as showing that retrieval is the locus of interference during

sentence comprehension rather than encoding, as the retrieval context was manipulated

while encoding was held constant (Van Dyke & McElree, 2006).

Van Dyke (2007) showed that distractors that match only a subset of retrieval cues

could nevertheless influence retrieval and cause processing difficulties. Furthermore, it

was found that distractors occurring between target and retrieval site (retroactive

interference) have more impact on processing than distractors that are processed before the

target (proactive interference) (Martin & McElree, 2009).

While cue-based retrieval and interference in sentence processing are well established

from a behavioral perspective, their neurobiological basis remains insufficiently

understood. Initial ERP evidence was presented by Martin, Nieuwland, and Carreiras

(2012), who studied how distractors affect the processing of NP ellipses in Spanish (see 3).

To successfully process the ellipsis, the antecedent *camiseta* ('t-shirt') needs to be

retrieved at the position of the determiner *otra* ('another'). The authors manipulated the

(mis)match between the gender of the target (*camiseta*, 't-shirt' [feminine]), the distractor

(*falda*, 'skirt' [feminine] / *vestido*, 'dress' [masculine]) and the retrieval cues generated at

the retrieval site (*otra*, 'another' [feminine] / *otro*, 'another' [masculine]).

(3) Marta se compró la camiseta que estaba al lado de la falda / del vestido y Miren cogió

otra / otro [...] para salir de fiesta.

'Marta bought the t-shirt [feminine] that was next to the skirt [feminine] / dress

[masculine] and Miren took another [feminine] / another [masculine] to go to the party.'

They reported a sustained, broadly distributed negativity for ungrammatical ellipses

(*camiseta* [feminine] … *otro* [masculine]) compared to grammatical ellipses (*camiseta*

[feminine] … *otra* [feminine]). Within grammatical ellipses, this effect was modulated by

the gender of the distractor: a mismatching distractor (*vestido*, 'dress' [masculine]) led to a

negativity compared to matching distractor (*falda*, 'skirt' [feminine]). It was concluded

that the processing of grammatical ellipses, i.e. the retrieval of the antecedent / target, was

interrupted by the mismatching features of a mismatching distractor. In a follow-up study,

Martin, Nieuwland, and Carreiras (2014) changed the syntactic structure of their material

to render the antecedents of the ellipses (the target of the retrieval) less distinct. In this

study, grammatical ellipses with matching distractors elicited an early anterior negativity

compared to grammatical ellipses with mismatching distractors and ungrammatical

ellipses. This was regarded as an effect of similarity-based interference. Thus, while both

studies found negativities, they were elicited by different conditions (matching vs.

mismatching distractors), had different distributions and latencies. The neurocognitive

correlates of interference therefore clearly require further investigation. In addition, no

attempt has been made to date to elucidate the possible neurobiological mechanisms

underlying retrieval interference during language comprehension.

1.2. Neurobiological Grounding: Neuronal Memory Representations, Predictive Coding
155
and the N400
156

With the present study, we aimed to deepen the neurobiological understanding of

interference during language comprehension in two ways: a) by including considerations

regarding the neuronal basis of memory (Jonides et al., 2008) and b) by studying the

interplay of interference and prediction within the neurobiologically well-established

predictive coding framework (Friston, 2005).

Despite the above-mentioned lack of neurobiological grounding of interference

during language processing, Jonides et al. (2008) provided insights into the neuronal

processes underlying short-term memory and consequently similarity-based interference as

a cause of forgetting. Items that are available for cognitive processing without retrieval

processes are in the attentional focus (see McElree (2006) for a detailed discussion of the

capacity limit of the attentional focus); these focused items are represented by a

synchronized firing pattern of neurons in primary and secondary association cortex that

equal the activation during perception or action. "In short, item representations are stored

where they are processed." (Jonides et al., 2008, p. 213). Items in memory outside the

focus are supported by short-term synaptic plasticity in the corresponding areas. Therefore,

primarily posterior brain regions are active during storage intervals in memory tasks, while

frontal regions undertake executive functions such as attention shifts, retrieval and

resolution from interference.

Jonides et al. (2008) offer neuronal explanations for both phenomena that have

been broadly discussed as causes of forgetting: interference and decay. As representations

consist of temporally synchronized neuronal firing, decay may be explained by variability

in the firing rates of single neurons which subsequently fall out of synchrony, rendering the

representation firing pattern less coherent and therefore, difficult to discriminate from

noise. When the noise is not random, but has been structured by previously encountered

items which are similar to the current item, the noisy firing pattern and the firing pattern

making up the item representation overlap and compete (proactive interference). This

results in an increased likelihood of the corresponding neurons falling out of synchrony or

in a less coherent firing pattern of the item representation in the first place, which falls out

of synchrony more quickly. Retroactive interference is induced by the firing pattern of a

new item disturbing the synaptic weights of the previous item based on overlap. Thus,

similarity-based interference – both pro- and retroactive – is caused by structured noise in

the neural pattern. Here it is important to note that retroactive interference has been found

to be more severe during language comprehension than proactive interference (Martin &

McElree, 2009).

This account views retrieval as a process mediated by frontal control which

corresponds to the reactivation of the target's neuronal firing pattern in posterior areas and

medial-temporal areas which support contextual binding. The reactivation of the firing

pattern might be carried out by emergent pattern-completion of attractor networks

(Hopfield, 1982) which is complicated by the above-mentioned causes of noise (Jonides et

al., 2008). This view can be applied to interference paradigms in language processing (see

1.1 Interference during Language Processing) by assuming that the retrieval cues

generated at the retrieval site activate the corresponding parts of the firing pattern (e.g.

gender, number or semantic features like being sailable) of the target item representation.

This partial activation would reinstantiate the firing pattern of the previously focused target

item representation which was still represented in synaptic weights. Additionally, we

assume that the prediction of an item also leads to an attentional shift towards that item and

thereby to the instantiation of its firing pattern as if that item would be perceived at the

moment of prediction. For a schematic illustration of the described neuronal processes, see

Figure 1.

Figure 1: Schematic illustration of a neuronal assembly making up the representation of an

item in memory. As long as the item is not in the attentional focus, representation is carried

by synaptic connections between corresponding neurons. Perception, attention, retrieval or

prediction of / to the item equally lead to active firing of the neurons within the assembly,

whereby the item enters the attentional focus.

Now we turn to our second source of neurobiological grounding: prediction within the

neurobiologically well-established predictive coding framework. Predictive coding states

that prediction is a general principle of brain function, with generative predictive models

serving to explain the causes of sensory input (Friston, 2005). If true, this means that the

brain also engages in predictive modeling of all linguistic input (e.g. Bornkessel-

Schlesewsky, Schlesewsky, Small, & Rauschecker, 2015; Freunberger & Roehm, 2017;

Kandylaki et al., 2016; Lewis & Bastiaansen, 2015; Pickering & Garrod, 2007). Predictive

processing is assumed to be organized within a hierarchically structured cortical

architecture, within which anatomical feedback connections (from higher to lower levels)

communicate predictions. Feedforward connections (from lower to higher levels), by

contrast, communicate sensory input or – more precisely – only the parts of the input that

are divergent from the prediction (Clark, 2013; Rao & Ballard, 1999). Thus, prediction

errors essentially serve as a proxy for sensory information (e.g. Feldman & Friston, 2010),

since the feed-forward activity associated with sensory input is "silenced" when predicted

(i.e. excitatory bottom-up activity is countered by inhibitory top-down activity in this case;

cf. Friston, 2010). Overall, the system strives to reduce prediction errors, but when they do

occur, they are used to update the current model so that more accurate predictions can be

generated in the future.

According to a recent proposal by Bornkessel-Schlesewsky and Schlesewsky (2019),

the N400 event-related potential provides a window on predictive coding during language

comprehension. Specifically, this account posits that the N400 indexes *precision-weighted*

prediction errors, with precision defined as the inverse of variance (Feldman & Friston,

2010) and – in the context of language – equating to the relevance of a particular

information source for the form-to-meaning mapping. A prediction has high precision

when the information source from which it is derived has high certainty, i.e. the

information source provides a direct link between form and meaning. In contrast, low

precision predictions stem from information sources with (high) uncertainty. Higher

precision prediction errors are associated with more pronounced N400 amplitudes (cf.

Todd et al., 2014, for discussion of a similar precision-weighted mechanism in the context

of the mismatch negativity, MMN).

This account offers an explanation for the presence versus absence of N400 effects for

the same, prediction-error inducing phenomenon across different languages, depending on

the language specific relevance (or "validity", cf. MacWhinney, Bates, & Kliegl, 1984) of

cues such as word order, animacy or case marking (see Bornkessel-Schlesewsky et al.

(2011) for empirical evidence, and Bornkessel-Schlesewsky and Schlesewsky (2019) for

detailed discussion). In summary, while N400 amplitude shows a general tendency to

decrease for predicted stimuli and increase for stimuli that involve prediction error (see e.g.

Dröge, Fleischer, Schlesewsky, & Bornkessel-Schlesewsky, 2016; Frank, Otten, Galli, &

Vigliocco, 2015; Kuperberg, 2016), the magnitude of the N400 effect is assumed to be

proportional to the degree to which the prediction error actually leads to a model update. In

the present study, we will draw on this proposal to formulate our hypotheses with regard to

the relation between prediction and interference during language processing.

1.3. Interplay of Prediction and Interference

The interplay of prediction and interference has — to the best of our knowledge —

only been examined by one study to date. Campanelli, Van Dyke, and Marton (2018) used

the Van Dyke and McElree (2006) paradigm (cf. example 2, above) with an added

predictability manipulation (see example 4). By varying the subject noun (*person /*

choreographer), the authors manipulated the cloze probability (CP), and thereby the

predictability, of the critical matrix sentence verb.

(4a) Memory load set: website – handbag – password

(4b) It was the dance that the person / choreographer who lived in the city performed /

created early last month.

Campanelli et al. (2018) observed (marginal) reading time differences related to

predictability and interference only in the sentence-final spillover region (e.g. *early last*

month). In the load conditions, residual log reading times were fastest in interference

conditions with high predictability and slowest in interference conditions with low

predictability of the critical verb. This result provides an initial indication that interference

effects are canceled out when the word at the retrieval site is highly predictable. However,

Campanelli et al. (2018)'s design was not fully crossed, as they investigated two levels of

prediction (high, low) within the interference conditions but only low prediction within no

interference conditions. Thus, it is not possible to fully characterize the interplay between

prediction and interference on the basis of these results.

We can, nevertheless, put forward a hypothesis regarding the relationship between

prediction and interference within the context of a predictive coding framework. Recall

from our discussion of predictive coding above that predictions essentially correspond to

top-down activity within a hierarchically organized processing architecture, and that this

activity cancels out bottom-up, stimulus-related activity when all features of a stimulus are

fully predictable – thereby preventing the occurrence of prediction errors. By contrast,

interference arises when bottom-up information calls for a retrieval and the features of the

retrieval target are too similar to those of other items currently held in memory. It thus

appears plausible that retrieval operations are only required in the absence of perfect

predictability, i.e. when it is not possible to fully cancel out stimulus-related activity. In

other words, when an upcoming word is fully predicted (and therefore its neuronal firing

pattern was already totally activated before it was encountered), it does not contain any

new information that could serve to initiate a retrieval operation. We sought to examine

this hypothesis with the present study.

1.4. Present Study

The present study examined the interplay between prediction and interference in

German, using a design that fully crossed the two factors. We focused on German articles

as critical stimuli within a broader (two) sentence context, because they overtly mark case,

number and gender and are thus ideal for manipulating interference. Despite the design

opportunities afforded by German for the examination of interference, to the best of our

knowledge, only one study has investigated retrieval interference during German sentence

processing (Nicenboim, Vasishth, Engelmann, & Suckow, 2018). The authors used a self-

paced reading paradigm and found weak evidence for an interference effect during the

retrieval of a subject in the presence versus absence of distractor nouns that shared the

same number feature. Here, we aimed to provide further evidence for interference effects

in German in addition to presenting what is – to the best of our knowledge – the first ERP

study to investigate the interplay of predictive coding and interference. Specifically, we

manipulated gender interference and prediction during the processing of an article (see

example 5). In German, this word class carries (only) case, number and gender

information.

(5) Im Glas liegt eine Raupe und in der Schachtel sitzt ein Käfer. Peter befreit <u>den</u> Käfer

aus der Schachtel.

'In the glas there lies a caterpillar [feminine] and in the box there sits a beetle [masculine].

Peter frees the [masculine] beetle from the box.'

The target (*Käfer* [masculine], 'beetle') and a distractor (*Raupe* [feminine],

'caterpillar') were introduced in a context sentence. At the critical article position within

the second (target) sentence (*den* [masculine], 'the'), the language processing system

should seek to establish coreference with a noun in the preceding context (see e.g.

Schumacher, 2009). The article therefore constitutes the retrieval site of interest. We

hypothesized that the retrieval process would be influenced by both the predictability of

the article and that of the following noun, as well as by the degree of interference from the

distractor noun. We decided to also include the predictability of the following noun as a

predictor variable, because we assumed that some processes taking place during the

processing of the article would be affected by the predictability of the noun. These include,

for example, the generation of a noun prediction or, if a prediction for the noun existed

before the position of the article, whether this prediction is further supported or falsified by

the article via its (in)compatibility to the predicted noun. Any or all of these processes

might substantially affect the processing of the article. Materials were constructed so that

they varied in terms of both target article and noun cloze probability and the degree of

interference (see Methods for further details). By extending the distance between the

retrieval site and the to-be-retrieved word across a sentence boundary, we hoped to gain

insights into the scope of potentially interfering distractors.

1.5. Hypotheses

Our hypotheses were as follows: when the article is fully predictable, prediction

confirmation at this position further supports the existing prediction of the following noun.

In cases of prediction disconfirmation at the article, by contrast, the internal model needs

to be adjusted to prevent further prediction errors and the prediction for the upcoming noun

needs to be revised. This revision necessarily involves memory retrieval of potential

candidates and we hypothesized that it should be influenced by interference. Following

Bornkessel-Schlesewsky and Schlesewsky (2019), we expected to find N400 effects for

prediction errors versus prediction confirmation at the article and hypothesized that these

would be modulated by interference. Interference was assumed to shape model updating as

it influences the precision of the gender feature of the article. In low interference

conditions, the gender feature unambiguously matched one NP in the context and,

therefore, was a cue with high precision. In contrast, in high interference conditions, the

gender feature of the article rendered it ambiguous as it matched the target and distractor

NP, so that in these conditions the gender feature was associated with low precision.

2. Materials and Methods

2.1. Participants

Forty-four right-handed participants (8 male, mean age: 22.75 years, range: 18 – 35)

gave written informed consent and received either course credit or 20 Euros for their

participation. All were native (Austrian) German speakers with normal or corrected-to-

normal vision and no history of neurological or psychiatric disorders. None of the

participants took part in the questionnaire pretest. Four participants had to be excluded

because of technical issues, three were excluded because their response accuracy was

below 75 % and five participants were excluded because of excessive artifacts (more than

25 % of the critical sentences were affected). The data of thirty-two participants (5 male,

mean age: 22.34 years, range: 18 – 35) was used for final analyses.

2.2. Materials

Eighty-five sets of four sentence pairs were constructed (see Table 1 for an example).

Two noun phrases (NPs), which either matched or mismatched according to their gender

features, were introduced in a context sentence and one of them was repeated in the target

sentence. Target sentences were identical across conditions. The repeated NP was always

the object of the target sentence and its article was our critical position for ERP analyses.

In German, articles and corresponding nouns must have congruent gender, number and

case features. In the high interference conditions (1 / 2), the article could grammatically be

followed by each of the two nouns in the context, while, in the low interference conditions

(3 / 4), there is only one compatible noun in the context. Additionally, the distance

between the target noun and the retrieval site (the article) was manipulated via the word

order in the context sentence; resulting in retroactive interference (target … distractor …

retrieval site) in the long target distance conditions and proactive interference (distractor

… target … retrieval site) in the short target distance conditions.

2.3. Questionnaire Pretest

A sentence completion pretest was conducted to obtain cloze values for the critical

article and the following noun in context (Kutas & Hillyard, 1984; Taylor, 1953). The

material was split into four lists, with only one sentence pair from each lexical set

occurring per list. In addition, there were two versions of each list: one truncated the target

sentence before and one after the critical article, resulting in eight different questionnaires.

The different lists / versions were constructed to ensure that the pretest participants stayed

naïve towards the manipulation. No fillers were included in the pretest. A total of 144

university students participated in the pretest (16 to 20 per questionnaire version; 39 male,

mean age = 22.5 years, range: 18 – 40). Pretest participants were native speakers of

(Austrian) German and were instructed to intuitively complete the sentence pairs. None of

the pretest participants also took part in the main study.

The obtained cloze probability (CP) values ranged from 0 to 1 across conditions for

both the article and noun. The results of the pretest are shown in Table 1. Pairwise

contrasts were computed with Welch's t-test in R (R Core Team, 2019, Version 3.6.0).

The CP of the article in the high interference conditions was higher overall than in the low

interference conditions (long target distance: diff = 0.37, $p < 0.001$, 95 % CI = 0.31 −

0.44; short target distance: diff = 0.34, $p < 0.001$, 95 % CI = 0.28 − 0.38). This is a logical

consequence of the fact that, no matter with which of the two nouns of the high

interference context the participants chose to continue the sentence, the article had the

Table 1: Example material and pretest results (cloze probability values) for the critical article and noun within the target sentence displayed beside the corresponding context sentences.

Conditions	Context sentences		Pretest results	
			Article	Noun
(1) high interference / long target distance	In der Schachtel sitzt ein Käfer und im Glas liegt ein Wurm. 'In the box there sits a beetle[masculine] and in the glas there lies a worm[masculine]'.	mean (SD)	0.77 (0.11)	0.45 (0.24)
		range	0.56 - 1.0	0.0 - 0.94
(2) high interference / short target distance	Im Glas liegt ein Wurm und in der Schachtel sitzt ein Käfer. 'In the glas there lies a worm[masculine] and in the box there sits a beetle[masculine]'.	mean (SD)	0.84 (0.07)	0.58 (0.23)
		range	0.65 - 0.95	0.12 - 1.0
(3) low interference / long target distance	In der Schachtel sitzt ein Käfer und im Glas liegt eine Raupe. 'In the box there sits a beetle[masculine] and in the glas there lies a caterpillar[feminine]'.	mean (SD)	0.4 (0.25)	0.89 (0.08)
		range	0.0 - 0.94	0.59 - 1.0
(4) low interference / short target distance	Im Glas liegt eine Raupe und in der Schachtel sitzt ein Käfer. 'In the glas there lies a caterpillar[feminine] and in the box there sits a beetle[masculine]'.	mean (SD)	0.5 (0.21)	0.95 (0.07)
		range	0.05 - 0.89	0.58 - 1.0
	Target sentence			
for all conditions	Peter befreit <u>den</u> Käfer aus der Schachtel. 'Peter frees the[masculine] beetle[masculine] from the box.'			

Critical word is underlined.

same form because the nouns shared the same gender feature. In contrast, the CP values for

the article in the low interference conditions were lower because the article form varied

based on the decision regarding which of the context nouns should follow. In both

interference conditions, the participants showed a recency effect, i.e. they chose an article

congruent to the last-mentioned noun more often than to the first-mentioned noun (cf. the

higher CP values for a short distance to referent across conditions; high interference: diff =

0.07, $p <$ 0.001, 95 % CI = 0.03 – 0.09; low interference: diff = 0.1, p = 0.005, 95 % CI =

0.03 – 0.18). In the high interference conditions, this recency effect is difficult to interpret

as the nouns share the same gender and might be due to an implicit bias related to verb

semantics, i.e. in the way that one of the nouns is closer associated with the verb.

The CP values for the target noun are lower overall in the high interference conditions

compared to low interference conditions (long target distance: diff = - 0.44, $p <$ 0.001, 95

% CI = -0.49 – -0.38; short target distance: diff = -0.37, $p <$ 0.001, 95 % CI = -0.43 – -

0.32). This reflects the fact that the article is ambiguous in the high interference conditions

and that, in the low interference conditions, the article only matches one noun. Like the

article results, the noun CP results show a recency effect (high interference: diff = 0.13, p

= 0.001, 95 % CI = 0.05 – 0.2; low interference: diff = 0.06, $p <$ 0.001, 95 % CI = 0.04 –

0.09).

The distribution and combinations of the CP values, respectively, are shown in Figure

1. In Figure 1, it is apparent that our materials contain no sentence pairs in which a low

cloze article was followed by a low cloze noun. A low cloze article was always followed

by a high cloze noun: Therefore, although a specific article may have been unpredicted

within the target sentence, when this article was processed, the following noun became

highly predictable. These sentence pairs always belonged to low interference conditions.

Therefore, the observed distribution pattern as visualized in Figure 1 is caused by the

above-mentioned likelihoods of articles and nouns within the low interference conditions.

In contrast, high cloze articles were followed by nouns with varying cloze values. The

combination of high cloze articles and low cloze nouns is only seen for the high

interference condition. Again, this is a consequence of the above-mentioned likelihoods of

articles and nouns within the high interference condition. Only the combination of high

cloze articles and high cloze nouns is apparent in all conditions, which can be explained by

a clear preference for one of the NPs, regardless of condition. This is likely due to verb

bias.

Figure 2: Distribution and combinations of CP values for critical article and following

noun. Each circle represents one condition of one item. The number of red circles is higher

because we did not differentiate between the two target distance levels for the high

interference conditions.

In summary, for both the article and the noun, we see that the participants of our

pretest used the likelihood of an article and noun with a specific gender feature to complete

the sentence pair. This likelihood was mostly determined by the characteristics of the

experimental conditions. Also, for both the article and the noun, CPs reveal an offline

recency effect. The participants expected the last-mentioned noun to be repeated in the

target sentence. Despite these general tendencies, items differed from each other and we

observed effects that might be due to item-specific verb biases. The pretest results were

used as predictors in our linear mixed model analyses, which allow unbalanced designs

(for details, see 2.6. Statistical Analysis).

2.4. Procedure

Eighty of the original eighty-five items were presented in the main study. The

exclusion of five items was used to achieve an even number of items and was not based on

pretest results. Two pseudo-randomized lists were constructed so that each participant saw

only two versions of one item (either version 1 and 4 or version 2 and 3). To avoid order

effects, half of the participants were presented a backward version of the lists. Each of the

lists consisted of 240 sentence pairs (160 critical and 80 filler sentence pairs). The first

sentences of the filler sentence pairs were identical to the structure of the critical sentence

pairs. The second sentence of the fillers was constructed to be coherent to the first sentence

but did not include a referential link to it. All sentence pairs (both critical and filler pairs)

were grammatical. A third of all sentence pairs in both lists (80 out of 240) was followed

by a "yes"/"no" comprehension question. There were three types of questions: a) about the

action or state of one NP within the context sentence (*Liegt der Wurm im Glas?* 'Is the

worm in the glas?'), b) about which of the NPs was used in the target sentence (*Befreit er*

den Käfer? 'Does he free the beetle?') or c) the content of the target sentence after the

critical words (*Befreit er ihn aus der Schachtel?* 'Does he free it from the box?'). Please

note, that the provided example questions are hypothetical questions that correspond to the

example item presented in Table 1. Each participant was asked to answer at most one

question per item. Questions were not repeated within lists. Half of the questions required

a "yes" answer indicated by a right or left mouse click (balanced across participants).

Participants were instructed to silently read the sentence pairs, which were presented

on the center of a computer screen in a word-by-word manner. Words were presented in

white letters on a black background and participants were asked to minimize eye

movements, blinks and general movements. A trial began with a 400 ms fixation cross

followed by 200 ms blank screen. Words were presented for 400 ms each with a 100 ms

inter-stimulus interval between words; after the last word of the first sentence in the pair,

there was a 1000 ms inter-stimulus interval. To encourage participants to read carefully, a

third of the trials was followed by a "yes"/"no" comprehension question, which the

participants had five seconds to answer. After that (or in trials without a task), there was a

self-paced inter-trial interval, during which participants could blink as much as needed

before pressing a button to start the next trial. All sessions began with a five-sentence-pair

practice block to familiarize participants with the procedure. The following six

experimental blocks were separated by short breaks. Each experimental session lasted

approximately 2.5 hours; participants spent approximately 75 minutes on task. An ethics

committee approved the procedure that was applied in the present study.

2.5. Electroencephalogram recording and preprocessing

The electroencephalogram (EEG) was recorded from 58 active scalp electrodes

positioned according to the standard 10-20 system and attached to an elastic cap (ActiCap

from Easycap GmbH, Herrsching, Germany). EEG recordings used an ActiCHamp

amplifier (Brain Products GmbH, Gilching, Germany) with a sampling rate of 500 Hz and

AFz as the ground electrode. Six electro-oculogram (EOG) electrodes were positioned

above and below both eyes and at the outer canthus of each eye. Impedances were kept

below 10 kΩ. All electrodes were online referenced to the left mastoid and re-referenced to

the average of both mastoids offline. All preprocessing steps were carried out using the

Brainvision Analyzer 2. The raw data were filtered with a bandpass of 0.1 − 30 Hz.

Artifact rejection was carried out semi-automatically, based on Brainvision Analyzer 2's

Max-Min criterion. According to this criterion, intervals were rejected in which the six

EOG channels showed a difference of more than 100 μV within 200 ms windows, plus an

additional 200 ms window before and after the artifact.

ERPs were computed in epochs of -200 to 1000 ms relative to critical article onset

(noun onset was 500 ms after article onset). While we present grand average ERPs (see

Figure 2) for comparability to previous research, the current design required single trial-

based analyses, as we outline below.

2.6. Statistical Analysis

We performed linear mixed model analyses using the R (R Core Team, 2019, Version

3.6.0) package lme4 (Bates, Maechler, Bolker, & Walker, 2015, Version lme4_1.1-21) on

the basis of the mean activity of EEG single trial data between 300 and 500 ms post onset

of the article. We chose the standard N400 time window (Kutas & Federmeier, 2011)

based on theoretical considerations and our hypotheses, rather than via visual inspection of

ERP waveforms. We included the topographical factors sagittality (anterior: F7/8, F5/6,

F3/4, F1/2, Fz, FC5/6, FC3/4, FC1/2, FCz; central: T7/8, C5/6, C3/4, C1/2, Cz, TP7/8,

CP5/6, CP3/4, CP1/2, CPz; posterior: P7/8, P5/6, P3/4, P1/2, Pz, PO7/8, PO3/4, POz) and

laterality (left: F7, F5, F3, FC5, FC3, T7, C5, C3, TP7, CP5, CP3, P7, P5, P3, PO7, PO3;

medial: F1/2, Fz, FC1/2, C1/2, Cz, CP1/2, CPz, P1/2, Pz, POz; right: F8, F6, F4, FC6,

FC4, T8, C6, C4, TP8, CP6, CP4, P8, P6, P4, PO8, PO4). Interference was modeled as a

three-level factor (high, low with short distance, low with long distance between target and

retrieval site) because, in the high interference conditions, the target noun cannot be

determined at the article and therefore its recency is unclear until the noun position (i.e.

both conditions are identical up to the position of the article). Using the R package `car`

(Fox & Weisberg, 2011, Version carData_3.0-2), categorical variables were encoded with

sum contrasts, such that the estimate for a given fixed effects level represents the

difference between this level and the grand mean (for detailed discussion of contrast

coding, see Schad, Vasishth, Hohenstein, and Kliegl (2019)). Offline cloze probability

values of the article and following noun were included as continuous predictors as well as

the z-transformed baseline activity from 200 ms pre-stimulus until stimulus onset (Alday,

2019); this corresponds to the N400 interval of the preceding word, i.e. the target sentence

verb. In addition, the model included random intercepts for both subjects and items. While

the use of maximal random effects structures has been encouraged for psycholinguistic

research by some authors (Barr, Levy, Scheepers, & Tily, 2013), we chose to employ

random intercepts only for the present study because we focus on population-level effects

rather than inter-individual differences as the investigation of the interaction between

interference and prediction is novel.

For brevity, we present Type-II Wald χ^2 tests (also provided by the `car` package) but

also model summaries. We analyze effects of interest with estimated marginal means

(including 95 % confidence intervals) that were computed with the R package `emmeans`

(Lenth, 2019, Version emmeans_1.3.5.1) and visualize them with the packages

`ggeffects` (Lüdecke, 2018, Version ggeffects_0.11.0) and `ggplot2` (Wickham, 2016,

Version ggplot2_3.1.1). The plots also serve to resolve interactions. Prior to the analyses,

we excluded two items that were inconsistently constructed, leaving us with the data for 78

items.

As discussed in section 2.3, the distribution of CP values for the article and noun

obtained in the pretest does not cover all possible combinations. Accordingly, parts of the

linear mixed model outputs presented in section 3 reflect estimates for certain parameter

combinations for which no actual data points exist in the present study.

3. Results

The data and analysis scripts for this experiment can be accessed at
https://osf.io/ju4mr/?view_only=4cddc81fca954fc3b99eea0f00efcef3.

3.1 Comprehension Question Accuracy

Participants were encouraged to answer the comprehension questions correctly and

within the time limit (five seconds). As noted above, three participants were excluded for

accuracy rates below 75%. For the remaining participants, comprehension accuracy was

good (mean: 85.4 %, range: 76.2 – 95 %), thus demonstrating that they processed the

sentences attentively. Generalized linear mixed models with one or both of our condition

factors (Interference and Distance between target and retrieval site) as predictors showed

no improvements compared to a base model that included only an intercept term

(comparison base model to Interference model: $\chi^2 = 3.01$, $p = 0.08$; comparison base model

to Distance model: $\chi^2 = 0.01$, $p = 0.9$; comparison base model to interaction of Interference

and Distance model: $\chi^2 = 3.9$, $p = 0.27$), hence comprehension accuracy was affected

neither by Interference nor by Distance. We also checked whether there was a speed

accuracy tradeoff. The corresponding generalized linear mixed model (with log reaction

time, Interference, Distance and their interactions as predictors) revealed that correct

answers were associated with a faster response time than incorrect answers (β = -1.9, SE =

0.24, z = -7.96, p < 0.001). No other effects in this model reached significance.

3.2. Traditional ERP waveforms

For sake of completeness, we present traditional grand average ERP waveforms (N=

32) in Figure 2. Article onset is at 0 ms and noun onset at 500 ms. The traditional ERP

methodology cannot account for the complexity of our design with continuous predictors

(cf. Alday, Schlesewsky, & Bornkessel-Schlesewsky, 2017). Thus, while visual inspection

of the grand average ERP waveforms is suggestive of some condition-based differences in

the N400 time window at the article position, we will not interpret these further, as they do

not reflect our full design.

Figure 2: Grand averages at nine selected electrode sites. Negativity is plotted upwards.

3.3. Electrophysiological Data

The summary of the linear mixed model for the article is shown in Tables 2 and 3.

Type-II Wald test results are shown in Table 4, we focus on the three-way interaction

between Interference, Article CP and Noun CP ($\chi^2(2) = 26.7$, $p < 0.001$), which is

visualized in Figure 3. The absence of an interaction with sagittality or laterality indicates

that the effects are broadly distributed.

Table 2: Article. N400 time window. Summary of parameters and random effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = det_n4, REML = F)`

Linear mixed model fit by maximum likelihood ['lmerMod']

AIC	BIC	logLik	Deviance	
1392192	1393346	-695984	1391968	220592

Scaled residuals:

Min	1Q	Median	3Q	Max
-7.31	-0.61	0.01	0.61	6.71

Random effects:

Groups	Name	Variance	Std. Dev.
Item	(Intercept)	0.3794	0.6159
Subj	(Intercept)	1.0862	1.0422
Residual		32.0418	5.6605

Number of obs: 220704, groups: item, 78; subj, 32

Table 3: Article. N400 time window. Summary of fixed effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = det_n4, REML = F)`

	Estimate	Std. Error	t value
(Intercept)	−2.3	0.43	−5.3
sag[ant]	−1.2	0.45	−2.6
sag[post]	1.1	0.47	2.5
lat[left]	−1.1	0.45	−2.5
lat[right]	1.2	0.45	2.6
Interf[high]	−1.3	0.47	−2.8
Interf[low_long]	−2.1	0.46	−4.5
article_CP	0.31	0.7	0.44
noun_CP	0.44	0.45	0.97
scale(baseline)	2.4	0.013	1.9e+02
sag[ant]:lat[left]	0.1	0.64	0.16
sag[post]:lat[left]	−0.027	0.65	−0.041
sag[ant]:lat[right]	−0.35	0.64	−0.55
sag[post]:lat[right]	0.12	0.65	0.19
sag[ant]:Interf[high]	−0.096	0.53	−0.18
sag[post]:Interf[high]	0.0058	0.55	0.01
sag[ant]:Interf[low_long]	−0.11	0.61	−0.19
sag[post]:Interf[low_long]	0.24	0.63	0.38
lat[left]:Interf[high]	0.58	0.53	1.1
lat[right]:Interf[high]	−0.032	0.53	−0.061
lat[left]:Interf[low_long]	0.95	0.61	1.6
lat[right]:Interf[low_long]	−1.2	0.61	−1.9
sag[ant]:article_CP	−1.4	0.8	−1.7

Table 3: Continued: Article. N400 time window. Summary of fixed effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = det_n4, REML = F)`

	Estimate	Std. Error	t value
sag[post]:article_CP	1	0.83	1.3
lat[left]:article_CP	1.1	0.8	1.3
lat[right]:article_CP	−0.64	0.8	−0.79
Interf[high]:article_CP	2	0.77	2.6
Interf[low_long]:article_CP	2.9	0.99	2.9
sag[ant]:noun_CP	0.88	0.54	1.6
sag[post]:noun_CP	−1.1	0.56	−1.9
lat[left]:noun_CP	1.2	0.54	2.3
lat[right]:noun_CP	−1.1	0.54	−2
Interf[high]:noun_CP	1.8	0.66	2.8
Interf[low_long]:noun_CP	1.7	0.54	3.2
article_CP:noun_CP	−0.62	0.8	−0.78
sag[ant]:lat[left]:Interf[high]	0.29	0.76	0.38
sag[post]:lat[left]:Interf[high]	−0.21	0.77	−0.28
sag[ant]:lat[right]:Interf[high]	0.28	0.76	0.37
sag[post]:lat[right]:Interf[high]	0.028	0.77	0.036
sag[ant]:lat[left]:Interf[low_long]	−0.41	0.87	−0.48
sag[post]:lat[left]:Interf[low_long]	0.034	0.88	0.039
sag[ant]:lat[right]:Interf[low_long]	0.69	0.87	0.8
sag[post]:lat[right]:Interf[low_long]	−0.62	0.88	−0.7
sag[ant]:lat[left]:article_CP	−0.67	1.1	−0.58
sag[post]:lat[left]:article_CP	0.46	1.2	0.4
sag[ant]:lat[right]:article_CP	0.4	1.1	0.35
sag[post]:lat[right]:article_CP	−0.041	1.2	−0.035
sag[ant]:Interf[high]:article_CP	1.7	0.88	1.9
sag[post]:Interf[high]:article_CP	−1.5	0.91	−1.6
sag[ant]:Interf[low_long]:article_CP	−0.66	1.3	−0.52
sag[post]:Interf[low_long]:article_CP	0.46	1.3	0.35
lat[left]:Interf[high]:article_CP	−0.66	0.88	−0.75
lat[right]:Interf[high]:article_CP	−0.13	0.88	−0.14
lat[left]:Interf[low_long]:article_CP	−0.56	1.3	−0.44
lat[right]:Interf[low_long]:article_CP	2	1.3	1.6
sag[ant]:lat[left]:noun_CP	−1	0.77	−1.3
sag[post]:lat[left]:noun_CP	0.64	0.78	0.82
sag[ant]:lat[right]:noun_CP	0.6	0.77	0.78
sag[post]:lat[right]:noun_CP	−0.27	0.78	−0.34
sag[ant]:Interf[high]:noun_CP	0.97	0.75	1.3
sag[post]:Interf[high]:noun_CP	−0.75	0.77	−0.97
sag[ant]:Interf[low_long]:noun_CP	−0.35	0.71	−0.49
sag[post]:Interf[low_long]:noun_CP	0.15	0.73	0.21
lat[left]:Interf[high]:noun_CP	−0.13	0.75	−0.17
lat[right]:Interf[high]:noun_CP	−0.79	0.75	−1.1
lat[left]:Interf[low_long]:noun_CP	−1.1	0.71	−1.6
lat[right]:Interf[low_long]:noun_CP	1.7	0.71	2.4

Table 3: Continued: Article. N400 time window. Summary of fixed effects from the model produced by the call lmer(formula = mean ~ 1 + sagittal * lateral * Interference * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = det_n4, REML = F)

	Estimate	Std. Error	t value
sag[ant]:article_CP:noun_CP	0.85	0.92	0.93
sag[post]:article_CP:noun_CP	−0.61	0.95	−0.64
lat[left]:article_CP:noun_CP	−1.3	0.92	−1.4
lat[right]:article_CP:noun_CP	1.1	0.92	1.2
Interf[high]:article_CP:noun_CP	−2.6	0.97	−2.7
Interf[low_long]:article_CP:noun_CP	−2.9	1.1	−2.6
sag[ant]:lat[left]:Interf[high]:article_CP	−0.33	1.3	−0.26
sag[post]:lat[left]:Interf[high]:article_CP	0.23	1.3	0.18
sag[ant]:lat[right]:Interf[high]:article_CP	−0.17	1.3	−0.14
sag[post]:lat[right]:Interf[high]:article_CP	−0.35	1.3	−0.28
sag[ant]:lat[left]:Interf[low_long]:article_CP	0.83	1.8	0.46
sag[post]:lat[left]:Interf[low_long]:article_CP	−0.35	1.8	−0.19
sag[ant]:lat[right]:Interf[low_long]:article_CP	−1.4	1.8	−0.77
sag[post]:lat[right]:Interf[low_long]:article_CP	1.2	1.8	0.64
sag[ant]:lat[left]:Interf[high]:noun_CP	−0.91	1.1	−0.86
sag[post]:lat[left]:Interf[high]:noun_CP	0.5	1.1	0.47
sag[ant]:lat[right]:Interf[high]:noun_CP	0.056	1.1	0.053
sag[post]:lat[right]:Interf[high]:noun_CP	−0.067	1.1	−0.062
sag[ant]:lat[left]:Interf[low_long]:noun_CP	0.89	1	0.89
sag[post]:lat[left]:Interf[low_long]:noun_CP	−0.27	1	−0.26
sag[ant]:lat[right]:Interf[low_long]:noun_CP	−0.99	1	−0.98
sag[post]:lat[right]:Interf[low_long]:noun_CP	0.68	1	0.67
sag[ant]:lat[left]:article_CP:noun_CP	1.3	1.3	0.97
sag[post]:lat[left]:article_CP:noun_CP	−0.87	1.3	−0.65
sag[ant]:lat[right]:article_CP:noun_CP	−0.62	1.3	−0.47
sag[post]:lat[right]:article_CP:noun_CP	0.0008	1.3	0.0006
sag[ant]:Interf[high]:article_CP:noun_CP	−2.7	1.1	−2.4
sag[post]:Interf[high]:article_CP:noun_CP	2.4	1.2	2.1
sag[ant]:Interf[low_long]:article_CP:noun_CP	1.2	1.4	0.81
sag[post]:Interf[low_long]:article_CP:noun_CP	−0.95	1.5	−0.64
lat[left]:Interf[high]:article_CP:noun_CP	−0.08	1.1	−0.072
lat[right]:Interf[high]:article_CP:noun_CP	1.2	1.1	1.1
lat[left]:Interf[low_long]:article_CP:noun_CP	1	1.4	0.73
lat[right]:Interf[low_long]:article_CP:noun_CP	−3	1.4	−2.1
sag[ant]:lat[left]:Interf[high]:article_CP:noun_CP	0.96	1.6	0.6
sag[post]:lat[left]:Interf[high]:article_CP:noun_CP	−0.43	1.6	−0.27
sag[ant]:lat[right]:Interf[high]:article_CP:noun_CP	−0.27	1.6	−0.17
sag[post]:lat[right]:Interf[high]:article_CP:noun_CP	0.41	1.6	0.26
sag[ant]:lat[left]:Interf[low_long]:article_CP:noun_CP	−1.6	2	−0.77
sag[post]:lat[left]:Interf[low_long]:article_CP:noun_CP	0.68	2.1	0.33
sag[ant]:lat[right]:Interf[low_long]:article_CP:noun_CP	1.9	2	0.92
sag[post]:lat[right]:Interf[low_long]:article_CP:noun_CP	−1.3	2.1	−0.63

Table 4: Summary of effects in the N400 time window after article onset (Type II Wald Test).

	χ^2	df	$Pr(> \chi^2)$
sag	2517.1	2	< 0.001
lat	1056.5	2	< 0.001
Interference	232.6	2	< 0.001
article_CP	1.5	1	0.22
noun_CP	7.5	1	0.0063
scale(baseline)	35471.9	1	< 0.001
sag : lat	477.0	4	< 0.001
sag : Interference	23.7	4	< 0.001
lat : Interference	33.3	4	< 0.001
sag : article_CP	6.8	2	0.033
lat : article_CP	3.4	2	0.18
Interference : article_CP	0.25	2	0.88
sag : noun_CP	29.9	2	< 0.001
lat : noun_CP	0.19	2	0.91
Interference : noun_CP	4.2	2	0.13
article_CP : noun_CP	3.7	1	0.054
sag : lat : Interference	6.2	8	0.62
sag : lat : article_CP	3.5	4	0.47
sag: Interference : article_CP	2.1	4	0.71
lat : Interference : article_CP	16.6	4	0.0023
sag : lat : noun_CP	2.1	4	0.72
sag : Interference : noun_CP	9.0	4	0.061
lat : Interference : noun_CP	7.4	4	0.11
sag : article_CP:noun_CP	0.05	2	0.97
lat : article_CP:noun_CP	5.0	2	0.081
Interference : article_CP:noun_CP	26.7	2	< 0.001
sag : lat : Interference:article_CP	6.5	8	0.6
sag : lat : Interference:noun_CP	2.1	8	0.98
sag : lat : article_CP:noun_CP	2.1	4	0.72
sag : Interference : article_CP:noun_CP	7.0	4	0.13
lat : Interference : article_CP:noun_CP	4.8	4	0.31
sag : lat : Interference : article_CP : noun_CP	1.4	8	0.99

Sag = sagittality, lat = laterality.

Figure 3: Predicted values of mean amplitude in the N400 time window at article

position by interference, article CP and noun CP. Shaded regions indicate 95% confidence

intervals.

Effects of interference emerged only when both Article CP and Noun CP were low

and manifested themselves in the form of increased negativity for the high interference and

low interference / long target distance conditions in comparison to the low interference /

short target distance condition. Table 5 shows the estimated marginal means of this

interaction.

Table 5: Estimated marginal means for the Article in the N400 time window produced by the call `emmeans(det_n4_Ionly, c("Interference", "article_CP", "noun_CP"), at = list(article_CP = c(0, 0.5, 1),noun_CP = c(0, 0.5, 1)))`

Interference	article_CP	noun_CP	emmean	SE	df	asymp.LCL	asymp.UCL
high	0.0	0.0	-3.581	0.459	Inf	-4.479	-2.682
low_long	0.0	0.0	-4.379	0.617	Inf	-5.588	-3.171
low_short	0.0	0.0	1.110	0.881	Inf	-0.616	2.837
high	0.5	0.0	-2.443	0.258	Inf	-2.948	-1.937
low_long	0.5	0.0	-2.771	0.418	Inf	-3.591	-1.951
low_short	0.5	0.0	-1.170	0.443	Inf	-2.037	-0.303
high	1.0	0.0	-1.305	0.226	Inf	-1.747	-0.863
low_long	1.0	0.0	-1.163	0.975	Inf	-3.075	0.749
low_short	1.0	0.0	-3.451	0.716	Inf	-4.854	-2.047
high	0.0	0.5	-2.447	0.263	Inf	-2.962	-1.933
low_long	0.0	0.5	-3.297	0.326	Inf	-3.937	-2.658
low_short	0.0	0.5	-0.442	0.454	Inf	-1.332	0.448
high	0.5	0.5	-2.107	0.208	Inf	-2.515	-1.698
low_long	0.5	0.5	-2.564	0.257	Inf	-3.067	-2.060
low_short	0.5	0.5	-1.520	0.274	Inf	-2.056	-0.984
high	1.0	0.5	-1.766	0.202	Inf	-2.162	-1.369
low_long	1.0	0.5	-1.830	0.474	Inf	-2.759	-0.901
low_short	1.0	0.5	-2.597	0.384	Inf	-3.349	-1.845
high	0.0	1.0	-1.314	0.460	Inf	-2.216	-0.412
low_long	0.0	1.0	-2.215	0.217	Inf	-2.641	-1.790
low_short	0.0	1.0	-1.995	0.218	Inf	-2.422	-1.568
high	0.5	1.0	-1.771	0.258	Inf	-2.275	-1.266
low_long	0.5	1.0	-2.356	0.204	Inf	-2.755	-1.957
low_short	0.5	1.0	-1.869	0.199	Inf	-2.260	-1.478
high	1.0	1.0	-2.227	0.225	Inf	-2.669	-1.786
low_long	1.0	1.0	-2.497	0.236	Inf	-2.959	-2.034
low_short	1.0	1.0	-1.743	0.216	Inf	-2.167	-1.319

Results are averaged over the levels of: sagittal, lateral
Degrees-of-freedom method: asymptotic
Confidence level used: 0.95.

It was mentioned in the Methods section, that the combinations of CP values are not evenly distributed across conditions; therefore we present the data basis for the above-described results in Figure 4. Across the Noun CP scale, for the high interference conditions, the Article CP values cover the range from approx. 0.5 to 1. Additionally, for the low interference conditions, Noun CP ranged from approx. 0.5 to 1. See appendix, for the results at the positon of the noun.

617 Figure 4: Distribution of data points with estimated effects at article position in the

618 background.

4. Discussion

We have presented an ERP study that investigated the interplay of prediction and

interference within sentence pairs. In addition to the experimental manipulations, we

included offline cloze probability (CP) values of the critical article and following noun in

linear mixed model analyses of mean single trial EEG activity within the N400 time

window (300 – 500 ms post stimulus onset). At the position of the critical article, the linear

mixed model estimated a negativity for conditions with a high-interference distractor and

for conditions with a close, low-interference distractor (i.e. long distance to target) in

comparison to conditions with a distant, low-interference distractor (i.e. short distance to

target). These effects only emerged when the CP of the article itself and of the following

noun were low.

Before we discuss the results, we recapitulate what the different combinations of

CP values mean for the processing of our critical article (see Figure 6). The combination of

a low cloze article and a low cloze noun represents cases where the article was not

predicted based on the context and even after article processing the noun did not become

predictable. This combination was not observed in our materials (see Figure 2), hence

results for that combination are solely based on model estimates. In contrast, the

combination of a high cloze article and a high cloze noun represents cases where the whole

target NP was predicted before article presentation and was already confirmed by the

matching article. This combination is seen for all our conditions. The combination of a low

cloze article and a high cloze noun represents that the critical NP was not predicted before

the article was processed but its processing led to a clear noun prediction, hence the noun

prediction is quite recent. This combination is seen only for low interference conditions.

The combination of a high cloze article and a low cloze noun represents that the article was

predicted but after its processing the target noun was not predicted. Intuitively, this can

only be the case in high interference conditions, when the distractor is predicted to occur in

the target sentence. Then, while the distractor article was predicted, because it shares the

gender feature with the target article, its CP is high, but the CP of the target noun is low.

The combination of a high cloze article and a low cloze noun for the low interference

conditions did not occur in our materials (see Figure 2), therefore the results for this

combination in the low interference conditions are based on the model estimates only.

Figure 6: Visualization what the different combinations of CP values mean for the processing of our critical article and the following noun.

In the following, we will first discuss the results and subsequently, we will consider potential theoretical implications of our findings, before offering some conclusions.

4.1 Article

Effects at the article emerged only when the CP of both the article and noun were low. Thus, under conditions of high predictability, the distractors were essentially "ignored" by the processing system. We suggest that this aligns well with a predictive coding perspective, according to which high predictability leads to all (or almost all) of the sensory input for a current item being "explained away" (cf. Friston, 2010; and see the introduction for further discussion).

In contrast, when predictability is low, bottom-up information gains more weight. Since the input is not "explained away" under these circumstances, bottom-up sensory information (corresponding to prediction error), is propagated up through the levels of the hierarchically organized predictive processing architecture. Prediction errors induce model updating, which – we assume – requires an evaluation of all (other) possible candidate

referents for the article and upcoming noun. Since this evaluation necessarily involves

retrieval of the candidates, it is a natural locus for interference. We propose here that

interference modulates the complexity of the model update and, thereby, N400 amplitude.

In sentences of the type employed in our experiment, the required model update involves

retrieving the correct referent for the upcoming noun. This retrieval operation is facilitated

under conditions of low interference: since the gender information provided by the article

uniquely matches exactly one noun in the context, this scenario involves a low risk of

prediction errors according to the next word, i.e. the noun, in spite of the fact that the CP of

noun and article was low prior to processing of the corresponding stimuli. In essence,

retrieval is easy due to the lack of alternatives – possibly due to the restricted experimental

context. In the low interference / short target distance condition, retrieval of the target noun

is additionally supported by recency (see section 2.3 for a discussion of recency effects in

our materials as revealed by the pretest). The target noun was introduced recently and is

neuronally represented via short-term synaptic plasticity. The gender retrieval cue uniquely

matches with parts of that recently active neuronal assembly and re-instantiates its firing

pattern without conflict (therefore, we found no effect of proactive interference in these

conditions).

In the low interference / long target distance condition, the target noun was processed

some time ago and is again represented via synaptic weights. But in contrast to the low

interference / short target distant condition, in this condition the distractor was processed

after the target. The distractor's firing pattern probably includes neurons that represent the

target, therefore disturbing the synaptic weights that carry the target representation

(retroactive interference). Thus, during retrieval, the target representation is weaker than

the recently established distractor representation and they additionally overlap to some

degree, which may result in retrieval of both nouns (despite only one of them matching the

gender retrieval cue). This renders model updating more complex, due to the two

conflicting information sources, and we observe a more pronounced N400 effect under

these conditions.

Finally, under conditions of high interference, a low CP article induces a prediction

error but, at the same time, provides no additional evidence to guide a model update. The

gender retrieval cue matches with two overlapping neuronal assemblies that represent the

two nouns that have been introduced in the context sentence. Presumably, both firing

patterns are reactivated in this case. While a model update is clearly required here, it is

associated with a high degree of uncertainty, again correlating with a more pronounced

N400 amplitude.

Thus, in line with Bornkessel-Schlesewsky and Schlesewsky's (2019) proposal, our

results at the position of the critical article suggest that N400 amplitude during incremental

sentence comprehension does not reflect the presence / absence of a prediction error per se,

but rather the effects of a prediction error on internal model updating. The present findings

suggest that interference may play an important role in this regard, as the presence of

interfering distractors not only impacts memory retrieval (i.e. the likelihood of retrieving

the correct item from memory), but also the complexity of model updating. In addition, if

an account along these lines is correct, it suggests that, prediction error within a

hierarchically organized predictive coding architecture might trigger memory retrieval. We

return to this point in section 4.2 below.

4.2 Theoretical implications

Our work has potential implications for all of the theoretical frameworks under

discussion: neuronal memory representation, predictive coding, cue-based parsing

(retrieval) and the functional interpretation of N400 amplitude as reflecting model updating

via precision-weighted prediction error signals. We will briefly discuss each of these in

turn and finally, point out our contribution to the debate of form-based predictions during

language comprehension.

According to Jonides et al.'s (2008) proposal regarding the neuronal mechanisms of

memory, an item within the attentional focus is represented with an active firing pattern.

When the item is no longer in focus, its representation is carried by short-term synaptic

plasticity. Perception, attention shifts, retrieval and prediction can all serve to reinstantiate

the active firing pattern of the item, thus providing a neurobiologically grounded

theoretical basis for the interplay of prediction and retrieval.

Within a hierarchically organized predictive coding architecture, prediction errors

trigger model updating. Our results provide some initial indications as to how this updating

process may be shaped by different information sources in the context of a complex

domain such as higher-order language processing. Specifically, the updates required in our

experimental conditions cannot depend entirely on incoming sensory information, but also

require recourse to previous input, which needs to be accessed via retrieval operations. In

neural terms, retrieval can be conceived as the reinstatement of an item's firing pattern and

we propose here that prediction errors play an important role in triggering this

reinstatement. Specifically, the information carried by the error signal corresponds to the

notion of a retrieval cue in cognitive terms. Retrieval can, in turn, be influenced by

interference – overlap in the neural firing patterns associated with target and distractor

items – which lowers the probability of correctly retrieving the target by reinstating its

firing pattern or, in a worst-case scenario, may even favor retrieval of an incorrect

(distractor) item. If the incorrect item is retrieved, the priors of the new model are

incorrect, thereby inevitably leading to prediction error as the sentence continues. If

interference manifests as multiple possible targets for the retrieval, new predictions that are

based on this retrieval situation are less trusted because of the increased risk of prediction

error. The resulting model thus has less reliability due to the lower-precision predictions.

In summary, our findings suggest that: (a) prediction errors trigger memory retrieval when

the incoming sensory information is not sufficient to guide model updating; and (b)

retrieval interference during model updating diminishes the ability of the model update to

minimize future prediction errors.

Under the cue-based parsing framework, memory representations not only comprise

already processed words, but also predictions for upcoming words or constituents. The

former are retrieved when new words need to be integrated with them (e.g. to establish co-

reference or to saturate dependencies between heads such as verbs and their dependent

arguments). By contrast, the latter are retrieved when the predicted words are actually

encountered. The retrieval operation investigated with the presented study might be

comparable to those during reflexive-/reciprocal-antecedent or ellipsis processing. Rather

than retrieving an argument-verb dependency, for example, it calls for the retrieval of the

correct (co-)referent for the current item. But there are no structural constraints (e.g. c-

command in Chomskyan frameworks), which function as additional retrieval cues during

the retrieval of our referent.

There appears to be a conceptual discrepancy between the memory representation

of a predicted word that needs to be retrieved in cue-based parsing and predictions in the

sense of predictive coding. In cue-based parsing, the memory representation of the

representation is shifted out of attentional focus when other words are processed (see

McElree, 2006). Thus, when the predicted word is encountered, the prediction must be

retrieved in order to allow for an integration of the predicted, newly encountered word with

the corresponding "old" word. Within the predictive coding architecture, by contrast, the

prediction of an upcoming stimulus of a specific kind would be (repeatedly?)

communicated via feedback connections until the stimulus is encountered, at which point

the prediction would "explain away" the sensory input. However, given the propensity for non-adjacent dependencies in language, all stimuli that are encountered between the generation of the prediction and the predicted stimulus' appearance would lead to prediction error. This could either engender model updating and subsequent dismissal of the prediction, or – what is perhaps more likely – to a generalization of the prediction (e.g. the prediction that a noun phrase should be followed, at some point, by a verb). This may lead to maintenance or even strengthening of the prediction (cf. anti-locality effects, (Husain, Vasishth, & Srinivasan, 2014; Konieczny, 2000)), which appears incompatible with the notion that a predicted memory representation disappears from the focus of attention and becomes active again later. One way to operationalize predictions for non-adjacent elements in a predictive coding framework may be to assume that these correspond to higher levels – and hence longer timescales – within the hierarchically organized predictive coding architecture (cf. Bornkessel-Schlesewsky & Schlesewsky, 2019; Bornkessel-Schlesewsky et al., 2015).

The N400-as-model-updating account by Bornkessel-Schlesewsky and Schlesewsky (2019) posits that N400 amplitude reflects precision-weighted prediction errors and, hence, the consequences of a prediction error for model updating rather than prediction-error-related activity per se. Initially, the notion of precision-weighting was introduced to account for N400 modulations via the relevance (cue validity) of a particular feature within a given language. The results of the present study provide evidence to suggest that this notion could be extended to varying validity of a cue according to the specific context. Interference contexts reduce the validity of a cue as already described by the term of cue diagnosticity (Nairne, 2002). A cue is diagnostic if it uniquely picks out the target and excludes the distractors (see Martin et al., 2012 for detailed discussion). Thus, interference during a retrieval operation as part of a model update is closely related to the precision of future predictions.

Finally, the present findings provide further converging support for the notion that

predictive processing during language comprehension may – at least under certain

circumstances – lead to the anticipation of features and thereby the *form* of upcoming input

elements. This idea was prominently put forward by DeLong, Urbach, and Kutas (2005),

who reported evidence for an anticipation of the English articles "a" versus "an" on the

basis of a predicted, following noun. A recent large-scale replication study failed to

replicate this effect at the position of the article (Nieuwland et al., 2018), thus leading to a

controversial discussion of whether the language comprehension system indeed predicts

upcoming form-based features. By showing effects of prediction and interference at an

article (i.e. a function word that does not vary in its compatibility with the context unless

viewed in conjunction with the following noun), our study supports the notion that feature-

and thereby form-based predictions can indeed be generated. This adds further support to a

growing body of literature in languages other than English, e.g. (noun-)gender-based N400

effects at the position of pre-nominal articles in spoken Spanish (Wicha, Bates, Moreno, &

Kutas, 2003; but see Wicha, Moreno, & Kutas, 2004 for a P600 effect in a similar design)

and pre-nominal adjectives in Polish (Szewczyk & Schriefers, 2013), as well as

handshape-based N400 effects prior to the onset of a critical sign in German sign language

(Hosemann, Herrmann, Steinbach, Bornkessel-Schlesewsky, & Schlesewsky, 2013). By

further demonstrating that these pre-nominal prediction effects are modulated by a range of

influences that have not been examined to date – most notably interference, but also the

interaction of article CP and noun CP – our study provides an initial indication as to why

previous studies may have shown apparently contradictory results.

5. Conclusion

The results of the present ERP study suggest that prediction outweighs interference.

Under high predictability, interference effects do not arise, because the sensory input at the

retrieval site is "explained away" in the sense of predictive coding. Hence, retrieval is not

necessary, thus eliminating the possibility of interference. We conclude that interference

may play a crucial role in a hierarchically organized, cortical predictive coding architecture

for language as it influences the complexity of model updating and the precision of future

predictions — particularly when predictability is low.

References

Alday, P. M. (2019). How much baseline correction do we need in ERP research?

Extended GLM model can replace baseline correction while lifting its limits.

Psychophysiology. doi:https://doi.org/10.1111/psyp.13451

Alday, P. M., Schlesewsky, M., & Bornkessel-Schlesewsky, I. (2017).

Electrophysiology Reveals the Neural Dynamics of Naturalistic Auditory Language

Processing: Event-Related Potentials Reflect Continuous Model Updates. *eNeuro, 4*(6).

doi:10.1523/ENEURO.0311-16.2017

Barr, D. J., Levy, R., Scheepers, C., & Tily, H. J. (2013). Random effects structure for

confirmatory hypothesis testing: Keep it maximal. *J Mem Lang, 68*(3).

doi:10.1016/j.jml.2012.11.001

Bates, D., Maechler, M., Bolker, B., & Walker, S. (2015). Fitting Linear Mixed-

Effects Models Using lme4. *Journal of Statistical Software, 67*(1), 1 — 48.

doi:10.18637/jss.v067.i01

Bornkessel-Schlesewsky, I., Kretzschmar, F., Tune, S., Wang, L., Genc, S., Philipp,

M., Roehm, D., & Schlesewsky, M. (2011). Think globally: cross-linguistic variation in

electrophysiological activity during sentence comprehension. *Brain Lang, 117*(3), 133-

152. doi:10.1016/j.bandl.2010.09.010

Bornkessel-Schlesewsky, I., & Schlesewsky, M. (2019). Towards a neurobiologically

plausible model of language-related, negative event-related potentials. *Frontiers in*

Psychology, 10. doi:10.3389/fpsyg.2019.00298

Bornkessel-Schlesewsky, I., Schlesewsky, M., Small, S. L., & Rauschecker, J. P.

(2015). Neurobiological roots of language in primate audition: common computational

properties. *Trends Cogn Sci, 19*(3), 142-150. doi:10.1016/j.tics.2014.12.008

Campanelli, L., Van Dyke, J. A., & Marton, K. (2018). The modulatory effect of

expectations on memory retrieval during sentence comprehension. In T. T. Rogers, M.

Rau, X. Zhu, & C. W. Kalish (Eds.), *Proceedings of the 40th Annual Conference of the*

Cognitive Science Society (pp. 1436 — 1441). Austin, Texas: Cognitive Science Society.

Clark, A. (2013). Whatever next? Predictive brains, situated agents, and the future of

cognitive science. *Behav Brain Sci, 36*(3), 181-204. doi:10.1017/S0140525X12000477

DeLong, K. A., Urbach, T. P., & Kutas, M. (2005). Probabilistic word pre-activation

during language comprehension inferred from electrical brain activity. *Nat Neurosci, 8*(8),

1117-1121. doi:10.1038/nn1504

Dröge, A., Fleischer, J., Schlesewsky, M., & Bornkessel-Schlesewsky, I. (2016).

Neural mechanisms of sentence comprehension based on predictive processes and decision

certainty: Electrophysiological evidence from non-canonical linearizations in a flexible

word order language. *Brain Res, 1633*, 149-166. doi:10.1016/j.brainres.2015.12.045

Feldman, H., & Friston, K. J. (2010). Attention, uncertainty, and free-energy. *Front*

Hum Neurosci, 4, 215. doi:10.3389/fnhum.2010.00215

Fox, J., & Weisberg, S. (2011). *An R Companion to Applied Regression* (2 ed.).

Thousand Oaks CA: Sage.

Frank, S. L., Otten, L. J., Galli, G., & Vigliocco, G. (2015). The ERP response to the

amount of information conveyed by words in sentences. *Brain Lang, 140*, 1-11.

doi:10.1016/j.bandl.2014.10.006

Freunberger, D., & Roehm, D. (2017). The costs of being certain: Brain potential

evidence for linguistic preactivation in sentence processing. *Psychophysiology, 54*(6), 824-

832. doi:10.1111/psyp.12848

Friston, K. (2005). A theory of cortical responses. *Philos Trans R Soc Lond B Biol Sci,*

360(1456), 815-836. doi:10.1098/rstb.2005.1622

Friston, K. (2010). The free-energy principle: a unified brain theory? *Nat Rev*

Neurosci, 11(2), 127-138. doi:10.1038/nrn2787

Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective

computational abilities. *Proc Natl Acad Sci U S A, 79*(8), 2554-2558.

doi:10.1073/pnas.79.8.2554

Hosemann, J., Herrmann, A., Steinbach, M., Bornkessel-Schlesewsky, I., &

Schlesewsky, M. (2013). Lexical prediction via forward models: N400 evidence from

German Sign Language. *Neuropsychologia, 51*(11), 2224-2237.

doi:10.1016/j.neuropsychologia.2013.07.013

Husain, S., Vasishth, S., & Srinivasan, N. (2014). Strong expectations cancel locality

effects: evidence from Hindi. *PLoS One, 9*(7), e100986. doi:10.1371/journal.pone.0100986

Jäger, L. A., Engelmann, F., & Vasishth, S. (2017). Similarity-based interference in

sentence comprehension: Literature review and Bayesian meta-analysis. *Journal of*

Memory and Language, 94, 316-339.

Jonides, J., Lewis, R. L., Nee, D. E., Lustig, C. A., Berman, M. G., & Moore, K. S.

(2008). The mind and brain of short-term memory. *Annu Rev Psychol, 59*, 193-224.

doi:10.1146/annurev.psych.59.103006.093615

Kandylaki, K. D., Nagels, A., Tune, S., Kircher, T., Wiese, R., Schlesewsky, M., &

Bornkessel-Schlesewsky, I. (2016). Predicting "When" in Discourse Engages the Human

Dorsal Auditory Stream: An fMRI Study Using Naturalistic Stories. *J Neurosci, 36*(48),

12180-12191. doi:10.1523/JNEUROSCI.4100-15.2016

Konieczny, L. (2000). Locality and parsing complexity. *J Psycholinguist Res, 29*(6),

627-645.

Kuperberg, G. R. (2016). Separate streams or probabilistic inference? What the N400

can tell us about the comprehension of events. *Lang Cogn Neurosci, 31*(5), 602-616.

doi:10.1080/23273798.2015.1130233

Kutas, M., & Federmeier, K. D. (2011). Thirty years and counting: finding meaning in

the N400 component of the event-related brain potential (ERP). *Annu Rev Psychol, 62*,

621-647. doi:10.1146/annurev.psych.093008.131123

Kutas, M., & Hillyard, S. A. (1984). Brain potentials during reading reflect word

expectancy and semantic association. *Nature, 307*(5947), 161-163.

925 Lenth, R. (2019). emmeans: Estimated Marginal Means, aka Least-Squares Means. R

926 package version 1.3.5.1. https://CRAN.R-project.org/package=emmeans.

927 Lewis, A. G., & Bastiaansen, M. (2015). A predictive coding framework for rapid

928 neural dynamics during sentence-level language comprehension. *Cortex, 68*, 155-168.

929 doi:10.1016/j.cortex.2015.02.014

930 Lewis, R. L., & Vasishth, S. (2005). An activation-based model of sentence processing

931 as skilled memory retrieval. *Cogn Sci, 29*(3), 375-419. doi:10.1207/s15516709cog0000_25

932 Lewis, R. L., Vasishth, S., & Van Dyke, J. A. (2006). Computational principles of

933 working memory in sentence comprehension. *Trends Cogn Sci, 10*(10), 447-454.

934 doi:10.1016/j.tics.2006.08.007

935 Lüdecke, D. (2018). ggeffects: Tidy Data Frames of Marginal Effects from Regression

936 Models. *Journal of Open Source Software, 3*(26). doi:10.21105/joss.00772

937 MacWhinney, B., Bates, E., & Kliegl, R. (1984). Cue validity and sentence

938 interpretation in English, German, and Italian. *Journal of Verbal Learning and Verbal*

939 *Behavior, 23*(2), 127 — 150. doi:10.1016/S0022-5371(84)90093-8

940 Martin, A. E., & McElree, B. (2009). Memory operations that support language

941 comprehension: evidence from verb-phrase ellipsis. *J Exp Psychol Learn Mem Cogn,*

942 *35*(5), 1231-1239. doi:10.1037/a0016271

Martin, A. E., Nieuwland, M. S., & Carreiras, M. (2012). Event-related brain
potentials index cue-based retrieval interference during sentence comprehension.
Neuroimage, 59(2), 1859-1869. doi:10.1016/j.neuroimage.2011.08.057

Martin, A. E., Nieuwland, M. S., & Carreiras, M. (2014). Agreement attraction during
comprehension of grammatical sentences: ERP evidence from ellipsis. *Brain Lang, 135*,
42-51. doi:10.1016/j.bandl.2014.05.001

McElree, B. (2000). Sentence comprehension is mediated by content-addressable
memory structures. *J Psycholinguist Res, 29*(2), 111-123.

McElree, B. (2006). Accessing recent events. In B. H. Ross (Ed.), *The psychology of*
learning and motivation. San Diego: Academic Press.

Nairne, J. S. (2002). The myth of the encoding-retrieval match. *Memory, 10*(5-6), 389-
395. doi:10.1080/09658210244000216

Nicenboim, B., & Vasishth, S. (2018). Models of retrieval in sentence comprehension:
A computational evaluation using Bayesian hierarchical modeling. *Journal of Memory and*
Language, 99, 1 — 34.

Nicenboim, B., Vasishth, S., Engelmann, F., & Suckow, K. (2018). Exploratory and
Confirmatory Analyses in Sentence Processing: A Case Study of Number Interference in
German. *Cogn Sci*. doi:10.1111/cogs.12589

Nieuwland, M. S., Politzer-Ahles, S., Heyselaar, E., Segaert, K., Darley, E., Kazanina,
N., Von Grebmer Zu Wolfsthurn, S., Bartolozzi, F., Kogan, V., Ito, A., Meziere, D., Barr,

D. J., Rousselet, G. A., Ferguson, H. J., Busch-Moreno, S., Fu, X., Tuomainen, J.,

Kulakova, E., Husband, E. M., Donaldson, D. I., Kohut, Z., Rueschemeyer, S. A., &

Huettig, F. (2018). Large-scale replication study reveals a limit on probabilistic prediction

in language comprehension. *Elife, 7*. doi:10.7554/eLife.33468

Pickering, M. J., & Garrod, S. (2007). Do people use language production to make

predictions during comprehension? *Trends Cogn Sci, 11*(3), 105-110.

doi:10.1016/j.tics.2006.12.002

R Core Team. (2019). R: A Language and Environment for Statistical Computing.

Vienna, Austria: R Foundation for Statistical Computing. Retrieved from https://www.R-

project.org/

Rao, R. P., & Ballard, D. H. (1999). Predictive coding in the visual cortex: a

functional interpretation of some extra-classical receptive-field effects. *Nat Neurosci, 2*(1),

79-87. doi:10.1038/4580

Schad, D. J., Vasishth, S., Hohenstein, S., & Kliegl, R. (2019). *How to capitalize on a*

propri contrasts in linear (mixed) models: A tutorial. (arXiv:1807.10451v4).

Schumacher, P. B. (2009). Definiteness Marking Shows Late Effects during Discourse

Processing: Evidence from ERPs. In S. L. Devi, A. Branco, & R. Mitkov (Eds.), *Anaphora*

Processing and Applications (Vol. 5847 Lecture Notes in Artifical Intelligence, pp. 91-

106). Berlin, Heidelberg: Springer.

Szewczyk, J. M., & Schriefers, H. (2013). Prediction in language comprehension

beyond specific words: An ERP study on sentence comprehension in Polish. *Journal of*

Memory   and   Language,   68(4),   297   —314.

doi:https://doi.org/10.1016/j.jml.2012.12.002

Taylor, W. L. (1953). „Cloze procedure": A new tool for measuring readability.

Journalism Quarterly, 30, 415 — 433.

Todd, J., Heathcote, A., Mullens, D., Whitson, L. R., Provost, A., & Winkler, I.

(2014). What controls gain in gain control? Mismatch negativity (MMN), priors and

system biases. *Brain Topogr, 27*(4), 578-589. doi:10.1007/s10548-013-0344-4

Van Dyke, J. A. (2007). Interference effects from grammatically unavailable

constituents during sentence processing. *J Exp Psychol Learn Mem Cogn, 33*(2), 407-430.

doi:10.1037/0278-7393.33.2.407

Van Dyke, J. A., & Lewis, R. L. (2003). Distinguishing effects of structure and decay

on attachment and repair: A cue-based parsing account of recovery from misanalyzed

ambiguities. *Journal of Memory and Language, 49*, 285 — 316.

Van Dyke, J. A., & McElree, B. (2006). Retrieval interference in sentence

comprehension. *J Mem Lang, 55*(2), 157-166. doi:10.1016/j.jml.2006.03.007

Wicha, N. Y., Bates, E. A., Moreno, E. M., & Kutas, M. (2003). Potato not Pope:

human brain potentials to gender expectation and agreement in Spanish spoken sentences.

Neurosci Lett, 346(3), 165-168.

Wicha, N. Y., Moreno, E. M., & Kutas, M. (2004). Anticipating words and their

gender: an event-related brain potential study of semantic integration, gender expectancy,

and gender agreement in Spanish sentence reading. *J Cogn Neurosci, 16*(7), 1272-1288. doi:10.1162/0898929041920487

Wickham, H. (2016). *ggplot2: Elegant Graphics for Data Analysis*. New York: Springer-Verlag.

 Appendix

 A.1. Statistical Analysis

 The noun was analyzed using linear mixed model analysis. It was carried out

 analog to the article analysis with the following expections: The two models differed in the

 coding of the factors interference and distance. In the noun model, we modeled the two

 factors separately: Interference (high, low) and Distance between target and retrieval site

 (short, long). The z-transformed baseline activity from 200 ms pre-stimulus until stimulus

 onset used in the noun analysis, corresponds to the N400 interval of the critical article.

 Figure S1: Grand averages at nine selected electrode sites for the critical article and

 following noun. A) Article onset, B) Noun onset. Negativity is plotted upwards.

1037

A.2. Electrophysiological Results

We present grand averages for the noun in Figure S1. The full summary for the linear

mixed model for the noun is shown in Tables S1 and S2. Type-II Wald tests are shown in

Table S3; we focus on the Interference x Target Distance x Article CP x Noun CP

interaction (χ^2(1) = 36.27, p < 0.001), which is visualized in Figure S1; the corresponding

estimated marginal means are shown in Table S4. The absence of an interaction with

sagittality indicates that the effects are broadly distributed. We do not further investigate

the interaction of Laterality x Interference x Target Distance x Article CP x Noun CP

(χ^2(2) = 8.07, p = 0.018) because the meaning of laterality effects between ERPs in

language comprehension is not clear. The effects pattern of the four-way interaction is

complex and therefore to maintain intelligibility, we focus on the bigger differences

between the confidence intervals.

1050

1051

Table S1: Summary of the random intercepts only model in the time window 300 - 500 ms from Noun onset.

Linear mixed model fit by maximum likelihood				
AIC	BIC	logLik	Deviance	df.resid.
1399485	1401010	−699595	1399189	219500

Scaled residuals:				
Min	1Q	Median	3Q	Max
−8.256	−0.601	0.004	0.609	5.866

Random effects:			
Groups	Name	Variance	Std. Dev.
Item	(Intercept)	0.682	0.826
Subj	(Intercept)	2.257	1.502
Residual		34.122	5.841

Number of obs: 219648, groups: Item, 78; Subj, 32

Table S2: Noun. N400 time window. Summary of fixed effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * Target_Distance * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = noun_n4, REML = F)`. Sag = sagittal, lat = lateral, ant = anterior, post = posterior, Interf = Interference, TDist = Target_Distance, aCP = article_CP, nCP = noun_CP.

	Estimate	Std. Error	t value
(Intercept)	−3	0.48	−6.1
sag[ant]	−0.55	0.46	−1.2
sag[post]	0.45	0.48	0.95
lat[left]	0.97	0.46	2.1
lat[right]	−0.6	0.46	−1.3
Interf[high]	−0.96	0.4	−2.4
TDist[long]	3.7	0.36	10
aCP	4.3	0.63	6.9
nCP	3.1	0.56	5.6
scale(baseline)	2.2	0.013	1.7e+02
sag[ant]:lat[left]	−0.99	0.65	−1.5
sag[post]:lat[left]	0.57	0.67	0.85
sag[ant]:lat[right]	0.1	0.65	0.16
sag[post]:lat[right]	0.073	0.67	0.11
sag[ant]:Interf[high]	−0.25	0.46	−0.54
sag[post]:Interf[high]	0.41	0.48	0.87
lat[left]:Interf[high]	−0.4	0.46	−0.86
lat[right]:Interf[high]	0.39	0.46	0.86
sag[ant]:TDist[long]	1.4	0.46	3.1
sag[post]:TDist[long]	−1.1	0.48	−2.4
lat[left]:TDist[long]	−0.65	0.46	−1.4
lat[right]:TDist[long]	0.48	0.46	1
Interf[high]:TDist[long]	0.95	0.37	2.6
sag[ant]:aCP	0.22	0.72	0.3
sag[post]:aCP	−0.69	0.75	−0.93

1052

1053

Table S2: Continued: Noun. N400 time window. Summary of fixed effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * Target_Distance * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = noun_n4, REML = F)`. Sag = sagittal, lat = lateral, ant = anterior, post = posterior, Interf = Interference, TDist = Target_Distance, aCP = article_CP, nCP = noun_CP.

	Estimate	Std. Error	t value
lat[left]:aCP	−2.7	0.72	−3.7
lat[right]:aCP	1.2	0.72	1.7
Interf[high]:aCP	0.06	0.63	0.095
TDist[long]:aCP	−2.9	0.57	−5.1
sag[ant]:nCP	−0.67	0.67	−1
sag[post]:nCP	0.14	0.69	0.21
lat[left]:nCP	−1.4	0.67	−2.2
lat[right]:nCP	0.76	0.67	1.1
Interf[high]:nCP	1.2	0.59	2.1
TDist[long]:nCP	−5	0.52	−9.6
aCP:nCP	−5.2	0.83	−6.3
sag[ant]:lat[left]:Interf[high]	−1.2	0.65	−1.8
sag[post]:lat[left]:Interf[high]	1.3	0.67	1.9
sag[ant]:lat[right]:Interf[high]	0.013	0.65	0.02
sag[post]:lat[right]:Interf[high]	−0.43	0.67	−0.64
sag[ant]:lat[left]:TDist[long]	0.61	0.65	0.94
sag[post]:lat[left]:TDist[long]	−0.53	0.67	−0.8
sag[ant]:lat[right]:TDist[long]	−0.24	0.65	−0.36
sag[post]:lat[right]:TDist[long]	0.17	0.67	0.25
sag[ant]:Interf[high]:TDist[long]	−1.3	0.46	−2.7
sag[post]:Interf[high]:TDist[long]	0.98	0.48	2.1
lat[left]:Interf[high]:TDist[long]	−0.92	0.46	−2
lat[right]:Interf[high]:TDist[long]	0.2	0.46	0.44
sag[ant]:lat[left]:aCP	0.098	1	0.095
sag[post]:lat[left]:aCP	0.17	1	0.16
sag[ant]:lat[right]:aCP	0.71	1	0.69
sag[post]:lat[right]:aCP	−0.91	1	−0.87
sag[ant]:Interf[high]:aCP	−0.3	0.72	−0.41
sag[post]:Interf[high]:aCP	0.31	0.75	0.42
lat[left]:Interf[high]:aCP	1.4	0.72	2
lat[right]:Interf[high]:aCP	−0.85	0.72	−1.2
sag[ant]:TDist[long]:aCP	0.016	0.72	0.022
sag[post]:TDist[long]:aCP	−0.17	0.75	−0.23
lat[left]:TDist[long]:aCP	0.86	0.72	1.2
lat[right]:TDist[long]:aCP	−1.8	0.72	−2.6
Interf[high]:TDist[long]:aCP	−3	0.57	−5.2
sag[ant]:lat[left]:nCP	0.86	0.95	0.91
sag[post]:lat[left]:nCP	−0.58	0.96	−0.6
sag[ant]:lat[right]:nCP	0.26	0.95	0.27
sag[post]:lat[right]:nCP	−0.2	0.96	−0.2
sag[ant]:Interf[high]:nCP	0.41	0.67	0.62
sag[post]:Interf[high]:nCP	−0.8	0.69	−1.2

1054

Table S2: Continued: Noun. N400 time window. Summary of fixed effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * Target_Distance * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = noun_n4, REML = F)`. Sag = sagittal, lat = lateral, ant = anterior, post = posterior, Interf = Interference, TDist = Target_Distance, aCP = article_CP, nCP = noun_CP.

	Estimate	Std. Error	t value
lat[left]:Interf[high]:nCP	0.48	0.67	0.72
lat[right]:Interf[high]:nCP	−0.39	0.67	−0.59
sag[ant]:TDist[long]:nCP	−1.5	0.67	−2.3
sag[post]:TDist[long]:nCP	1.3	0.69	1.8
lat[left]:TDist[long]:nCP	1.4	0.67	2
lat[right]:TDist[long]:nCP	−0.96	0.67	−1.4
Interf[high]:TDist[long]:nCP	−2	0.53	−3.9
sag[ant]:aCP:nCP	−0.57	0.96	−0.6
sag[post]:aCP:nCP	1.3	0.99	1.3
lat[left]:aCP:nCP	2.8	0.96	2.9
lat[right]:aCP:nCP	−1.1	0.96	−1.2
Interf[high]:aCP:nCP	−0.091	0.83	−0.11
TDist[long]:aCP:nCP	4.2	0.75	5.6
sag[ant]:lat[left]:Interf[high]:TDist[long]	−0.4	0.65	−0.62
sag[post]:lat[left]:Interf[high]:TDist[long]	0.63	0.67	0.95
sag[ant]:lat[right]:Interf[high]:TDist[long]	1.5	0.65	2.2
sag[post]:lat[right]:Interf[high]:TDist[long]	−1.2	0.67	−1.7
sag[ant]:lat[left]:Interf[high]:aCP	2	1	1.9
sag[post]:lat[left]:Interf[high]:aCP	−2	1	−1.9
sag[ant]:lat[right]:Interf[high]:aCP	−0.66	1	−0.65
sag[post]:lat[right]:Interf[high]:aCP	1.1	1	1.1
sag[ant]:lat[left]:TDist[long]:aCP	−0.93	1	−0.9
sag[post]:lat[left]:TDist[long]:aCP	0.87	1	0.83
sag[ant]:lat[right]:TDist[long]:aCP	0.42	1	0.41
sag[post]:lat[right]:TDist[long]:aCP	−0.059	1	−0.056
sag[ant]:Interf[high]:TDist[long]:aCP	−0.23	0.72	−0.32
sag[post]:Interf[high]:TDist[long]:aCP	0.37	0.75	0.5
lat[left]:Interf[high]:TDist[long]:aCP	1.2	0.72	1.7
lat[right]:Interf[high]:TDist[long]:aCP	0.94	0.72	1.3
sag[ant]:lat[left]:Interf[high]:nCP	1.7	0.95	1.8
sag[post]:lat[left]:Interf[high]:nCP	−1.7	0.96	−1.8
sag[ant]:lat[right]:Interf[high]:nCP	0.071	0.95	0.075
sag[post]:lat[right]:Interf[high]:nCP	0.63	0.96	0.65
sag[ant]:lat[left]:TDist[long]:nCP	−0.82	0.95	−0.86
sag[post]:lat[left]:TDist[long]:nCP	0.62	0.96	0.64
sag[ant]:lat[right]:TDist[long]:nCP	−0.52	0.95	−0.54
sag[post]:lat[right]:TDist[long]:nCP	0.46	0.96	0.47
sag[ant]:Interf[high]:TDist[long]:nCP	1.5	0.67	2.3
sag[post]:Interf[high]:TDist[long]:nCP	−1.1	0.69	−1.6
lat[left]:Interf[high]:TDist[long]:nCP	1.8	0.67	2.6
lat[right]:Interf[high]:TDist[long]:nCP	−0.8	0.67	−1.2
sag[ant]:lat[left]:aCP:nCP	−0.54	1.4	−0.4

1055

Table S2: Continued: Noun. N400 time window. Summary of fixed effects from the model produced by the call `lmer(formula = mean ~ 1 + sagittal * lateral * Interference * Target_Distance * article_CP * noun_CP + scale(baseline) + (1 | subj) + (1 | item), data = noun_n4, REML = F)`. Sag = sagittal, lat = lateral, ant = anterior, post = posterior, Interf = Interference, TDist = Target_Distance, aCP = article_CP, nCP = noun_CP.

	Estimate	Std. Error	t value
sag[post]:lat[left]:aCP:nCP	0.29	1.4	0.21
sag[ant]:lat[right]:aCP:nCP	−0.85	1.4	−0.63
sag[post]:lat[right]:aCP:nCP	0.71	1.4	0.51
sag[ant]:Interf[high]:aCP:nCP	0.23	0.96	0.24
sag[post]:Interf[high]:aCP:nCP	0.049	0.99	0.05
lat[left]:Interf[high]:aCP:nCP	−1.5	0.96	−1.6
lat[right]:Interf[high]:aCP:nCP	0.75	0.96	0.79
sag[ant]:TDist[long]:aCP:nCP	−0.072	0.96	−0.075
sag[post]:TDist[long]:aCP:nCP	0.25	0.99	0.26
lat[left]:TDist[long]:aCP:nCP	−1.6	0.96	−1.7
lat[right]:TDist[long]:aCP:nCP	2.5	0.96	2.6
Interf[high]:TDist[long]:aCP:nCP	4.6	0.75	6
sag[ant]:lat[left]:Interf[high]:TDist[long]:aCP	0.74	1	0.72
sag[post]:lat[left]:Interf[high]:TDist[long]:aCP	−1.1	1	−1
sag[ant]:lat[right]:Interf[high]:TDist[long]:aCP	−2.1	1	−2
sag[post]:lat[right]:Interf[high]:TDist[long]:aCP	1.4	1	1.4
sag[ant]:lat[left]:Interf[high]:TDist[long]:nCP	0.31	0.95	0.33
sag[post]:lat[left]:Interf[high]:TDist[long]:nCP	−0.72	0.96	−0.74
sag[ant]:lat[right]:Interf[high]:TDist[long]:nCP	−2.4	0.95	−2.5
sag[post]:lat[right]:Interf[high]:TDist[long]:nCP	1.9	0.96	2
sag[ant]:lat[left]:Interf[high]:aCP:nCP	−2.6	1.4	−1.9
sag[post]:lat[left]:Interf[high]:aCP:nCP	2.5	1.4	1.8
sag[ant]:lat[right]:Interf[high]:aCP:nCP	0.64	1.4	0.47
sag[post]:lat[right]:Interf[high]:aCP:nCP	−1.4	1.4	−1
sag[ant]:lat[left]:TDist[long]:aCP:nCP	1.1	1.4	0.84
sag[post]:lat[left]:TDist[long]:aCP:nCP	−1	1.4	−0.74
sag[ant]:lat[right]:TDist[long]:aCP:nCP	0.53	1.4	0.39
sag[post]:lat[right]:TDist[long]:aCP:nCP	−0.75	1.4	−0.54
sag[ant]:Interf[high]:TDist[long]:aCP:nCP	0.3	0.96	0.31
sag[post]:Interf[high]:TDist[long]:aCP:nCP	−0.53	0.99	−0.54
lat[left]:Interf[high]:TDist[long]:aCP:nCP	−2.3	0.96	−2.4
lat[right]:Interf[high]:TDist[long]:aCP:nCP	−0.25	0.96	−0.26
sag[ant]:lat[left]:Interf[high]:TDist[long]:aCP:nCP	−0.63	1.4	−0.46
sag[post]:lat[left]:Interf[high]:TDist[long]:aCP:nCP	1.2	1.4	0.88
sag[ant]:lat[right]:Interf[high]:TDist[long]:aCP:nCP	3.3	1.4	2.4
sag[post]:lat[right]:Interf[high]:TDist[long]:aCP:nCP	−2.4	1.4	−1.7

1056

1057

1058

Table S3: Summary of effects in the N400 time window after Noun onset (Type II Wald).

	χ^2	Df	$Pr(>\chi^2)$		χ^2	Df	$Pr(>\chi^2)$
sag	4632.88	2	< 0.001	sag:lat:nCP	0.15	4	0.99722
lat	624.24	2	< 0.001	sag:Int:nCP	7.64	2	0.02196
Interence	0.39	1	0.53350	lat:Int:nCP	1.21	2	0.54649
TDist	115.69	1	< 0.001	sag:TDist:nCP	2.73	2	0.25569
aCP	6.66	1	0.00986	lat:TDist:nCP	2.80	2	0.24715
nCP	5.24	1	0.02203	Int:TDist:nCP	26.00	1	< 0.001
scale(baseline)	28202.72	1	< 0.001	sag:aCP:nCP	1.66	2	0.43612
sag:lat	463.31	4	< 0.001	lat:aCP:nCP	4.26	2	0.11874
sag:Int	0.75	2	0.68837	Int:aCP:nCP	1.38	1	0.24084
lat:Int	10.13	2	0.00631	TDist:aCP:nCP	26.08	1	< 0.001
sag:TDist	12.57	2	0.00186	sag:lat:Int:TDist	0.66	4	0.95624
lat:TDist	14.96	2	< 0.001	sag:lat:Int:aCP	0.63	4	0.95935
Int:TDist	0.03	1	0.85955	sag:lat:TDist:aCP	1.08	4	0.89808
sag:aCP	5.51	2	0.06361	sag:Int:TDist:aCP	0.03	2	0.98565
lat:aCP	6.69	2	0.03526	lat:Int:TDist:aCP	10.32	2	0.00574
Int:aCP	0.26	1	0.61035	sag:lat:Int:nCP	1.17	4	0.88276
TDist:aCP	19.64	1	< 0.001	sag:lat:TDist:nCP	3.13	4	0.53619
sag:nCP	44.80	2	< 0.001	sag:Int:TDist:nCP	50.79	2	< 0.001
lat:nCP	1.67	2	0.43494	lat:Int:TDist:nCP	16.11	2	< 0.001
Int:nCP	5.94	1	0.01481	sag:lat:aCP:nCP	0.28	4	0.99085
TDist:nCP	13.21	1	< 0.001	sag:Int:aCP:nCP	0.15	2	0.92718
aCP:nP	16.90	1	< 0.001	lat:Int:aCP:nCP	4.55	2	0.10266
sag:lat:Int	2.30	4	0.68131	sag:TDist:aCP:nCP	0.05	2	0.97458
sag:lat:TDist	2.36	4	0.66949	lat:TDist:aCP:nCP	7.45	2	0.02414
sag:Int:TDist	5.99	2	0.04999	Int:TDist:aCP:nCP	36.27	1	< 0.001
lat:Int:TDist	4.72	2	0.09463	sag:lat:Int:TDist:aCP	2.48	4	0.64832
sag:lat:aCP	1.04	4	0.90313	sag:lat:Int:TDist:nCP	1.62	4	0.80437
sag:Int:aCP	1.73	2	0.42108	sag:lat:Int:aCP:nCP	5.69	4	0.22392
lat:Int:aCP	1.46	2	0.48288	sag:lat:TDist:aCP:nCP	1.90	4	0.75340
sag:TDist:aCP	1.95	2	0.37800	sag:Int:TDist:aCP:nCP	0.30	2	0.86064
lat:TDist:aCP	6.05	2	0.04859	lat:Int:TDist:aCP:nCP	8.07	2	0.01769
Int:TDist:aCP	2.04	1	0.15274	sag:lat:Int:TDist:aCP:nCP	7.22	4	0.12456

Sag = sagittality, lat = laterality, Int = interference, TDist = Target_Distance, aCP = article_CP, nCP = noun_CP.

1059

1060

1061

Table S4: Estimated marginal means for the Noun in the N400 time window produced by the call `emmeans(noun_n4_Ionly, c("Interference", "Target_Distance", "article_CP", "noun_CP"), at = list(article_CP = c(0, 0.5, 1), article_CP = c(0, 0.5, 1 )))`. Interf = Interference, T_Dist = Target_Distance, aCP = article_CP, nCP= noun_CP.

Interf	T_Dist	aCP	nCP	emmean	SE	df	asymp.LCL	asymp.UCL
high	long	0.0	0.0	0.69	0.565	Inf	-0.42	1.80
low	long	0.0	0.0	0.71	0.669	Inf	-0.60	2.02
high	short	0.0	0.0	-8.51	0.995	Inf	-10.46	-6.56
low	short	0.0	0.0	-4.69	0.935	Inf	-6.53	-2.86
high	long	0.5	0.0	-0.03	0.340	Inf	-0.69	0.64
low	long	0.5	0.0	2.89	0.477	Inf	1.96	3.83
high	short	0.5	0.0	-3.40	0.478	Inf	-4.33	-2.46
low	short	0.5	0.0	-2.60	0.499	Inf	-3.58	-1.62
high	long	1.0	0.0	-0.75	0.316	Inf	-1.37	-0.13
low	long	1.0	0.0	5.08	1.036	Inf	3.05	7.11
high	short	1.0	0.0	1.72	0.353	Inf	1.03	2.41
low	short	1.0	0.0	-0.50	0.768	Inf	-2.01	1.00
high	long	0.0	0.5	-0.66	0.364	Inf	-1.38	0.05
low	long	0.0	0.5	0.17	0.390	Inf	-0.59	0.94
high	short	0.0	0.5	-2.80	0.448	Inf	-3.68	-1.92
low	short	0.0	0.5	-2.25	0.509	Inf	-3.25	-1.25
high	long	0.5	0.5	-0.53	0.293	Inf	-1.10	0.05
low	long	0.5	0.5	0.97	0.330	Inf	0.33	1.62
high	short	0.5	0.5	-1.20	0.315	Inf	-1.82	-0.58
low	short	0.5	0.5	-1.34	0.344	Inf	-2.02	-0.67
high	long	1.0	0.5	-0.40	0.292	Inf	-0.97	0.18
low	long	1.0	0.5	1.77	0.531	Inf	0.73	2.81
high	short	1.0	0.5	0.40	0.292	Inf	-0.17	0.97
low	short	1.0	0.5	-0.44	0.442	Inf	-1.30	0.43
high	long	0.0	1.0	-2.02	0.643	Inf	-3.28	-0.76
low	long	0.0	1.0	-0.36	0.297	Inf	-0.94	0.22
high	short	0.0	1.0	2.91	0.832	Inf	1.28	4.54
low	short	0.0	1.0	0.20	0.298	Inf	-0.38	0.78
high	long	0.5	1.0	-1.03	0.349	Inf	-1.72	-0.35
low	long	0.5	1.0	-0.94	0.287	Inf	-1.51	-0.38
high	short	0.5	1.0	1.00	0.426	Inf	0.16	1.83
low	short	0.5	1.0	-0.09	0.283	Inf	-0.64	0.47
high	long	1.0	1.0	-0.04	0.349	Inf	-0.73	0.64
low	long	1.0	1.0	-1.53	0.313	Inf	-2.14	-0.91
high	short	1.0	1.0	-0.92	0.327	Inf	-1.56	-0.28
low	short	1.0	1.0	-0.37	0.297	Inf	-0.95	0.21

Results are averaged over the levels of: sagittal, lateral
Degrees-of-freedom method: asymptotic
Confidence level used: 0.95

1062

1063

1064

1065

1066   Figure S2: Predicted values of mean amplitude in the N400 time window at noun position

1067   by interference, target distance, article CP and noun CP. Shaded regions indicate 95%

1068   confidence intervals.

1069

When both Article CP and Noun CP are low, the short target distance conditions are more

negative than the long target distance conditions – irrespective of interference. When

Article CP is high and Noun CP is low, the high interference conditions and the low

interference / short target distance condition are more negative than the low interference /

long target distance condition. As Noun CP increases, the interference and target distance

effects decrease depending on Article CP. When Noun CP is high and Article CP is low,

the high interference / long target distance condition and the two low interference

conditions are more negative than the high interference / short target distance condition.

When both Noun CP and Article CP are high, no effects were apparent.

It was mentioned in the Methods section that the combinations of CP values are not

evenly distributed across conditions; therefore we present the data basis for the above-

described results in Figure S2. Similar to the article effects and their data basis, for the

high interference conditions at the noun, Article CP ranged from approx. 0.5 to 1 across

the Noun CP scale. Additionally, for the low interference conditions, Noun CP ranged

from approx. 0.5 to 1.

1085

1086

1087   Figure S2: Distribution of data points with estimated effects at noun position in the

1088   background.