

The McGill Face Database: validation and insights into the recognition of facial expressions of complex mental states

Gunnar Schmidtman

Eye & Vision Research Group, School of Health Professions, University of Plymouth, Plymouth, UK

Ben J. Jennings

Centre for Cognitive Neuroscience, Division of Psychology, Department of Life Sciences, Brunel University London, UK

Dasha A. Sandra

Department of Psychology, McGill University, Montreal, Quebec, Canada

Jordan Pollock

Department of Psychology, McGill University, Montreal, Quebec, Canada

Ian Gold

Departments of Philosophy and Psychiatry, McGill University, Montreal, Quebec, Canada

Current databases of facial expressions of mental states typically represent only a small subset of expressions, usually covering the basic emotions (fear, disgust, surprise, happiness, sadness, and anger). To overcome these limitations, we introduce a new database of pictures of facial expressions reflecting the richness of mental states. 93 expressions of mental states were interpreted by two professional actors and high-quality pictures were taken under controlled conditions in front and side view. The database was validated with two different experiments (N=65). First, a four-alternative forced choice paradigm was employed to test the ability of participants to correctly select a term associated with each expression. In a second experiment, we employed a paradigm that did not rely on any semantic information. The task was to locate each face within a two-dimensional space of valence and arousal (mental state – space) employing a “point-and-click” paradigm. Results from both experiments demonstrate that subjects can reliably recognize a great diversity of emotional states from facial expressions. Interestingly, while subjects’ performance was better for front view images, the advantage over the side view was not dramatic. To our knowledge, this is the first demonstration of the high degree of accuracy human viewers exhibit when identifying complex mental states from only partially visible facial features. The McGill Face Database provides a wide range of facial expressions that can be linked to mental state terms and can be accurately characterized in terms of arousal and valence.

Introduction

Faces represent a special, very complex class of visual stimuli and have been extensively studied in a wide range of research areas. In particular, facial expressions are among the most important sources of information about the mental states of others. The capacity to make mental state inferences, whether from faces or other sources, is known as Theory of Mind (ToM), and it is widely agreed that this capacity is essential to human social behavior. There is also substantial evidence that a ToM deficit may be associated with a variety of clinical conditions, notably autism (Baron-Cohen et al. (1997, 2001)) and schizophrenia (Bora et al. (2009), Brüne (2005), Harrington et al. (2005), Sprong et al. (2007)). Hence, the assessment of ToM is important for the exploration of social cognition in healthy individuals as well as in some patients. It may also be useful to measure a change in the social capacities of patients in psychotherapy. The

“Reading the Mind in the Eyes” Test (Baron-Cohen et al. (1997, 2001)) is a common ToM test in which participants have to choose a mental state term that best characterizes the expression in a picture of someone’s eyes. However, only a small proportion of possible mental states are tested, and the stimuli themselves are of inconsistent quality with respect to image resolution, luminance and perspective. Most other comparable databases of facial expressions of mental states typically only include a small subset of expressions, typically the basic emotions proposed by Paul Ekman (e.g. Ekman, 1992): fear, disgust, surprise, happiness, sadness, and anger) – the emotional expressions that are considered universal. However, multiple secondary emotions where two or more primary emotions are mixed (e.g. hatred being a mix of anger and disgust, are highly under-represented in the databases available. One exception is the “Mind Reading” database (DVD, Baron-Cohen et al., 2004 that contains a much wider range of mental states. The Mind Reading

DVD is computer-based platform developed to help individuals diagnosed along the autism spectrum to recognize facial expressions. It contains 412 mental state concepts, each assigned to one of 24 mental state classes. However, it is designed for commercial and clinical use and specifically targets patients with autism spectrum disorder and Asperger syndrome. A list of popular face stimuli databases is shown in Table 1. Most databases only represent a very small subset of emotions encountered in daily life and often in exaggerated form. To overcome these limitations, we have developed and validated a large new database of pictures of facial expressions – the McGill Face Database – that reflects some of the richness of human mental states. The database contains high-resolution pictures of 93 expressions of mental states that were interpreted by two professional actors (one male and one female) in front and side view – 372 images in total. In this paper, we present two different experiments to investigate subjects' ability to recognize the facial expressions in the Database. In experiment 1, we employ a four-alternative forced choice paradigm, based on previous studies (Baron-Cohen et al. (1997, 2001)). The task for the observer in this experiment was to choose, out of four terms, the one that best identifies the mental state expressed. Given that a particular “correct” term is only a representation of the actors' interpretations of the mental state, a second validation experiment (experiment 2) was carried out, which did not rely on the semantics of the mental state terms. Instead, the observers located each face within a two-dimensional space of valence and arousal (mental state – space) employing a “point-and-click” paradigm (Jennings et al. (2017)).

Database

Actor Recruitment

Five male and five female professional native English-speaking actors were invited to take part in an audition. The actors' performance was judged by a panel of two of the authors and a theater-experienced Professor of Drama and Theatre in the McGill Department of English. During the audition, one male and one female actor engaged in various improvisation exercises. The “best actors” were those who exhibited the most precise, nuanced, and yet readable range of emotional expression in their faces, i.e. that clarity of emotional expression - as captured by the camera - was paramount. Some actors were better able to convey different emotions through subtle recalibration of facial expression while others either got “stuck in look” or fell into exaggerated or melodramatic countenances. The two best-performing actors (male, age 29, female, age 23) were chosen to take part in a photo shoot based on a majority vote. The actors gave informed consent and signed an agreement allowing for the pictures to be used for research and other non-commercial purposes. The actors were compensated for

their work.

Images

Equipment. The pictures were taken by a professional photographer with a Canon 70D digital camera mounted on a tripod at a distance of 1.5 m from the actor. The optic was a Canon 85 mm, f1.8 with a shutter speed of 1/60th and an aperture of f5.6 and a sensitivity of ISO 100. Two separate flashes—a Canon 580 EX and a Canon 430 EXII (both set with exposure compensation at +1) were placed at the appropriate distance. One of the flashes had a reflector umbrella.

Image Acquisition. The pictures were taken in two separate sessions at a studio specifically prepared for that purpose. During the sessions, the actor was positioned in front of a white screen. The instructor provided the mental state term and read the corresponding short explication provided in the Glossary in Appendix B of Baron-Cohen et al. (2001). The actor was given as much time as needed to prepare the interpretation for the relevant expression. When the actor gave a hand signal to the photographer, a single picture was taken in front view. Importantly, in order to guarantee a natural interpretation of a given expression, we did not restrict the head tilt. The actor then immediately turned to face a mark 30° from the camera, and a second picture was taken. This procedure was repeated three to four times for each of 93 mental state terms used in the Reading the Mind in the Eyes Test (Baron-Cohen et al. (2001)) (Table 2 in the Appendix).

Image Selection. A focus group, consisting of six referees (four females and two males) were presented with the different images for a given expression and asked to compare their quality and expressivity of mental state. Four out of six referees had to agree on a picture for it to be selected for inclusion in the database. The full database can be downloaded at: McGill Face Database.

Image Specificities. The database contains 372 jpeg image files with a resolution of 5472 x 3648 pixel (colour space profile: sRGB IEC61966-2.1). The size of each image is 7.3 MB. The image files have not been post-processed. Raw image files are available upon request from the first author.

Experiment 1

Methods

Subjects. All participants were recruited via the McGill Psychology Human Participant Pool or via public advertisements. 33 individuals (7 males, 26 females, mean age 21 years, ± 2.96 SD) participated in Experiment 1. All subjects were native English speakers and were naïve as to the purpose of the study. Subjects had normal or corrected-to-normal visual acuity. Informed consent was obtained from each observer. All experiments were approved by the McGill University Ethics committee and were conducted in accordance with the original Declaration of Helsinki.

Table 1

Summary of face databases (n.s.: not specified)

Database	Reference	No. Images	Expressions
The Yale Face Database	Belhumeur et al. (1996)	165	happy, sad, winking, sleepy, surprised
AR Face Database	Martinez (1998)	3000	n. s.
Karolinska Directed Emotional Faces (KDEF)	Lundqvist et al. (1998)	4900	anger, happiness, surprise, disgust, sadness, fear, neutral
	Goeleven et al. (2008)	490	angry, fearful, disgusted, happy, sad, surprised
Japanese Female Facial Expression (JAFFE)	Lyons et al. (1998)	219	anger, happiness, surprise, disgust, sadness, fear, neutral
Yale Face Database B+	Georghiades et al. (2000)	4050	n. s.
Palermo & Coltheart Faces	Palermo & Coltheart (2004)	336	anger disgust, fear, happiness, neutrality, sadness, surprise
MMI	Pantic et al. (2005)	1588	79, n. s.
BU-3DFE Database	Yin et al. (2006)	2500	anger, disgust, fear, happy, sad, surprise, neutral
The Bosphorus Database	Alyüz et al. (2008)	4666	n. s.
Multi-PIE	Gross et al. (2010)	750000+	neutral, smile, surprise, squint, disgust, scream
Genki-4K	Whitehill et al. (2009)	63,000	smiling or non-smiling
The MUG Face Database	Aifanti et al. (2010)	70645	Anger, fear, happiness, sadness, surprise
FACES	Ebner et al. (2010)	2052	neutral, sadness, disgust, fear, anger, happiness
Radboud Faces	Langner et al. (2010)	5880	angry, contemptuous, disgusted, fearful, happy, sad, surprised, neutral
Cohn-Kanade CK+	Lucey et al. (2010)	593 recordings, 10708 frames	anger, contempt, disgust, fear, happy, sadness, surprise
Indian Movie Face database (IMFDB)	Setty et al. (2013)	34512	anger, happiness, surprise, disgust, sadness, fear
DynEmo	Tcherkassof et al. (2013)	358 videos	n. s.
KinectFaceDB	Min et al. (2014)	156 images, 52 videos	neutral, smile

Apparatus. The face stimuli were presented using MATLAB (MATLAB R 2016b, MathWorks) on either a CRT monitor running with a resolution of 1600 x 1200 pixel and a frame rate of 60 Hz (mean luminance $40 \frac{cd}{m^2}$) under the control of a PC (3.2GHz) or on a MacBook Pro (2015, 3.1 GHz) with a monitor resolution of 2560 x 1600 pixel. The viewing distance was adjusted to guarantee an equal image size of $20.91^\circ \times 13.95^\circ$ on both systems. Experiments were performed in a dimly illuminated room. Routines from the Psychtoolbox-3 were employed to present the stimuli (Brainard & Vision (1997)).

Procedure. A four-alternative forced choice paradigm was employed to test the ability of participants to correctly select the term associated with each picture in the database. All 372 pictures (93 male front view, 93 male side view, 93 female front view, 93 female side view) were tested in one experimental block. The images were presented in random order, different for every observer. Stimuli were presented for 1 s. This presentation time was based on previous results, where identification accuracy for the same face stimuli was measured as a function of presentation time (Schmidtman et al. (2016)). The presentation of the face image was followed by the presentation of the target (correct) term as well as three distractor terms. Importantly, in order to minimize a decision bias caused by specific terms, the distractor terms were randomly selected from the remaining 92 terms shown in Table 2. In other words, each observer was presented with different distractor terms for each face. The terms were presented on a mid-grey screen in a diamond-like arrangement (see Figure 1), corresponding to the cursor keys on a computer keyboard, which were used to by the observers to make their choice. The target term could occur in one out of four locations, which was randomly determined. The task for the observer was to choose the term most appropriate to the expression in the picture. Participants were given a break after each group of 93 presentations, i.e. three breaks in total.




Figure 1. Experiment 1: Experimental Paradigm

Results

Table 4 summarizes the performance (percent correct) across 33 subjects. The guess rate in a four-alternative forced choice paradigm is 25%. χ^2 -Tests with a Yates correction for continuity ($p > .05$) were performed to determine whether performances were significantly different from chance level for a given term (Yates (1934)). Performances not significantly better than chance are shown by the grey shading in Table 3 in the Appendix and by the lines in Figures 2 and 3 showing the sorted percent correct performances for the actors in front and side view as bar plots. Results show that for the pictures of the female actor, subjects performed significantly better than chance in 78 of 93 images (84%) for the front view condition and 74 of 93 images (80%) of the side view pictures. For the male actor, subjects performed significantly better than chance in 67 of 93 images (72%) in front view and 61 of 93 images (66% in side view. The non-significant terms are summarized in Table 4. Interestingly, 13 of these 52 non-significant cases occur in judgements of both the female and male actor. Furthermore, in 8 of these 52 terms subjects performed no better than chance for three or four of the images. These terms are indicated by the grey-




Figure 2. Bar plots showing percent correct for the 93 terms in the database for the female actor in both views. The dashed line represents the guessing rate (25 %). Performances which are statistically not better than chance (χ^2 – Yates correction for continuity; $\alpha > .05$) are indicated by the solid lines in each graph.

Figure 3. Bar plots showing percent correct for the 93 terms in the database for the male actor in both views. The dashed line represents the guessing rate (25 %). Performances which are statistically not better than chance (χ^2 – Yates correction for continuity; $\alpha > .05$) are indicated by the solid lines in each graph.

shaded cells in Table 4.

In addition, we conducted parametric Pearson correlation between each combination of the stimuli tested in experiment 1. Results show statistically significant correlations between results for the female faces in front and side view ($r = .555, p < .001, n = 93$), male faces in front and side view ($r = .598, p < .001, n = 93$), and female and male faces in front view ($r = .336, p = .001, n = 93$). All other correlations are presented in Table A1.

Experiment 2

Methods

Subjects. 32 subjects participated in Experiment 2 (10 males, 22 females, mean age 22 years, ± 4.13 SD).

Procedure. We employed a “point-and-click” task that did not rely on any semantic information being presented to observers during trials (Jennings et al. (2017)). The complete set of images (372) was presented in a random order. Each image was displayed for 1 s followed by the two-dimensional mental state-space (Russell (1980)), presented until the observer submitted a response (Figure 4 shows the




Figure 4. Experiment 2: The image was presented for 1 s, followed by the presentation of a valence-arousal space, extending from low to high arousal in one dimension and pleasant to unpleasant in the other dimension. Note: The red terms provide illustrations of the appropriate location of mental state terms used (the red text was not visible during testing)

2-dimensional space). Once the two-dimensional space was displayed, the observers' task was to click a computer mouse on the point within the space deemed most appropriate to the facial expression displayed in the image. The horizontal direction represented a rating of valence (pleasant vs. unpleasant) and the vertical direction a rating of arousal (low vs. high). Example emotions corresponding to different regions of the space are illustrated by the red text (not visible during testing) in Figure 4. The axes as well as the example mental states (red) were used to instruct the observer during training. In order to evaluate whether participants tended to locate facial expressions in similar regions of the two-dimensional space, we calculated an agreement score ($\eta_{agreement}$) for each image among 32 observers in the following way.

First, the mean arousal (A_{mean}) and valence (V_{mean}) coordinates were calculated across all observer responses for a given condition. Second, the Euclidian distance (r) for each of the observers' response, and hence the mean r_{mean} (see Eq. 1) was determined. Finally, these values were normalized (based on the highest mean value, r_{max}) and shifted according to the lowest value (r_{min} , see Eq. 2). This transformation produced agreement scores ($\eta_{agreement}$) so that, a score of 1 corresponds to the greatest agreement between subjects and as the scores decrease the agreement between subjects' decreases, i.e., emotion ratings were less tightly clustered around the mean location (see Eq. 3). Figure 5 illustrates the procedure for four hypothetical data points located within a




Figure 5. A subsection of the valence-arousal space showing four hypothetical responses (black dots); the red dot represents the mean valence (V_{median}) and arousal (A_{median}). The agreement score ($\eta_{agreement}$) is determined by the mean Euclidian distance r .

subsection of the arousal-valence space.

$$r_{mean} = \frac{1}{n} \sum_1^{i=n} \sqrt{(V_{median} - V_i)^2 + (A_{median} - A_i)^2} \quad (1)$$

$$r_{mean} = \frac{1}{n} \sum_1^{i=n} r_i \quad (2)$$

$$\eta_{agreement} = 1 - \frac{r_{mean}}{r_{max}} + r_{min} \quad (3)$$

Results

Tables 5 and 6 summarize the agreement scores ($\eta_{agreement}$), for the female and male face stimuli, respectively. To visualize the magnitude of the agreement scores within the mental state-space three examples are illustrated in Figure 6. The circles are rendered with a radius equal to the values produced by Eq. 1 and the corresponding agreement values are stated for comparison. The results for each of the 93 terms can be downloaded here: McGill Face Database.

Correlations between Experiment 1 and Experiment 2

In a final analysis, parametric Pearson correlation tests were conducted between the percent correct performance for each stimulus in experiment 1 and the agreement score $\eta_{agreement}$ for each stimulus in experiment 2. This analysis showed statically significant correlations between the results for male faces in front view in experiment 1 and male faces in front view in experiment 2 ($r = -.302, p = .003, n = 93$), for male faces in front view in experiment 1 and female faces in front view in experiment 2 ($r = -.216, p = .038, n = 93$) and for male faces in side view in experiment 1 and male faces




Figure 6. A subsection of the valence-arousal space showing four hypothetical responses (black dots); the red dot represents the mean valence (V_{mean}) and arousal (A_{mean}). The agreement score ($\eta_{agreement}$) is determined by the mean Euclidian distance r .

in front view in experiment 2 ($r = -.311$, $p = .002$, $n = 93$) (see Table 7).

Discussion

Most currently available image databases of facial expressions of mental states include only a very small range of possible mental states. With the exception of the “Mind Reading” platform (Baron-Cohen et al. (2004)), the vast majority of free databases employ the basic emotions proposed by Paul Ekman (e.g. Ekman, 1992): fear, disgust, surprise, happiness, sadness, and anger; see Table 1.) Even the full set of emotions, however, constitute only one category of mental state to which ToM is directed. In order to investigate ToM comprehensively, a more expansive set of stimuli is desirable. The aim of the current study was to develop and to validate a new database of such stimuli reflecting a greater variety of mental states. The McGill Face Database includes 4 representations of 93 mental state terms. The pictures are unmodified but can be altered if users wish to do so. In order to determine the usefulness of the database, two validation experiments were carried out. These experiments revealed considerable agreement among participants regarding the mental state expressed by the faces. Results from experiment 1 demonstrate that subjects can reliably select the correct term associated with a particular mental state despite the semantic complexity of the terms denoting them. Subjects performed significantly better than chance in 78 of 93 front view images and 74 of 93 side view images of the female actor, and they performed significantly better than chance in 67 of 93 front view and 61 of 93 side view images of the male actor. Results from this experiment also show that subjects performed better with images of the female actor, most likely because she was more expressive than the male actor. It is noteworthy that while subjects’ performance was better for front view images, the advantage over the side view was not dramatic (female: 84% vs. 80% ; male: 72% vs. 66%). To our knowledge, this is the first demonstration of the high degree of accuracy human viewers exhibit when identifying complex mental states from only partially visible facial

features. The Pearson correlation analyses for experiment 1 show a highly significant correlation between the two views of the same face as well as between front views of the male and female faces. The slightly more difficult side view task together with differences across the male and female faces presumably accounts for the absence of the full complement of correlations. The aim of the validation in experiment 2 was to develop a task that is independent of the complex vocabulary used in experiment 1. This approach has a number of advantages. First, some of the mental state terms may be more likely to be chosen just in virtue of their meanings. These biases would distort subjects’ performance. Secondly, the facial expressions produced by the actors are interpretations of mental state terms and some interpretations may be more easily associated with a target term than others. In this respect, the relationship between the facial expressions and the mental state terms explored in experiment 1 is distinctly different from the relationship between the basic emotions and the facial expressions to which they correspond. Whereas it is widely agreed that each basic emotion is represented by a single characteristic expression, many facial expressions might be thought to correspond to the mental state terms. Finally, it is of particular importance to be able to carry out ToM experiments without difficult vocabulary if one wants to study individuals with intellectual disabilities, or those suffering from conditions associated with impaired linguistic ability. The “point-and-click” paradigm in which subjects had to indicate the location of a given facial expression in a logical space (Russell (1980)), along the dimensions of valence and arousal, makes this possible (Jennings et al. (2017)). Results from this experiment show that there is substantial agreement across individuals about how to characterize faces along these dimensions. In addition, there is a high correlation between the face stimuli between perspectives and gender. The imperfect correlation between performance in the two experiments can be attributed to the presence of linguistic items in the first experiment and their absence in the second, as well as the difference in the specificity of the judgements required; the 2-dimensional space used in experiment 2 is a much coarser framework for classifying facial expressions than is the method of assigning a quite specific term to each face. The McGill Face Database thus provides a wide range of facial expressions of mental states that can be linked to mental state terms as well as accurately characterized in terms of arousal and valence independently of any such terms.

Acknowledgement

We would like to thank Prof. Erin Hurley from the Department of English at McGill University for her help with the audition and recruitment process of the actors and for her helpful comments in that process. We further thank Scott Brevity Cope (photographer) and Edward Schokking for their help. This research was supported by a Social Sciences and Humanities Research Council of Canada grant #435-2017-1215, 2017 given to I.G. and G.S.

References

- Aifanti, N., Papachristou, C., & Delopoulos, A. (2010). The mug facial expression database. In *Image analysis for multimedia interactive services (wiamis), 2010 11th international workshop on* (pp. 1–4).
- Alyüz, N., Gökberk, B., Dibeklioğlu, H., Savran, A., Salah, A. A., Akarun, L., & Sankur, B. (2008). 3d face recognition benchmarks on the bosphorus database with focus on facial expressions. In *European workshop on biometrics and identity management* (pp. 57–66).
- Baron-Cohen, S., Golan, O., Wheelwright, S., & Hill, J. (2004). *Mind reading: The interactive guide to emotions*. London: Jessica Kingsley Limited.
- Baron-Cohen, S., Jolliffe, T., Mortimore, C., & Robertson, M. (1997). Another advanced test of theory of mind: Evidence from very high functioning adults with autism or asperger syndrome. *Journal of Child Psychology and Psychiatry*, 38(7), 813–822.
- Baron-Cohen, S., Wheelwright, S., Hill, J., Raste, Y., & Plumb, I. (2001). The “reading the mind in the eyes” test revised version: A study with normal adults, and adults with asperger syndrome or high-functioning autism. *Journal of Child Psychology and Psychiatry*, 42(2), 241–251.
- Belhumeur, P. N., Hespanha, J. P., & Kriegman, D. J. (1996). Eigenfaces vs. fisherfaces: Recognition using class specific linear projection. In *European conference on computer vision* (pp. 43–58).
- Bora, E., Yucel, M., & Pantelis, C. (2009). Theory of mind impairment in schizophrenia: meta-analysis. *Schizophrenia Research*, 109(1-3), 1–9.
- Brainard, D. H., & Vision, S. (1997). The psychophysics toolbox. *Spatial Vision*, 10, 433–436.
- Brüne, M. (2005). “theory of mind” in schizophrenia: a review of the literature. *Schizophrenia Bulletin*, 31(1), 21–42.
- Ebner, N. C., Riediger, M., & Lindenberger, U. (2010). Faces—a database of facial expressions in young, middle-aged, and older women and men: Development and validation. *Behavior Research Methods*, 42(1), 351–362.
- Ekman, P. (1992). An argument for basic emotions. *Cognition & Emotion*, 6(3-4), 169–200.
- Georghiades, A. S., Belhumeur, P. N., & Kriegman, D. J. (2000). From few to many: generative models for recognition under variable pose and illumination. In *Proceedings fourth ieee international conference on automatic face and gesture recognition (cat. no. pr00580)* (p. 277–284).
- Goeleven, E., Raedt, R. D., Leyman, L., & Verschuere, B. (2008). The karolinska directed emotional faces: A validation study. *Cognition and Emotion*, 22(6), 1094–1118.
- Gross, R., Matthews, I., Cohn, J., Kanade, T., & Baker, S. (2010). Multi-pie. *Image and Vision Computing*, 28(5), 807–813.
- Harrington, L., Siegert, R., & McClure, J. (2005). Theory of mind in schizophrenia: a critical review. *Cognitive Neuropsychiatry*, 10(4), 249–286.
- Jennings, B. J., Yu, Y., et al. (2017). The role of spatial frequency in emotional face classification. *Attention, Perception, & Psychophysics*, 79(6), 1573–1577.
- Langner, O., Dotsch, R., Bijlstra, G., Wigboldus, D. H., Hawk, S. T., & Van Knippenberg, A. (2010). Presentation and validation of the radboud faces database. *Cognition & Emotion*, 24(8), 1377–1388.
- Lucey, P., Cohn, J. F., Kanade, T., Saragih, J., Ambadar, Z., & Matthews, I. (2010). The extended cohn-kanade dataset (ck+): A complete dataset for action unit and emotion-specified expression. In *2010 ieee computer society conference on computer vision and pattern recognition-workshops* (pp. 94–101).
- Lundqvist, D., Flykt, A., & Ohman, A. (1998). Karolinska directed emotional faces [database of standardized facial images]. *Psychology Section, Department of Clinical Neuroscience, Karolinska Hospital, S-171, 76*.
- Lyons, M., Akamatsu, S., Kamachi, M., & Gyoba, J. (1998). Coding facial expressions with gabor wavelets. In *Proceedings third ieee international conference on automatic face and gesture recognition* (pp. 200–205).
- Martinez, A. M. (1998). The ar face database. *CVC Technical Report24*.
- Min, R., Kose, N., & Dugelay, J.-L. (2014). Kinectfacedb: A kinect database for face recognition. *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 44(11), 1534–1548.
- Palermo, R., & Coltheart, M. (2004). Photographs of facial expression: Accuracy, response times, and ratings of intensity. *Behavior Research Methods, Instruments, & Computers*, 36(4), 634–638.
- Pantic, M., Valstar, M., Rademaker, R., & Maat, L. (2005). Web-based database for facial expression analysis. In *2005 ieee international conference on multimedia and expo* (pp. 5–pp).
- Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology*, 39(6), 1161.

- Schmidtmann, G., Sleiman, D., Pollack, J., & Gold, I. (2016). Reading the mind in the blink of an eye—a novel database for facial expressions. In *Perception* (Vol. 45, pp. 238–239).
- Setty, S., Husain, M., Beham, P., Gudavalli, J., Kandasamy, M., Vaddi, R., ... others (2013). Indian movie face database: a benchmark for face recognition under wide variations. In *2013 fourth national conference on computer vision, pattern recognition, image processing and graphics (ncvpr13)* (pp. 1–5).
- Sprong, M., Schothorst, P., Vos, E., Hox, J., & Van Engeland, H. (2007). Theory of mind in schizophrenia: meta-analysis. *The British Journal of Psychiatry*, *191*(1), 5–13.
- Tcherkassof, A., Dupré, D., Meillon, B., Mandran, N., Dubois, M., & Adam, J.-M. (2013). Dynemo: A video database of natural facial expressions of emotions. *The International Journal of Multimedia & Its Applications*, *5*(5), 61–80.
- Whitehill, J., Littlewort, G., Fasel, I., Bartlett, M., & Movellan, J. (2009). Toward practical smile detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, *31*(11), 2106–2111.
- Yates, F. (1934). Contingency tables involving small numbers and the χ^2 test. *Supplement to the Journal of the Royal Statistical Society*, *1*(2), 217–235.
- Yin, L., Wei, X., Sun, Y., Wang, J., & Rosato, M. J. (2006). A 3d facial expression database for facial behavior research. In *7th international conference on automatic face and gesture recognition (fgr06)* (pp. 211–216).

Appendix

Table 2

Summary of terms in the McGill Face Database

	English		English
1	Accusing	48	Grateful
2	Affectionate	49	Guilty
3	Aghast	50	Hateful
4	Alarmed	51	Hopeful
5	Amused	52	Horrificed
6	Annoyed	53	Hostile
7	Anticipating	54	Impatient
8	Anxious	55	Imploring
9	Apologetic	56	Incredulous
10	Arrogant	57	Indecisive
11	Ashamed	58	Indifferent
12	Assertive	59	Insisting
13	Baffled	60	Insulting
14	Bewildered	61	Interested
15	Cautious	62	Intrigued
16	Comforting	63	Irritated
17	Concerned	64	Jealous
18	Confident	65	Joking
19	Confused	66	Nervous
20	Contemplative	67	Offended
21	Contented	68	Panicked
22	Convinced	69	Pensive
23	Curious	70	Perplexed
24	Deciding	71	Playful
25	Decisive	72	Preoccupied
26	Defiant	73	Puzzled
27	Depressed	74	Reassuring
28	Desire	75	Reflective
29	Despondent	76	Regretful
30	Disappointed	77	Relaxed
31	Dispirited	78	Relieved
32	Distrustful	79	Resentful
33	Dominant	80	Sarcastic
34	Doubtful	81	Satisfied
35	Dubious	82	Serious
36	Eager	83	Skeptical
37	Earnest	84	Stern
38	Embarrassed	85	Suspicious
39	Encouraging	86	Sympathetic
40	Entertained	87	Tentative
41	Enthused	88	Terrified
42	Fantasizing	89	Thoughtful
43	Fascinated	90	Threatening
44	Fearful	91	Uneasy
45	Flirtatious	92	Upset
46	Flustered	93	Worried
47	Friendly		

Table 3

Percent correct for the images averaged across 32 subjects. The guess rate is 25%. Performances which are statistically not better than chance (χ^2 – Yates correction for continuity; ($\alpha > .05$) are indicated by the *.

		Male		Female				Male		Female	
		Front	Side	Front	Side			Front	Side	Front	Side
1	accusing	36.36*	60.61	54.55	30.3*	48	grateful	54.55	36.36*	51.52	81.82
2	affectionate	30.3*	18.18*	69.7	63.64	49	guilty	24.24*	24.24*	24.24*	18.18*
3	aghast	78.79	78.79	84.85	87.88	50	hateful	60.61	57.58	60.61	63.64
4	alarmed	66.67	54.55	84.85	57.58	51	hopeful	48.48	30.3*	57.58	63.64
5	amused	69.7	51.52	84.85	78.79	52	horrified	78.79	93.94	45.45	27.27*
6	annoyed	72.73	51.52	69.7	81.82	53	hostile	51.52	30.3*	39.39	72.73
7	anticipating	30.3*	48.48	36.36*	78.79	54	impatient	36.36*	72.73	51.52	66.67
8	anxious	48.48	66.67	54.55	60.61	55	imploring	27.27	48.48	66.67	39.39
9	apologetic	12.12*	18.18*	57.58	45.45	56	incredulous	48.48	57.58	54.55	45.45
10	arrogant	72.73	18.18*	48.48	36.36*	57	indecisive	45.45	63.64	63.64	51.52
11	ashamed	18.18*	12.12*	42.42	42.42	58	indifferent	39.39	48.48	57.58	66.67
12	assertive	60.61	51.52	57.58	21.21	59	insisting	63.64	60.61	51.52	45.45
13	baffled	42.42	36.36*	63.64	60.61	60	insulting	60.61	36.36*	60.61	30.3*
14	bewildered	63.64	84.85	63.64	81.82	61	interested	30.3*	36.36*	24.24	30.3*
15	cautious	51.52	54.55	54.55	33.33*	62	intrigued	36.36	60.61	45.45	75.76
16	comforting	3.03*	12.12*	69.7	78.79	63	irritated	48.48	39.39	63.64	69.7
17	concerned	57.58	60.61	66.67	69.7	64	jealous	36.36*	36.36*	15.15*	30.3*
18	confident	21.21*	21.21*	84.85	51.52	65	joking	75.76	78.79	72.73	63.64
19	confused	51.52	60.61	54.55	81.82	66	nervous	69.7	42.42	45.45	24.24
20	contemplative	84.85	72.73	54.55	57.58	67	offended	72.73	39.39	60.61	87.88
21	contented	39.39	54.55	87.88	72.73	68	panicked	84.85	78.79	54.55	78.79
22	convinced	27.27	9.09*	39.39	27.27	69	pensive	84.85	30.3*	72.73	63.64
23	curious	27.27*	63.64	45.45	57.58	70	perplexed	66.67	75.76	75.76	84.85
24	deciding	66.67	75.76	48.48	51.52	71	playful	90.91	90.91	90.91	72.73
25	decisive	45.45	42.42	18.18*	18.18*	72	preoccupied	15.15	42.42	42.42	60.61
26	defiant	66.67	63.64	42.42	27.27*	73	puzzled	57.58	72.73	81.82	84.85
27	depressed	45.45	33.33*	69.7	54.55	74	reassuring	27.27*	21.21*	51.52	57.58
28	desire	21.21*	33.33*	63.64	72.73	75	reflective	60.61	72.73	18.18*	39.39
29	despondent	60.61	39.39	54.55	60.61	76	regretful	27.27*	33.33*	33.33*	54.55
30	disappointed	66.67	27.27*	78.79	75.76	77	relaxed	42.42	39.39	87.88	69.7
31	dispirited	54.55	51.52	75.76	87.88	78	relieved	27.27*	39.39	36.36*	60.61
32	distrustful	81.82	48.48	60.61	54.55	79	resentful	54.55	30.3*	33.33*	30.3*
33	dominant	78.79	45.45	60.61	54.55	80	sarcastic	51.52	54.55	51.52	66.67
34	doubtful	81.82	54.55	78.79	63.64	81	satisfied	81.82	51.52	66.67	63.64
35	dubious	57.58	39.39	57.58	54.55	82	skeptical	51.52	57.58	66.67	69.7
36	eager	72.73	87.88	66.67	45.45	83	serious	72.73	72.73	57.58	69.7
37	earnest	30.3*	33.33*	36.36*	33.33*	84	stern	78.79	66.67	84.85	42.42
38	embarrassed	36.36*	42.42	60.61	63.64	85	suspicious	75.76	63.64	66.67	63.64
39	encouraging	60.61	72.73	42.42	78.79	86	sympathetic	15.15*	27.27*	51.52	57.58
40	entertained	90.91	75.76	66.67	57.58	87	tentative	57.58	36.36*	21.21*	63.64
41	enthused	93.94	51.52	87.88	78.79	88	terrified	81.82	81.82	84.85	90.91
42	fantasizing	75.76	60.61	48.48	39.39	89	thoughtful	60.61	90.91	39.39	48.48
43	fascinated	66.67	66.67	57.58	69.7	90	threatening	72.73	81.82	30.3*	30.3*
44	fearful	72.73	60.61	69.7	69.7	91	uneasy	66.67	72.73	63.64	69.7
45	flirtatious	51.52	60.61	66.67	87.88	92	upset	24.24*	27.27*	63.64	75.76
46	flustered	66.67	63.64	63.64	60.61	93	worried	78.79	57.58	78.79	69.7
47	friendly	57.58	81.82	87.88	72.73						

Table 4

*A summary of terms (sorted alphabetically) in which participants' performances were not significantly better than chance. The cases which were not significant in three or more conditions are indicated by the *.*

	Female		Male			Female		Male	
	Front	Side	Front	Side		Front	Side	Front	Side
1		30.3	36.36		27	hopeful			30.3
2			30.3	18.18	28	horrified		27.27	
3	36.36		30.3		29	hostile	39.39		30.3
4			12.12	18.18	30	impatient			36.36
5		36.36		18.18	31	imploring		39.39	27.27
6			18.18	12.12	32	indifferent			39.39
7		21.21			33	insulting		30.3	36.36
8				36.36	34	interested*	24.24	30.3	30.3 36.36
9		33.33			35	intrigued			36.36
10			3.03	12.12	36	irritated			39.39
11			21.21	21.21	37	jealous*	15.15		36.36 36.36
12			39.39		38	nervous		24.24	
13	39.39	27.27	27.27	9.09	39	offended			39.39
14			27.27		40	pensive			30.3
15	18.18	18.18			41	preoccupied			15.15
16		27.27			42	reassuring			27.27 21.21
17				33.33	43	reflective	18.18	39.39	
18			21.21	33.33	44	regretful*	33.33		27.27 33.33
19				39.39	45	relaxed			39.39
20				27.27	46	relieved*	36.36		27.27 39.39
21				39.39	47	resentful*	33.33	30.3	30.3
22	36.36	33.33	30.3	33.33	48	sympathetic			15.15 27.27
23			36.36		49	tentative	21.21		36.36
24		39.39			50	thoughtful	39.39		
25				36.36	51	threatening	30.3	30.3	
26	24.24	18.18	24.24	24.24	52	upset			24.24 27.27

Table 5

Agreement scores ($\eta_{agreement}$) for the female in front and side view. Terms are sorted from high to low scores in each view.

Female												
	Front			Side			Front			Side		
1	Concerned	0.99	Enthused	0.982	48	Arrogant	0.834	Relaxed	0.844			
2	Relieved	0.98	Eager	0.969	49	Resentful	0.834	Ashamed	0.844			
3	Amused	0.966	Upset	0.961	50	Despondent	0.831	Sceptical	0.842			
4	Playful	0.964	Relieved	0.96	51	Annoyed	0.829	Distrustful	0.84			
5	Cautious	0.945	Guilty	0.954	52	Jealous	0.829	Resentful	0.84			
6	Satisfied	0.939	Tentative	0.945	53	Joking	0.827	Contemplative	0.838			
7	Friendly	0.934	Reassuring	0.943	54	Anxious	0.826	Reflective	0.836			
8	Indecisive	0.925	Jealous	0.941	55	Thoughtful	0.821	Nervous	0.834			
9	Accusing	0.921	Amused	0.941	56	Hopeful	0.819	Comforting	0.833			
10	Relaxed	0.916	Playful	0.937	57	Puzzled	0.815	Incredulous	0.827			
11	Confident	0.915	Impatient	0.933	58	Stern	0.813	Sympathetic	0.825			
12	Fantasizing	0.912	Disappointed	0.905	59	Intrigued	0.812	Deciding	0.824			
13	Comforting	0.909	Concerned	0.903	60	Reflective	0.811	Indifferent	0.823			
14	Encouraging	0.897	Pensive	0.901	61	Indifferent	0.81	Encouraging	0.818			
15	Reassuring	0.897	Cautious	0.9	62	Eager	0.802	Threatening	0.815			
16	Tentative	0.896	Depressed	0.896	63	Earnest	0.8	Intrigued	0.815			
17	Interested	0.891	Friendly	0.895	64	Guilty	0.8	Decisive	0.815			
18	Assertive	0.89	Dubious	0.893	65	Threatening	0.799	Fascinated	0.805			
19	Upset	0.886	Preoccupied	0.891	66	Desire	0.793	Desire	0.804			
20	Defiant	0.885	Indecisive	0.891	67	Serious	0.78	Affectionate	0.803			
21	Sarcastic	0.884	Regretful	0.89	68	Convinced	0.778	Hopeful	0.802			
22	Regretful	0.883	Joking	0.888	69	Anticipating	0.777	Worried	0.799			
23	Ashamed	0.881	Puzzled	0.887	70	Sympathetic	0.777	Fantasizing	0.798			
24	Contented	0.879	Anxious	0.881	71	Imploring	0.776	Assertive	0.786			
25	Disappointed	0.872	Flustered	0.876	72	Dominant	0.763	Bewildered	0.786			
26	Entertained	0.871	Alarmed	0.876	73	Baffled	0.761	Entertained	0.783			
27	Pensive	0.871	Suspicious	0.874	74	Insisting	0.76	Curious	0.782			
28	Depressed	0.871	Flirtatious	0.874	75	Fascinated	0.759	Contented	0.782			
29	Dispirited	0.87	Thoughtful	0.873	76	Incredulous	0.757	Embarrassed	0.775			
30	Hostile	0.869	Imploring	0.869	77	Embarrassed	0.756	Sarcastic	0.775			
31	Contemplative	0.866	Earnest	0.869	78	Affectionate	0.755	Confident	0.771			
32	Irritated	0.865	Insisting	0.868	79	Insulting	0.742	Serious	0.771			
33	Flirtatious	0.862	Convinced	0.867	80	Uneasy	0.735	Fearful	0.764			
34	Preoccupied	0.862	Hostile	0.866	81	Horrorified	0.734	Accusing	0.764			
35	Enthused	0.86	Uneasy	0.865	82	Perplexed	0.724	Defiant	0.758			
36	Decisive	0.86	Perplexed	0.864	83	Fearful	0.718	Annoyed	0.74			
37	Nervous	0.857	Baffled	0.86	84	Bewildered	0.711	Insulting	0.735			
38	Impatient	0.856	Interested	0.86	85	Dubious	0.707	Stern	0.734			
39	Apologetic	0.855	Doubtful	0.859	86	Hateful	0.704	Anticipating	0.734			
40	Confused	0.854	Grateful	0.853	87	Worried	0.7	Horrorified	0.732			
41	Distrustful	0.846	Irritated	0.85	88	Sceptical	0.699	Apologetic	0.727			
42	Flustered	0.842	Confused	0.849	89	Alarmed	0.655	Hateful	0.712			
43	Curious	0.841	Satisfied	0.849	90	Aghast	0.651	Panicked	0.679			
44	Grateful	0.841	Dominant	0.847	91	Panicked	0.649	Terrified	0.672			
45	Deciding	0.839	Dispirited	0.847	92	Terrified	0.57	Offended	0.66			
46	Suspicious	0.835	Arrogant	0.846	93	Offended	0.532	Aghast	0.648			
47	Doubtful	0.834	Despondent	0.846								

Table 6

Agreement scores ($\eta_{agreement}$) for the male actor in front and side view Terms are sorted from high to low scores in each view.

Male											
Front			Side			Front			Side		
1	Suspicious	0.989	Reflective	1	48	Defiant	0.829	Anxious	0.846		
2	Intrigued	0.968	Baffled	0.975	49	Hostile	0.829	Cautious	0.845		
3	Encouraging	0.961	Jealous	0.961	50	Regretful	0.826	Confused	0.845		
4	Depressed	0.937	Puzzled	0.943	51	Relieved	0.826	Friendly	0.844		
5	Despondent	0.934	Sarcastic	0.94	52	Curious	0.824	Decisive	0.843		
6	Confident	0.934	Ashamed	0.925	53	Nervous	0.823	Concerned	0.842		
7	Concerned	0.931	Stern	0.916	54	Reassuring	0.823	Comforting	0.84		
8	Incredulous	0.926	Eager	0.915	55	Pensive	0.821	Earnest	0.838		
9	Disappointed	0.906	Irritated	0.914	56	Hopeful	0.818	Arrogant	0.835		
10	Sympathetic	0.905	Contemplative	0.913	57	Offended	0.815	Resentful	0.833		
11	Convinced	0.902	Distrustful	0.909	58	Distrustful	0.813	Convinced	0.829		
12	Indecisive	0.897	Suspicious	0.908	59	Indifferent	0.812	Uneasy	0.828		
13	Dubious	0.896	Joking	0.904	60	Thoughtful	0.809	Deciding	0.827		
14	Contented	0.893	Defiant	0.902	61	Playful	0.808	Perplexed	0.827		
15	Eager	0.891	Confident	0.901	62	Dominant	0.799	Assertive	0.827		
16	Friendly	0.891	Annoyed	0.9	63	Interested	0.796	Pensive	0.826		
17	Cautious	0.89	Offended	0.897	64	Assertive	0.796	Embarrassed	0.825		
18	Apologetic	0.888	Despondent	0.894	65	Perplexed	0.793	Accusing	0.824		
19	Preoccupied	0.884	Intrigued	0.891	66	Doubtful	0.792	Insisting	0.822		
20	Amused	0.883	Encouraging	0.891	67	Relaxed	0.791	Relaxed	0.82		
21	Resentful	0.881	Affectionate	0.888	68	Insisting	0.784	Threatening	0.819		
22	Jealous	0.881	Thoughtful	0.888	69	Guilty	0.769	Dominant	0.819		
23	Sarcastic	0.88	Playful	0.885	70	Sceptical	0.762	Curious	0.814		
24	Joking	0.88	Enthused	0.879	71	Fearful	0.761	Impatient	0.81		
25	Alarmed	0.876	Preoccupied	0.879	72	Threatening	0.757	Imploring	0.809		
26	Tentative	0.871	Worried	0.877	73	Flustered	0.749	Contented	0.809		
27	Upset	0.871	Depressed	0.876	74	Desire	0.746	Indifferent	0.802		
28	Earnest	0.868	Regretful	0.876	75	Fantasizing	0.744	Upset	0.801		
29	Anticipating	0.866	Hostile	0.874	76	Dispirited	0.726	Insulting	0.801		
30	Annoyed	0.864	Fascinated	0.874	77	Puzzled	0.723	Doubtful	0.794		
31	Serious	0.858	Serious	0.873	78	Accusing	0.713	Guilty	0.793		
32	Affectionate	0.857	Sympathetic	0.867	79	Arrogant	0.71	Apologetic	0.791		
33	Deciding	0.854	Dispirited	0.866	80	Horrified	0.709	Bewildered	0.79		
34	Decisive	0.853	Amused	0.866	81	Anxious	0.707	Fearful	0.785		
35	Comforting	0.853	Entertained	0.862	82	Confused	0.705	Incredulous	0.779		
36	Enthused	0.852	Anticipating	0.86	83	Impatient	0.705	Indecisive	0.77		
37	Ashamed	0.851	Dubious	0.858	84	Bewildered	0.701	Alarmed	0.769		
38	Entertained	0.844	Relieved	0.856	85	Uneasy	0.693	Hopeful	0.75		
39	Baffled	0.84	Desire	0.853	86	Fascinated	0.693	Fantasizing	0.736		
40	Stern	0.837	Grateful	0.853	87	Insulting	0.681	Flirtatious	0.732		
41	Contemplative	0.836	Nervous	0.853	88	Worried	0.678	Aghast	0.685		
42	Embarrassed	0.833	Interested	0.853	89	Satisfied	0.658	Reassuring	0.665		
43	Imploring	0.831	Tentative	0.852	90	Aghast	0.617	Flustered	0.647		
44	Flirtatious	0.831	Disappointed	0.852	91	Panicked	0.605	Horrified	0.614		
45	Irritated	0.831	Sceptical	0.849	92	Hateful	0.6	Panicked	0.483		
46	Grateful	0.83	Satisfied	0.848	93	Terrified	0.443	Terrified	0.471		
47	Reflective	0.83	Hateful	0.848							

