Sustained visual priming effects can emerge from attentional oscillation and temporal expectation

Muzhi Wang[1], Yan Huang[2], Huan Luo[1,3], Hang Zhang[1,3,4*]

1. School of Psychological and Cognitive Sciences and Beijing Key Laboratory of Behavior and Mental Health, Peking University, Beijing, China

2. Brain Cognition and Brain Disease Institute for Collaboration Research of SIAT at CAS and the McGovern Institute at MIT, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, Shenzhen, China

3. PKU-IDG/McGovern Institute for Brain Research, Peking University, Beijing, China

4. Peking-Tsinghua Center for Life Sciences, Beijing, China

*Corresponding author:

Hang Zhang, email: hang.zhang@pku.edu.cn

Short title: Oscillated temporal expectation model

Abstract

Priming refers to the influence that a previously encountered object exerts on future responses to similar objects. For many years, visual priming has been known as a facilitation and sometimes an inhibition effect that lasts for an extended period of time. It contrasts with the recent finding of an oscillated priming effect where facilitation and inhibition alternate over time periodically. Here we developed a computational model of visual priming that combines rhythmic sampling of the environment (attentional oscillation) with active preparation for future events (temporal expectation). Counterintuitively, it shows both the sustained and oscillated priming effects can emerge from an interaction between attentional oscillation and temporal expectation. The interaction also leads to novel predictions such as the change of visual priming effects with temporal expectation. Reanalysis of two published datasets and the results of one new experiment of visual priming tasks provide support for the model's relevance to human behavior.

Keywords: visual attention, visual priming, response time, behavioral oscillation, temporal expectation, temporal uncertainty

Introduction

Prior encounter with an object may speed up one's response to a similar object, a pervasive phenomenon in human cognition known as priming (Schacter and Buckner, 1998; Tulving and Schacter, 1990). The visual priming task has proved to be a powerful behavioral paradigm in probing the temporal dynamics of human attention (Eimer and Schlaghecken, 2003). In its simplest version (Fig. 1A), participants judge the pointing direction of a target arrow preceded by a congruent or incongruent prime. The priming effects—response time (RT) for incongruent trials minus RT for congruent trials—may vary with the prime-to-target delay ("SOA"). Classic findings include sustained positive priming in unmasked priming tasks (Neumann and Klotz, 1994) and transient positive priming followed by sustained negative priming in masked priming tasks (Eimer, 1999; Eimer and Schlaghecken, 1998).

Recently, a theta-band (3–5 Hz) RT oscillation has been separated from these classic priming effects by spectral methods (Huang et al., 2015): RT fluctuates up and down as a function of SOA in cycles of approximately 300 msec, with the peaks of congruent trials accompanied by the valleys of incongruent trials and vice versa (Fig. 1DH). The finding of oscillated priming was a surprise but not entirely unexpected. On one hand, there are clues of oscillated priming in the literature—priming effects may first go up, then down, and up again when SOA goes from 0 to 300 msec (Lingnau and Vorberg, 2005). On the other hand, theta-band behavioral oscillations are widely observed in human perception (Benedetto and Morrone, 2017; Landau et al., 2015; Tomassini et al., 2015; Wutz et al., 2016; see VanRullen, 2016 for a review), which may reflect a rhythmic perceptual sampling of the environment.

We performed additional analysis to confirm that the oscillated priming found in Huang et al. (2015) is not an artifact (Supplemental Fig. S8). Moreover, similar

oscillatory effects in RT (Song et al., 2014) as well as in accuracy (Chen et al., 2017)

have been recently reported in spatial cueing tasks, in addition to the classic sustained

facilitation or inhibition effects at the cued location (Klein, 2000; Posner and Cohen,

1984).

Figure 1. Oscillated Temporal Expectation Model (OTEM) reproduces the three priming

effects in Huang et al. (2015). A, unmasked priming task. Participants reported the pointing

direction of the target arrow by key press. When the prime and the target pointed to the same
direction, they were congruent (*C*), otherwise incongruent (*IC*). The interval between the
prime and the target was referred as SOA. **B,** mean RT as a function of SOA in the unmasked
priming task, separately for the congruent (red) and incongruent (blue). Solid lines denote
data. Dotted lines denote OTEM predictions. Shadings denote SEM. Following Huang et al.
(2015), raw RTs of the unmasked priming task (**B**) were decomposed into slow trends (**C**)
and detrended RTs (**D**), where positive priming (**C**) and oscillated priming (**D**) were observed.
E, masked priming task. The same as unmasked priming task except that a mask followed
the prime and the interval between the mask and the target was referred as SOA. **F**, mean
RT as a function of SOA in the masked priming task, where positive priming followed by
negative priming (slow trends, **G**) and oscillated priming (detrended RTs, **H**) were observed.
I, Phase of attentional oscillation reset by the prime in the unmasked priming task. **J**, **K**,
phases of attentional oscillation reset by the prime and the mask in the masked priming task.
θ_{prime} and θ_{mask} were parameters of OTEM estimated from data. Rose plot shows the
distribution of θ_{prime} or θ_{mask} across participants, which had significantly coherent values
(Rayleigh tests, with *p* values marked on panels). The mean phase (red line) was close to 0
for θ_{prime} and to π for θ_{mask}. That is, attention is biased towards the congruent in the next
half cycle following the prime and towards the incongruent in the next half cycle following the
mask.

What may explain the coexistence of the classic and oscillated cueing/priming

effects, which seem to suggest two conflicting time schedules for attention orienting?

Previous theories on spatial cueing (Klein, 2000; Nobre and Rohenkohl, 2014) or visual

priming (Bowman et al., 2006; Eimer and Schlaghecken, 2003; Huber, 2014; Lleras and

Enns, 2004; Sumner, 2007) have been devoted to the classic effects, which apparently

cannot predict any ongoing oscillations. To explain the oscillatory RT effects, an

attentional oscillation mechanism seems to be necessary. An additional factor that may

have a major impact on RT but is largely neglected by previous cueing/priming theories

is temporal expectation. Even though the cue/prime is non-informative about the identity

of the target, it signals the countdown to the target arrival. Temporal expectation has

thus been assumed in the foreperiod task (Los et al., 2014; Los and Van Den Heuvel,

2001; Luce, 1986; Niemi and Näätänen, 1981; Nobre et al., 2007) to account for the

decrease of RT with increasing SOA and is likely to explain a similar RT effect in

cueing/priming (e.g. Fig. 1BF).

Here we proposed a computational model that introduces attentional oscillation

and temporal expectation into the visual priming task to predict the RT patterns. Its basic

idea is close to "active sensing" (Lakatos et al., 2013, 2008) that the perceptual system

actively predicts and prepares for potential future events (Nobre and van Ede, 2017;

Summerfield and de Lange, 2014). Meanwhile, theta-band attentional oscillations

provide fine-grained temporal windows of excitation and inhibition for the accumulation

of preparedness (van Vugt et al., 2012). We call the model Oscillated Temporal

Expectation Model (OTEM), whose key assumptions are illustrated in Figure 2 and

unfolded in the Results. In brief, OTEM predicts not only the oscillated priming effect and

the decrease of RT with increasing SOA, but also the classic priming effects. That is,

sustained positive and negative priming effects can arise as emergent properties of the

model, despite that no sustained excitation or inhibition mechanisms are assumed.

We tested OTEM quantitatively by first fitting it to the behavioral datasets of the

unmasked and masked priming experiments in Huang et al. (2015) and found that it well

reproduced all the priming effects as well as the overall RT patterns. Next, we performed

a new experiment to test the functioning of temporal expectation, a key assumption that

distinguishes OTEM from previous accounts of visual priming effects (Bowman et al.,

2006; Boy and Sumner, 2010; Vorberg et al., 2003). As predicted, the visual priming

effects were influenced not only by SOA but also by temporal expectation. Third, we

tested two alternative models and found neither of them could reproduce all the priming

effects. Last, we showed that OTEM can be extended to predict error rates and atypical

priming effects in the literature.

Figure 2. Illustration of the assumptions of OTEM. Temporal expectation: After each trial, the

belief of SOA distribution ($p_m(t)$) is updated following the delta rule (**A**). Within a specific trial,

the temporal gain (**B**) is computed based on $p_m(t)$ and updated from moment to moment

until target onset. **Attentional oscillation**: The attentional gain for the congruent (*C*, in red)

and incongruent (*IC*, in blue) oscillates over time, whose amplitude and phase are reset by

the prime and the mask (**C**, **D**). **Preparedness accumulation**: Before target onset, two

threads of preparedness accumulate over time separately for the congruent and incongruent,

with the accumulating speed at each moment determined by the product of the corresponding

attentional and temporal gains (**E**, **F**). After target onset, only the thread for the realized target

continues to accumulate until it reaches the responding bound. The RT for a specific target

is thus determined by the preparedness accumulated for the target up to its onset. Intuitively,

the attentional oscillation in the unmasked priming task (**C**) gives the congruent thread a head

start in the race (**E**), thus leading to sustained positive priming. In contrast, the mask in the

masked priming task resets attentional oscillation (**D**) and reverses the ranking of the

congruent and incongruent threads (**F**), thus leading to transient positive priming followed by

sustained negative priming.

Results

Oscillated Temporal Expectation Model (OTEM)

The key assumptions of OTEM (Fig. 2) is specified below (see Methods for details). For fluency of presentation, we only briefly describe their motivations here and leave a full treatment of the justification and implications of the assumptions to the Discussion.

Preparedness accumulation. We assume that responses are generated by an accumulation-to-bound process analogous to the racing models of perceptual decision-making (Luce, 1986). After the onset of the prime, two threads of preparation are separately accumulated for the two prospective targets—the congruent and incongruent—until the target arrives (Cisek, 2007; Cisek and Kalaska, 2010), after which only the preparedness for the realized target continues to accumulate. A response occurs when the responding bound is reached. The response time for a specific target is thus determined by the preparedness accumulated for the target up to its onset.

Temporal expectation. We assume that a belief of SOA distribution is learned from past trials following the delta rule (Rescorla and Wagner, 1972). On each trial, the brain uses this distribution as its (probabilistic) temporal expectation for the SOA of the incoming target and, as time elapses, keeps updating the expectation of remaining time until the target appears (de Lange et al., 2013; McGuire and Kable, 2013).

At any specific moment, the temporal expectation—a probability distribution over all future time points—decides how urgent the brain should prepare for prospective targets. To map the influence of the distribution to a single value, we introduce an economic concept: temporal discounting—the longer the expected delay of a reward, the lower the reward is valued in the brain (Frederick et al., 2002; Kable and Glimcher, 2007). In our case, it implies that the expected probability of target onset at a time point in the farther future has a smaller influence on the current preparing rate. Analogous to

the application of temporal discounting in the reinforcement learning literature (Sutton

and Barto, 1998), we assume that the preparing rate at a specific moment is proportional

to the *temporal gain* at the moment, defined as the expected sum of the temporally

discounted values of all future probabilities.

<u>Attentional oscillation</u>. There is increasing evidence that visual attention is a periodic

process that sequentially samples different alternatives in the theta frequency range

(Fiebelkorn et al., 2013; Kienitz et al., 2018; Landau et al., 2015; Landau and Fries,

2012; Song et al., 2014; Tomassini et al., 2015; VanRullen, 2016). Following these

empirical findings, we assume that the focus of attention switches gradually between the

two prospective targets in theta-band oscillations, leading to anti-phased attentional

gains for the congruent and incongruent. The phase of the attentional oscillation is reset

by the prime and the mask, while its amplitude decreases exponentially with time, as

suggested by stimulus-induced resets of theta-band neuronal oscillations (Buzsáki,

2006; Makeig et al., 2002; McCartney et al., 2004; Rizzuto et al., 2003; Tesche and

Karhu, 2000) and behavioral oscillations (Fiebelkorn et al., 2013; Landau and Fries,

2012; Song et al., 2014). We assume that the preparing rate for the congruent or

incongruent target is scaled by its attentional gain as well as by the temporal gain.

OTEM reproduces both the classic and oscillated priming effects

The datasets of Huang et al. (2015) include one unmasked and one masked priming

experiments (Fig. 1), where RTs for the congruent and incongruent varied as functions

of SOA. Fifty different SOAs were sampled for each experiment, in a 20-msec step from

0 to 980 msec. Decomposing each raw RT curve into a slow trend and a detrended

curve, Huang et al. (2015) identified the classic and oscillated priming effects

respectively in the two components.

Given that the oscillated priming effect was the motive of our work, we performed

additional analyses on these datasets to confirm that the oscillation was not an artifact

from spectral analysis. It was noted that the specific moving-window detrending

procedure used by Huang et al. (2015), with its edge artifact, might cause illusory theta-

band oscillations in the detrended curve when it was applied to a simulated

exponentially-decreasing RT curve without any oscillations. Simulations (Supplemental

Fig. S8AB) show that the illusory theta-band oscillations would be eliminated if an

exponential curve fitting were used for detrending. In contrast (Supplemental Fig.

S8CD), the oscillated priming effect was still present when we applied the same

exponential detrending procedure to the datasets of Huang et al. (2015).

We fit OTEM to the RTs of individual trials for correct responses for each

participant using maximum likelihood estimates (see Supplemental Fig. S5 for the

estimated parameters) and plot the model predictions against data (Fig. 1BF, dotted vs.

solid curves). The OTEM predictions captured the following patterns of the observed RT

curves. First, the slow trends for both the congruent and incongruent trials decreased

monotonically with SOA at a decreasing speed. Second, in the slow trends of the

unmasked priming task (Fig. 1C), positive priming (i.e. incongruent RTs above congruent

RTs) persisted throughout all SOAs, with the difference between the incongruent and

congruent RTs first increasing then decreasing. Third, in the slow trends of the masked

priming task (Fig. 1G), positive priming occurred for short SOAs (< 100 msec) and

changed into negative priming (i.e. congruent RTs above incongruent RTs) for longer

SOAs. Fourth, the detrended RT curves (Fig. 1DH) oscillated at frequencies of 3–5 Hz

and were anti-phased for the congruent and incongruent (see the Figs. 2 and 3 of Huang

et al. (2015) for the observed frequency spectra and phase differences, and see

Supplemental Fig. S1 for OTEM predictions).

In other words, OTEM reproduces both the classic and oscillated priming effects.

Given that theta-band attentional oscillations are assumed in OTEM, it is probably not

surprising the model can predict the observed oscillated priming. However, the classic

positive and negative priming are emergent properties of the model, since no persistent

attentional biases towards the congruent or incongruent have been assumed. That is,

these classic priming effects arise also from the attentional oscillations. According to the

phase parameters estimated from data (Fig. 1IJK), both the prime and the mask induced

phase resets that were coherent across participants (Rayleigh test: unmasked prime, $r =$

0.82, $z = 10.87$, $p < 0.0001$; masked prime, $r = 0.41$, $z = 2.98$, $p = 0.049$; masked mask, r

$= 0.89$, $z = 14.18$, $p < 0.0001$). On average, the prime reset the phases of the attentional

gains for the congruent and incongruent oppositely to approximately 0 and π (in sine), so

that the preparedness of the congruent would accumulate faster than the incongruent in

the first half cycle. Conversely, the mask reset the congruent and incongruent phases to

approximately π and 0, giving the incongruent an advantage in the subsequent half

cycle.

Here is an intuition how the classic priming effects emerge from OTEM (see Fig.

2 for illustrations): After the attentional oscillations are reset by the prime, the specific

phase difference allows the attentional gain of the congruent to climb to the peak earlier

than that of the incongruent, giving the congruent a lead in preparedness. For unmasked

priming tasks, the congruent keeps the lead throughout the race despite that the

congruent and incongruent receive alternating advantages in attentional gains, and thus

positive priming is observed. For masked priming tasks, a second reset of the attentional

oscillations by the mask reverses the lead, resulting in early positive priming and late

negative priming.

The emergence of the classic priming effects from OTEM is insensitive to the

choice of most parameters in OTEM. Except for the phase reset parameters, changing

the parameters of OTEM would only alter the overall RT and the magnitudes of the

priming effects but hardly the qualitative finding of the priming effects (Supplemental Fig.

S9).

OTEM predicts the effects of temporal expectation

OTEM predicts that the RT of a trial should depend not only on its SOA (i.e. the actual

moment of target onset), but also on the temporal expectation that is shaped by past

trials. We tested this prediction in a new masked priming experiment, which consisted of

four experimental conditions that used the same set of SOAs but differed in local

temporal contexts. In the 40-SOA condition, 40 different SOAs (0 to 780 msec in a 20-

msec step) were repeated in a random order, as in Huang et al. (2015). In the 20-SOA

condition, the same 40 SOAs were divided into two blocks—the first 20 SOAs and last

20 SOAs, so that the SOA was expected to be within 0–380 msec for the former and

within 400–780 msec for the latter. Similarly, the 10-SOA condition had 4 blocks of 10

SOAs and the 4-SOA condition had 10 blocks of 4 SOAs, with the order of the blocks

counterbalanced across participants. In the same procedure applied to the datasets of

Huang et al. (2015), we fit OTEM to the RTs of individual trials for each participant in

each condition (see Supplemental Fig. S5 for the estimated parameters) and plot model

predictions against data (Fig. 3A).

Figure 3. OTEM predicts the effects of temporal expectation in the new experiment. A, mean RT as a function of SOA, separately for the congruent (red) and incongruent (blue). Solid lines denote data. Dotted lines denote OTEM predictions. Shadings denote SEM. Each panel is for one temporal context condition, with the experimental manipulation schematized above the panel (see text). Asterisks indicate statistically significant "jumps" at block borders ($p < 0.05$). **B**, observed priming effects and **C**, OTEM predicted priming effects as functions of SOA. Priming effects were computed as the difference in RT between the congruent and incongruent. Around the peaks of positive priming (light gray shading) and negative priming (dark gray shading), the magnitudes of mean priming effects (bar graphs) increased over the four conditions. **D**, phases of attentional oscillation reset by the prime and the mask. Conventions follow Figure **1I**–**K**. The phases estimated in all four conditions were similar and resembled those of Huang et al. (2015) (see Figure **1I**–**K**).

We found distinctive RT patterns in the four conditions. The 40-SOA condition

replicated the results of the masked priming experiment of Huang et al. (2015), including

both the classic and oscillated priming effects (Supplemental Figs. S2 & S3), which

would serve as a baseline. A hallmark of the other three conditions was a "jump" in RT at

the border of two adjacent blocks, for example, the dramatic increase of RT from

SOA=380 msec to SOA=400 msec in the 20-SOA condition. Out of the 26 block borders

(separately for the congruent and incongruent) of the three conditions, 8 had significant

RT increases (one-tailed t-tests, ps < 0.05). In contrast, there was only one significant

RT increase out of the 22 comparisons for the same SOA pairs in the 40-SOA condition

(8/26 was significantly higher than 1/22 by Fisher's exact test, p = 0.028).

The OTEM predictions agreed well with the observed RT patterns (Fig. 3A). In

particular, OTEM could predict the dramatic increase of RT at the borders of SOA

blocks, although it makes no special assumptions about SOA blocks. According to

OTEM, the closer the time approaches the last SOA of the block, the sooner the target is

expected to arrive, the faster the accumulation of preparedness. Thus, the last SOA of a

block could have a faster RT than the first SOA of its next block, despite the general

decreasing trend of RT with SOA due to preparedness accumulation.

The magnitudes of priming effects differed across the four conditions (Fig. 3B).

Around the peak of positive priming (SOA = 0–60 msec), the mean priming effect (RT

difference between the incongruent and congruent) went larger and larger from 40-SOA,

20-SOA, 10-SOA to 4-SOA (one-way ANOVA, $F(3,60)$ = 13.02, p < 0.001). The mean

peaked negative priming effect (SOA = 100–160 msec) exhibited a similar pattern

($F(3,60)$ = 3.81, p = 0.014). Both patterns were predicted by OTEM (Fig. 3C).

When the raw RT curve was decomposed into a slow trend and a detrended

curve as in Huang et al. (2015), the detrended curves of the congruent and incongruent

were close to anti-phased for the 40-SOA condition (though insignificant) but not anti-

phased for the 20-SOA, 10-SOA, and 4-SOA conditions. We conjectured that the

seemingly absence of anti-phasedness in the latter conditions was due to a failure of the

detrending procedure on "jumpy" curves (Supplemental Fig. S2) instead of a real

difference in oscillated priming. Consistent with our conjecture, OTEM—where

attentional oscillation is assumed to be anti-phased for the congruent and incongruent—

well predicted the observed phase differences in the detrended curves for all but the 4-

SOA condition (Supplemental Fig. S3).

In addition, the estimated phase parameters in OTEM (Fig. 3D) were

indistinguishable across the four conditions (Watson-Williams test, $F(3,60) = 1.11$, $p =$

0.35 for prime phase; $F(3,60) = 2.08$, $p = 0.11$ for mask phase) and resembled those of

the masked priming experiment in Huang et al. (2015). That is, the attentional

oscillations were not influenced by the temporal context of the experiment.

OTEM predicts that sequential effects would arise from the trial-by-trial updating of

temporal expectation. When the preceding trials have longer SOAs, the temporal

expectation for the current SOA would be longer, thus the preparing speed would be

lower, resulting in a longer RT. We tested this prediction by regressing the current RT

over the SOAs of the last three trials, with the RTs of the last three trials and the current

SOA serving as nuisance covariates. As predicted, the coefficients for the last and

sometimes up to the third last SOA were significantly greater than zero (Fig. 4A), with

the patterns of the data closely following those of the model prediction (Fig. 4B).

Figure 4. Sequential effects of SOAs. OTEM predicts that when the preceding trials have longer
SOAs, the temporal expectation for the current SOA would be longer, thus the preparing
speed would be lower, resulting in a longer RT. To quantify this possible sequential effect,
we regressed the current RT over the SOAs of the last three trials, with the RTs of the last
three trials and the current SOA serving as nuisance covariates. The regression coefficients
(β) predicted by OTEM (**B**) closely resembled the patterns of the data (**A**).

OTEM outperforms alternative models

We considered two alternative computational models that can produce visual priming

effects. Among them, the "constant accumulation model" was based on the accumulator

model of Vorberg et al. (2003). The original model, applying only to unmasked priming

tasks to explain positive priming, assumes that the prime triggers a constant-speed

accumulation of a decision variable towards the congruent. In the constant accumulation

model, we extended the model to masked priming tasks with the additional assumption

that the mask would change the direction of the constant accumulation towards the

incongruent, so that it can produce negative as well as positive priming effects.

A second alternative model was motivated by a widely-accepted idea in the

foreperiod task (Luce, 1986; Niemi and Näätänen, 1981; Nobre et al., 2007) that RT for

a delayed target depends on the urgency of response at target onset: The higher the

urgency, the shorter the RT. In particular, urgency is defined by hazard rate, that is, the

conditional probability the target is expected to occur at the next moment, given that it

has not occurred yet. To account for oscillated priming, attentional oscillation is assumed

as in OTEM. We call the model "oscillated urgency model", whose assumptions are

otherwise the same as OTEM except for how temporal expectation influences RT: The

preparedness for the congruent or incongruent is proportional to the instantaneous

hazard rate instead of being accumulated over time (see Methods).

We fit the constant accumulation model and oscillated urgency model to the RT

data of Huang et al. (2015) and our new experiment using maximum likelihood

estimates, in the same procedure as we fit OTEM. The Akaike information criterion

corrected for small samples (Akaike, 1974; Hurvich and Tsai, 1989) was used as the

metric of goodness-of-fit and the protected exceedance probability (Rigoux et al., 2014;

Stephan et al., 2009)—the probability a specific model outperforms all the other

models—was calculated as the group-level measure for model comparison. For all the

datasets, OTEM outperformed the other two models in AICc and had protected

exceedance probabilities approaching 100% (Supplemental Fig. S6A).

The deviation of the constant accumulation model from data was obvious

(Supplemental Fig. S6B): By definition, it could only predict two opposing RT trends for

the congruent and the incongruent—if one decreases with SOA, the other must increase

with SOA, a unique finding of Vorberg et al.'s (2003). In the case both the congruent and

incongruent RTs decrease with SOA, as in our datasets and most previous visual

priming studies (Eimer and Schlaghecken, 2003; Lleras and Enns, 2004; Sumner, 2007),

the constant accumulation model would simply fail. The problem with the oscillated

urgency model was its inability to produce an enduring positive or negative priming effect

(Supplemental Fig. S6C), though its assumptions of attentional oscillation and temporal

expectation are similar to those of OTEM. It is because the emergence of positive and

negative priming in OTEM relies on the accumulation of preparedness over time as well

as on attentional oscillation and temporal expectation. Without the accumulation, the

congruent and incongruent RTs would merely follow the fluctuation of attentional

oscillations.

Extended OTEM explains error rates and atypical priming effects

The OTEM introduced above only applies to correct responses, which make up

approximately 95% of the trials of most visual priming experiments including ours

(Eimer, 1999; Eimer and Schlaghecken, 1998; Huang et al., 2015; Schlaghecken and

Eimer, 2002; Verleger et al., 2004). The error rates, though small, could be patterned

(Supplemental Fig. S7A): In the 4-SOA condition, for example, the error rate of the

incongruent was higher than that of the congruent around the peak of positive priming

(0–60 msec), while it was the reverse around the peak of negative priming (100–160

msec). This cannot be explained by speed-accuracy trade-off, since the accuracy for fast

responses was even higher than that of slow responses. Such patterns—positive

priming is accompanied by a higher error rate for the incongruent and negative priming

by a higher error rate for the congruent—were also observed in previous studies using

visual priming tasks (Eimer, 1999; Eimer and Schlaghecken, 1998; Vorberg et al., 2003).

To model error responses, we extended OTEM to include an additional decision

process after target onset, where the congruent and incongruent accumulators race

against and inhibit each other (see Methods). Consistent with the observed patterns, the

extended OTEM predicts a higher error rate for the incongruent than the congruent at

positive priming and the reverse pattern at negative priming (Supplemental Fig. S7B).

The RTs and error rates are not cause and effect, but the effects of a common cause:

When one accumulator has achieved a higher preparedness than the other at target

onset, the subsequent decision process would be biased towards the leading

accumulator. In an unmasked priming task, Vorberg et al. (2003) found that the

congruent RT decreased with SOA but the incongruent RT increased with SOA, which

deviated from the typical finding that both the congruent and incongruent RTs decrease

with SOA (e.g. Fig. 1B). They also found that error rate increased with SOA. We noticed,

however, the SOAs they used were unusually short (no longer than 108 msec), so did all

the following studies that had found similar RT patterns (Mattler and Palmer, 2012; Sack

et al., 2009). Such short SOAs would be within the first half cycle of the attentional

oscillation of OTEM (approximately 300 msec per cycle), where the attentional gain for

the incongruent is still low. That is, the increase of RT with SOA for the incongruent and

the decrease of RT with SOA for the congruent they observed can be part of oscillated

priming. Using the same SOAs as in Vorberg et al. (2003), the extended OTEM can

reproduce their RT and error rate patterns (Supplemental Fig. S7C).

Discussion

We developed OTEM as a computational model that combines attentional oscillation and temporal expectation to explain visual priming effects in RT and tested it in three human behavioral experiments. OTEM accurately reproduces all three kinds of priming effects— positive priming, negative priming, and oscillated priming, while the alternative models fail to do so. It correctly predicts temporal expectation would influence visual priming effects. It explains not only the averaged priming effects, but also trial-by-trial variations in RT. Most surprisingly, OTEM shows that the classic, sustained positive and negative priming effects can be emergent properties of attentional oscillation and temporal expectation, a prediction that qualitatively holds for a wide range of parameter values (Supplemental Fig. S9).

Relation to previous theories of visual priming effects

What causes the visual priming effects? In the past years, theories with incremental assumptions about a perceptual or motor bias have been proposed to explain the increasingly richer phenomena. Among the three priming effects, positive priming was first discovered, at which time the bias was assumed to be triggered by the prime to favor the congruent (Damian, 2001; Eimer, 1999; Eimer and Schlaghecken, 1998; Neumann and Klotz, 1994; Vorberg et al., 2003). When negative priming was later found in masked priming tasks, self-inhibition of the prime (Bowman et al., 2006; Eimer and Schlaghecken, 2002; Schlaghecken et al., 2007; Schlaghecken and Eimer, 2006) or bias reversed by the mask (Lleras and Enns, 2004; Verleger et al., 2004) was introduced to explain the transition from positive to negative priming when SOA increases. Efforts were also made to reproduce positive and negative priming in computational models (Vorberg et al., 2003), neural network models (Bowman et al., 2006; Sohrabi and West,

2009), or computational models with biologically plausible neural implementations

(Huber and O'Reilly, 2003).

The model we propose here does not necessarily conflict with previous theories,

in the sense that priming effects are triggered by the prime and the mask (see the next

section for more discussions on mask) and unfold over time. Meanwhile, OTEM provides

a new perspective for visual priming effects, which is able to accommodate the recent

empirical finding of oscillated priming as well as the classic effects.

Almost all previous theories considered the visual priming effects as passively

determined by the stimuli. Instead, OTEM implements the idea of active sensing

(Lakatos et al., 2013, 2009, 2008; Schroeder et al., 2010; Zion Golumbic et al., 2013):

the perceptual system rhythmically samples the congruent and incongruent and

adaptively prepares for the prospective targets. OTEM reproduces both the classic and

oscillated priming effects by attributing the latter to instantaneous attentional fluctuations

and the former to accumulated biases driven by attentional oscillation and temporal

expectation.

By explaining the classic priming effects as emergent properties of OTEM, we

are not at any position doubting the ecological significance of positive or negative

priming. Emergent properties of a system can be important by themselves, just like

consciousness is believed to be an emergent property of the brain (Minsky, 1986).

With all three priming effects arising from a common process, OTEM naturally

predicts that positive and negative priming are closely related. In agreement with this

prediction, Boy and Sumner (2010) showed that both positive and negative priming

effects are proportional to the strength of stimulus-response associations: When a novel

stimulus-response mapping is used, it takes time to build associations, during which

positive and negative priming grow with time at the same pace.

OTEM also predicts that the classic priming effects may change with temporal

expectations. As found in our new experiment, the magnitudes of positive and negative

priming effects differed across the four temporal expectation conditions: higher temporal

uncertainty led to smaller priming effects (Fig. 3BC). Similarly, Naccache, Blandin, and

Dehaene (2002) found that the classic priming effects would vanish when the arrival time

of the target was barely predictable.

Neurobiological motivations for OTEM

OTEM is intended to capture the computational heuristics of the neural computations

underlying visual priming effects. The neurobiological motivations for some of its key

assumptions, such as attentional oscillation (VanRullen, 2016, 2013) and temporal

expectation (de Lange et al., 2013; McGuire and Kable, 2013), have been specified in

the Introduction. We describe the others below.

OTEM assumes a theta-band attentional oscillation whose phase is reset by the

prime and the mask. Spontaneous theta-band neuronal oscillations are fairly common in

the human brain and are readily reset by task-relevant stimuli (Rizzuto et al., 2003;

Tesche and Karhu, 2000; see Buzsaki, 2006 for a review). Further, the oscillatory

entrainment of sensory stimuli is anti-phased for the attended and unattended stimuli

(Lakatos et al., 2013). Buzsaki (2006) suggested that theta-band neuronal oscillations

serve as synchronizers to integrate information over time. Analogously, the attentional

oscillation assumed in OTEM may help to integrate temporal expectations over time.

There have been elegant models (Huber and O'Reilly, 2003) on how positive

priming may spontaneously transition into negative priming with increased exposure to

the prime. For the visual (arrow) priming tasks we treated here, however, negative

priming can hardly be explained solely as an effect of the prime, because no negative

priming effect has ever been observed in unmasked priming tasks (Huang et al., 2015;

Jaśkowski et al., 2008; Klotz and Wolff, 1995; Vorberg et al., 2003). Moreover, it has

been found that a mask would not trigger negative priming unless it shares visual

features with the prime (Jaśkowski and Przekoracka-Krawczyk, 2005; Verleger et al.,

2004 see the arrow-shaped mask in Fig. 1F for an example). In other words, masks are

not passive stimuli that simply render the prime invisible but play an active role in the

priming effects.

We therefore assume that the mask resets the attentional oscillation to a different

phase than the prime does, in order to explain why positive priming is followed by

negative priming in masked priming tasks. The phase reset by the mask is left to be a

free parameter in OTEM, which turned out to be highly consistent in all our masked

priming experiments and was anti-phased to that of the prime (Fig. 1K & Fig. 3D). That

is, the mask reverses the attentional oscillation set earlier by the prime. This phase

reverse is analogous to perceptual aftereffect (Webster, 2015), with the visual features

of the mask that agree with the prime inhibited and those opposite to the prime

activated.

Temporal discounting has been found in human perception and action

(Shadmehr et al., 2010) as well as in economic decision-making (Frederick et al., 2002;

Kable and Glimcher, 2007). In OTEM, we introduced temporal discounting to

characterize the tendency to prepare more intensely for a near-future target compared to

a far-future target that is equally likely to occur. When the discounting rate is zero, any

future event would be treated as urgent as the present event and temporal expectation

would thus be meaningless. On the other extreme, when the discounting rate is infinity,

only the present matters, which is effectively the assumption adopted by many previous

models including but not limited to the hazard rate model of temporal expectation (Los et

al., 2014; Los and Van Den Heuvel, 2001; Luce, 1986; Niemi and Näätänen, 1981;

Nobre et al., 2007).

Similar to previous studies on temporal expectation (Bueti et al., 2010; Janssen

and Shadlen, 2005; Sharma et al., 2014), we also considered the participant's temporal

uncertainty and used Weber's law (Allan, 2001; Gibbon, 1977) to model it, with the

Weber fraction parameter set to be a constant estimated from previous research

(Jazayeri and Shadlen, 2010). In the presence of temporal uncertainty, the probability of

a future event can leak into the present such that the participant would appear to

prepare for the future even if she only cared about the hazard rate at the current

moment. At first sight, temporal uncertainty seems to play a role interchangeable with

temporal discounting, which renders the latter redundant. However, a model with the

former alone would predict an increase of RT with increasing temporal uncertainty, other

things being the same (Tsunoda and Kakei, 2011), which is opposite to our empirical

finding that, in the 20-, 10-, or 4-SOA condition, blocks with longer SOAs tend to have

shorter RTs (Fig. 3A), though longer SOAs correspond to larger temporal uncertainty.

Therefore, for both theoretical and practical reasons, we chose to include both temporal

uncertainty and temporal discounting in OTEM.

OTEM assumes that two threads of perceptual or motor preparations develop in

parallel before target onset. Simultaneous preparation for multiple potential actions has

been reported in neuronal activities (Cisek, 2007, 2005; Cisek and Kalaska, 2010). Such

pre-target preparing activities are largely driven by temporal expectation and can bias

the subsequent actions (de Lange et al., 2013; Donner et al., 2009). According to OTEM,

visual priming effects in RT arise from pre-target preparation instead of post-target

decision (but also see the extended OTEM). It echoes the findings that attentional status

(Nunez et al., 2017) or temporal expectation (Jepma et al., 2012) mostly influences the

non-decision time instead of decision time in RT.

To avoid introducing too many degrees of freedom into OTEM, some of our

assumptions were simplifying. For example, we assumed a transition from oscillatory

dynamics to constant preparedness accumulation for the realized target immediately

after target onset. To assume a delayed transition would be more realistic, since it takes

time to detect the target. Given that the target appears at central vision with high

contrast, such a delay tends to be neglectable and whether to include it or not should

have little influence on our conclusions.

Limitations and future directions

Visual priming tasks have various forms: The prime and target are often but not confined

to arrows (Bar and Biederman, 1998; Boy and Sumner, 2010; Del Cul et al., 2007; Kiefer

and Brendel, 2006; Klotz and Wolff, 1995); the response is typically key press (Bar and

Biederman, 1998; Dehaene et al., 1998; Eimer and Schlaghecken, 1998; Jaśkowski et

al., 2008), but can also be finger pointing (Schmidt, 2002), foot stepping (Eimer et al.,

2002), eye movement (Sereno, 1995) or speech (Ansorge et al., 1998). In theory, OTEM

can apply to all these tasks.

That being said, we does not intend to explain all important aspects of visual

priming effects, such as how the strength of priming effects is influenced by the features

of the prime and target, which has received elegant treatment in other models (Huber

and O'Reilly, 2003; Kruijne and Meeter, 2017). Neither do we claim that our model

provides an implementation-level explanation for visual priming effects. Our work, in

Marr's (1982) term, is between the computational and algorithm levels based on

neurobiologically motivated assumptions.

What OTEM provides are computational heuristics about how one common

process may give rise to priming effects with various temporal dynamics, which allow us

to make quantitative, testable behavioral predictions. Given that OTEM explains both the

classic and oscillated priming effects based on attentional oscillation, a future test would

be to directly manipulate attentional oscillation and see what happens to the priming

effects. OTEM also predicts how a set of latent variables—temporal gain, attentional

gain, and preparedness—may change between and within trials. This would facilitate

model-based searches to further understand the neural basis of visual priming.

A coexistence of sustained and oscillated effects has also been found in spatial

cueing tasks (see Introduction). More generally, OTEM offers a new perspective that

may unify the attention-related classic findings with the increasing evidence for

attentional oscillations in visual perception. One future question is, may other attention-

related classic phenomena be explained in a similar framework?

Methods

Experiments

We had analyzed data from two published experiments of Huang et al. (2015) and one

new experiment (see Results). All experiments used the same apparatus and stimuli.

The new experiment had been approved by the ethics committee of Institute of

Biophysics at Chinese Academy of Sciences. All participants provided informed consent

before the experiment and were paid for their time. Sixty-four young adults (29 male,

aged 19–27) participated, with 16 participants assigned to each of the four conditions.

Oscillated temporal expectation model (OTEM)

Preparedness accumulation. We assume that two threads of preparedness are

accumulated in parallel for the two potential targets after the prime and before target

onset, each of which can be formulated as:

583
$$\frac{de_{\text{alt},m}(t)}{dt} = \varphi_{\text{alt}}(t)\rho_m(t) - \mu \, , \tag{1}$$

where alt denotes whether the potential target is congruent (C) or incongruent (IC) with

the prime, m denotes trial number, t denotes the delay since prime, $e_{alt,m}(t)$ denotes

accumulated preparedness, $\varphi_{alt}(t)$ denotes attentional gain, $\rho_m(t)$ denotes temporal

gain, μ is a leaky rate parameter.

We assume $e_{\text{alt},m}(0) = 0$. To avoid premature responses before target onset, an

upper boundary is imposed on $e_{\text{alt},m}(0) = 0$. After the target arrives, the preparedness

for the target continues to accumulate at a constant rate ν while the other thread stops.

The expected RT for Trial m is the duration from target onset ($\tau_{\text{target},m}$) to the moment

the preparedness hits the response threshold b:

$$593 \qquad x_{\text{expt},m} = \frac{b - e_{\text{alt},m}\left(\tau_{\text{target},m}\right)}{v} \, .\tag{2}$$

594   The observed RT $x_{\text{obs},m}$ is modeled by adding a log-normal noise:

$$595 \qquad \log x_{\text{obs},m} = \log x_{\text{expt},m} + N\left(0, \sigma_{\text{noise}}^{2}\right).\tag{3}$$

596   **Attentional gain.** We assume that the attentional gains for the two alternative targets

597   add up to 2 and oscillate anti-phased over time, with the amplitude of oscillation

598   decaying exponentially with time (Fig. 2CD). We define

$$599 \qquad \psi(t) = \begin{cases} \exp(-\kappa t)\sin\left(2f\pi t + \theta_{\text{prime}}\right), & t < \tau_{\text{mask}}, \\ \exp(-\kappa t)\sin\left(2f\pi\left(t - \tau_{\text{mask}}\right) + \theta_{\text{mask}}\right), & t \geq \tau_{\text{mask}} \end{cases}\tag{4}$$

where κ is a free parameter for decaying rate, f denotes the frequency of attentional

oscillation, θ_{prime} and θ_{mask} are free parameters for phases reset by the prime and

mask, τ_{mask} denotes the delay of mask. For the unmasked priming task, $\tau_{\text{mask}} \to \infty$. (In

the current implementation of OTEM, we defined $t = 0$ and τ_{mask} as the offset times of

the prime and mask.) Following the finding that oscillated priming peaks at 3.3 Hz

(Huang et al., 2015), we set $f = 3.3$.

The attentional gains for C and IC can be written as

$$607 \qquad \begin{aligned} \varphi_{\text{C}}(t) &= \psi(t) + 1, \\ \varphi_{\text{IC}}(t) &= -\psi(t) + 1. \end{aligned}\tag{5}$$

608   **Temporal gain: trial-by-trial learning.** We assume that the participant's temporal

609   expectation for the target is learned from previous experience trial by trial (Fig. 2A)

610   following the delta-rule learning (Rescorla and Wagner, 1972):

$$611 \qquad p_{m} = p_{m-1} + \alpha\left(p'_{m-1} - p_{m-1}\right),\tag{6}$$

612   where p_{m} and p_{m-1} denote the expected distribution of τ_{target} at the beginning of Trial m

613   and $m-1$, $0 \leq \alpha \leq 1$ is a free parameter for learning rate. The p'_{m-1} denotes the

614   perceived distribution of τ_{target} on Trial $m-1$, which is a Gaussian distribution around

615      $\tau_{\text{target},m-1}$:

616
$$p'_{m-1}(t) = \frac{1}{\sqrt{2\pi}\sigma_{\text{Weber}}} \exp\left(-\frac{\left(t - \tau_{\text{target},m-1}\right)^2}{2\sigma_{\text{Weber}}^2}\right),$$
(7)

where σ_{Weber} follows Weber's law, $\sigma_{\text{Weber}} = k\tau_{\text{target},m}$ for unmasked and $\sigma_{\text{Weber}} =$

$k\left(\tau_{\text{target},m} - \tau_{\text{mask}}\right)$ for masked priming tasks, with Weber's fraction $k = 0.13$ (Jazayeri

and Shadlen, 2010). We set p_1 to be a uniform distribution between the minimum and

maximum τ_{target}.

Temporal gain: real-time updating within trial. We assume that within each trial the

brain keeps updating its expectation for the arrival time of the target (Fig. 2B). On Trial

m, the expected distribution of τ_{target} at Time t $(t < \tau_{\text{target},m})$ is

624
$$q_m(t'|t) = \begin{cases} 0, & t' < t, \\ \dfrac{p_m(t')}{\int_t^\infty p_m(u)\,du}, & t' \geq t. \end{cases}$$
(8)

625   As a special case, the hazard rate of target onset at Time t is $h(t) = q_m(t' = t|t)$.

626   Considering the target as a future reward, we define the temporal gain at Time t

627   as the expectation of the discounted future reward:

628
$$\rho_m(t) = \int_t^\infty \gamma^{u-t} q_m(u|t)\,du,$$
(9)

where $0 \leq \gamma \leq 1$ is a free parameter for discounting rate.

In total, OTEM has nine parameters for unmasked priming tasks: learning rate, α;

temporal discounting rate, γ; leaky rate, μ; decaying rate of oscillation, κ; phase reset

by the prime, θ_{prime}; maximum preparedness before target onset, ζ; accumulating rate

after target onset, ν; responding threshold, b; standard deviation of log-normal noise,

σ_{noise}. For masked priming tasks, there is one more parameter: phase reset by the

mask, θ_{mask}.

Frequency of attentional oscillation

In the model fitting, we had fixed the frequency of attentional oscillation to 3.3 Hz, the

observed frequency of oscillated priming. The RTs predicted by OTEM exhibits the same

frequency of oscillated priming as that of the assumed attentional oscillation

(Supplemental Figs. S1–S3). That is, a theta-band attentional oscillation is sufficient for

producing the theta-band oscillated priming.

We also tested whether the 3.3 Hz attentional oscillation is necessary. To do this,

we varied the frequency of attentional oscillation, fit the OTEM model for each

frequency, and compared their goodness-of-fit (AICc). For computational difficulties, we

only considered a limited set of frequencies spanning 2 to 16 Hz. For all three

experiments, the AICc first decreased and later increased with the frequency of

attentional oscillated, with the best fit occurred at 3.3 or 4 Hz (Supplemental Fig. S4).

Extension of OTEM with a decision process

To explain the patterned errors in visual priming tasks, we enhanced OTEM with an

error-prone decision process. The extended OTEM assumes that after target onset both

the congruent and incongruent threads continue to accumulate, inhibiting each other and

racing to the responding bound. The racing follows the linear ballistic accumulator model

(Brown and Heathcote, 2005):

654
$$\begin{cases} \dfrac{de_{\text{target},m}}{dt} = v_{\text{target}} - \eta e_{\text{other},m}, \\[2mm] \dfrac{de_{\text{other},m}}{dt} = v_{\text{other}} - \eta e_{\text{target},m}. \end{cases} \tag{10}$$

where η is a free parameter, v_{target} and v_{other} are accumulating rates for the target and

the other threads. The values of v_{target} and v_{other} on each trial are randomly sampled

from Gaussian distributions $N\left(\bar{v}_{\text{target}}, \sigma_{\text{target}}^2\right)$ and $N\left(\bar{v}_{\text{other}}, \sigma_{\text{other}}^2\right)$, with $\bar{v}_{\text{target}} > \bar{v}_{\text{other}}$.

Due to computational difficulties, we did not fit the extended OTEM and focused

on qualitative predictions. To simulate for the results of Vorberg et al. (2003), we used

the fitted parameters from the 4-SOA condition and manually set the additional

parameters for the decision process.

Oscillated urgency model

The oscillated urgency model is the same as OTEM, except that the preparedness for a

potential target is not accumulated over time but determined by hazard rate. That is, Eq.

1 is replaced by

666
$$e_{\text{alt},m} = \varphi_{\text{alt}}(t) h_m(t), \qquad\qquad (11)$$

where $\varphi_{\text{alt}}(t)$ denotes attentional gain, $h_m(t)$ denotes hazard rate.

In total, oscillated urgency model has 7 free parameters: learning rate, α;

decaying rate of oscillation, κ; phase reset by the prime or mask, θ; maximum

preparedness before target onset, ζ; accumulating rate after target onset, v; response

threshold, b; standard deviation of log-normal noise, σ_{noise}.

Constant accumulation model

The constant accumulation model is based on the accumulator model of Vorberg et al.

(2003). The model assumes two accumulators for the two potential targets, the

congruent and incongruent. Response is made when the absolute difference between

the two accumulators exceeds the response threshold b. The same log-normal noise

applies as in OTEM (Eq. 3).

679    Each accumulator follows

$$\frac{de_{\text{alt},m}(t)}{dt} = -\mu e_{\text{alt},m}(t) + \lambda_{\text{alt}}(t),$$  (12)

681 where μ is a free parameter for growth-decay rate, $\lambda_{\text{alt}}(t)$ denotes the rate of

682 accumulation triggered by the prime, mask, or target as defined below. Following

683 Vorberg et al. (2003), we assume that the prime and target would trigger positive

684 accumulation rates for accumulators in their directions. To account for the observed

685 effect of the mask (i.e. negative priming in masked priming tasks), we further assume

686 that the mask would trigger a negative accumulation rate for the accumulator in the

687 direction of the prime. That is, when the target is congruent with the prime,

688  (13)

$$\lambda_{\text{C}}(t) = \begin{cases} \lambda_s, & 0 \le t < \tau_{\text{mask}}, \\ -\lambda_s, & \tau_{\text{mask}} \le t < \tau_{\text{target},m}, \\ \lambda_s, & \tau_{\text{target},m} \le t, \end{cases}$$

$$\lambda_{\text{IC}}(t) = 0.$$

689 When the target is incongruent with the prime,

$$\lambda_{\text{C}}(t) = \begin{cases} \lambda_s, & 0 \le t < \tau_{\text{mask}}, \\ -\lambda_s, & \tau_{\text{mask}} \le t < \tau_{\text{target},m}, \\ 0, & \tau_{\text{target},m} \le t, \end{cases}$$

690  (14)

$$\lambda_{\text{IC}}(t) = \begin{cases} 0, & t < \tau_{\text{target},m}, \\ \lambda_s, & \tau_{\text{target},m} \le t. \end{cases}$$

691 where λ_s is a free parameter, $t = 0$ corresponds to prime onset and τ_{mask} to mask onset.

692 For the unmasked condition, $\tau_{\text{mask}} = \tau_{\text{target},m}$.

693    The threshold parameter b is redundant and fixed as 1. In total, the model has 4

694 free parameters: effect of stimulus, λ_s; growth-decay rate, μ; maximum preparedness

695 before target, ζ; standard deviation of log-normal noise, σ_{noise}.

Model fitting and comparison procedures

All the models were fitted on the individual level using the maximum likelihood estimate.

We used the interior-point algorithm of the *fmincon* function in MATLAB (MathWorks) to

find the parameters that minimized negative log likelihood. To verify that we had found

the global minimum, we repeated the search process with different starting points. We

used AICc—the Akaike information criterion with a correction for finite sample size

(Akaike, 1974; Hurvich and Tsai, 1989)—for model comparison and calculated the

protected exceedance probability of the group-level Bayesian model selection (Rigoux et

al., 2014; Stephan et al., 2009) as an omnibus measure across participants.

Acknowledgments

YH was supported by Shenzhen Science and Technology Research Funding Program

JCYJ20170818161400180 and Guangdong Provincial Key Laboratory of Brain

Connectome and Behavior 2017B030301017. HL was supported by National Natural

Science Foundation of China grants 31522027 and 31571115. HZ was supported by

National Natural Science Foundation of China grants 31571117 and 31871101, and

funding from Peking-Tsinghua Center for Life Sciences. Part of the analysis was

performed on the High-Performance Computing Platform of the Center for Life Sciences

at Peking University and supported by the High-performance Computing Platform of

Peking University. The funders had no role in study design, data collection and analysis,

decision to publish, or preparation of the manuscript.

References

References

Akaike H. 1974. A new look at the statistical model identification. *IEEE transactions on*

automatic control **19**:716–723. doi:10.1007/978-1-4612-1694-0_16

Allan LG. 2001. Time Perception Models In: Smelser NJ, Baltes PB, editors.

International Encyclopedia of the Social & Behavioral Sciences: Second Edition.

Oxford: Elsevier. pp. 15696–15699. doi:https://doi.org/10.1016/B0-08-043076-

7/00668-9

Ansorge U, Klotz W, Neumann O. 1998. Manual and verbal responses to completely

masked (unreportable) stimuli: Exploring some conditions for the metacontrast

dissociation. *Perception* **27**:1177–1189. doi:10.1068/p271177

Bar M, Biederman I. 1998. Subliminal visual priming. *Psychological Science* **9**:464–469.

doi:10.1111/1467-9280.00086

Benedetto A, Morrone MC. 2017. Saccadic suppression is embedded within extended

oscillatory modulation of sensitivity. *Journal of Neuroscience* **37**:3661–3670.

doi:10.1523/JNEUROSCI.2390-16.2016

Bowman H, Schlaghecken F, Eimer M. 2006. A neural network model of inhibitory

processes in subliminal priming. *Visual Cognition* **13**:401–480.

doi:10.1080/13506280444000823

Boy F, Sumner P. 2010. Tight coupling between positive and reversed priming in the

masked prime paradigm. *Journal of Experimental Psychology: Human Perception*

and Performance **36**:892–905. doi:10.1037/a0017173

Brown S, Heathcote A. 2005. A Ballistic Model of Choice Response Time. *Psychological*

Review **112**:117–128. doi:10.1037/0033-295X.112.1.117

Bueti D, Bahrami B, Walsh V, Rees G. 2010. Encoding of Temporal Probabilities in the

Human Brain. *The Journal of Neuroscience* **30**:4343–4352.

doi:10.1523/JNEUROSCI.2254-09.2010

Buzsáki G. 2006. Rhythms of the Brain. New York: Oxford University Press.

doi:10.1093/acprof:oso/9780195301069.001.0001

Chen A, Wang A, Wang T, Tang X, Zhang M. 2017. Behavioral Oscillations in Visual

Attention Modulated by Task Difficulty. *Frontiers in Psychology* **8**:1630.

doi:10.3389/fpsyg.2017.01630

Cisek P. 2007. Cortical mechanisms of action selection: the affordance competition

hypothesis. *Philosophical transactions of the Royal Society of London Series B,*

Biological sciences **362**:1585–1599. doi:10.1098/rstb.2007.2054

Cisek P. 2005. Neural representations of motor plans, desired trajectories, and

controlled objects. *Cognitive Processing* **6**:15–24. doi:10.1007/s10339-004-0046-7

Cisek P, Kalaska JF. 2010. Neural Mechanisms for Interacting with a World Full of

Action Choices. *Annual Review of Neuroscience* **33**:269–298.

doi:10.1146/annurev.neuro.051508.135409

Damian MF. 2001. Congruity effects evoked by subliminally presented primes:

Automaticity rather than semantic processing. *Journal of Experimental Psychology:*

Human Perception and Performance **27**:154–165. doi:10.1037/0096-1523.27.1.154

de Lange FP, Rahnev DA, Donner TH, Lau H. 2013. Prestimulus Oscillatory Activity over

Motor Cortex Reflects Perceptual Expectations. *The Journal of Neuroscience*

33:1400 LP-1410. doi:10.1523/JNEUROSCI.1094-12.2013

Dehaene S, Naccache L, Le Clec'H G, Koechlin E, Mueller M, Dehaene-Lambertz G,

van de Moortele P-F, Le Bihan D. 1998. Imaging unconscious semantic priming.

Nature **395**:597–600. doi:10.1038/26967

Del Cul A, Baillet S, Dehaene S. 2007. Brain Dynamics Underlying the Nonlinear

Threshold for Access to Consciousness. *PLOS Biology* **5**:e260.

doi:10.1371/journal.pbio.0050260

Donner TH, Siegel M, Fries P, Engel AK. 2009. Buildup of Choice-Predictive Activity in

Human Motor Cortex during Perceptual Decision Making. *Current Biology* **19**:1581–

1585. doi:https://doi.org/10.1016/j.cub.2009.07.066

Eimer M. 1999. Facilitatory and inhibitory effects of masked prime stimuli on motor

activation and behavioural performance. *Acta psychologica* **101**:293–313.

doi:10.1016/S0001-6918(99)00009-8

Eimer M, Schlaghecken F. 2003. Response facilitation and inhibition in subliminal

priming. *Biological Pyschology* **64**:7–26. doi:10.1016/S0301-0511(03)00100-5

Eimer M, Schlaghecken F. 2002. Links between conscious awareness and response

inhibition: evidence from masked priming. *Psychonomic bulletin & review* **9**:514–

520. doi:10.3758/BF03196307

Eimer M, Schlaghecken F. 1998. Effects of Masked Stimuli on Motor Activation:

Behavioral and Electrophysiological Evidence. *Journal of experimental psychology*

Human perception and performance **24**:1737–1747. doi:10.1037/0096-

1523.24.6.1737

Eimer M, Schubö A, Schlaghecken F. 2002. Locus of inhibition in the masked priming of

response alternatives. *Journal of Motor Behavior* **34**:3–10.

doi:10.1080/00222890209601926

Fiebelkorn IC, Saalmann YB, Kastner S. 2013. Rhythmic sampling within and between

objects despite sustained attention at a cued location. *Current Biology* **23**:2553–

2558. doi:10.1016/j.cub.2013.10.063

Frederick S, Loewenstein G, O'Donoghue T. 2002. Time Discounting and Time

Preference: A Critical Review. *Journal of Economic Literature* **40**:351–401.

doi:10.1257/002205102320161311

Gibbon J. 1977. Scalar expectancy theory and Weber's law in animal timing.

Psychological Review **84**:279–325. doi:10.1037/0033-295X.84.3.279

Huang Y, Chen L, Luo H. 2015. Behavioral Oscillation in Priming: Competing Perceptual

Predictions Conveyed in Alternating Theta-Band Rhythms. *The Journal of*

Neuroscience **35**:2830–2837. doi:10.1523/JNEUROSCI.4294-14.2015

Huber DE. 2014. The Rise and Fall of the Recent Past: A Unified Account of Immediate

Repetition Paradigms In: Ross B, editor. Psychology of Learning and Motivation.

Cambridge: Academic Press. pp. 191–226. doi:10.1016/B978-0-12-800090-

8.00005-6

Huber DE, O'Reilly RC. 2003. Persistence and accommodation in short-term priming

and other perceptual paradigms: temporal segregation through synaptic

depression. *Cognitive Science* **27**:403–430. doi:https://doi.org/10.1016/S0364-

0213(03)00012-0

Hurvich CM, Tsai C-L. 1989. Regression and time series model selection in small

samples. *Biometrika* **76**:297–307. doi:10.1093/biomet/76.2.297

Janssen P, Shadlen MN. 2005. A representation of the hazard rate of elapsed time in

macaque area LIP. *Nature Neuroscience* **8**:234–241. doi:10.1038/nn1386

Jaśkowski P, Białuńska A, Tomanek M, Verleger R. 2008. Mask- and distractor-triggered

inhibitory processes in the priming of motor responses: An EEG study.

Psychophysiology **45**:70–85. doi:10.1111/j.1469-8986.2007.00595.x

Jaśkowski P, Przekoracka-Krawczyk A. 2005. On the role of mask structure in subliminal

priming. *Acta Neurobiologiae Experimentalis* **65**:409–417.

Jazayeri M, Shadlen MN. 2010. Temporal context calibrates interval timing. *Nature*

neuroscience **13**:1020–1026. doi:10.1038/nn.2590

Jepma M, Wagenmakers E-J, Nieuwenhuis S. 2012. Temporal expectation and

information processing: A model-based analysis. *Cognition* **122**:426–441.

doi:https://doi.org/10.1016/j.cognition.2011.11.014

Kable JW, Glimcher PW. 2007. The neural correlates of subjective value during

intertemporal choice. *Nature Neuroscience* **10**:1625–1633. doi:10.1038/nn2007

Kiefer M, Brendel D. 2006. Attentional modulation of unconscious "automatic"

processes: Evidence from event-related potentials in a masked priming paradigm.

Journal of Cognitive Neuroscience **18**:184–198. doi:10.1162/jocn.2006.18.2.184

Kienitz R, Schmiedt JT, Shapcott KA, Kouroupaki K, Saunders RC, Schmid MC. 2018.

Theta Rhythmic Neuronal Activity and Reaction Times Arising from Cortical

Receptive Field Interactions during Distributed Attention. *Current Biology* **28**:2377–

2387. doi:10.1016/j.cub.2018.05.086

Klein RM. 2000. Inhibition of return. *Trends in Cognitive Sciences* **4**:138–147.

doi:10.1016/S1364-6613(00)01452-2

Klotz W, Wolff P. 1995. The effect of a masked stimulus on the response to the masking

stimulus. *Psychological Research* **58**:92–101. doi:10.1007/BF00571098

Kruijne W, Meeter M. 2017. You prime what you code: The fAIM model of priming of

pop-out. *PLoS ONE*. doi:10.1371/journal.pone.0187556

Lakatos P, Karmos G, Mehta AD, Ulbert I, Schroeder CE. 2008. Entrainment of

Neuronal Oscillations as a Mechanism of Attentional Selection. *Science* **320**:110–

113. doi:10.1126/science.1154735

Lakatos P, Musacchia G, O'Connel MN, Falchier AY, Javitt DC, Schroeder CE. 2013.

The Spectrotemporal Filter Mechanism of Auditory Selective Attention. *Neuron*

77:750–761. doi:10.1016/j.neuron.2012.11.034

Lakatos P, O'Connell MN, Barczak A, Mills A, Javitt DC, Schroeder CE. 2009. The

Leading Sense: Supramodal Control of Neurophysiological Context by Attention.

Neuron **64**:419–430. doi:10.1016/j.neuron.2009.10.014

Landau AN, Fries P. 2012. Attention samples stimuli rhythmically. *Current Biology*

22:1000–1004. doi:10.1016/j.cub.2012.03.054

Landau AN, Schreyer HM, Van Pelt S, Fries P. 2015. Distributed attention is

implemented through theta-rhythmic gamma modulation Published in edited form

in: Current Biology. *Current Biology* **25**:2332–2337. doi:10.1016/j.cub.2015.07.048

Lingnau A, Vorberg D. 2005. The time course of response inhibition in masked priming.

Perception and Psychophysics **67**:545–557. doi:10.3758/BF03193330

Lleras A, Enns JT. 2004. Negative Compatibility or Object Updating? A Cautionary Tale

of Mask-Dependent Priming. *Journal of Experimental Psychology: General*

133:475–493. doi:10.1037/0096-3445.133.4.475

Los SA, Kruijne W, Meeter M. 2014. Outlines of a multiple trace theory of temporal

preparation. *Frontiers in Psychology* **5**:1058. doi:10.3389/fpsyg.2014.01058

Los SA, Van Den Heuvel CE. 2001. Intentional and unintentional contributions to

nonspecific preparation during reaction time foreperiods. *Journal of Experimental*

Psychology: Human Perception and Performance **27**:370–386. doi:10.1037/0096-

1523.27.2.370

Luce RD. 1986. Response times: Their role in inferring elementary mental organization.

New York, NY: Oxford University Press.

Makeig S, Westerfield M, Jung T-P, Enghoff S, Townsend J, Courchesne E, Sejnowski

TJ. 2002. Dynamic Brain Sources of Visual Evoked Responses. *Science* **295**:690–

694. doi:10.1126/science.1066168

Marr D. 1982. Vision: A computational investigation into the human representation and

processing of visual information. Cambridge, MA: MIT Press.

Mattler U, Palmer S. 2012. Time course of free-choice priming effects explained by a

simple accumulator model. *Cognition* **123**:347–360.

doi:10.1016/j.cognition.2012.03.002

McCartney H, Johnson AD, Weil ZM, Givens B. 2004. Theta reset produces optimal

conditions for long-term potentiation. *Hippocampus* **14**:684–687.

doi:10.1002/hipo.20019

McGuire JT, Kable JW. 2013. Rational temporal predictions can underlie apparent

failures to delay gratification. *Psychological Review* **120**:395–410.

doi:10.1037/a0031910

Minsky M. 1986. The Society of Mind. New York, NY: Simon & Schuster, Inc.

Naccache L, Blandin E, Dehaene S. 2002. Unconscious Masked Priming Depends on

Temporal Attention. *Psychological Science* **13**:416–424. doi:10.1111/1467-

9280.00474

Neumann O, Klotz W. 1994. Motor responses to nonreportable, masked stimuli: Where

is the limit of direct parameter specification? In: Umiltà C, Moscovitch M, editors.

Attention and Performance XV, Attention and Performance Series. Cambridge, MA:

MIT Press. pp. 123–150.

Niemi P, Näätänen R. 1981. Foreperiod and simple reaction time. *Psychological Bulletin*

89:133–162. doi:10.1037/0033-2909.89.1.133

Nobre A, Correa A, Coull J. 2007. The hazards of time. *Current Opinion in Neurobiology*

17:465–470. doi:10.1016/j.conb.2007.07.006

Nobre AC, Rohenkohl G. 2014. Time for the fourth dimension in attention In: Nobre AC,

Kastner S, editors. The Oxford Handbook of Attention. Oxford, UK: Oxford

University Press. pp. 676–721. doi:10.1093/oxfordhb/9780199675111.013.036

Nobre AC, van Ede F. 2017. Anticipated moments: temporal structure in attention.

Nature Reviews Neuroscience **19**:34–48. doi:10.1038/nrn.2017.141

Nunez MD, Vandekerckhove J, Srinivasan R. 2017. How attention influences perceptual

decision making: Single-trial EEG correlates of drift-diffusion model parameters.

Journal of Mathematical Psychology **76**:117–130. doi:10.1016/j.jmp.2016.03.003

Posner MI, Cohen Y. 1984. Components of Visual Orienting In: Bouma H, Bouwhuis DG,

editors. Attention and Performance X. Hillsdale, NJ: Lawrence Erlbaum Associates.

pp. 531–556.

Rescorla RA, Wagner AR. 1972. A theory of Pavlovian conditioning: Variations in the

effectiveness of reinforcement and nonreinforcement In: Black AH, Prokasy WF,

editors. Classical Conditioning II: Current Research and Theory. East Norwalk, CT:

Appleton-Century-Crofts. pp. 64–99.

Rigoux L, Stephan KE, Friston KJ, Daunizeau J. 2014. Bayesian model selection for

group studies — Revisited. *Neuroimage* **84**:971–985.

doi:10.1016/j.neuroimage.2013.08.065

Rizzuto DS, Madsen JR, Bromfield EB, Schulze-Bonhage A, Seelig D, Aschenbrenner-

Scheibe R, Kahana MJ. 2003. Reset of human neocortical oscillations during a

working memory task. *Proceedings of the National Academy of Sciences*

100:7931–7936. doi:10.1073/pnas.0732061100

Sack AT, van der Mark S, Schuhmann T, Schwarzbach J, Goebel R. 2009. Symbolic

action priming relies on intact neural transmission along the retino-geniculo-striate

pathway. *Neuroimage* **44**:284–293. doi:10.1016/j.neuroimage.2008.07.030

Schacter DL, Buckner RL. 1998. Priming and the Brain. *Neuron* **20**:185–195.

doi:10.1016/S0896-6273(00)80448-1

Schlaghecken F, Eimer M. 2006. Active masks and active inhibition: A comment on

Lleras and Enns (2004) and on Verleger, Jaśkowski, Aydemir, van der Lubbe, and

Groen (2004). *Journal of Experimental Psychology: General* **135**:484–494.

doi:10.1037/0096-3445.135.3.484

Schlaghecken F, Eimer M. 2002. Motor activation with and without inhibition: Evidence

for a threshold mechanism in motor control. *Perception & Psychophysics* **64**:148–

162. doi:10.3758/BF03194564

Schlaghecken F, Rowley L, Sembi S, Simmons R, Whitcomb D. 2007. The negative

compatibility effect: A case for self-inhibition. *Advances in Cognitive Psychology*

3:227–240. doi:10.2478/v10053-008-0027-y

Schmidt T. 2002. The Finger in Flight: Real-Time Motor Control by Visually Masked

Color Stimuli. *Psychological Science* **13**:112–118. doi:10.1111/1467-9280.00421

Schroeder CE, Wilson DA, Radman T, Scharfman H, Lakatos P. 2010. Dynamics of

Active Sensing and perceptual selection. *Current Opinion in Neurobiology* **20**:172–

176. doi:https://doi.org/10.1016/j.conb.2010.02.010

Sereno SC. 1995. Resolution of lexical ambiguity: Evidence from an eye movement

priming paradigm. *Journal of Experimental Psychology: Learning, Memory, and*

Cognition. doi:10.1037/0278-7393.21.3.582

Shadmehr R, Orban de Xivry JJ, Xu-Wilson M, Shih T-Y. 2010. Temporal Discounting of

Reward and the Cost of Time in Motor Control. *The Journal of Neuroscience*

30:10507 LP-10516. doi:10.1523/JNEUROSCI.1343-10.2010

Sharma J, Sugihara H, Katz Y, Schummers J, Tenenbaum J, Sur M. 2014. Spatial

attention and temporal expectation under timed uncertainty predictably modulate

neuronal responses in monkey V1. *Cerebral Cortex* **25**:2894–2906.

doi:10.1093/cercor/bhu086

Sohrabi A, West RL. 2009. Positive and negative congruency effects in masked priming :

A neuro-computational model based on representation , attention , and conflict.

Brain Research **1289**:124–132. doi:10.1016/j.brainres.2009.07.004

Song K, Meng M, Chen L, Zhou K, Luo H. 2014. Behavioral Oscillations in Attention:

Rhythmic α Pulses Mediated through θ Band. *Journal of Neuroscience* **34**:4837–

4844. doi:10.1523/JNEUROSCI.4856-13.2014

Stephan KE, Penny WD, Daunizeau J, Moran RJ, Friston KJ. 2009. Bayesian model

selection for group studies. *Neuroimage* **46**:1004–1017.

doi:10.1016/j.neuroimage.2009.03.025

Summerfield C, de Lange FP. 2014. Expectation in perceptual decision making: neural

and computational mechanisms. *Nature Reviews Neuroscience* **15**:745–756.

doi:10.1038/nrn3838

Sumner P. 2007. Negative and positive masked-priming – implications for motor

inhibition. *Advances in Cognitive Psychology* **3**:317–326. doi:10.2478/v10053-008-

0033-0

Sutton RS, Barto AG. 1998. Introduction to reinforcement learning. Cambridge, MA: MIT

Press.

Tesche CD, Karhu J. 2000. Theta oscillations index human hippocampal activation

during a working memory task. *Proceedings of the National Academy of Sciences*

97:919–924. doi:10.1073/pnas.97.2.919

Tomassini A, Spinelli D, Jacono M, Sandini G, Morrone MC. 2015. Rhythmic Oscillations

of Visual Contrast Sensitivity Synchronized with Action. *Journal of Neuroscience*

35:7019–7029. doi:10.1523/JNEUROSCI.4568-14.2015

Tsunoda Y, Kakei S. 2011. Anticipation of future events improves the ability to estimate

elapsed time. *Experimental Brain Research* **214**:323–334. doi:10.1007/s00221-011-

2821-x

Tulving E, Schacter DL. 1990. Priming and human memory systems. *Science* **247**:301–

306. doi:10.1126/science.2296719

van Vugt M, Simen P, Nystrom L, Holmes P, Cohen J. 2012. EEG Oscillations Reveal

Neural Correlates of Evidence Accumulation. *Frontiers in Neuroscience* **6**:106.

doi:10.3389/fnins.2012.00106

VanRullen R. 2016. Perceptual Cycles. *Trends in cognitive sciences* **20**:1–6.

VanRullen R. 2013. Visual attention: A rhythmic process? *Current Biology* **23**:R1110–

R1112. doi:10.1016/j.cub.2013.11.006

Verleger R, Jaśkowski P, Aydemir A, van der Lubbe RHJ, Groen M. 2004. Qualitative

differences between conscious and nonconscious processing? On inverse priming

induced by masked arrows. *Journal of Experimental Psychology: General* **133**:494–

515. doi:10.1037/0096-3445.133.4.494

Vorberg D, Mattler U, Heinecke A, Schmidt T, Schwarzbach J. 2003. Different time

courses for visual perception and action priming. *Proceedings of the National*

Academy of Sciences **100**:6275–6280. doi:10.1073/pnas.0931489100

Webster MA. 2015. Visual Adaptation. *Annual Review of Vision Science* **1**:547–567.

doi:10.1146/annurev-vision-082114-035509

Wutz A, Muschter E, van Koningsbruggen MG, Weisz N, Melcher D. 2016. Temporal

integration windows in neural processing and perception aligned to saccadic eye

movements. *Current Biology* **26**:1659–1668. doi:10.1016/j.cub.2016.04.070

Zion Golumbic EM, Ding N, Bickel S, Lakatos P, Schevon CA, McKhann GM, Goodman

RR, Emerson R, Mehta AD, Simon JZ. 2013. Mechanisms underlying selective

neuronal tracking of attended speech at a "cocktail party." *Neuron* **77**:980–991.

doi:10.1016/j.neuron.2012.12.037