A psychometric evaluation of the 12-item EPQ-R neuroticism scale in

502,591 UK Biobank participants using item response theory (IRT)

Sarah Bauermeister[1] and John Gallacher[1]

[1]Department of Psychiatry and on behalf of Dementias Platform UK, Warneford Hospital, University of Oxford, Oxford, OX3 7JX

Sarah Bauermeister (corresponding author) sarah.bauermeister@psych.ox.ac.uk

John Gallacher john.gallacher@psych.ox.ac.uk

Abstract

Background

Neuroticism has been described as a broad and pervasive personality dimension or 'heterogeneous' trait measuring components of mood instability such as worry; anxiety; irritability; moodiness; self-consciousness; sadness and irritabililty. Consistent with depression and anxiety-related disorders, increased neuroticism places an individual vulnerable for other unipolar and bipolar mood disorders. However, the measurement of neuroticism remains a challenge. Our aim was to identify psychometrically efficient items and inform the inclusion of redundant items across the 12-item EPQ-R Neuroticism scale using Item Response Theory (IRT).

Methods

The 12-item binary EPQ-R Neuroticism scale was evaluated by estimating a two-parameter (2-PL) IRT model on data from 502,591 UK Biobank participants aged 37 to 73 years ($M = 56.53$ years; $SD = 8.05$), 54% female. Models were run listwise (n= 401,648) and post-estimation mathematical assumptions were computed. All analyses were conducted in STATA 16 SE on the Dementias Platform UK (DPUK) Data Portal.

Results

A plot of θ values (Item Information functions) showed that most items clustered around the mid-range where discrimination values ranged from 1.34 to 2.28. Difficulty values for individual item θ scores ranged from -0.13 to 1.41. A Mokken analysis

suggested a weak to medium level of monotonicity between the items, no items reach

strong scalability (H=0.35-0.47). Systematic item deletions and rescaling found that an

7-item scale is more efficient and with information (discrimination) ranging from 1.56

to 2.57 and stronger range of scalability (H=0.47-0.52). A 3-item scale is highly

discriminatory but offers a narrow range of person ability (difficulty). A logistic

regression differential item function (DIF) analysis exposed significant gender item bias

functioning uniformly across all versions of the scale.

Conclusions

Across 401,648 UK Biobank participants, the 12-item EPQ-R neuroticism scale exhibited

psychometric inefficiency with poor discrimination at the extremes of the scale-range.

High and low scores are relatively poorly represented and uninformative suggesting

that high neuroticism scores derived from the EPQ-R are a function of cumulative mid-

range values. The scale also shows evidence of gender item bias and future scale

development should consider the former along with item deletions.

Keywords

Item Response Theory; IRT; neuroticism; psychometric; EPQ-R; UK Biobank;

epidemiology

Background

Neuroticism has been described as a broad and pervasive personality dimension with

influences beyond its own limited definition (1). Operationally, it has been defined as a

personality trait assessed by items referencing to instances of worry; anxiety;

irritability; moodiness; self-consciousness; sadness and irritabililty (2-4). The NEO-PI

(Neuroticism-Extraversion-Openess Personality Inventory) operationalises neuroticism

as a combination of individual behavioural traits which may also be measured as

isolated components of mood state e.g., anxiety; hostility; depression; self-consiousness;

impulsiveness and vulnerability (1). Also defined as a 'heterogeneous' trait possessing

significant overlap with depression and anxiety, neuroticism places an individual

vulnerable for other unipolar and bipolar mood disorders (3). Moreover, increased

levels of neuroticism places an individual vulnerable to other neurotic disorders,

psychological distress and 'emotional instability' (5). There is also consistent research

suggesting a positive relationship between neuroticism and negative effect (6)

notwithstanding neurotism essentially existing as a dimension of negative affect (7).

Eysenck has further argued that neuroticism is a direct reaction to the autonomic

nervous system (8, 9), findings supported finding increased neuroticism correlated with

tolerance to a highly stressed environment, suggesting a habituation relationship with

everyday stressors (10, 11).

Eysenck's attempts to define neuroticism and evaluate the measurement items thereof

resulted in an original version of the Eysenck neuroticism scale existing as a component

of the Maudsley Medical Questionnaire (12). Assessment outcomes of this scale were

reported in the Manual for the Maudsley Personality Inventory (MPI) where gender

differences were found across the psychiatric patients and soldiers, on whom the data

were derived (13). Later versions of the MPI were revised to remove gender-specific

items although to our knowledge, details of the method of their removal are not

available. The revised neuroticism scale became a component of the Eysenck

Personality Questionnaire (EPQ-R: 14) and thereby exists as a culmination of attempts

to select the relevant items through multiple revisions of the MPI. Although the EPQ-R

neuroticism scale is reported to have been developed through clinical judgement and,

multiple cluster and factor analyses, reasons for acceptance or rejection of items were

complex, unclear and are not 'objectified' (13, 15).

Using factor analysis and correlations for item deletion whilst widely used, have a bias

towards identifying closely associated items as being informative and is opaque to the

individual item contribution or person ability. The process is commonly known as

classical test theory (CTT) whereby a summated score is computed from individual item

scoring. The EPQ-R neuroticism scale has been found to lack items to identify

respondents who would normally endorse items at the extreme ends of the trait

continuum, e.g. high vs. low neuroticism (5). Furthermore, the scale maintains gender-

specific items, females consistently scoring higher (14, 16), a difference which has been

reported cross-culturally (17) and across the age range (e.g., 18).

We investigated the psychometric efficiency of the 12-item EPQ-R neuroticism scale -

hereafter 'EPQ-R' (14) as a widely used measurement of neuroticism. We applied item

response theory (IRT) to psychometrically evaluate the EPQ-R using data from UK

Biobank (19), a large population study which assessed neuroticism at baseline. Our

expectation was that the large sample size and balanced gender ratio (54% female)

would provide valuable item-level information for assessing the informativeness of

individual items and overall psychometric reliability of the scale. This assessment may

have important implications in clinical settings and for epidemiological research where

it is widely utilised.

Methods

Participants

The UK Biobank is a large population-based prospective cohort study of 502,665

participants. Invitations to participate in the UK Biobank study were sent to 9.2 million

community-dwelling persons in the UK who were registered with the UK National

Health Service (NHS) aged between 37 and 73 years. A response rate of 5.5% was

recorded. Ethical approval was granted to Biobank from the Research Ethics Committee

- REC reference 11/NW/0382 (19). The analysis here was applied to the whole cohort

of 502,591 participants after withdrawals were considered.

Procedure

Assessments took place at 22 centres across the UK where participants completed an

informed consent and undertook comprehensive mental health, cognitive, lifestyle,

biomedical and physical assessments. The selection of mental health assessments were

completed on a touchscreen computer, including the 12-item EPQ-R neuroticism scale

(14) where participants were required to answer, 'yes', 'no', 'I don't know' or 'I do not

wish to answer' in response to the 12 questions: 'Does your mood often go up and

down?'; 'Do you ever feel just miserable for no reason?'; 'Are you an irritable person?';

'Are your feelings easily hurt?'; 'Do you often feel fed-up?'; 'Would you call yourself a

nervous person?'; 'Are you a worrier?'; 'Would you call yourself tense or highly strung?';

'Do you worry too long after an embarrassing experience?'; 'Do you suffer from

nerves?'; 'Do you often feel lonely?'; 'Are you often troubled by feelings of guilt?'. The

aim of the study was to investigate informativeness and reliability of the 12-item scale,

and to explore revised versions using psychometric methodologies such as Item

Response Theory (IRT).

IRT model

For these binary response data a 2 parameter logistic (2-PL) IRT model is appropriate:

$$P\left(X_i = 1 \middle| \theta, \beta_{i,} \alpha_i\right) = \frac{\exp(\alpha_i \left(\theta - \beta_i\right))}{1 + \exp(\alpha_i \left(\theta - \beta_i\right))}$$

The dependent variable is the dichotomous response (yes/no), the independent

variables are the person's trait level, theta (θ) and item difficulty (β_i). The independent

variables combine accumulatively and the item's difficulty is subtracted from θ. That is,

the ratio of the probability of success for a person on an item to the probability of

failure, where a logistic function provides the probability that solving any item (i) is

independent from the outcome of any other item, controlling for person parameters (θ),

and item parameters. The 2-PL model includes two parameters to represent the item

properties (difficulty and discrimination) in the exponential form of the logistic model.

For each item, an item response function (IRF) may be calculated which calibrates the

responses of an individual against each item. A calibrated standardised score for trait

severity θ is returned and may be plotted as an item characteristic curve (ICC) along a

standardised scale with a mean of 0 (Figure 1a). From the ICC two parameters may be

estimated. The first is the value of θ at which the likelihood of item endorsement is 0.5,

interpreted as 'expressed trait severity'. The second is the slope of the curve from the

point at which the likelihood of item endorsement is 0.5, interpreted as 'expressed item

discrimination' i.e., the ability to discriminate between greater and lesser severity

scores. The IRF may also be expressed as an item information curve (IIF) which displays

the relationship between severity and discrimination (Figure 1b). The apex of the curve

for any IIC indicates the value of θ at which there is maximum discrimination. By

convention, scales expressing a range of θ values are more informative than those with

items clustering around a single value and items with a discrimination of score of >1.7

are considered informative, although lower values are considered contributory within

context (20). Statistical assumptions underlying the IRT principles of scalability,

unidimensionality and item-independence are examined. UK Biobank data for this

analysis (application 15008) were uploaded onto the Dementias Platform UK (DPUK)

Data Portal (21) and analysed using STATA SE 16.1 (22)

Figure 1. Item Characteristic Curve (ICC) and Item Information Function (IIF) graphs

Results

Sample

The whole sample available after withdrawals were considered was 502,591 UK

Biobank participants aged 37 to 73 years (M = 56.53 years; SD = 8.05), 54% female.

Models were run listwise and the number of participants included in analyses were:

401,648 (12-item); 434,693 (7-item); 473,940 (3-item).

IRT analysis

A 2-PL IRT model was estimated whereby difficulty and discrimination parameters

were computed (Table 1). The discrimination (item-information) parameters across the

scale range between 1.34 and 2.28. The item measuring 'Does your mood often go up

and down?' exhibits the highest level of discrimination at 2.28, suggesting that this

'mood' question possesses the highest amount of information synonymous with the

neurotic trait. In contrast, the item 'Are you an irritable person?', 1.34, is the lowest, and

below the suggested recommended level of 1.7 for an ideal discrimination level for

items measuring trait values (20). The items, 'Are you a worrier?'; 'Do you suffer from

nerves'; 'Do you ever feel just miserable for no reason?'; 'Do you often feel fed-up?' and

'Would you call yourself tense or highly strung' also have discrimination values of above

1.7.

Table 1. 2-PL IRT model item parameters for the 12-item scale

The difficulty parameter functions as a probability scale with the item position on θ

indicating the probability value of a respondent endorsing an item. Figure 2 shows the

item characteristic curves (ICCs) for each of the items, presenting both the steepness of

the discrimination curve *and* position of the difficulty value on the ⬚ continuum. For

example, for the item 'Does your mood often go up and down?', there is a 50%

probability that someone with a ⬚ of 0.21 (someone who does experience neurotic trait

characteristics) would endorse this item, therefore it is considered an item

characteristic of neuroticism, albeit low. On contrary, for the item ''Are you a worrier?'',

there is a 50% chance of someone with a ⬚ of -0.13 endorsing this item, therefore,

someone who does not experience neurotic trait charateristics.

Figure 2. ICC graph for the 12-item scale

Additional item discrimination is available by graphing the IIF curves (see Figure 3).

The IIF curves thereby display the relationship between difficulty (trait level) and

discrimination (information), and an important feature of this graph is also the position

on the continuum from which the point is drawn perpendicular from the apex of each

item curve.   The items which have their maximum curvature positioned along the ⬚

continuum in the positive half provide information about the neurotic trait when there

is an endorsement (presence) of the trait characteristic. For example, the item 'Do you

often feel lonely?' is an endorsement of neuroticism if a respondent endorses it, as its

apex is positioned in positive ⬚ and is more likely to be endorsed by someone with a

higher level of neuroticism (1.41) than a person endorsing the item 'Does your mood

often go up and down?' which is also positioned in the positive ⬚ but has a lower

difficulty value (0.21).   Therefore, although the 'mood' item has the highest

discrimination value (see previous), it does not provide sufficient information about

respondents who possess a high level (presence) of the trait (+1 to +4) or a low level

(absence) of the trait (-1 to -4), instead it provides the most information for

respondents who possesses an average (⏃=0) to a minimal amount of the neuroticism

trait (see Table 1).   The item which possesses the least trait characteristic

discrimination is the item, 'Are you an irritable person?', Although the IIF curve apex is

positioned over a positive ⏃ (0.95), and may be endorsed by a respondent possessing

an amount of the trait characteristic, the discrimination value is low (1.34).

Figure 3. IIF graph for the 12-item scale

In summary, the overall pattern of item distribution across the ⏃ continuum suggests

that across the 12-item EPQ-R neuroticism scale there are no items which measure an

extreme level of neurotic trait characteristics or an extreme level of non-neurotic trait

characteristics. It suggests that the questions are mostly measuring the neurotic trait

characteristics which have a higher probability of endorsement by individuals who are

experiencing a minimal to no level of neuroticism (⏃ = -0.13 to 1.41).

Reliability

In IRT, reliability may be calculated at multiple point values of ⏃ along the continuum

rather than a single reliability score as in CTT. Reliability is defined at different points of

⏃ with the mean of ⏃ fixed at 0 and the variance at 1, facilitating identification of the

model and reliability for all points along the ⏃ continuum, distinguishing respondents

according to specific values of ⏃ (23). For the 12-item scale there is reliable information

to differentiate respondents who possess no or just above an average amount of trait

information (θ=0; 0.87 and θ=1; 0.88), considered very good for reliability However,

reliability then decreases (θ=2; 0.76 and θ=-1; 0.71) suggesting that the highest

reliability of measuring the neurotic trait is at normal or a minimal amount of

neuroticism, θ=0 or 1. Thereafter, reliability reduces so that the extreme end of the

continuum, θ=3; 4; -2; -3; -4, is no longer reliably measured (See Table 2) .

Table 2. Reliability for values of θ from a 2-PL IRT model fit for the 12-item scale

Statistical assumptions

1. Item independence

A correlation analysis assessed initial item independency and all items were

significantly correlated ($p <.000$) but the majority of values were lower than 0.50,

suggesting basic local item independence. A residual coefficient matrix, requested after

estimation of a single-factor model showed that no residuals were too highly correlated,

$R>0.20$ (24), suggesting basic item independence.

2. Monotonicity

A Mokken analysis produced a Loevinger H coefficient (25) which measures the

scalable quality of items, expressed as a probability measure, independent of a

respondent's θ. These coefficients ranged between 0.35 and 0.47 (Table 3), suggesting a

weak (H=0.3-0.4) to moderate (H=0.4-0.5) monotonicity, no items reached strong

scalability (H≥0.5) (25).

Table 3. Mokken analysis with Loevinger H coefficients for the 12-item scale

3. Unidimensionality

A principal component analysis (PCA) shows that a single major factor is responsible

for 36% of the variance and a second factor responsible for 11% of the variance, the

difference of which is above the suggested 20% indicating a single major factor is being

measured (26). A post-IRT estimation model measure of unidimensionality was also

computed using a semi-partial correlation controlling for ⍰. This analysis provides

individual item variance contribution after adjusting for all the other variables including

⍰. It demonstrates the relationship between local independence and unidimensionality,

reflecting a conservative assessment whereby the desired R^2 should ideally be zero or

as close to zero as possible (27). Items ranged between 0.01 and 0.02, suggesting

unidimensionality. To our knowledge, there is still no standardised cut-off criterium for

assessing this value (i.e., how close to zero all items should be across a scale).

IRT revised analysis

To assess a revised scale, items were systematically removed from the scale according

to discrimination value with the lowest discrimating item removed first ('Are you an

irritable person?', 1.34) whereafter a 11-item 2-PL IRT model was esitmated with the

remaining items and the process repeated, removing the lowest discrimating item,

below 1.7. In order of removal, the items systematically removed thereafter were: 'Do

you often feel lonely?'; 'Are you often troubled by feelings of guilt?'; 'Do you worry too

long after an embarrassing experience?' and 'Are your feelings easily hurt?' at which

stage the 7 remaining items were maintained as most were > 1.70 on 434,693

individuals.

The item parameters for the 7-item scale are presented in Table 4. Statistical

assumptions were computed on the revised scale of 7 items (Table 4) and importantly a

Mokken analysis suggests improved scalability (monotonicity) compared to the full 12-

item scale with two items reaching values >0.50 (Table 5). Reliability across the scale

is marginally improved compared to the full scale suggesting redundancy of the

removed items (Table 6). Acceptable metrics for unidimensionality and item

independence were achieved for this revised scale. The ICC and IIF graphs for the

revised 7-item scale are presented in Figures 4 and 5 where improved item information

over the 12-item scale is evident.

Table 4. 2-PL IRT model item parameters for the 7-item scale

Table 5. Mokken analysis with Loevinger H coefficients for the 7-item scale

Table 6. Reliability for values of from a 2-PL IRT model fit for the 7-item scale

Figure 4. ICC graph for the 7-item scale

Figure 5. IIF graph for the 7-item scale

Further item reduction was explored to investigate a 'minimal' scale. After systematic

item-removal, three items remained when the 2-PL was estimated on sample of 473,940

individuals. The scale parameters suggest those items which possessed high

discrimination and positive difficulty values, 'Does your mood often go up and down?'

(3.44; 0.14); 'Do you ever feel just miserable for no reason?' (2.79; 0.22) and 'Do you

often feel fed-up?' (2.92; 0.28) (Table 7). A Mokken analysis suggests that scalability is

strong (H≥ 0.50) across all items (Table 8), a semi-partial correlation analysis

controlling for ⊠ showed all values were 0.00. Reliability is only good at ⊠ = 0

suggesting this scale is only reliable to measure those with an average trait (Table 9).

The ICC and IIF graphs suggest the three-item scale may present an efficient, alternative

and highly informative scale, however, the scale is narrow in range and does not

possess items measuring neurotic traits above or below average ⊠, at the extreme ends

of the trait spectrum (Figure 6).

Table 7. 2-PL IRT model item parameters for the 3-item scale

Table 8. Mokken analysis with Loevinger H coefficients for the 3-item scale

Table 9. Reliability for values of ⬚ from a 2-PL IRT model fit for the 3-item scale

Figure 6. ICC and IIF graphs for the 3-item scale

Differential-Item Functioning (DIF) Analysis

To investigate gender differences in item functioning, a logistic DIF analysis was

conducted across all three versions of the scale with gender as the observed group. A

uniform and nonuniform DIF assessed whether specific items favoured one group over

the other (male vs. female) for all values of the latent trait (uniform) or just selected

values of the latent trait (nonuniform). The output of these analyses are presented in

Table 10 where evidence of significant uniform DIF for gender was found across all

three versions.

Table 10. Logistic regression differential item function (DIF) analysis across 12, 7 and 3-

item scales

Discussion

In a large population cohort of 502,591 adults aged 37-73 years, limitations in the range

and reliability of item trait characteristics were found across the 12-item EPQ-R

neuroticism scale when a 2PL IRT model was estimated listwise on 401,648 individuals.

Our findings suggest that the 12-item scale is inefficient with poor discrimination at the

extreme ends of the scale-range, such that high and low scores are relatively poorly

represented and uninformative. A reliability function analysis also suggests there is

poor reliability at the extremes of the scale score and high neuroticism scores derived

from the EPQ-R are a function of accumulative mid-range values. In a revised 7-item

version of the scale, greater item-discrimination and reliability was found across the

scale suggesting that selective items within the 12-item version are redundant. A

further reduced 3-item version was investigated but although this scale possesses items

of high discrimination and scalability, range is very narrow and lacks reliability beyond

an average trait value. A DIF analysis with gender as a group outcome suggests the scale

exhibits significant gender differential item functionting across all versions of the scale.

To our knowledge, this is the first study to conduct a comprehensive psychometric scale

assessment applying IRT to the EPQ-R on such a large population. Furthermore,

although the assumption values and parameter output of the 12-item IRT calibration

were mostly acceptable according to established psychometric standards, an

examination of individual items suggests that there were items of low discrimination

and the scale could benefit from revisions based on psychometric methodologies such

as those presented here, and as evidenced in the scale-revision analysis.

It is of fundamental importance that health measurement scales are reliable and valid

measures of the construct of interest. Utilising psychometric methodologies to analyse

psychosocial and health related outcomes has important implications for assessing

longitudinal change both in clinical settings and epidemiological research. An IRT

analysis provides item-level information and scale characteristics through the further

computation of post-estimation assumptions including the estimation of an individual

latent metric predictive of individual θ scores on the fitted IRT model. This θ metric

may then be used as a latent construct in assessing longitudinal change (28) which may

be a more reliable measure compared to a single summated score (29). Furthermore, it

is also suggested that using an IRT derived θ in longitudinal studies, over the summated

score, may be preferable with reducing overestimation of the repeated measure

variance and underestimation of the between-person variance (30).

A further advantage of utilising psychometric methodologies in an epidemiological

context is that IRT extends the opportunity to utilise, computer adaptive testing (CAT)

for both scale development and for efficient test delivery. During CAT administration, θ

is automatically computed in response to the trait (θ) of the respondent and it is

therefore not necessary to present the full range of items as the response scale is

adaptive to individual performance (trait level), the items underlying the trait and a

stopping rule (31). The potential to reduce a scale so that only the most reliable and

informative questions are presented to participants is essential in clinical settings and

for epidemiological research. This is important to consider when working with

individuals who are older or who have co comorbid psychiatric disorders. Moreover,

focused, reliable and user-friendly scales in a research setting increases user

satisfaction, reduces participant burden and maintains long-term participant retention.

Participants who display or possess the extreme trait characteristics are rare, however,

the potential should exist for this eventuality, but many scales are simply not

adequately designed to do so (28). Moreover, previous research suggests that both the

12 and 3-item EPQ-R neuroticism scales may have reduced power to discriminate

between low and high scoring individuals (5); we found evidence of this in the 12-item

scale. It is important in both clinical and research settings that scales are designed to

measure across the trait spectrum and this is possible if scales are developed using

psychometric methodologies such as those described here and elsewhere (e.g., 32, 33).

Conclusions

The 12-item neuroticism EPQ-R scale lacks item reliability and neurotic trait-specific

information at the extreme ends of the neurotic continuum when a 2-PL IRT model is

estimated. A secondary analysis suggests that systematic item-elimination and re-

estimation of the 2-PL model produces a 7-item with higher levels of item information

and reliability. This study suggests that the 12-item EPQ-R scale could benefit from item

revisions and updating including item deletions and validation of replacement items

which consider gender item bias. Strengths of this study were the large population

cohort available for a comprehensive IRT analysis and the psychometric methodologies

which were applied to the data.

Declarations

Ethics approval and consent to participate:

Analysis of secondary data only with ethical approval in place from source cohort, UK

Biobank Research Ethics Committee - REC reference 11/NW/0382.

Consent for publication:

SB and JG give full consent for publication

Availability of data and materials:

The dataset(s) supporting the conclusions of this article is(are) available in the

Dementias Platform UK (DPUK) Data Portal repository,

https://portal.dementiasplatform.uk/.

Competing interests:

SB and JG declare no competing interests

Funding:

The Medical Research Council supports DPUK through grant MR/L023784/2

Authors' contributions:

SB and JG conceptualised the idea. SB analysed and interpreted the data, and wrote the

manuscript. JG edited and proofread the manuscript. Both authors read and approved

the final manuscript.

Acknowledgements:

This is a Dementias Platform UK (DPUK) supported project with all analyses conducted

on the DPUK Data Portal, constituting part 1 of DPUK Application 0169.

Abbreviations

DPUK   Dementias Platform UK

EPQ-R   Eysenck Personality Questionnaire-Revisied

ICC   Item Characteristic Curve

IIF   Item Information Function

IRF   Item Response Function

IRT   Item Response Theory

PCA   Principal Component Analysis

References

1.   Costa PT, Jr., McCrae RR. Neuroticism, somatic complaints, and disease: is the bark

worse than the bite? J Pers. 1987;55(2):299-316.

2.   Costa PT, Jr., McCrae RR. Influence of extraversion and neuroticism on subjective well-

being: happy and unhappy people. J Pers Soc Psychol. 1980;38(4):668-78.

3.   Lahey BB. Public health significance of neuroticism. Am Psychol. 2009;64(4):241-56.

4.   Costa PT, Jr., McCrae RR. Four ways five factors are basic. Personality and Individual

Differences. 1992;13(6):653-65.

5.   Birley AJ, Gillespie NA, Heath AC, Sullivan PF, Boomsma DI, Martin NG. Heritability and

nineteen-year stability of long and short EPQ-R neuroticism scales. Personality and Individual

Differences. 2006;40(4):737-47.

6.   Rusting CL. Personality, mood, and cognitive processing of emotional information: three

conceptual frameworks. Psychol Bull. 1998;124(2):165-96.

7.   Watson D, Clark LA. Negative affectivity: the disposition to experience aversive

emotional states. Psychol Bull. 1984;96(3):465-90.

8.   Eysenck HJ. The biological basis of personality. London: Springfield, III: Charles C.

Thomas; 1967.

9.   Eysenck HJ. Personality; biological foundation. the neurophysiology of indivdual

difference. New York: Academic Press; 1994.

10.   Farrington D, Jolliffe D. Personality and Crime. In: N. J. Smelser PBB, editor. International

Encyclopedia of the Social & Behavioral Sciences. 1st ed. USA: Elsevier; 2001.

11.   LeBlanc J, Ducharme MB, Thompson M. Study on the correlation of the autonomic

nervous system responses to a stressor of high discomfort with personality traits. Physiol

Behav. 2004;82(4):647-52.

12.   Faulwasser H, Kittlaus H. [Economy of the Maudsley Medical Questionnaire (MMQ)].

Psychiatr Neurol Med Psychol (Leipz). 1973;25(5):276-81.

13.   Francis LJ. The Dual Nature of the Eysenckian Neuroticism Scales - a Question of Sex-

Differences. Personality and Individual Differences. 1993;15(1):43-59.

14.   Eysenck SB, Eysenck HJ, Barrett P. A revised version of the psychoticism scale.

Personality and Individual Differences. 1985;6:21-9.

15.   Eysenck HJ, Eysenck SBG. Psychoticism as a dimension of personality. London: Hodder &

Stoughton; 1976.

16.   Allsop J, Eysenck HJ, Eysenck SBG. Machiavellianism as a component in psychoticism and

extraversion. Personality and Individual Differences. 1991;12:29-41.

17.   Eysenck HJ, Eysenck SBG. Recent advances in the cross-cultural study of personality. In:

Spielberger CD, Butcher JN, editors. Advances in personality development. Hillsdale, USA.:

Erlbaum; 1982. p. 41-69.

18.   Eysenck SB, Abdel-Khalek AM. A cross-cultural study of personality: egyptian and

english children. Int J Psychol. 1989;24(1-5):1-11.

19.   Sudlow C, Gallacher J, Allen N, Beral V, Burton P, Danesh J, et al. UK Biobank: An Open

Access Resource for Indentifying the Causes of a Wide Range of Complex Diseases of Middle and

Old Age. 2015;12(3).

20.   Baker FB. The basics of item response theory. Orignal work published in 1985

http://echo.edres.org:8080/irt/baker/final.pdf: College Park, DM: ERIC Clearinghouse on

Assessment and Evaluation; 2001.

21.   Bauermeister S, Orton C, Thompson S, Barker RA, Bauermeister JR, Ben-Shlomo Y, et al.

Data Resource Profile: The Dementias Platform UK (DPUK) Data Portal. BioRxiv. Preprint.

22.   StataCorp L. Stata SE 16.1: StataCorp LLC; 2019 [Available from: stata@stata.com.

23.   Thissen. Reliability and measurement precision. In: Wainer H, editor. Computerized

Adaptive Testing: A primer. London: Lawrence Erlbaum: Lawrence Erlbaum; 2000. p. 159-84.

24.   Yen WM. Scaling performance assessments: Strategies for managing local item

dependence. Journal of Educational Measurement. 1993;30:187-213.

25.   Sijtsma K, Molenaar IW. Introduction to nonparametric item response theory. London:

Sage Publications; 2002.

26.   Reeve BB, Hays RD, Bjorner JB, Cook KF, Crane PK, Teresi JA, et al. Psychometric

evaluation and calibration of health-related quality of life item banks: plans for the Patient-

Reported Outcomes Measurement Information System (PROMIS). Med Care. 2007;45(5 Suppl

1):S22-31.

27.   De Mars C. Item Response Theory. New York, USA: Oxford University Press; 2010.

28.   Acock AC. A Gentle Introduction to Stata. 5th ed. Texax, USA: A Stata Press Publication;

2016.

29.   Lu IRR. Embedding IRT in structural equation models: A comparison with regression

based on IRT scores. Struct Equ Modeling. 2005;12(2):263-77.

30.   Gorter R, Fox JP, Twisk JW. Why item response theory should be used for longitudinal

questionnaire data analysis in medical research. BMC Med Res Methodol. 2015;15:55.

31.   Wainer H, Dorans NJ, Flaugher R, Green BF, Mislevy RJ, Steinberg L, et al. Computerized

Adaptive Testing: A Primer. 2nd ed. New York, USA: Routledge; 2014. 335 p.

32.   de Ayala RJ. The Theory and Practice of Item Response Theory. USA: The Guildford

Press; 2009.

33.   Streiner DL, Norman GR, Cairney J. Health Measurement Scales. 5th ed. Great Britain:

Oxford University Press; 2015.

Tables

Table 1. 2-PL IRT model item parameters for the 12-item scale

Item	Parameter	B	SE	Z	95% CI
Mood go up and down?	Discrimination	2.28	0.01	222.03	(2.26 2.30)
	Difficulty	0.21	0.00	84.64	(0.21 0.22)
Feelings easily hurt?	Discrimination	1.60	0.01	230.62	(1.59 1.62)
	Difficulty	-0.13	0.00	-44.94	(-0.14 -0.12)
Are you a worrier?	Discrimination	1.85	0.01	229.06	(1.83 1.87)
	Difficulty	-0.13	0.00	-49.27	(-0.14 -0.12)
Suffer from nerves?	Discrimination	1.85	0.01	210.41	(1.83 1.87)
	Difficulty	1.03	0.00	268.82	(1.03 1.05)
Feel miserable no reason?	Discrimination	1.97	0.01	228.19	(1.95 1.99)
	Difficulty	0.29	0.00	106.76	(0.28 0.29)
Often feel fed-up?	Discrimination	2.09	0.01	244.94	(2.07 2.11)
	Difficulty	0.36	0.00	135.93	(0.36 0.37)
Tense or highly strung?	Discrimination	2.05	0.01	203.01	(2.03 2.07)
	Difficulty	1.23	0.00	299.42	(1.22 1.24)
Often feel lonely?	Discrimination	1.47	0.01	198.86	(1.46 1.49)
	Difficulty	1.41	0.01	256.50	(1.40 1.42)
An irritable person?	Discrimination	1.34	0.01	211,83	(1.33 1.35)
	Difficulty	0.95	0.00	217.40	(0.95 0.96)

A nervous person?	Discrimination	1.67	0.01	208.65	(1.65 1.69)
	Difficulty	1.17	0.00	266.14	(1.16 1.18)
Worry embarrassing experience?	Discrimination	1.45	0.01	226.58	(1.44 1.46)
	Difficulty	0.15	0.00	48.19	(0.14 0.15)
Troubled feelings of guilt?	Discrimination	1.54	0.01	220.37	(1.53 1.56)
	Difficulty	0.86	0.00	224.84	(0.85 0.86)

512   Note: Item names truncated for brevity, see text; B=standardised beta coefficients; SE=standard error

513          $p < .000$ for all B values.

Table 2. Reliability for values of θ from a 2-PL IRT model fit for the 12-item scale

θ	TIF	TIF SE	Reliability
-4	1.02	0.99	0.02
-3	1.10	0.95	0.09
-2	1.52	0.81	0.34
-1	3.43	0.54	0.71
0	7.96	0.35	0.87
1	8.04	0.35	0.88
2	4.11	0.49	0.76
3	1.77	0.75	0.44
4	1.16	0.93	0.14

Note: TIF=Test Information Function; SE=standard error

Table 3. Mokken analysis with Loevinger H coefficients for the 12-item scale

Item	H
Mood go up and down?	0.46
Feelings easily hurt?	0.44
Are you a worrier?	0.47
Suffer from nerves?	0.43
Feel miserable no reason?	0.43
Often feel fed-up?	0.44
Tense or highly strung?	0.47
Often feel lonely?	0.39
An irritable person?	0.35
A nervous person?	0.41
Worry embarrassing experience?	0.39
Troubled feelings of guilt?	0.39

Note: Item names truncated for brevity, see text

521 **Table 4. 2-PL IRT model item parameters for the 7-item scale**

Item	Parameter	B	SE	Z	95% CI
Mood go up and down?	Discrimination	2.57	0.01	195.10	(2.54 2.59)
	Difficulty	0.19	0.00	82.07	(0.18 0.19)
Are you a worrier?	Discrimination	1.56	0.01	215.41	(1.54 1.57)
	Difficulty	-0.16	0.00	-57.07	(-0.17 -0.16)
Suffer from nerves?	Discrimination	1.79	0.01	196.09	(1.77 1.81)
	Difficulty	1.04	0.00	265.19	(1.03 1.05)
Feel miserable no reason?	Discrimination	2.15	0.01	205.06	(2.00 2.04)
	Difficulty	0.29	0.00	105.39	(0.28 0.29)
Often feel fed-up?	Discrimination	2.17	0.01	209.88	(2.17 2.21)
	Difficulty	0.34	0.00	136.47	(0.34 0.35)
Tense or highly strung?	Discrimination	1.98	0.01	194.87	(1.96 2.00)
	Difficulty	1.25	0.00	297.66	(1.24 1.26)
A nervous person?	Discrimination	1.70	0.01	199.42	(1.69 1.72)
	Difficulty	1.15	0.00	269.35	(1.15 1.16)

522 Note: Item names truncated for brevity, see text; B=standardised beta coefficients; SE=standard error

523 $p < .000$ for all B values.

Table 5. Mokken analysis with Loevinger H coefficients for the 7-item scale

Item	H
Mood go up and down?	0.50
Are you a worrier?	0.50
Suffer from nerves?	0.49
Feel miserable no reason?	0.47
Often feel fed-up?	0.47
Tense or highly strung?	0.52
A nervous person?	0.47

Note: Item names truncated for brevity, see text.

527 **Table 6. Reliability for values of ⍬ from a 2-PL IRT model fit for the 7-item scale**

⍬	TIF	TIF SE	Reliability
-4	1.01	1.00	1.01
-3	1.04	0.98	0.04
-2	1.24	0.90	0.20
-1	2.38	0.65	0.58
0	6.24	0.40	0.84
1	5.78	0.42	0.83
2	2.82	0.60	0.65
3	1.37	0.85	0.27
4	1.06	0.97	0.06

Note: TIF=Test Information Function; SE=standard error

530 **Table 7. 2-PL IRT model item parameters for the 3-item scale**

Item	Parameter	B	SE	Z	95% CI
Mood go up and down?	Discrimination	3.44	0.03	128.71	(3.39 3.49)
	Difficulty	0.14	0.00	74.48	(0.14 0.15)
Feel miserable no reason?	Discrimination	2.79	0.02	182.49	(2.76 2.82)
	Difficulty	0.22	0.00	103.80	(0.21 0.22)
Often feel fed-up?	Discrimination	2.92	0.02	173.92	(2.89 2.96)
	Difficulty	0.28	0.00	133.95	(0.28 0.28)

532 Note: Item names truncated for brevity, see text; B=standardised beta coefficients; SE=standard error

533 $p < .000$ for all B values

Table 8. Mokken analysis with Loevinger H coefficients for the 3-item scale

Item	H
Mood go up and down?	0.58
Feel miserable no reason?	0.55
Often feel fed-up?	0.57

Note. Item names truncated for brevity, see text.

Table 9. Reliability for values of θ from a 2-PL IRT model fit for the 3-item scale

θ	TIF	TIF SE	Reliability
-4	1.00	1.00	0.00
-3	1.00	1.00	0.00
-2	1.03	0.98	0.03
-1	1.66	0.76	0.40
0	7.39	0.37	0.86
1	3.09	0.57	0.68
2	1.13	0.94	0.11
3	1.01	1.00	0.01
4	1.00	1.00	0.00

Note: TIF=Test Information Function; SE=standard error

546   Table 10. Logistic regression differential item function (DIF) analysis across 12, 7 and 3-item scales

Item	12-item scale		8-item scale		3-item scale	
	Nonuniform	Uniform	Nonuniform	Uniform	Nonuniform	Uniform
	Chi2	P	Chi2	P	Chi2	P
Mood go up and down?	29.34***	2268.50***	76.58***	1518.61***	5.10*	1623.93***
Feelings easily hurt?	74.44***	5355.91***				
Are you a worrier?	92.87***	2502.24***	66.89***	4628.85***		
Suffer from nerves?	12.62***	74.00***	11.22	31.54***		
Feel miserable no reason?	35.49.08***	1152.08***	26.20***	2426.29***	16.19***	5131.04***
Often feel fed-up?	49.72***	1267.51***	119.35***	659.99***	53.50***	931.90***
Tense or highly strung?	51.49***	152.88***	70.14***	22.37***		
Often feel lonely?	22.35***	149.19***				
An irritable person?	0.04	8256.58***				
A nervous person?	604.41***	3286.63***	792.74***	3174.96***		
Worry embarrassing experience?	3.81*	1385.12***				
Troubled feelings of guilt?	38.38***	1991.85***				

547   Note: Item names truncated for brevity, see text.

548   *$p < .05$; ***$p < .000$

549   # Figures

550   **Figure 1. Item Characteristic Curve (ICC) and Item Information Function (IIF) graphs**

Figure 2. ICC graph for the 12-item scale

Figure 3. IIF graph for the 12-item scale

563   **Figure 4. ICC graph for the 7-item scale**

567 **Figure 5. IIF graph for the 7-item scale**

574   **Figure 6. ICC and IIF graphs for the 3-item scale**