Intrinsically ball retrieving wolf puppies reveal standing ancestral

variation for human-directed play behaviour

Christina Hansen Wheat and Hans Temrin

Department of Zoology, Stockholm University, SE-10961 Stockholm, Sweden

Abstract

Domestication dramatically alters phenotypes. Standing variation among ancestral

populations often drives phenotypic change during domestication, but some changes are

caused by novel mutations. Dogs (*Canis familiaris*) engage in interspecific play with humans

and it has specifically been suggested that the ability to interpret social-communicative

behaviour expressed by humans is a novel dog-specific skill. Thus, wolves (*Canis lupus*) are

not expected to engage in interspecific play with a human based on social-communicative

cues. Here we report the observation of three eight week-old wolf puppies spontaneously

responding to social-communicative behaviours from a stranger by retrieving a ball. This

unexpected and novel observation has significant implications for our understanding and

expectations of the genetic foundations of dog behaviour. Importantly, our observations

indicate that behavioural responses to human social-communicative cues are not unique to

dogs. This suggests that, while probably rare, standing variation in the expression of human-

directed behaviour in ancestral populations could have been an important target for early

selective pressures exerted during dog domestication.

Key words: Domestication, interspecific cooperation, dogs, wolves, playfulness, social-

communicative behaviour.

Introduction

Domesticated animals express dramatic phenotypic alterations compared to their ancestral species [1,2]. While phenotypic change can be attributed to novel mutations, a growing body of evidence suggest that evolutionary change relies heavily upon standing genetic variation [3,4]. Indeed, though few novel mutations with large effects account for some phenotypic differences between domestic and ancestral populations [4,5], animal domestication was likely initiated by selection on standing genetic variation within ancestral populations [4]. The potential for domestic phenotypes to derive from existing variation has been well demonstrated in the farm fox project [6,7], where strong selection regimes based on observed variation in the behavioural trait tameness (i.e. reduced aggression and increased docility) among pre-selection foxes brought about rapid occurrence of classic morphological phenotypes associated with domestication. Knowing whether the basis for traits selected upon during early domestication are variants from ancestral populations or unique mutations arising during domestication is central to developing our understanding of the domestication process. For instance, wild species expressing variation for the trait tameness are arguably more likely to be successfully domesticated compared to species that do not [8]. Therefore, disentangling whether phenotypic change in domesticates is caused by novel mutations or selection on standing ancestral variation is important if we are to advance our understanding of the domestication process and its generalities across species.

The dog (*Canis familiaris*), which was domesticated from the grey wolf (*Canis lupus*) at least 15,000 years ago [2], show extreme phenotypic variation as a species. Present day dogs are bred for highly breed-specific requirements for behaviour and morphology [9,10], and while a significant amount of the resulting variation is believed to originate from standing genetic variation in ancestral populations [11], novel mutations have had a significant impact during

breed formation [4]. For instance, black coat colour [12,13], chondrodysplasia (foreshortened

limbs [5]) and brachycephaly (pathologically short muzzle [14]) are traits that have occurred

in modern dogs through novel mutations. An additional example comes from a genome wide

analysis of genetic difference between dogs and wolves, which identified dogs as having an

increased copy number of the amylase locus (*AMY2B*), which was argued to be a novel

adaptation to a starch-rich diet in early-domesticated dogs [15]. However, investigation of a

wider range of individuals revealed standing variation in amylase copy numbers in wolves,

thereby shifting the *AMY2B* example from being a novel mutation important in domestication,

to yet another example of selection upon standing variation as an essential substrate for

domestication [16]. This critical distinction has important implications for hypothesizing how

domestication could have taken place. Thus, the *AMY2B* example illustrates the importance of

including enough observations to detect existing variation among wolves and thereby

avoiding over-interpreting the uniqueness of traits expressed in dogs.

While much progress has been made in studying the morphological and physiological

differences between wolves and dogs, understanding the basis and origins of behavioural

variation have proven more elusive [17]. One behavioural skill that has been suggested to be

novel in dogs is interspecific social competence [18-20]. Specifically, it has been posited that,

unlike wolves, dogs possess unique skills to interpret human cues [18] and that these skills

might have arisen after the domestication process from the grey wolf had been initiated

[20,21]. The ability to interpret human social cues has received considerable interest from

researchers comparing behaviour in dogs and wolves. However, due to substantial differences

in testing procedures, environmental factors and interpretation of results, consensus among

these studies is lacking [22-26]. Consequently, whether wolves have the ability to interpret

human social cues, or whether this is a novel dog-trait, remains unresolved.

Here we focus upon human-directed play behaviour, which has been reported in some domesticated species [27,28], including dogs [29-32]. Dogs can interpret human play cues and adjust their behavioural repertoires when playing with a human instead of a conspecific [31,33]. Within a domestication context, wherein animals have been selected for greater tolerance of and interactions with humans, interspecific human-directed play behaviour represents a highly relevant behaviour to address. However, to date only one study exists comparing human-directed playfulness in a domesticated species and its ancestral proxy species [34], and studies on human-directed play behaviour in wolves have never been attempted.

Here we report on the spontaneous expression of human-directed play behaviour, in the form of ball retrieving for a stranger, in eight week old, hand-raised wolves. Our observations occurred during a test in which puppies, with no prior training, are vocally encouraged to retrieve a ball and thus respond to social-communicative behaviours from a human they had never met before. Based on the existing literature, we expected that human-directed play behaviour is a novel trait that occurred during the domestication of dogs and that wolves therefore would not respond to interspecific social-communicative behaviours or engage in human-directed play with a stranger.

Materials and methods

a) Study animals

From 2014 to 2016 we hand-raised three litters of European grey wolves (N = 13) at Tovetorp Zoological Research Station, Stockholm University, Sweden. The wolf litters from 2014,

three females and two males, and 2015, two males, were full siblings. The 2016 wolf litter

consisted of four males and two females and was not related to the wolf litters from 2014 and

2015. Hand-raising was initiated from the age of 10 days, before eye opening, for all litters.

By choosing a hand-raising set-up, we were able to minimize environmental bias, including

maternal effects, which is well-documented to affect the development of behavioural patterns

[35-37]. Wolves were raised within litters and extensively socialized, which included 24-hour

presence of human caregivers for the first eight weeks. All wolves were reared under

standardized conditions across all three years. Hand-rearing was initiated in identical indoor

rooms and at the age of five weeks the wolves were given access to smaller roofed outdoor

enclosures. After a habituation period of one week, the wolves were given additional access to

a larger fenced grass enclosure at six weeks of age. Thereafter the wolves had free access to

the indoor room and the two enclosures during the day and access to the indoor room and the

roofed enclosure during the night. Behavioural observations began at 10 days of age and

behavioural testing was initiated at 6 weeks of age. Hand-raising, testing procedures and

exposure to the new environments were standardized over all three years, which included the

implementation of rules to assure that rearing was standardized across all caregivers. This

included that wolves were never disciplined or trained. Wolves never met strangers until their

vaccination program was completed at eight weeks of age and, importantly, not until the

completion of the test in which the observations of this study were recorded. Behavioural

testing prior to eight weeks of age did not include other people than the caregivers.

b) Behavioural sampling

Wolves were tested in the Puppy Mental Assessment (PMA) at eight weeks of age. The PMA

is a standardized behavioural test battery developed by the Swedish Working Dog Association

based on the need to offer dog breeders a standardized test to describe puppy behaviour in

specific situations. The results from the PMA can serve as a tool for dog breeders to choose

suitable new owners for their puppies. As such, puppies are tested before they leave the

breeder at seven to nine weeks of age. The PMA consists of 42 standardized tests situations

covering behaviours in four main groups: 1) Social play with a stranger, here the puppy

assessor, 2) Object play and object interest 3) Social comfortableness and fearfulness and 4)

Interest in strangers, here the puppy assessor, including greeting. The puppy is tested in a

novel room or an enclosure. The PMA starts with the owner or familiar person (in this study

CHW or HT) placing the puppy in the middle of the test room, in which the puppy assessor is

already present (but neutral), and then leaves the room swiftly. The whole test takes

approximately 10-15 minutes. The subtest in which our observations occurred is related to

social play with a stranger. In this test the puppy assessor throws a tennis ball across the room

and calls the puppy back, encouraging it to retrieve the ball. Retrieving and cooperation is

measured by the puppy's willingness to return the ball to the puppy assessor and is scored on

a 1 to 5 scale (Table 1). The test is repeated three consecutive times.

Ethical statement

Daily care and all experiments were performed in accordance with relevant guidelines and

regulations under national Swedish Law. The experimental protocols in this study were

approved by the Ethical Committee in Uppsala, Sweden (approval number: C72/14). Facilities

and daily care routines were approved by the Swedish National Board of Agriculture (approval

number: 5.2.18-12309/13). All wolves were born in animal parks and CITES certified with at

least F2 status.

Results

Three wolves, all from the 2016 litter, fully retrieved the ball at least two times and one of those wolves fully retrieved the ball all three times (Score: 5, Fig 1, Supplemental Video 1). On one occasion one of the wolves fully retrieving the ball two times also played with the ball, but ignored the puppy assessors call (score: 3, Supplemental Video 2). One wolf from the 2014 litter and one from the 2016 litter showed some interest in playing with the ball on at least one trial but aborted (Score: 2). Eight wolves (four from the 2014 litter, both from the 2015 litter and two from the 2016 litter) showed no interest in the ball on any of the three trials (Score: 1, Supplemental Video 3).

Discussion

Here we provide the first empirical evidence that a behaviour thought unique to dogs, namely interspecific play with a human based on social-communicative cues, actually exists in wolves. Our finding is surprising given that the ability to interpret social-communicative behaviour expressed by humans has been suggested to be a novel dog trait [18-21]. Importantly, our results suggest that, while probably rare, standing variation in the expression of human-directed behaviour, including play, in ancestral populations could have been an important target for early selective pressures exerted during dog domestication.

Our novel observations of three wolf puppies retrieving a ball are highly relevant for the on-going discussion on the effect domestication has on behaviour and further have significant implications for our understanding and expectations about the genetic foundations of the behaviours in modern day dogs. Specifically, in relation to current attempts to reveal the genomic basis of behavioural changes during domestication [16,38,39], our observations

indicate signatures of selection for human-directed behaviour in dogs are likely to be weak

and prone to false positives [*sensu lato* 40,41]. This is because 1) we must now consider that

selection likely acted upon standing variation in interspecific social-communicative behaviour

in wolves, 2) this behaviour almost certainly has a polygenic genetic architecture, and 3)

samples sizes in recent genomic studies are small and therefore lacking sufficient power to

detect the resulting expected selection dynamics.

In sum, we argue that in order to answer questions about the evolutionary foundation of dog

behaviour, research attention should refocus away from solely conducting direct species

comparisons, and include studies upon whether or not specific behavioural variation

inherently exists among wolves. Identifying such instances has important ramifications upon

expectations of how dog domestication proceeded.

Acknowledgments

We wish to thank Stockholm University for funding this study, our hand-raisers Patricia

Berner, Anna Björk, Marjut Pokela, Linn Larsson, Charles Gent, Åsa Lycke, Erika Grasser,

Joanna Schinner, Yrsa Andersson, Christoffer Sernert and Mija Jansson, the staff at Tovetorp

Zoological Research Station, the puppy assessors Ingrid Tapper and Inga-Lill Larsson of the

Working Dog Association for their help conducting the tests, and Wouter van der Bijl and

Christopher W. Wheat for helpful comments on the manuscript.

References

1. Darwin, C. 1868 *The Variation of Animals and Plants Under Domestication*. London: John Murray,
Albermarle Street.

2. Driscoll, C. A., Macdonald, D. W. & O'Brien, S. J. 2009. From wild animals to domestic pets, an evolutionary
view of domestication. *PNAS* **106**, 9971–9978. (doi: 10.1073/pnas.0901586106)

3. Barrett, R. & Schluter, D. 2008 Adaptation from standing genetic variation. *Trends in Ecology & Evolution*
23, 38–44. (doi:10.1016/j.tree.2007.09.008)

4. Larson, G. et al. 2014 Current perspectives and the future of domestication studies. *Proceedings of the*
National Academy of Sciences **111**, 6139–6146. (doi:10.1073/pnas.1323964111)

5. Parker, H. G. et al. 2009 An expressed fgf4 retrogene is associated with breed-defining chondrodysplasia in
domestic dogs. *Science* **325**, 995–998. (doi:10.1126/science.1173275)

6. Belyaev, D. K., Plyusnina, I. Z. & Trut, L. N. 1985 Domestication in the silver fox (*Vulpes fulvus Desm*):
Changes in physiological boundaries of the sensitive period of primary socialization. *Applied Animal*
Behaviour Science **13**, 359–370. (doi:10.1016/0168-1591(85)90015-2)

7. Trut, L., Oskina, I. & Kharlamova, A. 2009 Animal evolution during domestication: the domesticated fox as a
model. *BioEssays* **31**, 349–360. (doi:10.1002/bies.200800070)

8. Dobney, K. & Larson, G. 2006 Genetics and animal domestication: new windows on an elusive process. *J*
Zoology **269**, 261–271. (doi:10.1111/j.1469-7998.2006.00042.x)

9. Svartberg, K. 2006 Breed-typical behaviour in dogs—Historical remnants or recent constructs? *Applied*
Animal Behaviour Science **96**, 293–313. (doi:10.1016/j.applanim.2005.06.014)

10. Mehrkam, L. R. & Wynne, C. D. L. 2014 Behavioral differences among breeds of domestic dogs (Canis
lupus familiaris): Current status of the science. *Applied Animal Behaviour Science* **155**, 12–27.
(doi:10.1016/j.applanim.2014.03.005)

11. Ostrander, E. A. & Wayne, R. K. 2005 The canine genome. *Genome Res.* **15**, 1706–1716.
(doi/10.1101/gr.3736605)

12. Candille, S. I. et al. 2007 A -Defensin Mutation Causes Black Coat Color in Domestic Dogs. *Science* **318**,
1418–1423. (doi:10.1196/annals.1254.022)

13. Anderson, T. M. et al. 2009 Molecular and Evolutionary History of Melanism in North American Gray
Wolves. *Science* **323**, 1339–1343. (doi:10.1146/annurev.ecolsys.30.1.539)

14. Schoenebeck, J. J. et al. 2012 Variation of BMP3 Contributes to Dog Breed Skull Diversity. *PLoS Genet* **8**,
e1002849. (doi:10.1371/journal.pgen.1002849.s016)

15. Axelsson, E. et al. 2014 The genomic signature of dog domestication reveals adaptation to a starch-rich diet.
Nature **495**, 360–364. (doi:10.1038/nature11837)

16. Freedman, A. H. et al. 2014 Genome Sequencing Highlights the Dynamic Early History of Dogs. *PLoS*
Genet **10**, e1004016. (doi:10.1371/journal.pgen.1004016.s030)

17. Larson, G. & Fuller, D. Q. 2014 The Evolution of Animal Domestication. *Annu. Rev. Ecol. Evol. Syst.* **45**,
115–136. (doi:10.1146/annurev-ecolsys-110512-135813)

18. Kubinyi, E., Virányi, Z. & Miklósi, Á. 2007 Comparative social cognition: from wolf and dog to humans.
Comparative Cognition & Behaviour Reviews **2**, 26–46.

19. Topál, J., Gergely, G., Erdõhegyi, Á., Csibra, G. & Miklósi, Á. 2009 Differential Sensitivity to Human
Communication in Dogs, Wolves and Human Infants. *Science* **325**, 1269–1272.
(doi:10.1126/science.1176960)

20. Miklósi, Á. & Topal, J. 2013 What does it take to become 'best friends'? Evolutionary changes in canine
social competence. *Trends in Cognitive Sciences* **17**, 287-294 (doi: 10.1016/j.tics.2013.04.005)

21. Hare, B. & Tomasello, M. 2005 Human-like social skills in dogs? *Trends in Cognitive Sciences* **9**, 439–444.
(doi:10.1016/j.tics.2005.07.003)

22. Hare, B. 2002 The Domestication of Social Cognition in Dogs. *Science* **298**, 1634–1636.
(doi:10.1126/science.1072702)

23. Miklósi, Á., Kubinyi, E., Topál, J., Gácsi, M., Virányi, Z. & Csányi, V. 2003 A Simple Reason for a Big
Difference. *Current Biology* **13**, 763–766. (doi:10.1016/S0960-9822(03)00263-X)

24. Gácsi, M., Gyoöri, B., Virányi, Z., Kubinyi, E., Range, F., Belényi, B. & Miklósi, Á. 2009 Explaining Dog
Wolf Differences in Utilizing Human Pointing Gestures: Selection for Synergistic Shifts in the
Development of Some Social Skills. *PLoS ONE* **4**, e6584. (doi:10.1371/journal.pone.0006584.s002)

25. Udell, M. A. R., Dorey, N. R. & Wynne, C. D. L. 2008 Wolves outperform dogs in following human social
cues. *Animal Behaviour* **76**, 1767–1773. (doi:10.1016/j.anbehav.2008.07.028)

26. Udell, M. A. R., Spencer, J. M., Dorey, N. R. & Wynne, C. D. L. 2012 Human-Socialized Wolves Follow
Diverse Human Gestures...And They May Not Be Alone. *International Journal of Comparative*
Psychology **25**, 97–177.

27. Melotti, L., Bailoo, J., Murphy, E., Burman, O. & Wurbel, H. 2014 Play in Rats: Association across Contexts
and Types, and Analysis of Structure. *ABC* **1**, 489–501. (doi:10.12966/abc.11.06.2014)

28. Mertens, C. & Turner, D. C. 2015 Experimental Analysis of Human-Cat Interactions During First
Encounters. *Anthrozoös.* **2**, 83–97. (doi:10.1111/j.1467-8624.1965.tb05343.x)

29. Horváth, Z., Dòka, A. & Miklósi, Á. 2008 Affiliative and disciplinary behavior of human handlers during
play with their dog affects cortisol concentrations in opposite directions. *Hormones and Behavior* **54**,
107–114. (doi:10.1016/j.yhbeh.2008.02.002)

30. Rooney, N. J. & Bradshaw, J. W. S. 2002 An experimental study of the effects of play upon the dog-human
relationship. *Applied Animal Behaviour Science* **75**, 161–176. (doi: 10.1016/S0168-1591(01)00192-7)

31. Rooney, N. J., Bradshaw, J. W. S. & Robinson, I. H. 2001 Do dogs respond to play signals given by
humans? *Animal Behaviour* **61**, 715–722. (doi:10.1006/anbe.2000.1661)

32. Tóth, L., Gácsi, M., Topál, J. & Miklósi, Á. 2008 Playing styles and possible causative factors in dogs'
behaviour when playing with humans. *Applied Animal Behaviour Science* **114**, 473–484.
(doi:10.1016/j.applanim.2008.02.011)

33. Rooney, N. J., Bradshaw, J. W. S. & Robinson, I. H. 2000 A comparison of dog–dog and dog–human play
behaviour. *Applied Animal Behaviour Science* **66**, 235–248. (doi: 10.1016/S0168-1591(99)00078-7)

34. Hansen Wheat, C., Fitzpatrick, J., Tapper, I. & Temrin, H. 2018 Wolf (*Canis lupus*) hybrids highlight the
importance of human-directed play behavior during domestication of dogs (*Canis familiaris*). *Journal of*
Comparative Psychology **32**, 373-381. (doi:10.1037/com0000119)

35. Bray, E. E., Sammel, M. D., Cheney, D. L., Serpell, J. A. & Seyfarth, R. M. 2017 Characterizing Early
Maternal Style in a Population of Guide Dogs. *Frontiers in Psychology* **8**, 1218. (doi:10.1016/S0168-
1591(97)00094-4)

36. Clark, M. M. & Galef, B. G., Jr 1982 Environmental Effects on the Ontogeny of Exploratory and Escape
Behaviors of Mongolian Gerbils. *Developmental Psychobiology* **15**, 121–129.
(doi:10.1002/dev.420150205)

37. Wilsson, E. & Sundgren, P.-E. 1998 Effects of weight, litter size and parity of mother on the behaviour of the
puppy and the adult dog. *Applied Animal Behaviour Science* **56**, 245–254. (doi: 10.1016/S0168-
1591(97)00094-4)

38. Pendleton, A. L., Shen, F., Taravella, A. M., Emery, S., Veeramah, K. R., Boyko, A. R. & Kidd, J. M. 2018
Comparison of village dog and wolf genomes highlights the role of the neural crest in dog
domestication. *BMC Biology* **16**, 64. (doi: 10.1186/s12915-018-0535-2)

39. Kukekova, A. V. et al. 2018 Red fox genome assembly identifies genomic regions associated with tame and
aggressive behaviours. *Nat. ecol. evol.*, 1–16. (doi:10.1038/s41559-018-0611-6)

40. Messer, P. W., Petrov, D. A. 2013. Population genomics of rapid adaptation by soft selective sweeps.
Trends in Ecology and Evolution 28:659-669. (doi.org/10.1016/j.tree.2013.08.003)
293
294 41. Pritchard, J. K., Pickrell, J. K., Coop, G. 2010. The Genetics of Human Adaptation: Hard Sweeps, Soft
295   Sweeps, and Polygenic Adaptation. *Current Biology* 20, R208–R215. (doi: 10.1016/j.cub.2009.11.055)
296
297

301 **Tables**

303 ***Table 1. Behavioural scoring.*** *Cooperation in the three consecutive retrieving tests is measured on a scale from*

304 *1 to 5, where 1 is no cooperation and 5 is full cooperation.*

Score	Behaviour
1	The puppy shows no interest in the ball
2	The puppy plays with the ball on its own, but aborts
3	The puppy plays with the ball on its own, but ignores the puppy assessor's call
4	The puppy responds to the puppy assessor's call, initiates retrieving but releases the ball
5	The puppy responds to the puppy assessor's call and retrieves the ball to her

313   ***Fig. 1. Behavioural scores.*** *Cooperation scores in the retrieving test 13 wolves on three consecutive trials*

314   *(shading from light to dark with the 1st trial being light, 2nd medium and 3rd dark). Behaviour is scores on a*

315   *scale from 1-5. Only scores 4 and 5 include partial or full retrieving, respectively. Photo credit: Christina*

316   *Hansen Wheat*