Characterising strategy use during the performance of hippocampal-dependent tasks

Ian A. Clark, Anna M. Monk and Eleanor A. Maguire*

Wellcome Centre for Human Neuroimaging, UCL Queen Square Institute of Neurology, University College London, London WC1N 3AR, UK

*Correspondence:
Eleanor Maguire
e.maguire@ucl.ac.uk

Keywords: cognitive strategies; visual imagery; hippocampus; scene construction; autobiographical memory; future thinking; navigation; individual differences

Word count: 5352

Number of figures: 2

ABSTRACT

Recalling the past, thinking about the future and navigating in the world are linked with a
brain structure called the hippocampus. Precisely how the hippocampus enables these critical
cognitive functions is still debated. The strategies people use to perform tasks associated with
these functions have been under-studied, and yet such information could augment our
understanding of the associated cognitive processes and neural substrates. Here, we devised
and deployed an in-depth protocol to examine the explicit strategies used by 217 participants
to perform four naturalistic tasks widely acknowledged to be hippocampal-dependent,
namely, those assessing scene imagination, autobiographical memory recall, future thinking
and spatial navigation. In addition, we also investigated strategy use for three laboratory-
based memory tasks, one of which is held to be hippocampal dependent – concrete verbal
paired associates – and two tasks which are likely hippocampal-independent – abstract verbal
paired associates and the dead or alive semantic memory test. We found that scene visual
imagery was the dominant strategy not only when mentally imagining scenes, but also during
autobiographical memory recall, when thinking about the future and during navigation.
Moreover, scene visual imagery strategies were used most frequently during the concrete
verbal paired associates task, whereas verbal strategies were most prevalent for the abstract
verbal paired associates task and the dead or alive semantic memory task. The ubiquity of
specifically scene visual imagery use across a range of tasks may attest to its, perhaps
underappreciated, importance in facilitating cognition, whilst also aligning with perspectives
that emphasise a key role for the hippocampus in constructing scene imagery.

INTRODUCTION

We recall our past experiences in the form of autobiographical memories, and are also able to
imagine potential future events. Along with spatial navigation (O'Keefe and Nadel, 1978;
Maguire et al., 2000; Ekstrom et al., 2003; Moser et al., 2008), these cognitive functions have
been linked with a brain structure called the hippocampus (Scoville and Milner, 1957;
Tulving, 1985; Klein et al., 2002; Svoboda et al., 2006; Addis et al., 2007; Verfaellie and
Keane, 2017). Views differ on the precise role played by the hippocampus in supporting these
seemingly disparate cognitive functions (e.g., Schacter et al., 2012; Maguire and Mullally,
2013; Moscovitch et al., 2016; Ekstrom and Ranganath, 2018).

One suggestion is that what these cognitive functions have in common is the
prominent involvement of scene visual imagery (Hassabis and Maguire, 2007; Maguire and
Mullally, 2013; see also, Rubin and Umanath, 2015; Robin, 2018 for related theoretical
viewpoints). A scene is as a naturalistic three-dimensional, spatially coherent representation
of the world typically populated by objects and viewed from an egocentric perspective
(Dalton et al., 2018). The ability to construct scene visual imagery is impaired in patients
with bilateral hippocampal damage (Hassabis et al., 2007a; Rosenbaum et al., 2009;
Andelman et al., 2010; Race et al., 2011; Mullally et al., 2012; Maguire and Mullally, 2013),
while imagination of single objects remains intact (Hassabis et al., 2007a). Similarly,
neuroimaging studies have consistently reported hippocampal engagement when healthy
participants imagine visual scenes in comparison to, for example, single objects (Hassabis et
al., 2007b; Andrews-Hanna et al., 2010; Zeidman and Maguire, 2016; Barry et al., 2018;
Clark et al., 2018; Dalton et al., 2018; Palombo et al., 2018; Robin, 2018).

A recent examination of people's ability to imagine scenes, recall their
autobiographical memories, think about the future and navigate showed that the capacity to
construct scene visual imagery mediated performance across tasks assessing these functions
(Clark et al., 2019). Furthermore, responses on questionnaires probing scene visual imagery
were found to have a significant association with performance on scene imagination,
autobiographical memory and future thinking tasks (Clark and Maguire, 2020). Although
findings such as these indirectly implicate scene visual imagery across what might be
regarded as 'naturalistic' hippocampal-dependent tasks, there is a dearth of studies directly
examining the explicit strategies people actually use during their performance (Andrews-
Hanna et al., 2010).

In contrast to naturalistic tasks like autobiographical memory recall, the use of
cognitive strategies during simpler, laboratory-based memory tasks, such as word list
learning, has been studied more extensively. In this domain, strategies have been found to
differ in terms of their modality, including visual imagery and verbal strategies involving
sentences or stories, and in their complexity, ranging from simple strategies like rote
repetition to more complex strategies involving bizarre and distinct visual imagery and
interactive visual scenes (Roberts, 1968; Paivio, 1969; Boltwood and Blick, 1970; Bower,
1970; Stoff and Eagle, 1971; McDaniel and Kearney, 1984; Kroll et al., 1986; McDaniel and
Einstein, 1986; Einstein and McDaniel, 1987; Marschark and Hunt, 1989; Logie et al., 1996;
Hertzog et al., 1998; Dunlosky and Kane, 2007). Within the realm of laboratory-based
studies, suggestions have also been offered about methods for investigating strategy use. One
recommendation is that strategy data be collected using "think aloud" protocols on a trial-by-
trial basis, that is, by asking participants to report what is going through their minds as they
are performing the task in question (e.g., Ericsson and Simon, 1980). Advantages of this
concurrent approach include reduced forgetting of the strategies used (e.g., Dunlosky and

Hertzog, 1998; Dunlosky and Hertzog, 2001), and the scope for participants to report the use
of multiple strategies (e.g., Siegler, 1988).

It is difficult, however, to extrapolate this method directly to naturalistic tasks such as
autobiographical memory recall and future thinking. For example, it is simply not possible to
have a participant describe a memory or a future scenario out loud while simultaneously
reporting the strategies they used to do so. Moreover, compared to laboratory-based tasks, it
is difficult to define what constitutes a specific trial, because each scene, memory or future
scenario description can last for several minutes. While one could ask about strategy use at
different points within the description, this would likely disrupt the narrative flow, as well as
these requests being arbitrary in their occurrence. It is also usually the case that established
protocols for interrogating strategies are typically designed to elicit information about a
single task. This presents a challenge when investigating strategy use across multiple tasks
performed by the same participants, because probing strategies for one task could then
influence how subsequent tasks are performed (Dunlosky and Hertzog, 2001).

In the current study we sought to build on the strategy use research of laboratory-
based tasks to examine the explicit strategies used in naturalistic tasks that are held to be
hippocampal-dependent, namely, scene imagination, autobiographical memory recall, future
thinking and spatial navigation. We first developed a new protocol for strategy data collection
that could be used for these tasks, and for examining strategy use across multiple tasks
performed by the same participants. This resulted in a strategy use questionnaire tailored to
each task of interest which could be completed by participants retrospectively after
performing all of the tasks. Each questionnaire started with a reminder of the task in question
to help participants think back to the task and how they performed it. A wide range of
potential strategies (between 12 and 24) was then provided to the participants and they were
asked to select all of the strategies they used for that task. Finally, participants provided a
rank for each strategy relating to its degree of use.

We regarded this as the most parsimonious approach for several reasons. While
collecting strategy information concurrently is often deemed to be preferable to probing
strategy use retrospectively, in fact there are acknowledged advantages and challenges
associated with each method (Dunlosky and Hertzog, 2001). Retrospective reports are an
efficient methodology especially when the use of concurrent reports is not possible and, as in
our case, it includes task reminders to reduce the forgetting that can accompany retrospective
protocols. We were also able to assess variations in strategy use within the same task (e.g., as
detailed by Siegler, 1988) by including a variety of different strategy options and encouraging
participants to indicate all the strategies they used to perform each task. Furthermore, by
gathering information about how much each strategy was used, we could examine which
strategies were the most important for each person for every task.

We collected strategy use data from 217 participants for seven tasks. These included
the four hippocampal-dependent naturalistic tasks of primary interest which assessed scene
imagination, autobiographical memory recall, future thinking and spatial navigation. We also
examined three laboratory-based memory tasks – concrete verbal paired associates (VPA),
abstract VPA (Clark et al., 2018) and the dead or alive semantic memory task (Kapur et al.,
1989). The inclusion of the latter tasks allowed us to assess whether or not any strategy use
patterns we observed were simply due to the naturalistic nature of the main tasks of interest.
The laboratory-based tasks also enabled us to compare strategy use between tasks known to
be hippocampal-dependent, which included the concrete VPA task (Zola-Morgan et al., 1986;
Squire, 1992; Spiers et al., 2001; Clark et al., 2018), and those that are held to be
hippocampal-independent, namely the abstract VPA and semantic memory tasks (Binder and

Desai, 2011; Clark et al., 2018). We hypothesised that scene visual imagery strategies would
predominate for the hippocampal-dependent tasks (scene imagination, autobiographical
memory recall, future thinking, navigation and concrete VPA), while this would not be the
case the hippocampal-independent tasks (abstract VPA and the dead or alive task). These
predictions align with perspectives that place the construction of scene imagery at the heart of
hippocampal processing (Hassabis and Maguire, 2007; Maguire and Mullally, 2013; Clark et
al., 2019).

MATERIALS AND METHODS

Participants

Two hundred and seventeen people took part in the study, 109 females and 108 males. They
were aged between 20 and 41 years of age, had English as their first language, and reported
no psychological, psychiatric, neurological or behavioural health conditions. The age range
was restricted to 20-41 to limit any possible effects of ageing. The mean age of the sample
was 29.0 years (SD = 5.60). Participants reporting hobbies or vocations known to be
associated with the hippocampus (e.g. licensed London taxi drivers) were excluded.
Participants were reimbursed £10 per hour for taking part which was paid at study
completion. The study was approved by the University College London Research Ethics
Committee. All participants gave written informed consent in accordance with the
Declaration of Helsinki.

Procedure

Participants first completed the tasks over three separate testing sessions. The order of the
tasks within each visit was the same for all participants (see Clark et al., 2019). Task order
was arranged so as to avoid interference, for example, not having a verbal task followed by
another verbal task, and to provide sessions of approximately equal length (~3-3.5 hours,
including breaks). Strategy data were collected in a separate final session, after all the tasks
had been completed.

All of the cognitive tasks that we used are published. Here, for convenience, we
describe each task briefly.

Naturalistic tasks

Scene construction task (Hassabis et al., 2007a).

167 Participants are required to mentally construct visual scenes of commonplace settings. For
168 each scene, a short cue is provided (e.g., imagine lying on a beach in a beautiful tropical bay),
169 and the participant is asked to imagine the scene that is evoked and then describe it out loud
170 in as much detail as possible. Participants are explicitly told not to describe a memory, but to
171 create a new scene that they have never experienced before.

Autobiographical Interview (AI; Levine et al., 2002).

Participants are asked to provide autobiographical memories from a specific time and place
over four time periods – early childhood (up to 11 years of age), teenage years (from 11-17
years of age), adulthood (from 18 years of age up to 12 months prior to the interview; two
memories are requested) and the last year (a memory from the last 12 months).

Future thinking task (Hassabis et al., 2007a).

This task follows the same procedure as the scene construction task, but requires participants
to imagine three plausible future scenes involving themselves (an event at the weekend; next
Christmas; the next time they meet a friend). Participants are explicitly told not to describe a
memory, but to create a new future scene.

Navigation tasks (Woollett and Maguire, 2010).

Navigational learning is examined using movies of navigation through an unfamiliar town
involving two overlapping routes, which are shown to participants four times. Five tasks are
then conducted to examine how well participants learned the town. First, following each
viewing of the route movies, participants are shown four short movie clips – two from the
actual routes, and two distractors. Participants indicate whether they had seen each movie clip
or not. Second, after all four route viewings are completed, recognition memory for scenes
from the routes is tested. A third task involves assessing knowledge of the spatial
relationships between landmarks from the routes in the form of proximity judgements.
Fourth, route knowledge is examined by having participants place photographs from the
routes in the correct order as if travelling through the town. Finally, participants draw a
sketch map of the two routes including as many landmarks as they can remember.

Laboratory-based memory tasks

Concrete VPA (Clark et al., 2018).

The concrete VPA is based upon the Wechsler Memory Scale IV VPA task (Wechsler, 2009).
Participants are asked to learn and then remember 14 word pairs, made up of concrete, high
imagery words. Learning takes place over four trials, where each time (in a different order)
the 14 word pairs are read out to the participant. Following this, the first word of each pair is
given and the participant is asked for the corresponding word, with feedback (i.e., the correct
answer is provided if necessary). After 30 minutes, the participants are tested again in the
same way but without feedback. Participants are not told about the delayed recall test in
advance.

Abstract VPA (Clark et al., 2018).

The abstract VPA is identical to the concrete VPA with one important difference. Instead of
using concrete, high imagery words, it uses only abstract, very low imagery words.
Importantly, the words in the abstract VPA task are highly matched with those in the concrete
VPA task in terms of linguistic characteristics (e.g., length, phonemes and syllables) and
frequency of use in the English language. This allows for two very similar tasks to be
assessed, where one (the concrete VPA) is thought to be hippocampal-dependent, while the
other (the abstract VPA) is not (Maguire and Mullally, 2013; Clark and Maguire, 2016; Clark
et al., 2018).

Dead or alive task (Kapur et al., 1989).

This is a test of semantic knowledge. Participants are presented with the names of 74 famous
individuals and are first asked to remove any names that they do not recognise. For those that
the participant knows, they are then asked to indicate whether the individual is dead or alive.

Strategy use

There is currently no standard methodology for studying strategy use in the context of these cognitive tasks. We therefore designed a novel protocol for collecting and analysing detailed strategy information for each cognitive task.

Identification of strategies

To identify possible strategies used to perform the tasks, 30 participants were recruited who did not take part in the main study (15 female; mean age 27.07 years, SD = 7.32). Participant recruitment was based on an individual's general use of visual imagery. The use of visual imagery is a well-known strategy (Paivio, 1969; Andrews-Hanna et al., 2014; Greenberg and Knowlton, 2014) and we wanted to represent all types of strategies, not just those that are based on visual imagery. General visual imagery use was determined via the Spontaneous Use of Imagery Questionnaire (Reisberg et al., 2003), where scores can range from 12 (very low/no spontaneous use of visual imagery) to 60 (high spontaneous use of visual imagery). The average score of the participants in this identification of strategies study was 40.03 (SD = 9.97) with a range from 24 to 57.

To collect information on individual task strategies, participants first performed the cognitive tasks, after which they were asked open-ended questions about the strategies they employed for each task. Participants were encouraged to report all strategies that they used for a task in as much detail as possible, regardless of how much or little they used them. Strategy responses from the participants were then combined with any relevant additional strategies identified from the extant literature. This provided a large pool of potential strategies, ranging from 12 to 24 strategies for each task.

The strategies identified for each task are provided in the Supplementary Materials.

Strategy questionnaires

The information from the strategy identification study was used to construct a strategy questionnaire for each task for use with the participants in the main experiment. The questionnaires were presented on a computer screen and were participant-paced and led, but with the involvement of the experimenter where required. Three steps were involved. First, a brief reminder of the task was presented. Second, participants selected the strategies they used for that task from an extensive list of possible strategies. Third, participants ranked their selected strategies in relation to their degree of use.

Strategies were requested for scene construction, each memory age of the AI, future thinking, for the learning of the town in the navigation task and each of the five navigation tasks, for the learning and delayed recall of the concrete and also the abstract VPA tasks, and for the dead or alive task.

Task reminder. The task reminder varied according to the task. For some tasks, a picture of the task was presented, while for others the tasks were verbally described. The experimenter then ensured that the participant fully remembered the task (providing additional information if required) before the participant moved on to the strategy selection.

Strategy selection. Following the task reminder, all the possible strategies for the task that were reported in the strategy identification study were presented as a list on a computer screen. For each strategy, participants were requested to respond either "Yes" (that they used the strategy) or "No" (that they did not use the strategy). A response was required for every strategy to ensure that none were accidently overlooked. It was made clear that selecting one strategy did not preclude the selection of any of the others, as more than one strategy could be

deployed during a task. For all tasks, the option "Other" with space to describe a new
strategy, not represented on the list, was also available.

Strategy ranking. A list of the strategies that a participant indicated they used during the task
was then presented to them. They were asked to rank each of the strategies according to how
much of the time they used them. Outside of these instructions they were free to indicate any
form of ranking. Thus, if they felt they used multiple strategies equally this could be
indicated. For example, if three strategies were chosen they could be ranked:

• 1, 2, 3 – where the strategy ranked 1 was used most of the time, followed by the
strategy ranked 2, and then the strategy ranked 3.

• 1, 1, 1 – where all strategies were used equally.

• 1, 2, 2 – where one strategy was used the most, and the other two less frequently,
but the secondary strategies were used equally.

Question order. The task reminders and strategy selection were presented in two orders (with
half the participants doing each order) to reduce the possibility of order effects. For order 1
the task order was: concrete VPA, AI, abstract VPA, navigation, dead or alive, scene
construction, future thinking. The strategies were listed with visual imagery strategies first,
followed by verbal strategies. For order 2, the task order was reversed, and the strategies were
listed starting with verbal strategies first followed by visual imagery strategies.

Data analysis

For the AI, strategies were examined for each memory age separately and were then
combined across all four memory ages to provide an overall autobiographical memory recall
strategy. For navigation, strategies were examined separately for the learning phase during
movie viewing, and the five navigation tasks, and then by combining across the five
navigation tasks to provide an overall navigation strategy. For the concrete VPA, and also the
abstract VPA, strategies were examined for the learning and delayed recall phases separately.

For all tasks, we focused specifically on rank 1 strategies, that is, the strategy or
strategies that the participant used most often and deemed the most important for that task.

If "Other" responses were provided, these were examined to ascertain if the
description closely resembled a strategy that was already listed and, if this was the case, the
strategy was re-allocated from Other to that strategy. There was no situation where the Other
description referred to a new strategy that was not already represented on the list.

To streamline the data analysis process, each strategy was allocated to one of three
primary strategy categories: scene visual imagery strategies, other visual imagery strategies
and verbal strategies (see the Supplementary Materials for all of the strategies identified for
each task, and into which primary category they were placed). Note that participants were not
aware of the strategy category distinctions. In general, a scene visual imagery strategy was
one which evoked a visual image of a scene, that is, the visual imagery had a sense of depth
and background. Other visual imagery strategies evoked visual imagery, but this could not be
defined as a scene. There was no sense of depth or background, a typical example being a
visual image of a single object. A verbal strategy was one which evoked no visual imagery at
all, with reliance instead upon words and phrases.

To compare the frequency of the primary strategies, Chi Square tests (thresholded at p
<0.05) were performed across the three categories; scene visual imagery vs. other visual
imagery vs. verbal. Note that all of the rank 1 choices of all the participants are reflected in

the analyses and figures; thus if a participant identified multiple strategies as rank 1, all were
included.

RESULTS

Naturalistic tasks

For the scene construction task, perhaps unsurprisingly, there was widespread use of scene
visual imagery strategies compared to the other strategy types (Figure 1A; *scene visual*
imagery strategies = 82.06%; *other visual imagery strategies* = 8.64%; *verbal strategies* =
9.30%; χ^2 (2) = 321.62, p < 0.001).

For autobiographical memory recall, there was also consistent use of scene visual
imagery strategies compared to the other two strategy types. This was evident for all memory
ages and when the data were combined across the memories (childhood: *scene visual imagery*
strategies = 79.68%; *other visual imagery strategies* = 12.38%; *verbal strategies* = 7.94%;
χ^2 (2) = 305.45, p < 0.001; teenage years: *scene visual imagery strategies* = 73.83%; *other*
visual imagery strategies = 15.89%; *verbal strategies* = 10.28%; χ^2 (2) = 238.43, p < 0.001;
adulthood: *scene visual imagery strategies* = 71.92%; *other visual imagery strategies* =
15.46%; *verbal strategies* = 12.62%; χ^2 (2) = 212.83, p < 0.001; last year: *scene visual*
imagery strategies = 76.0%; *other visual imagery strategies* = 14.15%; *verbal strategies* =
9.85%; χ^2 (2) = 267.15, p < 0.001; combined (Figure 1B): *scene visual imagery strategies* =
75.35%; *other visual imagery strategies* = 14.48%; *verbal strategies* = 10.17%; χ^2 (2) =
1018.93, p < 0.001).

For the future thinking task, scene visual imagery strategies also dominated (Figure
1C; *scene visual imagery strategies* = 81.48%; *other visual imagery strategies* = 9.09%;
verbal strategies = 9.43%; χ^2 (2) = 309.84, p < 0.001).

For navigation, there was a distinction between the strategies deployed during
learning compared to the navigation tests. Viewing the movies while learning evoked
approximately equal use of all the strategy categories (*scene visual imagery strategies* =
36.86%; *other visual imagery strategies* = 30.30%; *verbal strategies* = 32.84%; χ^2 (2) = 3.11,
p = 0.21). By contrast, performance on the post-learning tests was associated with a greater
use of scene visual imagery compared to the other strategy types. This was observed when
investigating each of the five navigation tasks individually, and when the data were combined
across the five tasks (movie clip recognition: *scene visual imagery strategies* = 57.56%;
other visual imagery strategies = 28.67%; *verbal strategies* = 13.77%; χ^2 (2) = 131.77, p <
0.001; scene recognition: *scene visual imagery strategies* = 62.88%; *other visual imagery*
strategies = 26.98%; *verbal strategies* = 10.15%; χ^2 (2) = 175.79, p < 0.001; proximity
judgements: *scene visual imagery strategies* = 63.04%; *other visual imagery strategies* =
14.95%; *verbal strategies* = 22.01%; χ^2 (2) = 148.93, p < 0.001; route knowledge: *scene*
visual imagery strategies = 61.01%; *other visual imagery strategies* = 17.51%; *verbal*
strategies = 21.49%; χ^2 (2) = 130.83, p < 0.001; sketch map: *scene visual imagery strategies*
= 56.94%; *other visual imagery strategies* = 21.76%; *verbal strategies* = 21.30%; χ^2 (2) =
108.39, p < 0.001; combined (Figure 1D): *scene visual imagery strategies* = 60.13%; *other*
visual imagery strategies = 22.28%; *verbal strategies* = 17.59%; χ^2 (2) = 660.62, p < 0.001).

FIGURE 1 The percentage of rank 1 scene visual imagery, other visual imagery or verbal strategies used during the four naturalistic tasks involving: (A) scene construction; (B) autobiographical memory (combined across memory ages); (C) future thinking; (D) navigation (combined across the navigation tasks). Chi Square tests comparing the frequency of the rank 1 strategies across the three categories revealed a consistent use of scene visual imagery strategies compared to the other strategy types for all four tasks. There are no error bars because the graphs represent the percentage count for each strategy category. *** p < 0.001.

Laboratory-based memory tasks

For the concrete VPA, scene visual imagery strategies were more apparent at both learning and delayed recall compared to the other strategy types (learning: *scene visual imagery strategies* = 50.15%; *other visual imagery strategies* = 24.93%; *verbal strategies* = 24.93%; χ^2 (2) = 43.38, p < 0.001; delayed recall (Figure 2A): *scene visual imagery strategies* =

44.82%; *other visual imagery strategies* = 29.97%; *verbal strategies* = 25.21%; χ^2 (2) = 22.40, p < 0.001).

By contrast, and in line with our expectations, the abstract VPA elicited greater use of verbal strategies during both learning and delayed recall (learning: *scene visual imagery strategies* = 20.39%; *other visual imagery strategies* = 21.76%; *verbal strategies* = 57.85%; χ^2 (2) = 98.30, p < 0.001; delayed recall (Figure 2B): *scene visual imagery strategies* = 21.73%; *other visual imagery strategies* = 20.06%; *verbal strategies* = 58.22%; χ^2 (2) = 100.18, p < 0.001).

In a similar vein, verbal strategies were predominant for the dead or alive semantic memory task (Figure 2C: *scene visual imagery strategies* = 23.89%; *other visual imagery strategies* = 17.78%; *verbal strategies* = 58.33%; χ^2 (2) = 103.27, p < 0.001).

FIGURE 2 The percentage of rank 1 scene visual imagery, other visual imagery or verbal strategies used during the three laboratory-based tasks involving: **(A)** concrete verbal paired associates (delayed recall); **(B)** abstract verbal paired associates (delayed recall); **(C)** the dead or alive task. Chi Square tests comparing the frequency of the rank 1 strategies across the three categories revealed the predominant use of scene visual imagery strategies compared to the other strategy types for the concrete verbal paired associates, whereas verbal strategies dominated for the abstract verbal paired associates and the dead or alive task. There are no error bars because the graphs represent the percentage count for each strategy category. *** p < 0.001.

DISCUSSION

In this study, which involved a large sample of participants, we sought to systematically characterise the explicit strategies people used when performing a range of cognitive tasks. We found that scene visual imagery was the dominant strategy not only when mentally imagining scenes, but also during autobiographical memory recall, when thinking about the future and during navigation – all naturalistic tasks associated with the hippocampus. In addition, examination of three laboratory-based memory tasks showed that the use of scene visual imagery strategies was not limited to naturalistic tasks, whilst also indicating that participants did not invariably favour such strategies. Scene visual imagery strategies were used during concrete VPA, a task also linked to the hippocampus, whereas verbal strategies were most prevalent for tasks thought to be hippocampal-independent, namely abstract VPA and the dead or alive semantic memory task.

Behavioural experiments in healthy people have shown that the ability to construct
scene visual imagery explained performance across tasks assessing autobiographical recall,
future thinking and navigation (Clark et al., 2019; see also Clark and Maguire, 2020).
Neuroimaging studies have also documented hippocampal engagement during the
construction of scene imagery (Hassabis et al., 2007b; Zeidman and Maguire, 2016; Barry et
al., 2018; Clark et al., 2018; Dalton et al., 2018). Of particular pertinence, the ability to
construct scene visual imagery is impaired in patients with bilateral hippocampal damage
(Hassabis et al., 2007a; Rosenbaum et al., 2009; Andelman et al., 2010; Race et al., 2011;
Mullally et al., 2012; Maguire and Mullally, 2013). On the basis of this convergent evidence,
the scene construction theory was proposed which suggests that the construction of scene
imagery is a central function of the hippocampus, and that any task typically requiring scene
imagery will be hippocampal-dependent as a consequence (Hassabis and Maguire, 2007;
Maguire and Mullally, 2013). However, until now there was very little direct evidence that
people actually use specifically scene visual imagery during cognitive functions such as
autobiographical recall, future thinking and navigation (Andrews-Hanna et al., 2010). The
current findings provide strong evidence that scene visual imagery is indeed the principal
strategy deployed in such circumstances, aligning with the scene construction theory.

Why might scene imagery be used so pervasively? The most obvious answer is that it
mirrors how people experience and perceive the world. In pragmatic terms it makes sense
that the neural hardware and software underpinning perception would also be utilised for
mental representations and during recall. In addition, scenes are a highly efficient means of
packaging information. Its apparent prevalence has even led to the suggestion that scene
imagery may be the currency of cognition (Maguire and Mullally, 2013).

The ubiquity of scene visual imagery affected another issue, namely, whether using
such strategies actually confers any benefit for task performance. We were keen address this
question. However, given the majority of participants used scene visual imagery strategies to
perform the naturalistic tasks of primary interest, it was not possible to conduct meaningful
analyses. For example, 212 of the 217 participants reported scene visual imagery as a rank 1
strategy during autobiographical memory recall, meaning a comparison with the remaining 5
participants would simply not have been valid.

Our results also highlight a notable issue about VPA tasks, which are typically
regarded as verbal in nature. We found that when the VPA words were imageable and
concrete in nature, scene imagery strategies were most often used. This may also be why
concrete VPA activates the hippocampus during neuroimaging (Clark et al., 2018) and why
patients with hippocampal damage, who are impaired at imagining scenes, perform so poorly
on this test (e.g., Zola-Morgan et al., 1986; Spiers et al., 2001; Giovanello et al., 2003). This
stands in stark contrast to the abstract VPA task comprising low imagery words which, along
with the semantic memory dead or alive task, involved the use of verbal strategies. Abstract
VPA stimuli do not seem to engage the hippocampus during neuroimaging (Clark et al.,
2018) and, in this context, the prediction is that hippocampal-damaged patients would be
relatively unimpaired on an abstract VPA task. However, the VPA tasks typically used with
such patients have been concrete in nature (reviewed in Clark and Maguire, 2016), and this
hypothesis remain untested. Nevertheless, our strategy data reveal a clear distinction between
concrete and abstract VPA that accords with hippocampal-dependence and hippocampal-
independence respectively.

Could it be that the strategy use protocol we employed was biased in some way
towards scene visual imagery? We think this is unlikely for a number of reasons. First, a wide
variety of strategies were provided, including different modalities and complexities, to avoid

biasing individuals to selecting any specific strategy (see the Supplementary Materials for the
full list of strategies for each task). Second, participants were presented with a list of possible
strategies, and were unaware of the strategy categorisation. Third, similar numbers of
potential strategies were included for each strategy category to avoid any biases towards
specific categories. Fourth, the strategies were presented in two orders, with half the
participants seeing the visual imagery strategies first and half the verbal strategies first, thus
reducing any effects of presentation order. Fifth, participants were encouraged to select any
and all strategies that they used, even if the strategies seemed to contradict each other (as
different strategies could be used at different times during a task). Finally, the data collection
was participant-paced and led in order to avoid any potential influence of the experimenter
and, overall, the experimenter was minimally involved, as the strategy use questionnaires
were completed on a computer.

To investigate strategy use in naturalistic tasks like autobiographical memory and
future thinking, we had to innovate beyond methods previously validated for the collection of
strategy data in laboratory-based tasks (e.g., Ericsson and Simon, 1980; Dunlosky and
Hertzog, 2001). This imposed some necessary constraints. By using retrospective instead of
concurrent reporting, participants could have forgotten the strategies they used to perform the
tasks. However, previous reports have demonstrated the effectiveness of retrospective
strategy reporting (e.g., Dunlosky and Hertzog, 2001), and we provided detailed reminders to
help participants remember the tasks, with no participant indicating they were unable to recall
the concomitant strategies they used. By not using trial-by-trial assessments we may have
missed nuances or changes in strategy use throughout the tasks. However, our participants
were provided with numerous possible strategies for each task, and were encouraged to
indicate all the different strategies they used during task performance, with additional
information probing the extent to which each strategy was used. We were, therefore, able to
collect comprehensive information about the use of multiple strategies by an individual
participant for the same task. In common with concurrent reporting methods, we investigated
only those strategies that could be explicitly described by participants. We acknowledge that
implicit strategies also play a role in task performance, but remain challenging to discover.

We have alluded throughout to cognitive task-hippocampus relationships without
measuring the hippocampus itself. We felt able to do this because of the many previous
findings associating scene imagination, autobiographical memory, future thinking and
navigation tasks with the hippocampus. Moreover, understanding the strategies used to
perform these tasks is not reliant upon hippocampal measurement. However, directly
assessing the effects of different strategy use on structural and functional measurements of
the hippocampus will be an important next step.

In conclusion, the strategies used to perform naturalistic tasks have been under-
studied, and yet such information could augment our understanding of the associated
cognitive processes and neural substrates. In a large sample of participants we identified
scene visual imagery as a dominant strategy specifically in tasks associated with the
hippocampus, aligning with perspectives that emphasise a link between scene processing and
this brain structure.

DATA AVAILABILITY

The test materials are all available in the published literature. The data will be made freely available once the construction of a dedicated data-sharing portal has been completed. In the meantime, the raw data supporting the conclusions of this manuscript will be made available by the authors, without undue reservation, to any qualified researcher on request. Requests for the data can be sent to e.maguire@ucl.ac.uk.

ETHICS STATEMENT

This study involving human participants was approved by the University College London Research Ethics Committee (project ID: 6743/001). All participants gave written informed consent in accordance with the Declaration of Helsinki.

AUTHOR CONTRIBUTIONS

IC and EM designed the overall study. All authors were involved in designing the strategy questionnaires. AM contributed to data collection and scoring. IC performed the statistical analyses. IC and EM wrote the first draft of the manuscript. All authors contributed to manuscript revision, read and approved the submitted version.

FUNDING

This work was supported by a Wellcome Principal Research Fellowship to EM (101759/Z/13/Z) and the Centre by a Centre Award from Wellcome (203147/Z/16/Z).

ACKNOWELDGEMENTS

We thank Victoria Hotchin, Gloria Pizzamiglio and Alice Liefgreen for assistance with data collection and scoring, and Narinder Kapur for providing the dead or alive test materials.

CONFLICTS OF INTEREST

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

SUPPLEMENTAL MATERIAL

Supplemental Materials are available for this article.

REFERENCES

Addis, D. R., Wong, A. T. and Schacter, D. L. (2007). Remembering the past and imagining the future: Common and distinct neural substrates during event construction and elaboration. *Neuropsychologia, 45*(7), 1363-1377. doi: http://dx.doi.org/10.1016/j.neuropsychologia.2006.10.016

Andelman, F., Hoofien, D., Goldberg, I., Aizenstein, O. and Neufeld, M. Y. (2010). Bilateral hippocampal lesion and a selective impairment of the ability for mental time travel. *Neurocase, 16*(5), 426-435. doi: http://dx.doi.org/10.1080/13554791003623318

Andrews-Hanna, J. R., Reidler, J. S., Sepulcre, J., Poulin, R. and Buckner, R. L. (2010). Functional-anatomic fractionation of the brain's default network. *Neuron, 65*(4), 550-562. doi: http://doi.org/10.1016/j.neuron.2010.02.005

Andrews-Hanna, J. R., Saxe, R. and Yarkoni, T. (2014). Contributions of episodic retrieval and mentalizing to autobiographical thought: Evidence from functional neuroimaging, resting-state connectivity, and fMRI meta-analyses. *Neuroimage, 91*, 324-335. doi: http://dx.doi.org/10.1016/j.neuroimage.2014.01.032

Barry, D. N., Barnes, G. R., Clark, I. A. and Maguire, E. A. (2018). The neural dynamics of novel scene imagery. *J. Neurosci., 32*(22), 4375-4386. doi: http://dx.doi.org/10.1523/JNEUROSCI.2497-18.2019

Binder, J. R. and Desai, R. H. (2011). The neurobiology of semantic memory. *Trends Cogn. Sci., 15*(11), 527-536. doi: http://dx.doi.org/10.1016/j.tics.2011.10.001

Boltwood, C. E. and Blick, K. A. (1970). The delineation and application of three mnemonic techniques. *Psychon. Sci., 20*(6), 339-341. doi: http://dx.doi.org/10.3758/BF03335678

Bower, G. (1970). Imagery as a relational organiser in in associative learning. *J Verbal Learning Verbal Behav, 9*, 529-533. doi: http://dx.doi.org/10.1016/s0022-5371(70)80096-2

Clark, I. A., Hotchin, V., Monk, A., Pizzamiglio, G., Liefgreen, A. and Maguire, E. A. (2019). Identifying the cognitive processes underpinning hippocampal-dependent tasks. *J. Exp. Psychol. Gen., 148*(11), 1861-1881. doi: http://dx.doi.org/10.1037/xge0000582

Clark, I. A., Kim, M. and Maguire, E. A. (2018). Verbal paired associates and the hippocampus: The role of scenes. *J. Cogn. Neurosci., 30*(12), 1821-1845. doi: http://dx.doi.org/10.1162/jocn_a_01315

Clark, I. A. and Maguire, E. A. (2016). Remembering preservation in hippocampal amnesia. *Annu. Rev. Psychol., 67*(1), 51-82. doi: http://dx.doi.org/10.1146/annurev-psych-122414-033739

Clark, I. A. and Maguire, E. A. (2020). Do questionnaires reflect their purported cognitive functions? *Cognition, 195*, 104114. doi: http://dx.doi.org/10.1016/j.cognition.2019.104114

Dalton, M. A., Zeidman, P., McCormick, C. and Maguire, E. A. (2018). Differentiable processing of objects, associations and scenes within the hippocampus. *J. Neurosci., 38*(38), 8146-8159. doi: http://dx.doi.org/10.1523/JNEUROSCI.0263-18.2018

Dunlosky, J. and Hertzog, C. (1998). Aging and deficits in associative memory: What is the role of strategy production? *Psychol. Aging, 13*(4), 597-607. doi: http://dx.doi.org/10.1037/0882-7974.13.4.597

Dunlosky, J. and Hertzog, C. (2001). Measuring strategy production during associative learning: The relative utility of concurrent versus retrospective reports. *Mem. Cognit., 29*(2), 247-253. doi: http://dx.doi.org/10.3758/BF03194918

Dunlosky, J. and Kane, M. J. (2007). The contributions of strategy use to working memory
span: A comparison of strategy assessment methods. *Q. J. Exp. Psychol.,* 60(9), 1227-
1245. doi: http://dx.doi.org/10.1080/17470210600926075
Einstein, G. O. and McDaniel, M. A. (1987). Distinctiveness and the mnemonic benefits of
bizarre imagery. In M. A. McDaniel & M. Pressley (Eds.), *Imagery and related*
mnemonic processes (pp. 78-102). New York: Springer. doi:
http://dx.doi.org/10.1007/978-1-4612-4676-3_4
Ekstrom, A. D., Kahana, M. J., Caplan, J. B., Fields, T. A., Isham, E. A., Newman, E. L., et
al. (2003). Cellular networks underlying human spatial navigation. *Nature,* 425(6954),
184-188. doi:
http://www.nature.com/nature/journal/v425/n6954/suppinfo/nature01964_S1.html
Ekstrom, A. D. and Ranganath, C. (2018). Space, time, and episodic memory: The
hippocampus is all over the cognitive map. *Hippocampus,* 28(9), 680-687. doi:
http://dx.doi.org/10.1002/hipo.22750
Ericsson, K. A. and Simon, H. A. (1980). Verbal reports as data. *Psychol. Rev.,* 87(3), 215-
251. doi: http://dx.doi.org/10.1037/0033-295X.87.3.215
Giovanello, K. S., Verfaellie, M. and Keane, M. M. (2003). Disproportionate deficit in
associative recognition relative to item recognition in global amnesia. *Cogn. Affect.*
Behav. Neurosci., 3(3), 186-194. doi: http://dx.doi.org/10.3758/cabn.3.3.186
Greenberg, D. L. and Knowlton, B. J. (2014). The role of visual imagery in autobiographical
memory. *Mem. Cognit.,* 42(6), 922-934. doi: http://dx.doi.org/10.3758/s13421-014-
0402-5
Hassabis, D. and Maguire, E. A. (2007). Deconstructing episodic memory with construction.
Trends Cogn. Sci., 11(7), 299-306. doi: http://dx.doi.org/10.1016/j.tics.2007.05.001
Hassabis, D., Kumaran, D., Vann, S. D. and Maguire, E. A. (2007a). Patients with
hippocampal amnesia cannot imagine new experiences. *Proc. Natl. Acad. Sci. USA,*
104(5), 1726-1731. doi: http://dx.doi.org/10.1073/pnas.0610561104
Hassabis, D., Kumaran, D. and Maguire, E. A. (2007b). Using imagination to understand the
neural basis of episodic memory. *J. Neurosci.,* 27(52), 14365-14374. doi:
http://dx.doi.org/10.1523/jneurosci.4549-07.2007
Hertzog, C., McGuire, C. L. and Lineweaver, T. T. (1998). Aging, attributions, perceived
control, and strategy use in a free recall task. *Aging Neuropsychol. Cogn.,* 5(2), 85-
106. doi: http://dx.doi.org/10.1076/anec.5.2.85.601
Kapur, N., Young, A., Bateman, D. and Kennedy, P. (1989). Focal retrograde amnesia: A
long term clinical and neuropsychological follow-up. *Cortex,* 25(3), 387-402. doi:
http://dx.doi.org/10.1016/S0010-9452(89)80053-X
Klein, S. B., Loftus, J. and Kihlstrom, J. F. (2002). Memory and temporal experience: The
effects of episodic memory loss on an amnesic patient's ability to remember the past
and imagine the future. *Soc. Cognition,* 20(5), 353-379. doi:
http://dx.doi.org/10.1521/soco.20.5.353.21125
Kroll, N. E. A., Schepeler, E. M. and Angin, K. T. (1986). Bizarre imagery: The
misremembered mnemonic. *J. Exp. Psychol. Learn. Mem. Cogn.,* 12(1), 42-53. doi:
http://dx.doi.org/10.1037//0278-7393.12.1.42
Levine, B., Svoboda, E., Hay, J. F., Winocur, G. and Moscovitch, M. (2002). Aging and
autobiographical memory: Dissociating episodic from semantic retrieval. *Psychol.*
Aging, 17(4), 677-689. doi: http://dx.doi.org/10.1037/0882-7974.17.4.677
Logie, R. H., Sala, S. D., Laiacona, M., Chalmers, P. and Wynn, V. (1996). Group aggregates
and individual reliability: The case of verbal short-term memory. *Mem. Cognit.,*
24(3), 305-321. doi: http://dx.doi.org/10.3758/BF03213295

Maguire, E. A., Gadian, D. G., Johnsrude, I. S., Good, C. D., Ashburner, J., Frackowiak, R.
S. J., et al. (2000). Navigation-related structural change in the hippocampi of taxi
drivers. *Proc. Natl. Acad. Sci. USA,* 97(8), 4398-4403. doi:
http://dx.doi.org/10.1073/pnas.070039597
Maguire, E. A. and Mullally, S. L. (2013). The hippocampus: A manifesto for change. *J. Exp.*
Psychol. Gen., 142(4), 1180-1189. doi: http://dx.doi.org/10.1037/a0033650
Marschark, M. and Hunt, R. R. (1989). A reexamination of the role of imagery in learning
and memory. *J. Exp. Psychol. Learn. Mem. Cogn.,* 15(4), 710-720. doi:
http://dx.doi.org/10.1037//0278-7393.15.4.710
McDaniel, M. A. and Einstein, G. O. (1986). Bizarre imagery as an effective memory aid:
The importance of distinctiveness. *J. Exp. Psychol. Learn. Mem. Cogn.,* 12(1), 54-65.
doi: http://dx.doi.org/10.1037//0278-7393.12.1.54
McDaniel, M. A. and Kearney, E. M. (1984). Optimal learning strategies and their
spontaneous use: The importance of task-appropriate processing. *Mem. Cognit.,* 12(4),
361-373. doi: http://dx.doi.org/10.3758/BF03198296
Moscovitch, M., Cabeza, R., Winocur, G. and Nadel, L. (2016). Episodic memory and
beyond: The hippocampus and neocortex in transformation. *Annu. Rev. Psychol.,*
67(1), 105-134. doi: http://dx.doi.org/doi:10.1146/annurev-psych-113011-143733
Moser, E. I., Kropff, E. and Moser, M.-B. (2008). Place cells, grid cells, and the brain's
spatial representation system. *Annu. Rev. Neurosci.,* 31(1), 69-89. doi:
http://dx.doi.org/10.1146/annurev.neuro.31.061307.090723
Mullally, S. L., Intraub, H. and Maguire, E. A. (2012). Attenuated boundary extension
produces a paradoxical memory advantage in amnesic patients. *Curr. Biol.,* 22(4),
261-268. doi: http://dx.doi.org/10.1016/j.cub.2012.01.001
O'Keefe, J. and Nadel, L. (1978). *The hippocampus as a cognitive map.* Oxford: Clarendon
Press.
Paivio, A. (1969). Mental imagery in associative learning and memory. *Psychol. Rev.,* 76(3),
241-263. doi: http://dx.doi.org/10.1037/h0027272
Palombo, D. J., Hayes, S. M., Peterson, K. M., Keane, M. M. and Verfaellie, M. (2018).
Medial temporal lobe contributions to episodic future thinking: Scene construction or
future projection? *Cereb. Cortex,* 28(2), 447-458. doi:
http://dx.doi.org/10.1093/cercor/bhw381
Race, E., Keane, M. M. and Verfaellie, M. (2011). Medial temporal lobe damage causes
deficits in episodic memory and episodic future thinking not attributable to deficits in
narrative construction. *J. Neurosci.,* 31(28), 10262-10269. doi:
http://dx.doi.org/10.1523/jneurosci.1145-11.2011
Reisberg, D., Pearson, D. G. and Kosslyn, S. M. (2003). Intuitions and introspections about
imagery: The role of imagery experience in shaping an investigator's theoretical
views. *Appl. Cogn. Psychol.,* 17(2), 147-160. doi: http://dx.doi.org/10.1002/acp.858
Roberts, W. A. (1968). Alphabetic coding and individual differences in modes of
organization in free-recall learning. *Am. J. Psychol.,* 81(3), 433-438. doi:
http://dx.doi.org/10.2307/1420642
Robin, J. (2018). Spatial scaffold effects in event memory and imagination. *Wiley Interdiscip.*
Rev. Cogn. Sci., e1462. doi: http://dx.doi.org/10.1002/wcs.1462
Rosenbaum, R. S., Gilboa, A., Levine, B., Winocur, G. and Moscovitch, M. (2009). Amnesia
as an impairment of detail generation and binding: Evidence from personal, fictional,
and semantic narratives in K.C. *Neuropsychologia,* 47(11), 2181-2187. doi:
http://dx.doi.org/10.1016/j.neuropsychologia.2008.11.028

Rubin, D. C. and Umanath, S. (2015). Event memory: A theory of memory for laboratory,
autobiographical, and fictional events. *Psychol. Rev.,* 122(1), 1-23. doi:
http://dx.doi.org/10.1037/a0037907
Schacter, D. L., Addis, D. R., Hassabis, D., Martin, V. C., Spreng, R. N. and Szpunar, K. K.
(2012). The future of memory: Remembering, imagining, and the brain. *Neuron,*
76(4), 677-694. doi: http://dx.doi.org/10.1016/j.neuron.2012.11.001
Scoville, W. B. and Milner, B. (1957). Loss of recent memory after bilateral hippocampal
lesions. *J. Neurol. Neurosurg. Psychiatry,* 20, 11-21. doi:
http://dx.doi.org/10.1136/jnnp.20.1.11
Siegler, R. S. (1988). Strategy choice procedures and the development of multiplication skill.
J. Exp. Psychol. Gen., 117(3), 258-275. doi: http://dx.doi.org/10.1037/0096-
3445.117.3.258
Spiers, H. J., Maguire, E. A. and Burgess, N. (2001). Hippocampal amnesia. *Neurocase,* 7(5),
357-382. doi: http://dx.doi.org/10.1076/neur.7.5.357.16245
Squire, L. R. (1992). Memory and the hippocampus: A synthesis from findings with rats,
monkeys, and humans. *Psychol. Rev.,* 99(2), 195-231. doi:
http://dx.doi.org/10.1037/0033-295X.99.2.195
Stoff, D. M. and Eagle, M. N. (1971). The relationship among reported strategies,
presentation rate, and verbal ability and their effects on free recall learning. *J. Exp.*
Psychol., 87(3), 423-428. doi: http://dx.doi.org/10.1037/h0030541
Svoboda, E., McKinnon, M. C. and Levine, B. (2006). The functional neuroanatomy of
autobiographical memory: A meta-analysis. *Neuropsychologia,* 44(12), 2189-2208.
doi: http://doi.org/10.1016/j.neuropsychologia.2006.05.023
Tulving, E. (1985). Memory and consciousness. *Can. Psychol.,* 26, 1-12. doi:
http://dx.doi.org/10.1037/h0080017
Verfaellie, M. and Keane, M. M. (2017). Neuropsychological investigations of human
amnesia: Insights into the role of the medial temporal lobes in cognition. *J. Int.*
Neuropsychol. Soc., 23(9-10), 732-740. doi:
http://dx.doi.org/10.1017/S1355617717000649
Wechsler, D. (2009). *WMS-IV.: Wechsler memory scale-Administration and scoring manual*.
London, UK: Pearson Assessment.
Woollett, K. and Maguire, E. A. (2010). The effect of navigational expertise on wayfinding in
new environments. *J. Environ. Psychol.,* 30(4), 565-573. doi:
http://dx.doi.org/10.1016/j.jenvp.2010.03.003
Zeidman, P. and Maguire, E. A. (2016). Anterior hippocampus: the anatomy of perception,
imagination and episodic memory. *Nat. Rev. Neurosci.,* 17(3), 173-182. doi:
http://dx.doi.org/10.1038/nrn.2015.24
Zola-Morgan, S., Squire, L. R. and Amaral, D. G. (1986). Human amnesia and the medial
temporal region: enduring memory impairment following a bilateral lesion limited to
field CA1 of the hippocampus. *J. Neurosci.,* 6(10), 2950-2967. doi:
http://dx.doi.org/10.1523/JNEUROSCI.06-10-02950.1986
713

Supplementary Material

Strategies for each task

The specific strategies presented to the participants for each task are shown below. Note that for each task the participants were presented only with a list of the strategies and were not aware of the strategy categories. The strategy category information is included to show how the strategies were allocated into the three primary categories for data analysis.

Participants were asked to indicate the use of each strategy by "Yes" or "No". They could select as many strategies as were relevant to how they performed a task. Half of the participants saw the visual imagery strategies first, the other half saw the verbal strategies first.

Scene construction task

Strategy category	
Scene visual imagery	I had an immediate visual image of the scene in my mind, with details appearing all at once as a coherent whole. It almost felt like I was really there.
	I had a visual image of the scene which I imagined in a piece-by-piece manner, adding details to gradually form a coherent whole.
	I had a static 2D visual image of the scene in my mind, like looking at a photograph.
	When describing part of the scene to the experimenter, my visual focus was only on that specific section and I did not visualise the rest of the scene around it.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I had separate visual images of individual objects I would typically expect to find in the scene, but did not picture the scene as a coherent whole with all the objects together.
	I visualised words for possible objects that I would expect to find in the scene as though written in the air.
	I visualised sentences that describe the scene, as though written in the air.

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

Verbal	I verbally thought about the scene overall, in words or sentences alone, so that the description of the scene I gave was a continuous narrative describing the scene as a coherent whole. I did this without involving visual imagery.
	I verbally thought about the scene in sections, using words or sentences alone, so that I built up an overall description gradually piece-by-piece. There was no visual imagery involved in doing this.
	I verbally listed, using words and sentences alone, individual objects that I would expect to typically find in the scene, without combining them into a whole. There was no visual imagery involved in doing this.

Autobiographical Interview (for all memory ages)

Strategy category	
Scene visual imagery	I had an immediate, fully-formed visual image of a scene or scenes from my memory that was quite immersive, like a movie playing out.
	I had an immediate, fully-formed visual image of my memory, with details appearing all at once as a coherent scene, as though looking at a photograph.
	I reconstructed a visual image of the memory, by adding details in a piece-by-piece manner to gradually form a coherent whole scene.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I had separate visual images of various individual features and/or people involved in the memory in isolation, but did not picture them all together within a scene or the wider context of the overall memory.
	I focused on one image of a particular feature/person involved in the memory in isolation, and described my memory using that as a reference.
	I imagined written in my mind the dates/numbers/short facts in regards to the memory.
	I imagined written in my mind sentences that described the memory.

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	   - had multiple elements but was not a scene
	   - involved single isolated objects
	   - I cannot describe the image

Verbal	I verbally described, using words or sentences alone, the whole memory as a coherent story, without using visual imagery.
	I verbally described, using words or sentences alone, each main element of the memory, and combined the individual elements to form a coherent story without using visual imagery.
	I verbally listed, using words or sentences alone, single facts about the memory, although not in a coherent or chronological order.
	I thought of the word for a single element, fact or detail in particular that stood out.

Future thinking task

Strategy category	
Scene visual imagery	I had an immediate visual image of the scene in my mind, with details appearing all at once as a coherent whole. It almost felt like I was really there.
	I had a visual image of the scene which I imagined in a piece-by-piece manner, adding details to gradually form a coherent whole.
	I had a static 2D visual image of the scene in my mind, like looking at a photograph.
	When describing part of the scene to the experimenter, my visual focus was only on that specific section and I did not visualise the rest of the scene around it.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I had separate visual images of individual objects I would typically expect to find in the scene, but did not picture the scene as a coherent whole with all the objects together.
	I visualised words for possible objects that I would expect to find in the scene as though written in the air.
	I visualised sentences that describe the scene, as though written in the air.

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	   - had multiple elements but was not a scene
	   - involved single isolated objects
	   - I cannot describe the image

Verbal	I verbally thought about the scene overall, in words or sentences alone, so that the description of the scene I gave was a continuous narrative describing the scene as a coherent whole. I did this without involving visual imagery.
	I verbally thought about the scene in sections, using words or sentences alone, so that I built up an overall description gradually piece-by-piece. There was no visual imagery involved in doing this.
	I verbally listed, using words and sentences alone, individual objects that I would expect to typically find in the scene, without combining them into a whole. There was no visual imagery involved in doing this.

Navigation learning

Strategy category	
Scene visual imagery	I created a visual image of the overall layout of the town over the course of watching the movies, as though having a bird's eye view looking down at the whole town with both routes combined.
	I replayed the movies of the routes in my mind, and combined the routes to create an overall visual layout in my mind's eye.
	I replayed in my mind's eye the movies of each route separately, but could not picture how they crossed over.
	I visualised in my mind scenes containing landmarks, all connected in the order in which they appear within the overall layout of the town.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visualised in my mind images of individual landmarks connected in the order in which they appeared, but without visualising other surrounding details such as the background and foreground details, so it was not scene-like.
	I had visual images in my mind of individual landmarks, imagining each separately and was not able to connect them together or imagine them within a scene.
	I focused on specific features of landmarks (e.g. a shop name, the colour of a building) and tried to form a visual image of them in my mind.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one): - had multiple elements but was not a scene - involved single isolated objects - I cannot describe the image
Verbal	I verbally described to myself, using words or sentences alone, how to navigate from start to finish through the town, combining both routes and describing the relative locations of the landmarks.
	I verbally described to myself, using words or sentences alone, how to navigate from start to finish along each route separately, but without combining the routes.
	I said to myself, using words or sentences alone, whereabouts along the routes the landmarks occurred (such as the start, middle or end).
	I had a sense of the time taken to travel along the route, and the time that passed between landmarks, but this sense of time did not come from visual imagery in my mind.
	I verbally noted, using words or sentences alone, the names of individual landmarks and road names, but I could not connect them together.
	I verbally noted, using words or sentences alone, particular features of landmarks.

Navigation movie clip recognition

Strategy category	
Scene visual imagery	I created a visual image of the overall layout of the town over the course of watching the movies, as though having a bird's eye view looking down at the whole town with both routes combined.
	I replayed the movies of the routes in my mind, and combined the routes to create an overall visual layout in my mind's eye.
	I replayed in my mind's eye the movies of each route separately, but could not picture how they crossed over.
	I visualised in my mind scenes containing landmarks, all connected in the order in which they appear within the overall layout of the town.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visualised in my mind images of individual landmarks connected in the order in which they appeared, but without visualising other surrounding details such as the background and foreground details, so it was not scene-like.
	I had visual images in my mind of individual landmarks, imagining each separately and was not able to connect them together or imagine them within a scene.
	I focused on specific features of landmarks (e.g. a shop name, the colour of a building) and tried to form a visual image of them in my mind.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one): - had multiple elements but was not a scene - involved single isolated objects - I cannot describe the image
Verbal	I verbally described to myself, using words or sentences alone, how to navigate from start to finish through the town, combining both routes and describing the relative locations of the landmarks.
	I verbally described to myself, using words or sentences alone, how to navigate from start to finish along each route separately, but without combining the routes.
	I said to myself, using words or sentences alone, whereabouts along the routes the landmarks occurred (such as the start, middle or end).
	I had a sense of the time taken to travel along the route, and the time that passed between landmarks, but this sense of time did not come from visual imagery in my mind.
	I verbally noted, using words or sentences alone, the names of individual landmarks and road names, but I could not connect them together.
	I verbally noted, using words or sentences alone, particular features of landmarks.

Navigation scene recognition

Strategy category	
Scene visual imagery	I visually replayed parts of the route in my mind to see if the scene on the screen matched any of my mental images of the films.
	I had visual mental snapshots of scenes from the routes, in order to see if the scene on the screen matched any of my mental images.
	I imagined the movies being replayed on the computer screen, so that the visual image in my mind was of seeing the screen with the movie playing. This helped me to see if I recognised each scene.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I had visual images in my mind of individual, isolated landmarks, without visualising other surrounding details such as the background and foreground details, to see if any matched the scene.
	I pictured in my mind specific features of isolated landmarks (e.g. a shop name, the colour of a building) to see if they matched the scene.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one): - had multiple elements but was not a scene - involved single isolated objects - I cannot describe the image
Verbal	I verbally described the route to myself, using words or sentences alone, from start to finish to see if the scene matched any point on the route description.
	I verbally thought, using words and sentences alone, of the names of individual isolated landmarks and road names, to see if they were in the scene on the screen.
	I verbally recalled, using words or sentences alone, particular features of landmarks to see if they were in the scene on the screen.

Navigation proximity judgements

Strategy category	
Scene visual imagery	I had an overall visual mental map of the layout of the town as though having a bird's eye view looking down at the whole town with both routes combined, and this helped me to judge the proximity of the landmarks.
	I replayed the movies of the routes in my mind as though I was re-experiencing the movies and travelling through the town, and this helped me to judge the proximity of the landmarks; I could also visually imagine how the two routes crossed over.
	I replayed the movies of each route separately, and could not imagine how they crossed over – so, I could judge distances between landmarks when they were in the same route, but it was more difficult when they were located on different routes.
	I visualised mental snapshots of landmarks placed within scenes along the routes to help me to judge the proximity of the landmarks.
	I imagined the movies being replayed on the computer screen, so that the visual image in my mind was of seeing the screen with the movie playing. This helped me to judge the proximity of the landmarks.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visualised in my mind images of individual landmarks connected in the order in which they appeared but without visualising other surrounding details such as the background and foreground details. This helped me to judge the proximity of the landmarks.
	I had visual images in my mind of isolated and unconnected landmarks, without visualising other surrounding details or in a particular order. This helped me to judge the proximity of the landmarks.

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	   - had multiple elements but was not a scene
	   - involved single isolated objects
	   - I cannot describe the image

	I verbally described, using words or sentences alone, how to navigate from start to finish through the town, combining both routes, to judge distances between the landmarks. There was no visual imagery involved when I did this.
	I described to myself, using words or sentences alone, how to navigate from start to finish along each route separately, without combining the routes – so, I could judge distances between landmarks when they were in the same route, but it was more difficult when they were located on different routes. There was no visual imagery involved when I did this.
Verbal	I verbally described to myself, using words or sentences alone, the relative positions of landmarks to help me to judge the proximity of the landmarks, and I did this without visual imagery.
	I had a sense of the time taken to travel along the route and the time that passed between landmarks, and this helped me to judge the proximity of the landmarks. This sense of time did not come from visual imagery in my mind.
	I verbally thought, using words or sentences alone, of the names of individual isolated landmarks, and this helped me to do the task.
	I verbally recalled, using words or sentences alone, particular features of landmarks, and this helped me to do the task.

Navigation route knowledge

Strategy category	
Scene visual imagery	I had an overall visual mental map of the layout of the town as though having a bird's eye view looking down at the whole town with both routes combined, in order to identify the correct order of the images.
	I replayed the movies of the routes in my mind as though I was re-experiencing the movies and travelling through the town, in order to identify the correct order of the images; I could also visually imagine how the two routes crossed over.
	I replayed the movies of each route separately, and could not imagine how they crossed over – so, I could work out the order of landmarks when they were in the same route, but it was more difficult when they were located on different routes.
	I visualised mental snapshots of scenes containing landmarks, all in order along the routes, and this helped me to work out the order.
	I imagined the movies being replayed on the computer screen, so that the visual image in my mind was of seeing the screen with the movies playing, and this helped me to judge the order of the landmarks.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visualised in my mind images of landmarks connected in the order in which they appeared but without visualising other surrounding details such as the background and foreground details.
	I had visual images in my mind of isolated and unconnected landmarks, without visualising other surrounding details, and this helped me to judge the order of the landmarks.

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

	Using words or sentences alone I verbally described how to navigate from start to finish through the town, combining both routes. This helped me to identify the correct order of the images, and I did this without visual imagery.
	I described to myself, using words or sentences alone, how to navigate from start to finish along each route separately, without combining the routes – so, I could work out the order of landmarks when they were in the same route, but it was more difficult when they existed in different routes. There was no visual imagery when I did this.
Verbal	I verbally described to myself, using words or sentences alone, the relative positions of landmarks in order to work out the order of the landmarks. There was no visual imagery when I did this.
	I had a sense of the time taken to travel along the route and the time that passed between landmarks, and this helped me to judge the order of the landmarks. This sense of time did not come from visual imagery in my mind.
	I verbally thought of the names of individual isolated landmarks using words or sentences alone, which helped me to judge the order of the landmarks.
	I verbally recalled, using words or sentences alone, particular features of landmarks, which helped me to judge the order of the landmarks.

Navigation sketch map

Strategy category	
Scene visual imagery	I had an overall visual mental map of the layout of the town as though having a bird's eye view looking down at the whole town with both routes combined, and drew this mental map.
	I replayed the movies of the routes in my mind as though I was re-experiencing the movies and travelling through the town, in order to create an overall mental layout combining both routes and drew this.
	I replayed the movies of each route separately and could draw the individual routes, but I struggled to draw how they crossed over.
	I visualised mental snapshots of landmarks placed within scenes in order along the routes, and drew the map based upon this.
	I imagined the movies being replayed on the computer screen, so that the visual image in my mind was of seeing the screen with the video playing, helping me to draw the sketch map.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visualised in my mind images of landmarks connected in the order in which they appeared to help me draw the sketch map, but without visualising other surrounding details such as the background and foreground details.
	I had visual images in my mind of isolated landmarks, imagining each separately and I found it difficult to imagine where they were located on a map in relation to one another.
	I imagined specific parts of landmarks in isolation (e.g. a shop name, the colour of a building), and I found it difficult to imagine where they were located on a map.

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

Verbal	I verbally described, using words and sentences alone, how to navigate from start to finish through the town, combining both routes in order, and drew the map from this description. I did not have visual imagery when I did this. I verbally described to myself how to navigate from start to finish along each route separately, using words and sentences alone, and without combining the routes – so, I could draw individual routes, but struggled to draw how they crossed over. I did not have visual imagery when I did this. I knew factually whereabouts along the routes the landmarks occurred (such as the start, middle or end), and drew the map from there. There was no visual imagery involved when I did this. I had a sense of the time taken to travel along the route and the time that passed between landmarks, and drew the map from that. This sense of time did not come from visual imagery. I verbally thought of the names of individual isolated landmarks and road names using words and sentences alone, but I found it difficult to imagine where they were located on a map. I verbally recalled particular features of landmarks using words or sentences alone, and used this to help with the sketch map.

Concrete verbal paired associates learning

Strategy category	
Scene visual imagery	I created a single visual image incorporating all/most of the word pairs as they were read out – seeing them all together as objects within a single scene or story.
	I used a visual representation of all the words in different locations to associate locations with words.
	For each word pair, I had a visual image of the objects within one single scene.
	I grouped together multiple word pairs, and I had a visual image of these groupings as objects within scenes.
	I imagined a word pair as one single object in a particular setting or scene.
	I visualised the word pairs as though written down on a piece of paper or on a computer screen.
	I noticed the sounds and syllables in the words and tried to remember them. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something scene-like
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visually imagined a word pair as one single object to represent the pair in isolation. I did not visualise any other contextual information or background.
	I visually imagined many of the word pairs as objects grouped together. I did not have any visual imagery other than the groups of objects, including no background or context.
	I imagined each word as a separate object, visualising each object on its own with no background or context and each object was not placed within a scene.
	I imagined a word pair as one single object on its own with no background or context and each object was not placed within a scene.
	I visualised the word pairs as though they were written in the air.
	I visualised the overall form of a word so that I had a visual image of the shape and size of it.
	I noticed the sounds and syllables in the words and tried to remember them. This did not elicit any visual imagery The visual imagery that was evoked could be described as something comprising single objects (not a scene).

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

Verbal	I verbally created a single story to incorporate all/most of the word pairs. There was no visual imagery involved.
	I verbally created a story that grouped multiple word pairs. There was no visual imagery involved.
	I verbally created a story or sentence to link the two words in the pair. There was no visual imagery involved.
	I listened to each word in turn as it was read out, thinking of each word on its own. There was no visual imagery involved.
	I used a single word to link each word pair. There was no visual imagery involved.
	I noticed the sounds and syllables in the words and tried to remember them. This did not elicit any visual imagery.

Concrete verbal paired associates delayed recall

Strategy category	
Scene visual imagery	I recalled a single visual image that I had created during learning which incorporated all/most of the word pairs as they were read out – seeing them all together as objects within a single scene or story.
	I recalled a visual representation of all the words in different locations that I had created during learning.
	For each word pair, I recalled a visual image of the objects within one single scene.
	I recalled groups of multiple word pairs in one go, and I had a visual image of each of these groupings as objects within scenes.
	I recalled a word pair as one single object in a particular setting or scene.
	I recalled visual images of the word as though written down on a piece of paper or on a computer screen.
	I recalled the sounds and syllables in the words. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something scene-like
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I recalled a visual image of a word pair as one single object to represent the pair in isolation. I did not visualise any other contextual information or background.
	I recalled visual images of many of the word pairs as objects grouped together. I did not have any visual imagery other than the groups of objects, including no background or context.
	I recalled a visual image of each word as a separate object, visualising each object on its own with no background or context and each object was not placed within a scene.
	I recalled a visual image of a word pair as one single object on its own with no background or context and each object was not placed within a scene.
	I recalled the two words in a pair as though they were written in the air.
	I visually recalled the overall form and shape of words.
	I recalled the sounds and syllables in the words. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something comprising single objects (not a scene).

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

Verbal	I verbally recalled a single story to incorporate all/most of the word pairs. There was no visual imagery involved.
	I verbally recalled a story that grouped multiple word pairs. There was no visual imagery involved.
	I verbally recalled a story or sentence that linked the two words in the pair. There was no visual imagery involved.
	I verbally recalled of a jumble of single words and tried to match the words up verbally. There was no visual imagery involved.
	I verbally recalled a single word that linked each word pair. There was no visual imagery involved.
	I recalled the sounds and syllables in the words. This did not elicit any visual imagery.

Abstract verbal paired associates learning*

Strategy category	
Scene visual imagery	I created a single visual image incorporating all/most of the word pairs as they were read out – seeing them all together as objects within a single scene or story.
	I used a visual representation of all the words in different locations to associate locations with words.
	For each word pair, I had a visual image of the objects within one single scene.
	I grouped together multiple word pairs, and I had a visual image of these groupings as objects within scenes.
	I imagined a word pair as one single object in a particular setting or scene.
	I visualised the word pairs as though written down on a piece of paper or on a computer screen.
	I noticed the sounds and syllables in the words and tried to remember them. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something scene-like.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I visually imagined a word pair as one single object to represent the pair in isolation. I did not visualise any other contextual information or background.
	I visually imagined many of the word pairs as objects grouped together. I did not have any visual imagery other than the groups of objects, including no background or context.
	I imagined each word as a separate object, visualising each object on its own with no background or context and each object was not placed within a scene.
	I imagined a word pair as one single object on its own with no background or context and each object was not placed within a scene.
	I visualised the word pairs as though they were written in the air.
	I visualised the overall form of a word so that I had a visual image of the shape and size of it.
	I noticed the sounds and syllables in the words and tried to remember them. This did not elicit any visual imagery The visual imagery that was evoked could be described as something comprising single objects (not a scene).

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

Verbal	I verbally created a single story to incorporate all/most of the word pairs. There was no visual imagery involved.
	I verbally created a story that grouped multiple word pairs. There was no visual imagery involved.
	I verbally created a story or sentence to link the two words in the pair. There was no visual imagery involved.
	I listened to each word in turn as it was read out, thinking of each word on its own. There was no visual imagery involved.
	I used a single word to link each word pair. There was no visual imagery involved.
	I noticed the sounds and syllables in the words and tried to remember them. This did not elicit any visual imagery.

*The abstract verbal paired associates task used very low imagery words (e.g., Concept-Instance) which may seem at odds with some of the visual imagery strategies provided (e.g., "For each word pair, I had a visual image of the objects within one single scene"). However, despite the very low imagery ratings of the words used, some participants were able to create visual images of the abstract word pairs. In addition, the strategies for the concrete and abstract verbal paired associates tasks were designed to be similar to enable direct comparisons between the two tests.

Abstract verbal paired associates delayed recall*

Strategy category	
Scene visual imagery	I recalled a single visual image that I had created during learning which incorporated all/most of the word pairs as they were read out – seeing them all together as objects within a single scene or story.
	I recalled a visual representation of all the words in different locations that I had created during learning.
	For each word pair, I recalled a visual image of the objects within one single scene.
	I recalled groups of multiple word pairs in one go, and I had a visual image of each of these groupings as objects within scenes.
	I recalled a word pair as one single object in a particular setting or scene.
	I recalled visual images of the word as though written down on a piece of paper or on a computer screen.
	I recalled the sounds and syllables in the words. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something scene-like.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I recalled a visual image of a word pair as one single object to represent the pair in isolation. I did not visualise any other contextual information or background.
	I recalled visual images of many of the word pairs as objects grouped together. I did not have any visual imagery other than the groups of objects, including no background or context.
	I recalled a visual image of each word as a separate object, visualising each object on its own with no background or context and each object was not placed within a scene.
	I recalled a visual image of a word pair as one single object on its own with no background or context and each object was not placed within a scene.
	I recalled the two words in a pair as though they were written in the air.
	I visually recalled the overall form and shape of words.
	I recalled the sounds and syllables in the words. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something comprising single objects (not a scene).

	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one):
	  - had multiple elements but was not a scene
	  - involved single isolated objects
	  - I cannot describe the image

Verbal	I verbally recalled a single story to incorporate all/most of the word pairs. There was no visual imagery involved.
	I verbally recalled a story that grouped multiple word pairs. There was no visual imagery involved.
	I verbally recalled a story or sentence that linked the two words in the pair. There was no visual imagery involved.
	I verbally recalled of a jumble of single words and tried to match the words up verbally. There was no visual imagery involved.
	I verbally recalled a single word that linked each word pair. There was no visual imagery involved.
	I recalled the sounds and syllables in the words. This did not elicit any visual imagery.

*The abstract verbal paired associates task used very low imagery words (e.g., Concept-Instance) which may seem at odds with some of the visual imagery strategies provided (e.g., "For each word pair, I had a visual image of the objects within one single scene"). However, despite the very low imagery ratings of the words used, some participants were able to create visual images of the abstract word pairs. In addition, the strategies for the concrete and abstract verbal paired associates tasks were designed to be similar to enable direct comparisons between the two tests.

Dead or alive task

Strategy category	
Scene visual imagery	I recalled a visual image of a media report featuring the individual within a particular scene or context.
	I had a visual image in my mind that depicted a scene from when I heard about or discussed the individual.
	I visualised in my mind printed or written information about the individual, such as picturing a page in a newspaper or webpage on a screen, as though it was there in front of me.
	I recalled sound snippets or sections of audio from a news item or from a conversation about the individual or from the individual themselves. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something scene-like.
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image was scene-like (in that I had a sense of a space or context, albeit very vague).
Other visual imagery	I had a visual image in my mind of the individual, with no background, context or scene around them.
	I imagined separate objects and/or items that I associate with the individual, without imagining these items within a scene.
	I visualised in my mind words associated with the individual as though written or printed in the air.
	I recalled sound snippets or sections of audio from a news item or from a conversation about the individual or from the individual themselves. This then caused me to experience related visual imagery. The visual imagery that was evoked could be described as something comprising single objects (not a scene).
	I had a very vague or fleeting sense of a visual image in my mind, which was really unclear and hazy – it was more the idea of an image in my mind than actually seeing an image itself clearly. My very vague impression is that the image (choose one): - had multiple elements but was not a scene - involved single isolated objects - I cannot describe the image
Verbal	I verbally thought through a media story about the individual using words or sentences alone, as though retelling the story to myself.
	I verbally thought through, using words or sentences alone, a time when I heard about or discussed the individual.
	The verbal idea of whether the individual was "dead" or "alive" came to mind immediately without me having to bring to mind further contextual or visual information or images.
	I listed single items, objects or facts associated with the individual, using words or sentences alone, to logically work out whether the person was living or dead.
	I recalled sound snippets or sections of audio from a news item or from a conversation about the individual or from the individual themselves. This did not elicit any visual imagery.