bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Supporting *Computational Apprenticeship* through educational and software infrastructure. A case study in a mathematical oncology research lab

Aasakiran Madamanchi*
Polytechnic Institute
Purdue University
West Lafayette, IN 47907, USA
* co-corresponding author: amadaman@purdue.edu

Madison Thomas
Polytechnic Institute
Purdue University
West Lafayette, IN 47907, USA

Alejandra Magana
Computers Information and Technology
Purdue University
West Lafayette, IN 47907, USA

Randy Heiland
Intelligent Systems Engineering
Indiana University
Bloomington, IN 47408, USA

Paul Macklin*
Intelligent Systems Engineering
Indiana University
Bloomington, IN 47408, USA
* co-corresponding author: macklinp@iu.edu

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Supporting *Computational Apprenticeship* through educational and software infrastructure. A case study in a mathematical oncology research lab

Abstract: There is growing awareness of the need for mathematics and computing to quantitatively understand the complex dynamics and feedbacks in the life sciences. Although individual institutions and research groups are conducting pioneering multidisciplinary research, communication and education across fields remains a bottleneck. The opportunity is ripe for using education research principles to develop new mechanisms of cross-disciplinary training at the intersection of mathematics, computation and biology. In this paper we present a case study which describes the efforts of one computational biology lab to rapidly prototype, test, and refine a mentorship infrastructure for undergraduate research experiences in alignment with the computational apprenticeship theoretical framework. We describe the challenges, benefits, and lessons learned, as well as the utility of the computational apprenticeship framework in supporting computational/math students learning and contributing to biology, and biologists in learning computational methods. We also explore implications for undergraduate classroom instruction, and cross-disciplinary scientific communication.

Keywords: computational apprenticeship, computational biology, mathematical biology, open source, multidisciplinary research, undergraduate research, STEM education, engineering education

1 Introduction

Over the last several decades advances in experimental techniques have provided life scientists with increasing quantities of high dimensional, high-resolution datasets. Unfortunately these technological developments have not yet been matched by similar clinical advances. In fact, U.S. life expectancy has actually declined for the first time in decades, and development costs for new drugs continue to rise [1, 2].

Over the last decade, a consensus has emerged among scientific thought leaders about the need for "convergence" or the integration of transdisciplinary approaches from engineering and physical sciences to help life

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

scientists generate meaningful biological insights from the growing abundance of biological data [3, 4]. In particular, computational modeling approaches, which include both mathematical modeling of complex biological systems and statistical modeling of large datasets, are a powerful vehicle for synthesizing disparate and sometimes conflicting data into an integrated biological understanding. Ideally, computational modeling approaches work recursively with experimental workflows; mathematical models quantitate and formalize the largely qualitative "mental models" of biologists, and the iterative comparison of model outputs to experimental data informs model refinement and also suggests new experimental directions [5–8].The use of mathematical models clarifies the biological conditions or parameters under which the "mental model" can explain the experimental and simulation data. Increasingly, statistical modeling approaches including machine learning and bioinformatics are used to complement mathematical modeling of biological systems [6]. Analysis of large clinical or experimental datasets can be used to inform parameterization of mathematical models, or to identify novel relationships between cell states and behaviors which can generate new hypotheses for mathematical modeling. Additionally, machine learning methods can be used for richer and more informative analysis of mathematical model outputs.

Despite the consensus around the need for greater use of computational modeling approaches, there remains relatively limited adoption of these methods throughout the life sciences community. Furthermore, the research groups that employ computational modeling approaches largely work in isolation using their own data sources, building their own models, and performing their own analyses [6]. Biologists in experimental research groups face substantial structural, technical and educational barriers to learning to implement computational modeling approaches [9]. These challenges are compounded by resource limitations at emerging research institutions including minority serving institutions and primarily undergraduate institutions [10]. Expanding participation in computational modeling approaches requires adoption of innovative practices in cross-disciplinary scientific communication and training [9].

Similarly, the traditional educational divisions between engineering, computational, physical science and biological curricula have impeded communication between these silos and raised barriers both to the use of simulations by biologists and the effective understanding of biological needs and design of tools for biological applications by engineers [11, 12]. Materials to bridge this divide are currently quite limited. There have been a number of efforts to incorporate quantitative or computational content into undergraduate biology courses [13, 14]. Similarly, there are several reports of reforms to provide greater life sciences disciplinary content to engineering students [15–17]. Nevertheless, there is a need for

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

theoretically sound, evidence-supported models for undergraduate classroom instruction and undergraduate research experiences to train new cohorts of biologists and engineers equipped to work at the intersection of computation and biology. Additionally, there is a need for collaboration with education researchers to develop and assess interdisciplinary efforts [18].

In this paper, we present a case study of our computational biology research group's experience in developing and implementing an educational infrastructure for undergraduate research experiences. We describe a mutually beneficial conversation and collaboration with computational education researchers to develop, assess, and continuously improve undergraduate research involvement in a research active computational laboratory.

In this work, we adopt *rapid prototyping* approaches from engineering to iteratively design, test, and refine the mentorship infrastructure: after implementing a current mentorship version in the lab, we evaluate strengths and weaknesses, identify concrete refinements to address weaknesses while building upon strengths, update the mentorship structure (with a new version number), and continue testing in the subsequent research term. This case study will present each mentorship version as we stepped through this iterative design process.

1.1 Computational Apprenticeship

Computational Apprenticeship is a newly proposed theoretical framework and a type of cognitive apprenticeship for computational disciplines [19]. Biology and engineering, like most other academic disciplines, are often taught through traditional instructional methods heavily featuring didactic lectures. In these disciplinary contexts, there is often a heavy emphasis on the technical aspects of computational topics. However, education research suggests that a narrow focus on technical competency typically provides students with routine expertise, but lacks the adaptive expertise needed to solve computational problems in real world settings [19–21]. For example, students attempting to develop computational models of biological systems report challenges with higher-order computational thinking skills such as abstraction and problem decomposition, rather than coding or mathematics [9, 22, 23].

Improving computational education requires greater consideration for helping students develop their ability to solve disciplinary problems with computation, rather than merely master the technical aspects of worked examples. Cognitive Apprenticeship is grounded in constructivist learning theories and draws on traditional apprenticeship training structures in the skilled trades. This model argues that students learn best through guided-experience on cognitive and metacognitive skills

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

and processes specific to their discipline [24]. Collins et al. outlined Content, Method, Sequencing, and Sociology as the four critical dimensions of learning environments [25]. The Computational Apprenticeship framework adapts this model to computational domains and provides a theoretical basis for creating curated learning experiences with graduated challenges in terms of difficulty and diversity. The framework also provides direction for the use of emerging technological practices such as code commenting and Jupyter notebooks to to deliver pedagogical scaffolding and other elements of the *sequencing* and *method* dimensions of learning [19].

1.2 Research group context

Macklin's MathCancer Lab is a computational research group which develops theory- and data-driven computational model systems that can help understand and engineer the behavior of multicellular systems, especially in cancer and tissue engineering. Tackling these goals requires both multicellular systems biology and multicellular systems engineering perspectives [6, 26]. The development of next-generation cures requires a deeper understanding of the fundamental biology of multicellular systems [27]. Reductionist approaches—motivated in part by the earlier successes of germ theories for infectious diseases—attempt to cure diseases by identifying and repairing a single root cause (e.g., a single or small number of driver mutations, or an overactivated receptor pathway) in an isolated cell type [28, 29]. These approaches, however, neglect the complex interactions in the evolving multi-level networks of normal and diseased tissues [30]. Targeted interventions do not affect just single cell types; biochemical and biophysical feedbacks—combined with intercellular heterogeneity and natural selection [27] and amplified by physical constraints [31]—can cause secondary effects such as therapeutic resistance (e.g., by selecting for resistant cancer clones), worsened drug delivery, and treatment toxicity [5, 27, 32]. Thus, next-generation therapies must not just treat single cell types, but rather steer the multicellular systems towards balance. This necessitates systems thinking that combines biological domain expertise with computational and mathematical tools designed for complex biological systems [5, 27], along with scientific computing infrastructures for large-scale investigations [5, 33].

To drive these systems approaches, the MathCancer Lab develops the technological core components and infrastructure of a computational model system that can be interrogated for multicellular systems biology and engineering [27]. They developed BioFVM [34] to simulate diffusion and biological transport of growth substrates and chemical signals exchanged between cells, to model the biochemical environment of tissues. They linked this dynamics tissue environment to PhysiCell [35],

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.



Figure 1. Sample PhysiCell models. left: Cancer Immunotherapy. See a full description and 3D visualization at [37] and a cloud-hosted 2D interactive version at [38]. Adapted under CC-BY license from [35]. right: Cell-cell communication by chemical diffusion. See a cloud-hosted interactive version and full description at [39].

an agent-based modeling framework to simulate 10^6 or more cells in 3D environments, while including mechanical effects and custom cell rules. (See [36] for an overview of cell-based modeling methods in cancer.) Together, these components form the backbone of a computational tissue model system for testing multicellular systems and optimizing multicellular designs [27]. Typical applications include cancer immunology, synthetic multicellular systems, and metabolic tumor-stroma crosstalk in heterogeneous cell populations. See some examples in Fig. 1.

The MathCancer Lab has partnered with the open source community to prototype large-scale investigations on supercomputers [5] and machine learning approaches that accelerate the investigations and aid model interpretation [33]. Other collaborations have contributed new modeling capabilities (e.g., Boolean signaling networks [40]). Efforts towards data standardization [6, 41] and a recent focus on creating open educational training materials and shared source code repositories seek to grow MathCancer Lab's computational tools from a single-lab effort to a community-driven ecosystem of computational tools for data-driven multicellular systems biology and engineering [6, 42]. To advance towards these goals, the lab is pioneering new models that integrate undergraduate research, undergraduate education, and scholarly communication, drawing upon evidence-based practices from the

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

computational apprenticeship framework. Undergraduate and graduate students, scientific staff, faculty, visiting researchers, and a network of multi-disciplinary collaborators work together to build computational resources, apply them to specific cancer and other biological problems, disseminate methods and results, and unite researchers for community-driven science. Here, we share our experiences in this iterative effort.

2 Case study: Undergraduate involvement in a computational oncology laboratory

The MathCancer Lab moved to Indiana University's new Intelligent Systems Engineering Department in January 2017, starting with one lab principal investigator (PI: Macklin), one scientific staff (Heiland), and one Ph.D. student. In the Fall 2017 semester, the lab began integrating undergraduate researchers into its growing research program, with several guiding principles:

- Students should be involved with the main research program. (Students should be directly involved in ongoing publication-driven research, rather than projects created solely for didactic purposes.)
- Student involvement should accelerate these existing projects or allow expanded exploration of the existing scientific aims.
- More experienced students should help mentor less experienced students to foster a sustainable team.
- Research results should feed back into education and outreach.
- Graduate students should gain team management experience while helping to mentor undergraduate students.
- The students' class work and personal/home responsibilities must take priority over their research involvement.
- Students should be encouraged to seek other opportunities in the summer to broaden their skills and drive professional networking.

2.1 Evolving undergraduate research model

Motivated by rapid prototyping methodologies, we iteratively developed, tested, and refined the mentorship structure (with guidance from computational apprenticeship theory) while integrating undergraduate students into ongoing (primarily grant-funded) research in mathematical oncology. At the end of each semester, we evaluated the current mentorship structure against the guiding principles, with particular attention to:

1. progress towards research milestones
2. progress towards peer-reviewed scientific posters

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

3. development of scientific and communication skills
4. individual understanding of the projects and their contributions
5. unanticipated creativity and innovation
6. emergence of undergraduate student leadership
7. evolving team leadership skills by involved graduate students
8. undergraduate student retention

The progress was assessed by a combination of graduate student, one research staff (Heiland), and PI (Macklin) observations, student interviews (lead by Madamanchi [43]), and end-of-semester lab discussions.

2.2 Version 1 (Fall 2017)

The first version of the mentorship structure included the PI (Macklin), one scientific research staff (Heiland), one Ph.D. student, and five undergraduate (freshman) students with a variety of backgrounds in engineering and neuroscience. See Table 1 in APPENDIX A.

This mentoring structure focused on training the undergraduate and graduate students to use the lab's main computational framework (PhysiCell [35]). Each week, the group met for a 1-2 hour live coding session that introduced the codebase and illustrated modeling techniques for sample tumor growth problems. The Ph.D. student and research staff attended the sessions and helped the undergraduate researchers to troubleshoot their code, similarly to the role of teaching assistants in lab sections for programming-heavy STEM courses.

Assessment: At the end of the semester, the PI, scientific staff, and graduate student met to discuss the successes and failures of the semester, based on their personal observations.

Research impact: These coding sessions exposed areas for improvement in PhysiCell, particularly ways that model setup could be automated and made more user-friendly. These core method improvements were beneficial to all scientific projects in the lab.

Other metrics: One of the five students returned to continue research in the following semester.

What worked: The students progressed from little-to-no programing expertise, to being able to independently compile and run C++-based PhysiCell simulations on their own laptops. They learned how to make

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

minor code modifications to existing models to change the model hypotheses, often driven by a basic understanding of ordinary differential equations. They also learned to create and present scientific posters.

Areas for improvement: We found that the live coding sessions did not make the fullest use of the students' individual capabilities. The students needed more hands-on time to learn and contribute individually.

2.3 Version 2 (Spring 2018)

In response to the Version 1 observations, we changed to a small team structure. Each team consisted of 1-3 undergraduate students, the PI, and potentially a co-mentor (Ph.D. student or scientific staff). Each team met early in the week for approximately 1 hour to mentor, set goals, and work. The undergraduate students worked on their own towards the weekly goals for 1-2 hours between these weekly mentored meetings. The updated lab structure is in Table 1 in APPENDIX A. Note that all the undergraduate students were freshmen. The semester's projects included:

Project 1: Develop Jupyter notebook user interfaces for PhysiCell models (PI, research staff, 3 undergraduates).

Project 2: Develop a model of extracellular matrix (ECM) remodeling by migrating tumor cells (PI, Ph.D. student, 2 undergrads).

Project 3: Develop a model of color cancer metastases (PI, 1 undergraduate).

Assessment: At the end of the semester, the entire lab met to discuss the semester's progress and assess our current research organization. Afterwards, the PI, scientific staff, and Ph.D. student met to discuss the final lab meeting's observations, together with their own personal observations. Madamanchi began collaborating in Summer 2018 to observe the lab structure and contribute computational apprenticeship expertise to help refine our mentoring structure [43].

Research impact: The students in Project 1 were successful in prototyping a technique to create a Jupyter-based graphical user interface (GUIs) for a PhysiCell-based simulation model of cancer nanotherapy [44]. They presented their work at an Indiana University poster session and at a major NSF site visit. The students in Project 2 were able to prototype key elements of the ECM model and present their results at a poster session. The student in Project 3 was not able to make progress, primarily due to other extracurricular priorities for the student.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Other metrics: Five of the six students returned to continue research in the following semester. The remaining student was not asked to return due to insufficient research progress.

What worked: The students were able to make individual contributions to the projects. We observed growth in their C++ and Python skills, and independent creativity (particularly in Project 1).

Areas for improvement: While the students were able to make individual contributions to their projects, they expressed that they felt isolated from the lab and unaware of progress by other teams. They sought increased interactions between the teams. The PI observed that his weekly meetings with each team were not scalable or sustainable.

2.4 Version 3 (Fall 2018–Spring 2019)

To address our Version 2 observations, we refined the mentoring structure to ensure that each team had a non-PI co-mentor who would take responsibility for the team. The updated lab structure is in Table 1 in APPENDIX A. We also altered the weekly mentoring schedule:

- The PI met with all co-mentors in weekly one-on-one mentoring to discuss their team progress and plan their team's next steps.
- The non-PI co-mentors met with their teams early each week (approximately 1 hour) to set goals and work. The PI attended these meetings by request of the co-mentors.
- The undergraduate researchers worked on their own towards the weekly goals mid-week and/or on the weekend.
- We held an "all hands" lab meeting each Friday for 1-2 hours:

  Team presentation: One of the teams prepares and presents a 10-20 minute presentation on their progress and open problems, followed by group discussion. This encouraged "cross-pollination" between teams and collective brainstorming, while developing undergraduate student presentation skills and encouraging individual student understanding of the work.

  Unstructured mentoring time: For the remainder of the group meeting, we broke into teams, while the PI met with each team for extra mentoring and troubleshooting.
- We added a PI's "state of the lab" talk to the end of each semester to summarize and contextualize progress and kick-start group discussion to assess our lab processes.

In these semesters, the projects included:

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Project 1: Continue development of Jupyter notebook user interfaces for PhysiCell models (research staff, 3 undergraduates)

Project 2: Continue development of the ECM model (Ph.D. student 1, 3 undergraduates),

Project 3: Develop an improved nanoparticle model (Ph.D. student 2, 1 undergraduate)

Project 4: Continue developing of PI's prototype of a cancer hypoxia model (Ph.D. student 3, 2 undergraduates)

Project 5: Extend PhysiBoSS to Microsoft Windows compatibility (research staff, 1 undergraduate)

Assessment: At each semester's final all-hands meeting, the entire lab (PI, scientific staff, Ph.D. students, undergraduate researchers) discussed the semester's progress and name strengths and weaknesses of our current research organization. Afterwards, the PI, scientific staff, and Ph.D. students met to discuss the final lab meeting's observations, together with their own personal observations. Madamanchi performed student interviews (results were published in [43]) and consulted regularly with the PI on his observations.

Research impact: The students in Project 1 were successful in generalizing their previous prototype to develop xml2jupyter [45], which allows us to develop a Jupyter-based GUI for any PhysiCell model and deploy it on nanoHUB [46] as a cloud-hosted mathematical model. The students co-authored a scientific abstract and a peer-reviewed paper that was published in 2019 [45]. The students presented their work at an Indiana University poster session and at a major NSF site visit.

The students in Project 2 continued to refine and explore their ECM model, while also presenting results at an Indiana University undergraduate poster session and at the NSF site visit. They began drafting a scientific manuscript on their model. One group member created an unexpected technology for small-team *ad hoc* crowdsourcing, for use in their model exploration.

The students in Project 3 were new and spent most of the semester in training. However, they did make advances in modeling pH changes in tumor tissues. The students in Project 4 were able to make some progress in refining the models of cancer hypoxia (low oxygen). However, as in team 3, both the undergraduate and graduate students were new and required extensive PI training.

The student in Project 5 made substantial progress in developing Windows support for the underlying MaBoSS library [47], which previously was only compatible with Linux. The team contributed these open source refinements to the original development team.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Two additional undergraduate students attended lab meetings irregularly and contributed to discussions but did not attend regularly enough to join projects.

Other metrics: One undergraduate student served as an undergraduate team lead in Project 2 and began training a successor so he could pursue interests in his core concentration (cyberphysical systems and computer engineering). Three undergraduate students contributed to a peer-reviewed journal article [45]; two of these ramped down their involvement and "graduated" from the lab after reaching this milestone, allowing them to pursue interests in their concentration of study. One student graduated from Indiana University and was employed in industry. Five of the remaining students returned to continue research in the following academic year. (As noted above, three left the group to research closer to their engineering concentration after successful knowledge transfer, and one graduated.)

What worked: The students made substantive individual contributions, including a peer-reviewed publication [45]. Student creativity lead to unanticipated advances (*ad hoc* small team crowdsourcing), and we observed frequent undergraduate-undergraduate mentoring. Notably, this updated mentoring structure accommodated a near doubling of undergraduate involvement (an increase from six to ten students).

Areas for improvement: Overall, we have found that this mentoring structure has been successful, but we identified areas for improvement. The large number of projects left the lab feeling fragmented and difficult to manage. Some of the teams were unbalanced: Projects 1, 2, and 5 benefited from a senior Ph.D. student (with prior mentoring experience in industry) or scientific staff. Projects 3-4 were co-mentored by younger Ph.D. students with less leadership experience and domain knowledge, leading to reduced progress. Student surveys also found that students in Projects 3-4 gained the impression that Projects 1-2 and 5 were higher lab priorities. Thus, better communication of priorities and the impact of each project were needed in the younger teams.

2.5 Version 4 (Fall 2019–present)

The Version 4 lab structure is in Table 1 in APPENDIX A. We modified the Version 3 mentoring structure in several ways:

- Organize teams around themes, rather than specific technical projects:

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Team 1: PhysiCell training and community: In support of a new NCI administrative supplement, this team worked to develop interactive training materials (a series of 10-15 minute training modules including PowerPoint slides, YouTube recordings with captions, and nanoHUB-hosted microapps to illustrate core code concepts. They also worked on developing PhysiCell.org as a portal to focus the growing international PhysiCell community. (2 Ph.D. students, 4 undergraduate students)

Team 2: ECM model development: This team performed final computational investigations of the ECM model and worked on a scientific manuscript. The group also worked on drafting a scientific manuscript for the *ad hoc* crowdsourcing technique. (1 Ph.D. student, 2 undergraduate students)

Team 3: PhysiCell tools: This team continued xml2jupyter [45] refinements, but was also encouraged to creatively explore standalone tools that could increase the usability and utility of PhysiCell models. (1 staff, 2 Ph.D. students, 4 undergraduate students)

- Devote some lab presentations to new team management or technical skills, rather than project progress. Examples included:
  - Project management with Trello
  - Scrums, sprints, and kanbans (software team skills)
  - PhysiCell simulation data structures [41]
- The PI gives frequent updates from research travel and reinforces the key role of each team's work in the lab's long-term strategy.

Assessment: This iteration is still in progress. An end-of-semester "state of the lab" talk and discussion is planned for December 2019, as well as discussion among the senior staff (Ph.D. students, scientific staff, and PI) and Madamanchi. Macklin and Madamanchi are planning assessments for use in the Spring 2020 semester.

Research impact: Team 1 has prototyped educational microapps and tested presentations. They began brainstorming new outreach methods while designing the PhysiCell.org website. Team 2 continues to make good progress on their ECM model and is performing final analyses for their manuscript. Team 3 has released a "Python loader" tool [48, 49] to load simulation data into Python, has made significant visualization and usability refinements to xml2jupyter (which will improve several nanoHUB apps), and has prototyped methods to interactively explore 3-D simulation data with the open source Unity game engine.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Other metrics: This work is ongoing, but we see evidence of strong student leadership. The students in Team 1 (mostly sophomores) developed their own recording methodologies and are leading the development of educational microapps. They have also proposed leading a student-run minisymposium at the 2020 Annual Meeting of the Biomedical Engineering Society (BMES), showing a sense of intellectual co-ownership.

Team 2 is working independently: the PI coordinates work with the Ph.D. student lead, who has also encouraged leadership by the undergraduate students. Team 3 has shown substantial technical know-how and creativity in adapting open source tools to the PhysiCell software ecosystem. They are actively leading the development of new features.

What worked: While this lab version is ongoing, preliminary observations find that grouping more students together in teams wrapped around themes has allowed greater peer-to-peer mentoring, individual creativity, and initiative. The students frequently suggest solutions and meet in smaller pairs to work new angles. Teams 1 and 3 have begun breaking their topics down into separate sub-projects to work in parallel.

Pairing two younger Ph.D. students in Team 1 was helpful in addressing the prior weakness of unbalanced teams (particularly teams where the undergraduate and graduate students were less experienced). Moreover, mixing new and returning students in Teams 1 and 3 helped to balance expertise and encourage within-team peer mentoring.

Areas for improvement: Overall, we have found that this mentoring structure has addressed most of the issues identified in Version 3. We will continue to evaluate and refine.

2.6 Contextualization as Computational Apprenticeship

Undergraduate research is broadly considered a valuable component of undergraduate education in STEM disciplines. Participation in undergraduate research is associated with greater STEM retention and educational achievement [50–52]. However, the traditional models for undergraduate research have developed in the natural sciences, and there is a need for critical reflection on how to scale and adapt undergraduate research opportunities within computational and interdisciplinary fields.

The MathCancer lab's evolving approach to undergraduate mentoring has developed a tiered mentoring structure that aligns with education research showing that students benefit from having both faculty and graduate or staff mentors [53, 54]. The apprenticeship relationship between undergraduate researchers and their mentors provides not only domain knowledge, but also higher-order skills including heuristic

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

strategies, learning strategies, and metacognitive skills that are associated with 'thinking like a scientist' [55]. Additionally, undergraduate researchers are socialized into the disciplinary community and can have gains in their disciplinary identity that are associated with long-term persistence within the field [56]. A tiered mentoring structure allows each undergraduate researcher to receive coaching and guidance from multiple mentors, as well as provides opportunities for students to learn by observing and modeling the disciplinary processes of their mentors and their undergraduate peers. Similarly, structured interactions with multiple lab members supports the socialization of the undergraduate researchers in the lab community.

The MathCancer group recently partnered with computational education researchers to study the experience of their undergraduate researchers [43]. Our qualitative investigation found that the undergraduate researchers enjoyed and valued their time in the MathCancer group. Specifically, the students reported gains in their intellectual and personal development through their lab experience. Students reported increased knowledge of "real-world" engineering and modeling norms and practices, and they reported gains in their ability to "think like an engineer", suggesting growth in both metacognitive skills and disciplinary identity. The students' self-reported development in these domains is similar to published findings from studies of undergraduate researchers in the natural sciences [56–58].

Our study also characterized the executive management and strategic knowledge component of the undergraduate researchers' metacognition. Students displayed varied levels of these metacognitive skills, which reflected the differences in age and length of research experience. The students all reported an executive management approach of "guess-and-check" for implementing their research plan. More mature students were able to identify this approach as part of a larger iterative process of planning and evaluating. In contrast, students with less experience in the lab indicated a high degree of reliance upon their staff or graduate co-mentor to help identify the next step in the plan. The tiered mentorship structure of the MathCancer research group allows for greater scaffolding and support for novice researchers and builds in "fading" of that support and greater independence for more advanced undergraduates. The undergraduate researchers all indicated satisfaction with the growth in their strategic knowledge, but had difficulties in articulating the heuristic, control, and learning strategies that they use in the research process. Interviews with faculty, staff, and graduate mentors as well as examination of the group's research documentation suggests that the undergraduate researchers did, in fact, gain experience with new heuristics for problem-solving but had difficulty recalling or articulating them in a decontextualized semi-structured interview.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

To further support the metacognitive development of its undergraduate researchers, the MathCancer group intends to provide mentorship training to lab members and embed scaffolded reflection to its research process. Mentorship training will consist of a short seminar on computational apprenticeship model. This seminar is intended to remind both the mentors and the undergraduate researchers that learning consists not only of technical domain knowledge, but also of metacognitive knowledge. The seminar will also cover the modes and sequencing of mentorship to help mentors understand different ways of organizing research tasks, and prompt students to be more intentional about their learning process (see Table 2 in APPENDIX B, constructed from [25, 55]). The mentors in the MathCancer group already demonstrate many of the mentoring modalities of computational apprenticeship, but research indicates that foregrounding these approaches through mentorship training is beneficial for undergraduate researchers [59, 60].

Similarly, the MathCancer group plans to embed bimonthly scaffolded reflection prompts into their existing research documentation process. Specifically, they have adapted Howitt et al.'s Learner Logbook intervention for computational research as a way helping undergraduates absorb bigger picture learning during their research [61]. See Table 3 in APPENDIX B.

3 Ongoing and future work: extending computational apprenticeship to classroom instruction and scholarly communication

The computational apprenticeship principles that the MathCancer group has embodied through their undergraduate research program also offer valuable insight for both interdisciplinary undergraduate classroom instruction and scientific communication. A major goal of interdisciplinary education at the intersection of life sciences and computational sciences is acculturating students to the modes of thinking within each discipline. Authentic learning experiences that provide students with realistic interdisciplinary problems are crucial for teaching students to "think like a biologist" and "think like an engineer/mathematician". However, presenting students with computational or systems concepts applied to life sciences problems can challenge students by simultaneously introducing them with new disciplinary knowledge and new technical content.

The use of educational "microapps" or interactives can be a powerful way of creating authentic learning experiences, while still providing the scaffolding and sequencing called for within the computational apprenticeship framework. Microapps can embed widgets and sliders that allow students to explore the problems globally or conceptually before implementing models on their own.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

The MathCancer group is adapting xml2jupyter [45] (see Section 2.4) to build technological infrastructure to enable these pedagogical approaches. Small, efficient agent-based models [36] can be purpose-built to illustrate biological concepts, automatically fitted with Jupyter-based GUIs, and rapidly deployed as cloud-hosted educational microapps. These apps present didactic information, parameter tabs (default values guide novice users), a runnable simulation model, and tabs to visualize the cell behavior and chemical substrates. (See Figure 2 for an example that explores biased random cell migration.) Macklin has tested microapps in an undergraduate systems biology course, and the MathCancer lab is using the approach to build a series of microapp-enhanced training modules for PhysiCell. (See Section 2.5.) Moreover, Macklin uses the xml2jupyter workflow to enhance computational apprenticeship in the classroom: advanced multicellular systems biology students at Indiana University develop their own PhysiCell [35] models as a final project, convert them to cloud-hosted models with xml2jupyter [45], and demonstrate their interactives in their final presentations. We envision that educational microapps could be developed to supplement open educational materials in educational communities such as QUBES [62]. Moreover, such educational communities could act as "educational marketplaces," connecting tool builders (e.g., engineering faculty) with educators to identify and develop interactive-enhanced curricular materials.

Similar approaches may be valuable for interdisciplinary communication among practicing scientists. Current practices for communicating computational biology are limited to traditional paper formats that include the foundational equations or at best a link to the model code. This approach puts a high burden for replication and exploration on time-limited readers. Worse, for biologists with limited computational training, this approach prevents any engagement with computational biology literature. The MathCancer Lab used xml2jupyter [45] to create pc4cancerimmune [38], its first "publication companion app" as part of [33]. This allows scientific readers to interactively explore and understand the key cancer immunology simulation model at the heart of the publication's method, as well as to better disseminate model to the broader scientific community. Moreover, cloud-hosted versions of published research-grade models can readily be used in classroom instruction, thus allowing educators to rapidly incorporate cutting-edge research in their curriculum. The MathCancer lab has tested using publication companion apps to illustrate intelligent systems modeling to sophomore engineering students at Indiana University, and it is currently seeking new educational communities to further test the concept.

The current work and future directions of the MathCancer lab highlight the value and mutual benefit of engaging with education scholarship and education researchers. We have observed several instances of

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

what may be termed 'convergent evolution' between our practice and education research findings. Our hierarchical mentoring model includes the mentoring triads that education researchers have identified as a best practice. Similarly, our approach to 'rapid prototyping' our educational infrastructure mirrors the design-based research modality of education researchers. Consultation with education researchers can help educators to arrive at theoretically and empirically supported practices more quickly. Similarly, practitioners in rapidly evolving interdisciplinary education spaces can offer new perspectives that stimulate new education scholarship.



Figure 2. Educational microapps. The first PhysiCell/xml2jupyter educational microapp, [63], was rapidly developed and deployed over 2 days in response to student learning needs. As part of Team 1's work in the Version 4 lab (2.5), this has been refined to build a new microapp ([64]) to illustrate biased random cell migration in PhysiCell in train users to set key phenotypic parameters. Note that the app has didactic material (A), user-set parameters (B), a runnable simulation, and built-in visualization (C).

ACKNOWLEDGMENTS

P. Macklin thanks the Breast Cancer Research Foundation, Jayne Koskinas Ted Giovanis Foundation for Health and Policy, National Science

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Foundation (1818187, 1720625), and National Cancer Institute (1U01CA232137-01) for generous support.

P. Macklin thanks the Ph.D. students (John Metzcar, Yafei Wang, Aneequa Sundus, Furkan Kurtoglu, Patrick Wall) and past and present undergraduate researchers for their contributions to both scientific research and in refining the way we train students and communicate our results to the scientific community.

REFERENCES

[1] Jack W Scannell, Alex Blanckley, Helen Boldon, and Brian Warrington. Diagnosing the decline in pharmaceutical R&D efficiency. *Nat. Rev. Drug Disc.*, 11(3):191, 2012. doi: 10.1038/nrd3681. URL https://dx.doi.org/10.1038/nrd3681.

[2] Jiaquan Xu, Sherry L Murphy, Kenneth D Kochanek, Brigham Bastian, and Elizabeth Arias. Deaths: final data for 2016. *National vital statistics reports*, 67(5), 2018. URL https://stacks.cdc.gov/view/cdc/57989.

[3] Phillip A Sharp and Robert Langer. Promoting convergence in biomedical science. *Science*, 333(6042):527–527, 2011. doi: 10.1126/science.1205008. URL https://dx.doi.org/10.1126/science.1205008.

[4] National Research Council. *Convergence: facilitating transdisciplinary integration of life sciences, physical sciences, engineering, and beyond*. National Academies Press, 2014. ISBN 9780309301640. doi: 10.17226/18722. URL https://dx.doi.org/10.17226/18722.

[5] Jonathan Ozik, Nicholson Collier, Justin Wozniak, Charles Macal, Chase Cockrell, Samuel H Friedman, Ahmadreza Ghaffarizadeh, Randy Heiland, Gary An, and Paul Macklin. High-throughput cancer hypothesis testing with an integrated PhysiCell-EMEWS workflow. *BMC Bioinformatics*, 19(Suppl 18):483, 2018. doi: 10.1186/s12859-018-2510-x. URL http://dx.doi.org/10.1186/s12859-018-2510-x.

[6] Paul Macklin. Key challenges facing data-driven multicellular systems biology. *GigaScience*, 8(10), 2019. doi: 10.1093/gigascience/giz127. URL http://dx.doi.org/10.1093/gigascience/giz127.

[7] Brenden K. Petersen, Jiachen Yang, Will S. Grathwohl, Chase Cockrell, Claudio Santiago, Gary An, and Daniel M Faissol. Deep reinforcement learning and simulation as a path toward precision

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

medicine. *J. Comput. Biol.*, 26(6):597–604, 2019. doi: 10.1089/cmb.2018.0168.

[8] Michael Pargett, Ann E Rundell, Gregery T Buzzard, and David M Umulis. Model-based analysis for qualitative data: an application in drosophila germline stem cell regulation. *PLoS Comput. Biol.*, 10(3):e1003498, 2014. doi: 10.1371/journal.pcbi.1003498. URL https://dx.doi.org/10.1371/journal.pcbi.1003498.

[9] Aasakiran Madamanchi, Monica E Cardella, James A Glazier, and David M Umulis. Factors mediating learning and application of computational modeling by life scientists. In *2018 IEEE Frontiers in Education Conference (FIE)*, pages 1–5. IEEE, 2018. doi: 10.1109/fie.2018.8659328. URL https://dx.doi.org/10.1109/fie.2018.8659328.

[10] Aasakiran Madamanchi, Shenika V Poindexter, Monica E Cardella, James A Glazier, and David M Umulis. Qualitative findings from study of interdisciplinary education in computational modeling for life sciences student researchers from emerging research institutions. In *2018 IEEE Frontiers in Education Conference (FIE)*, pages 1–5. IEEE, 2018. doi: 10.1109/FIE.2018.8659183. URL https://dx.doi.org/10.1109/FIE.2018.8659183.

[11] William Bialek and David Botstein. Introductory science and mathematics education for 21st-century biologists. *Science*, 303 (5659):788–790, 2004. doi: 10.1126/science.1095480. URL https://dx.doi.org/10.1126/science.1095480.

[12] Pat Marsteller, Lisette de Pillis, Ann Findley, Karl Joplin, John Pelesko, Karen Nelson, Katerina Thompson, David Usher, and Joseph Watkins. Toward integration: from quantitative biology to mathbio-biomath? *CBE—Life Sciences Education*, 9(3):165–171, 2010. doi: 10.1187/cbe.10-03-0053. URL https://dx.doi.org/10.1187/cbe.10-03-0053.

[13] Pat Marsteller. Beyond bio2010: integrating biology and mathematics: collaborations, challenges, and opportunities. *CBE life sciences education*, 9(3):141, 2010. doi: 10.1187/cbe.10-06-0084. URL https://dx.doi.org/10.1187/cbe.10-06-0084.

[14] Jason Feser, Helen Vasaly, and Jose Herrera. On the edge of mathematics and biology integration: improving quantitative skills in undergraduate biology education. *CBE—Life Sciences Education*, 12(2):124–128, 2013. doi: 10.1187/cbe.13-03-0057. URL https://doi.org/10.1187/cbe.13-03-0057.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

[15] Arthur T Johnson. *Biology for engineers*. CRC Press, 2011. ISBN 9781138067899.

[16] William H O Guilford. A problem-based approach to teaching cell and molecular biology to engineers. *Proceedings of the 2001 American Society for Engineering Education Annual Conference & Exposition*, 6:1, 2001. URL https://peer.asee.org/9676.

[17] C Ramey, Judy Schoonmaker, and S Ryan. Studio biology for engineers: Lessons learned. In *2017 ASEE Annual Conference & Exposition, Columbus, Ohio*, 2017. URL https://peer.asee.org/28874.

[18] Alejandra J Magana, Manaz Taleyarkhan, Daniela Rivera Alvarado, Michael Kane, John Springer, and Kari Clase. A survey of scholarly literature describing the field of bioinformatics education and bioinformatics educational research. *CBE—Life Sciences Education*, 13(4):607–623, 2014. doi: 10.1187/cbe.13-10-0193. URL https://dx.doi.org/10.1187/cbe.13-10-0193.

[19] Hayden Fennell, Joseph A. Lyon, Aasakiran Madamanchi, and Alejandra J Magana. Computational apprenticeship: Cognitive apprenticeship for the digital era. *SocArXiv*, 2019. doi: 10.31235/osf.io/jy328. URL https://dx.doi.org/10.31235/osf.io/jy328.

[20] Matthew Butler, Michael Morgan, et al. Learning challenges faced by novice programming students studying high level and low feedback concepts. In *Proceedings ascilite Singapore*, number 99–107, 2007. URL http://www.ascilite.org/conferences/singapore07/procs/butler.pdf.

[21] AM Heroux, G Allen, et al. Computational science and engineering software sustainability and productivity (csessp) challenges workshop report. *Arlington, VA: Networking and Information Technology Research and Development (NITRD) Program*, 2016. URL https://www.nitrd.gov/pubs/CSESSPWorkshopReport.pdf.

[22] Camilo M Viera, Alejandra J Magana, Anindya M Roy, Michael L Falk, Michael J Reese Jr, et al. Exploring undergraduate students'computational literacy in the context of problem solving. *The ASEE Computers in Education (CoED) Journal*, 7(1):100, 2016. doi: 10.18260/p.24081. URL https://dx.doi.org/10.18260/p.24081.

[23] Huma Shoaib, Monica Cardella, Aasakiran Madamanchi, and David Umulis. An investigation of undergraduates' computational thinking in a sophomore-level biomedical engineering course.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Proceedings–Frontiers in Education Conference, FIE, October 2019, Cincinnati, OH USA., pages 1–4, (2020, in press).

[24] Allan Collins, John Seely Brown, and Ann Holum. Cognitive apprenticeship: Making thinking visible. *American educator*, 15(3): 6–11, 1991.

[25] Allan Collins, John Seely Brown, and Susan E Newman. Cognitive apprenticeship: Teaching the craft of reading, writing and mathematics. *Thinking: The Journal of Philosophy for Children*, 8(1): 2–10, 1988.

[26] Paul Macklin. When Seeing Isn't Believing: How Math Can Guide Our Interpretation of Measurements and Experiments. *Cell Sys.*, 5 (2):92–4, 2017. doi: 10.1016/j.cels.2017.08.005. URL http://dx.doi.org/10.1016/j.cels.2017.08.005.

[27] Paul Macklin, Hermann B Frieboes, Jessica L Sparks, Ahmadreza Ghaffarizadeh, Samuel H Friedman, Edwin F Juarez, Edmond Jockheere, and Shannon M Mumenthaler. Progress towards computational 3-d multicellular systems biology. In K A Rejniak, editor, *Systems Biology of Tumor Microenvironment*, chapter 12, pages 225–46. Springer, 2016. doi: 10.1007/978-3-319-42023-3_12. URL https://dx.doi.org/10.1007/978-3-319-42023-3_12. (invited author: P. Macklin).

[28] Ariel L. Rivas, Gabriel Leitner, Mark D. Jankowski, Almira L. Hoogesteijn, Michelle J. Iandiorio, Stylianos Chatzipanagiotou, Anastasios Ioannidis, Shlomo E. Blum, Renata Piccinini, Athos Antoniades, Jane C. Fazio, Yiorgos Apidianakis, Jeanne M. Fair, and Marc H. V. Van Regenmortel. Nature and consequences of biological reductionism for the immunological study of infectious diseases. *Frontiers in Immunology*, 8:612, 2017. doi: 10.3389/fimmu.2017.00612. URL https://www.frontiersin.org/article/10.3389/fimmu.2017.00612.

[29] Fulvio Mazzocchi. Complexity and the reductionism–holism debate in systems biology. *Wiley Interdisciplinary Reviews: Systems Biology and Medicine*, 4(5):413–427, 2012. doi: 10.1002/wsbm.1181. URL https://onlinelibrary.wiley.com/doi/abs/10.1002/wsbm.1181.

[30] Gunver Kienle and Helmut Kiene. From reductionism to holism: Systems-oriented approaches in cancer research. *Global Advances in Health and Medicine*, 1(5):68–77, 2012. doi: 10.7453/gahmj.2012.1.5.015. URL https://doi.org/10.7453/gahmj.2012.1.5.015. PMID: 27257534.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

[31] Jeffrey West and Paul K. Newton. Cellular interactions constrain tumor growth. *Proceedings of the National Academy of Sciences*, 116(6):1918–1923, 2019. doi: 10.1073/pnas.1804150116. URL https://www.pnas.org/content/116/6/1918.

[32] John Lowengrub, Hermann B. Frieboes, Fang Jin, Yao-Li Chuang, Xiangrong Li, Paul Macklin, Steven M. Wise, and Vittorio Cristini. Nonlinear modeling of cancer: Bridging the gap between cells and tumors. *Nonlinearity*, 23(1):R1–R91, 2010. doi: 10.1088/0951-7715/23/1/R01. URL http://dx.doi.org/10.1088/0951-7715/23/1/R01. (invited author: J. Lowengrub).

[33] Jonathan Ozik, Nicholson Collier, Randy Heiland, Gary An, and Paul Macklin. Learning-accelerated Discovery of Immune-Tumour Interactions. *Molec. Syst. Design Eng.*, 4:747–60, 2019. doi: 10.1039/c9me00036d. URL http://dx.doi.org/10.1039/c9me00036d.

[34] Ahmadreza Ghaffarizadeh, Samuel H. Friedman, and Paul Macklin. BioFVM: an efficient, parallelized diffusive transport solver for 3-D biological simulations. *Bioinformatics*, 32(8):1256–8, 2016. doi: 10.1093/bioinformatics/btv730. URL http://dx.doi.org/10.1093/bioinformatics/btv730.

[35] Ahmadreza Ghaffarizadeh, Randy Heiland, Samuel H Friedman, Shannon M Mumenthaler, and Paul Macklin. PhysiCell: an open source physics-based cell simulator for 3-D multicellular systems. *PLoS Comput. Biol.*, 14(2):e1005991, 2018. doi: 10.1371/journal.pcbi.1005991. URL http://dx.doi.org/10.1371/journal.pcbi.1005991.

[36] John Metzcar, Yafei Wang, Randy Heiland, and Paul Macklin. A review of cell-based computational modeling in cancer biology. *JCO Clinical Cancer Informatics*, 3:1–13, 2019. doi: 10.1200/CCI.18.00069. URL http://dx.doi.org/10.1200/CCI.18.00069. (invited review).

[37] Paul Macklin. PhysiCell demo: immune cells attacking a heterogeneous tumor, visited 2019-11-04. URL https://www.youtube.com/watch?v=nJ2urSm4ilU.

[38] Paul Macklin and Randy Heiland. PhysiCell cancer-immune model (Version 1.3). 2019. doi: 10.21981/M8PR-EC68. URL https://nanohub.org/tools/pc4cancerimmune.

[39] Paul Macklin and Randy Heiland. PhysiCell: invader-scout-attacker system (Version 1.3). 2019. doi: 10.21981/VYDD-NG35. URL https://www.nanohub.org/tools/pcisa.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

[40] Gaelle Letort, Arnau Montagud, Gautier Stoll, Randy Heiland, Emmanuel Barillot, Paul Macklin, Andrei Zinovyev, and Laurence Calzone. PhysiBoSS: a multi-scale agent based modelling framework integrating physical dimension and cell signalling. *Bioinformatics*, 35(7):1188–96, 2019. doi: 10.1093/bioinformatics/bty766. URL http://dx.doi.org/10.1093/bioinformatics/bty766.

[41] Samuel H Friedman, Alexander R A Anderson, David M Bortz, Alexander G Fletcher, Hermann B Frieboes, Ahmadreza Ghaffarizadeh, David Robert Grimes, Andrea Hawkins-Daarud, Stefan Hoehme, Edwin F Juarez, Carl Kesselman, Roeland M H Merks, Shannon M Mumenthaler, Paul K Newton, Kerri-Ann Norton, Rishi Rawat, Russell C Rockne, Daniel Ruderman, Jacob Scott, Suzanne S Sindi, Jessica L Sparks, Kristin Swanson, David B Agus, and Paul Macklin. MultiCellDS: a community-developed standard for curating microenvironment-dependent multicellular data. *bioRxiv*, 090456, 2016. doi: 10.1101/090456. URL http://dx.doi.org/10.1101/090456. (**Preprint**, preparing for resubmission).

[42] Paul Macklin. Progress Towards an Open Source PhysiCell Ecosystem, 2019. URL https://dx.doi.org/10.6084/m9.figshare.9934469.v1. October 2, 2019 seminar talk for the Center for Reproducible Biomedical Modeling.

[43] A Madamanchi, Randy Heiland, Paul Macklin, and A J Magana. Students' Use of Metacognitive Skills in Undergraduate Research Experiences in Computational Modeling. *Proceedings–Frontiers in Education Conference, FIE, October 2019, Cincinnati, OH USA.*, pages 1–5, 2020 (in press).

[44] Randy Heiland and Paul Macklin. pc4nanobio: cancer nanotherapy simulator (Version 0.8.1). 2018. doi: 10.4231/D3QN5ZD7F. URL https://www.nanohub.org/tools/pc4nanobio.

[45] Randy Heiland, Daniel Mishler, Tyler Zhang, Eric Bower, and Paul Macklin. xml2jupyter: Mapping parameters between XML and Jupyter widgets. *Journal of Open Source Software*, 4(39):1408, 2019. doi: 10.21105/joss.01408. URL http://dx.doi.org/10.21105/joss.01408.

[46] Krishna Madhavan, Lynn Zentner, Victoria Farnsworth, Swaroop Shivarajapura, Michael Zentner, Nathan Denny, and Gerhard Klimeck. nanoHUB.org: cloud-based services for nanoscale modeling, simulation, and education. *Nanotech. Rev.*, 2(1):107–17, 2013. doi: 10.1515/ntrev-2012-42. URL https://doi.org/10.1515/ntrev-2012-0043.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

[47] Gautier Stoll, Barthélémy Caron, Eric Viara, Aurélien Dugourd, Andrei Zinovyev, Aurélien Naldi, Guido Kroemer, Emmanuel Barillot, and Laurence Calzone. MaBoSS 2.0: an environment for stochastic Boolean modeling. *Bioinformatics*, 33(14):2226–2228, 03 2017. ISSN 1367-4803. doi: 10.1093/bioinformatics/btx123. URL https://doi.org/10.1093/bioinformatics/btx123.

[48] Patrick G Wall. python-loader: Python data loader for PhysiCell digital snapshots, visited 2019-11-04. URL https://github.com/PhysiCell-Tools/Python-loader.

[49] Patrick G Wall. PhysiCell Tools : python-loader (Tutorial Blog Post), visited 2019-11-04. URL http://www.mathcancer.org/blog/python-loader/.

[50] Susan H Russell, Mary P Hancock, and James McCullough. Benefits of undergraduate research experiences. *Science*, 316(5824):548–549, 2007. doi: 10.1126/science.1140384. URL https://dx.doi.org/10.1126/science.1140384.

[51] Omolola A Adedokun, Ann B Bessenbacher, Loran C Parker, Lisa L Kirkham, and Wilella D Burgess. Research skills and stem undergraduate research students' aspirations for research careers: Mediating effects of research self-efficacy. *Journal of Research in Science teaching*, 50(8):940–951, 2013. doi: 10.1002/tea.21102. URL http://dx.doi.org/10.1002/tea.21102.

[52] Wei Zhan. Research experience for undergraduate students and its impact on stem education. *Journal of STEM Education*, 15(1), 2014. URL https://www.learntechlib.org/p/148288/.

[53] Erin L Dolan and Deborah Johnson. The undergraduate–postgraduate–faculty triad: unique functions and tensions associated with undergraduate research experiences at research universities. *CBE—Life Sciences Education*, 9(4):543–553, 2010. doi: 10.1187/cbe.10-03-0052. URL https://doi.org/10.1187/cbe.10-03-0052.

[54] Zakiya S Wilson, Lakenya Holmes, Karin Degravelles, Monica R Sylvain, Lisa Batiste, Misty Johnson, Saundra Y McGuire, Su Seng Pang, and Isiah M Warner. Hierarchical mentoring: A transformative strategy for improving diversity and retention in undergraduate stem disciplines. *Journal of Science Education and Technology*, 21(1):148–156, 2012. doi: 10.1007/s10956-011-9292-5. URL https://dx.doi.org/10.1007/s10956-011-9292-5.

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

[55] Benjamin Ahn and Monica F Cox. Knowledge, skills, and attributes of graduate student and postdoctoral mentors in undergraduate research settings. *Journal of Engineering Education*, 105(4):605–629, 2016. doi: 10.1002/jee.20129. URL https://doi.org/10.1002/jee.20129.

[56] Heather Thiry and Sandra L Laursen. The role of student-advisor interactions in apprenticing undergraduate researchers into a scientific community of practice. *Journal of Science Education and Technology*, 20(6):771–784, 2011. doi: 10.1007/s10956-010-9271-2. URL https://dx.doi.org/10.1007/s10956-010-9271-2.

[57] Cianán B Russell and Gabriela C Weaver. A comparative study of traditional, inquiry-based, and research-based laboratory curricula: impacts on understanding of the nature of science. *Chemistry Education Research and Practice*, 12(1):57–67, 2011. doi: 10.1039/C1RP90008K. URL https://dx.doi.org/10.1039/C1RP90008K.

[58] Elaine Seymour, Anne-Barrie Hunter, Sandra L Laursen, and Tracee DeAntoni. Establishing the benefits of research experiences for undergraduates in the sciences: First findings from a three-year study. *Science education*, 88(4):493–534, 2004. doi: 10.1002/sce.10131. URL https://dx.doi.org/10.1002/sce.10131.

[59] Jenny Olin Shanahan, Elizabeth Ackley-Holbrook, Eric Hall, Kearsley Stewart, and Helen Walkington. Ten salient practices of undergraduate research mentors: A review of the literature. *Mentoring & Tutoring: Partnership in Learning*, 23(5):359–376, 2015. doi: 10.1080/13611267.2015.1126162. URL https://dx.doi.org/10.1080/13611267.2015.1126162.

[60] D Brian Larkins, J Christopher Moore, Louis J Rubbo, and Laura R Covington. Application of the cognitive apprenticeship framework to a middle school robotics camp. In *Proceeding of the 44th ACM technical symposium on Computer science education*, pages 89–94. ACM, 2013. doi: 10.1145/2445196.2445226. URL https://dx.doi.org/10.1145/2445196.2445226.

[61] Susan Howitt and Anna Wilson. Scaffolded reflection as a tool for surfacing complex learning in undergraduate research projects. *Council on Undergraduate Research Quarterly*, 36(4), 2016. doi: 10.18833/curq/36/4/8.

[62] Sam Donovan, Carrie Diaz Eaton, Stith T. Gower, Kristin P. Jenkins, M. Drew LaMar, DorothyBelle Poli, Robert Sheehy, and Jeremy M. Wojdak. QUBES: a community focused on supporting

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

teaching and learning in quantitative biology. *Letters in Biomathematics*, 2(1):46–55, 2015. doi: 10.1080/23737867.2015.1049969. URL https://doi.org/10.1080/23737867.2015.1049969.

[63] Paul Macklin and Randy Heiland. PhysiCell: biased random migration demonstrator (Version 1.1). 2019. doi: 10.21981/AW4Z-VN50. URL https://www.nanohub.org/tools/motility.

[64] Furkan Kurtoglu, Aneequa Sundus, Kali Nicole Konstantinopoulos, Drew Willis, Mary Chen, Randy Heiland, and Paul Macklin. Motility Training App for PhysiCell (Version 1.1). 2019. doi: 10.21981/RQWR-T970. URL https://www.nanohub.org/tools/trmotility.

APPENDICES

APPENDIX A MathCancer Lab Mentoring Structure

We summarize and compare the Version 1 (Section 2.2), Version 2 (Section 2.3), Version 3 (Section 2.4), and Version 4 (Section 2.5) lab structure versions in Table 1.

Table 1. Evolving MathCancer lab and mentoring structure.

	Version 1	Version 2	Version 3	Version 4
Scientific Staff	1	1	1	1
Ph.D. Students	1	3	3	5
Undergraduate Trainees	5	6	10	10
Fields	engineering neurobiology	engineering	engineering CS, informatics	engineering CS, informatics
Number of Teams / Projects	1	3	5	3
Co-mentors?		Yes	Yes	Yes
Weekly meeting?		Yes	Yes	Yes
State of the Lab?		Yes	Yes	Yes
Mixed update and skills talks				Yes

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

APPENDIX B Computational Apprenticeship mentorship & reflection

Modes and sequencing of mentoring in Computational Apprenticeship are given in Table 2. Scaffolded reflection prompts are given in Table 3

Table 2. Computational Apprenticeship: Mode and Sequencing of Mentoring

Mode of Mentoring	
Modeling:	Explicit demonstration of a task, including verbalizing the associated heuristics (strategies)
Coaching:	Observing students as they perform tasks and offering feedback
Scaffolding:	Making tasks accessible to students by calibrating difficulty levels
Articulation:	Asking students to verbalize their process as they complete tasks
Reflection:	Prompting students to compare multiple approaches to problem solving
Exploration:	Fading or slowly withdrawing as students gain the ability to perform complex tasks
Sequencing of Mentoring	
Increasing complexity:	organizing coding tasks from simple to more complex
Increasing diversity:	allowing students to develop skills within one language/project before transferring those approaches to a new context
Global to local skills:	Sharing the overall conceptual approach using psuedocode before implementing specific subtasks

BIOGRAPHICAL SKETCHES

Aasakiran Madamanchi completed his doctorate in Cancer Biology at Vanderbilt University. He is now a Postdoctoral Associate in the Future Work and Learning Impact Area in the Polytechnic Institute at Purdue University. His primary research interest is in democratizing computational modeling and data science approaches. He is particularly interested in promoting and supporting computational modeling in the life sciences.

Madison Thomas is an undergraduate at Purdue University graduating with her Bachelors in Computer and Information Technology in May

bioRxiv preprint doi: https://doi.org/10.1101/835363; this version posted November 25, 2019. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.

Table 3. Scaffolded Reflection Prompts

Students will select one question to briefly answer every two months:
• How has your group navigated any challenges you have encountered?
• What might you have done differently if you had known two months ago what you know now?
• Has your research question changed? If so, why, and what has it changed to?
• How have you chosen the approach or methods that you are using for your project?
• What are the connections between your research activities and your other studies?
• Can you see ways in which you could apply what you have learned to other activities?

2020. She enjoys working with students and researching topics related to computing.

Alejandra Magana completed her graduate education in engineering education at a midwestern research university where she is now a professor of computer and information technology. Her research program seeks to understand how computational model-based reasoning can effectively support scientific inquiry learning, problem solving, and innovation processes in the context of authentic modeling and simulation practices.

Randy Heiland received degrees in computer science (Utah) and mathematics (Arizona State) and has pursued opportunities to effectively combine them ever since, including numerous education and outreach opportunities in K-16. A simple recipe he has followed is to use age-appropriate mathematics with interactive computer simulations to get young (and not so young) people excited about science and math.

Paul Macklin studied mathematics at the University of Nebraska-Lincoln, the University of Minnesota, and the University of California-Irvine. He has developed in open source software for mathematical oncology with academic positions in mathematics, health informatics, research medicine, and engineering. He is an Associate Professor and Director of Undergraduate Studies in Intelligent Systems Engineering at Indiana University. He seeks to involve undergraduate students in cutting-edge research and bring that research to the classroom.