Associations between amygdala connectivity and experienced discrimination in children

Nicholas J. Goode[a], Eric Potter[a], Meerab Rasheed[a], Mariela Camacho[a], Rinko Higashi[a], Linh Nguyen[a], Shubangini Shah[a], Oscar Miranda-Dominguez[b,c], Robert Hermosillo[b,c], Anthony Juliano[d], Aya Cheaito[e], Elina Thomas[a]

a. Department of Psychology, Earlham College, 801 National Rd W, Richmond, IN 47374, USA
b. Department of Pediatrics, University of Minnesota Medical School, 420 Delaware St SE, Minneapolis, MN 55455, USA
c. Masonic Institute for the Developing Brain, University of Minnesota, 2025 East River Parkway, Minneapolis, MN 55313, USA
d. Department of Psychiatry, University of Vermont Medical Center, 111 Colchester Avenue Burlington, VT, 05401, USA
e. Department of Psychology, Concordia University of Edmonton, 7128 Ada Blvd NW, Edmonton, AB T5B 4E3, Canada

Corresponding Author: Elina Thomas[1], thomael@earlham.edu

Abstract

Discrimination is a chronic stressor linked to adverse health outcomes, particularly in racial and ethnic minorities. Understanding associations between early discrimination and the brain in childhood may help identify mechanisms through which discrimination impacts future health. Data from 4512 children (ages 9-11) and a subsample of Black, Indigenous, and People of Color (BIPOC; N = 1567) from the Adolescent Brain and Cognitive Development (ABCD) Study® was used to create linear mixed-effects models that evaluated associations between Perceived Discrimination (PD) and amygdala resting-state fMRI connectivity (AC) to the salience network (SN), default mode network (DMN), and thalamus. PD was measured using the youth self-reported PD Scale. Results indicated that greater PD significantly predicted greater AC to the right thalamus in our full sample. In secondary analyses, environmental and behavioral factors were evaluated as potential moderators for associations significant at least at a trend level in both our full sample and BIPOC subsample. In our BIPOC subsample, traumatic events experienced moderated the relationship between PD and AC to the anterior cingulate cortex (ACC; SN), such that greater traumatic experiences predicted stronger positive associations between PD and this connection. Results suggest PD impacts neural connections in early life, highlighting the need to consider the impact of discrimination on risk for psychopathology.

1. Introduction

Discrimination, unfair or prejudicial treatment based on characteristics such as race, ethnicity, gender, or sexuality (1, 2), has been recognized as a public health crisis in the United States (3, 4). As a chronic stressor, discrimination has been shown to increase allostatic load (5), which results in poor health outcomes, including increased inflammation (6), compromised immunity (7), poor cardiovascular health (2, 8, 9), and alterations in sleep (10, 11) and stress regulation (12-15). Discriminatory experiences are also associated with an increased risk for psychopathology. In particular, increased experiences are linked to increased internalizing and externalizing behaviors (9, 16), suicidality (9, 17), and post-traumatic stress symptoms (18-20). In the United States, Black, Indigenous, and People of Color (BIPOC) face disproportionate levels of discrimination (21, 22), which may lead to greater impacts on mental (23-25) and physical (26) health.

Awareness of experienced discrimination typically begins before the age of 10, and increases with age, allowing for the examination of the impact of these experiences in childhood (27-29). Prior literature indicates that experiences of discrimination at this time point increase risk for poor health through disruptions in the development of the brain and other biological systems (30, 31). As in adulthood, sleep (32, 33) and stress dysregulation (32) also occur in response to these experiences, further impacting health. Psychological health is particularly affected, as increased externalizing and internalizing behaviors (34-38), feelings of hopelessness (38), and suicidality (39, 40) are observed with increased exposure to discrimination. Experienced discrimination may also increase the impact of trauma on psychological outcomes (41) at this age, though the biological mechanisms that support this are poorly understood. Despite research on the adverse effects of discrimination (30-32), little is known about how early experiences of discrimination affect neural connectivity in childhood. Understanding these associations may help clinicians and researchers choose and identify interventions (42, 43) that target specific brain connections to reduce the impact of these experiences.

In adulthood, discriminatory experiences have been linked to harmful structural changes in the brain, including reduced overall volume (7; 44) and white matter tract integrity (45, 46). Several regions and networks involved in fear learning (47, 48), emotion regulation (49), and memory and perception (50, 51) appear to be consistently impacted. These regions include the amygdala (52-55), insula (55-57), anterior cingulate cortex (58), and hippocampus (59). These particular regions act as nodes (60) in the salience (SN) and default mode networks (DMN), which also show changes in connectivity patterns in response to experiences of discrimination (56, 57, 61). Across the literature, amygdala connectivity is consistently impacted (55, 62, 63), particularly to nodes in the SN (52, 64) and DMN (56, 65) and thalamus (52, 55, 63). While associations between these connections and discrimination have been established in adults, these relationships have not been evaluated in childhood.

In BIPOC adults, heightened levels of discriminatory experiences (21, 22) may cause amygdala connections associated with discrimination to be further impacted. This may explain the intergenerational effects on amygdala connectivity (62, 63) and additional impacts on mental (23-25) and physical health (26) that have been observed in this population. Thus, it may be beneficial to consider BIPOC populations separately when examining associations between these amygdala connections and experienced discrimination in childhood.

While much is known about how experienced discrimination affects the brain in adulthood, less is known about its impacts on the brain in childhood. Existing literature shows that these experiences impact the brain broadly, slowing whole-brain growth (66) and affecting similar structures such as the hippocampus and amygdala (67). In particular, greater experiences accelerate the maturation of these structures (67) and affect hippocampal volume and reactivity (68, 69;), and amygdala connectivity (67) and volume (68, 70). While these associations appear to be in line with findings in adulthood, amygdala connectivity to regions most consistently impacted in

adulthood (thalamus, DMN nodes, and SN nodes) has not been evaluated. Given the amygdala's involvement in fear processing (48) and stress regulation across development (71-73), further examination of how discrimination impacts these amygdala connections in childhood is warranted.

Associations between experienced discrimination and the brain in childhood may be influenced by behavioral and environmental factors. Internalizing and externalizing behaviors likely exert an impact. The relationship between discrimination and these behaviors appears to be cyclical. The presence of internalizing and externalizing behaviors may increase the influence of discrimination on the brain, while experiences of discrimination may increase engagement in these behaviors (74, 75). Both internalizing and externalizing behaviors, like discrimination, are associated with changes in amygdala volume and connectivity to SN and DMN nodes implicated in emotion regulation (e.g., the PFC and ACC (76, 77)), which may lead to increased reactivity to threat (78, 79), potentially amplifying the effect of discrimination on the brain.

Some environmental factors may mitigate the impact of discrimination, such as the child's school environment and engagement in prosocial behavior. A school environment that promotes feelings of safety, teacher support, and opportunities for involvement may facilitate resilience to the effects of these experiences (80-82). However, in instances where exposure to discrimination is increased in this setting, resilience may be reduced. Prosocial behaviors may also protect against the negative impacts of discrimination (83-85). These behaviors and the school environment can facilitate social connection (86), which improves brain (87, 88) and mental health outcomes (85). Social connection between peers belonging to similar racial, ethnic, or gender groups may be particularly impactful, as increasing one's sense of belonging and identity has been shown to improve coping strategies and outcomes (89-93). A supportive school environment can foster these connections (82). Given these prior associations, the supportive nature of the school environment and engagement in prosocial behaviors should be considered when evaluating the impact of discrimination on the brain.

Other environmental factors, like family conflict, English language proficiency, and experienced traumatic events, may also influence associations between discrimination and the brain. Increased family conflict is linked to poor mental health (94, 95), which amplifies the negative impact of discrimination on health overall (96, 97) and likely impacts the brain. Similarly, a lack of proficiency in the English language increases the amount of discrimination one experiences (98-100), resulting in poor mental health outcomes, such as increased experienced distress, depression, and anxiety (101, 102). Additionally, experienced traumatic events may increase sensitivity to the effects of discrimination by overactivation of stress-related brain regions like the amygdala, hippocampus, and PFC (65, 89; 103), potentially exacerbating its impact on the brain. As a result, those who have experienced both trauma and discrimination often show greater PTSD symptoms like hyperarousal and intrusive symptoms of stress (89, 103-105). Disparities in experienced adversity between BIPOC and non-BIPOC children may further explain observed neural differences between BIPOC and non-BIPOC populations (68, 106).

The current study utilized a large population-based sample from the Adolescent Brain and Cognitive Development (ABCD) Study® to examine associations between perceived discrimination (PD) and the brain in childhood. Given similarities observed between childhood and adulthood, associations between experienced discrimination and amygdala connectivity to regions in the DMN (61), SN (52, 64), and thalamus (52; 55) were examined. We also evaluated the influence of behavioral and environmental factors on resulting associations. These relationships were also examined in a sub-sample of BIPOC children due to the increased rates of discrimination (21, 22) and experienced adversity (68, 106) observed in BIPOC populations. These findings

may advance understanding of early mechanisms underlying negative health outcomes and inform the development of targeted interventions.

2. Methods and materials

2.1. Participants

Participants were drawn from the ongoing ABCD study, a large-scale study following 9- to 10-year-old children recruited from 21 sites across the United States (107). The study was approved by the Institutional Review Board at the University of California, San Diego. Informed consent was provided by parents and children. Data was accessed from the National Institutes of Mental Health Data Archives. A full sample of youth and ($N = 4512$) a subsample of BIPOC youth ($N = 1567$) was analyzed. Demographic data is provided in **Table S1** and **Table S2** in the Supplementary Materials. Only subjects without missing data, and with resting state data that met the criteria listed below, were included in our study.

2.2. Perceived Discrimination

Experienced discrimination was measured using the Perceived Discrimination Scale (108) at the one-year follow-up time point. Youth rated the extent to which they had experienced general discrimination over the past year across seven items on a five-point Likert scale, where higher scores indicated greater experienced discrimination.

2.3. MRI and fMRI data acquisition and processing

Resting-state functional magnetic resonance imaging (rsfMRI) data from the ABCD study from the baseline timepoint was sourced from NDA's collection 3165-DCAN Labs ABCD-BIDS (https://nda-abcd-collection-3165.readthedocs.io/latest/pipelines/#abcd-bids-fmri/), using the ABCD downloader (https://github.com/DCAN-Labs/nda-abcd-s3-downloader). Image acquisition details are available in Hagler et al., 2019 (109). Data was processed through an adapted version of the HCP pipeline (110) provided by the DCAN Lab (https://github.com/DCAN-Labs/abcd-hcp-pipeline). Additional details can be found here: (https://nda-abcd-collection-3165.readthedocs.io/). After processing, to minimize head motion-related artifacts, a framewise displacement threshold of 0.2 mm was applied, and frames exceeding the threshold were removed (111). All data included in our analyses met the Data Analysis, Informatics & Resource Center's quality control conditions (https://abcdstudy.org/study-sites/daic/). Analyses were restricted to participants with at least 8 minutes of usable resting-state data.

2.4. Resting-state amygdala functional connectivity

Left and right amygdala regions of interest (ROIs) were extracted from the Gordon Parcellation, which consists of 333 cortical parcels across 13 resting-state networks (see Fig. 1A, 60) in addition to 19 subcortical ROIs (see Fig. 1B) and cerebellum for a total of 352 ROIs grouped into 14 networks (112). Right and left amygdala ROIs were used as seed regions to correlate with all other regions from the Gordon parcellation, and correlation values between each amygdala ROI to all other ROIs were generated. Right and left amygdala connectivity was evaluated separately. In the current study, we chose to examine right and left amygdala connectivity to the DMN, SN, and thalamus based on previous literature indicating these connections may be impacted by experienced discrimination.

Fig 1. Cortical and subcortical parcellation schema **A.** Gordon Parcellation ROIs (60) color-coded by functional network. **B.** Subcortical volume ROIs.

3. Statistical analyses

Linear mixed-effects models were used to identify associations between amygdala connections and PD. We evaluated left and right amygdala connectivity in two separate models. Each model included connectivity to the right and left thalamus, and all nodes in the SN and DMN. Participants with any missing data were excluded from analyses. Sex, race/ethnicity, age, handedness, parental education, puberty status, and scanner ID were included as fixed effects, with family nested in scanner type included as a random effect. All resulting p-values were FDR corrected.

4. Results

4.1. Amygdala connectivity is associated with perceived discrimination

We examined the relationship between PD right and left amygdala connections to the SN, DMN, and right and left thalamus, as indicated above, from the full youth sample and BIPOC subsample. In our full sample, results showed a significant negative association between PD and right amygdala connectivity to the right thalamus (β = -0.02 and $p < .05$), indicating lower connectivity between the right amygdala and right thalamus was linked to greater experienced discrimination (see Fig. 2). Additionally, a negative trend-level association was observed between PD and right amygdala connectivity to the left thalamus (β = -0.01 and $p < 0.1$) such that lower connectivity was associated with greater experienced discrimination. Furthermore, a positive trend-level association was observed between PD and right amygdala connectivity to a DMN region (L ventromedial PFC [vmPFC], β = 0.02 and $p < 0.1$), such that greater connectivity was associated with greater experienced discrimination.

Within the BIPOC subsample, a positive trend-level association was found between PD and right amygdala connectivity with an SN node in the L ACC (β = 0.02, $p < .1$), indicating increased connectivity between the right amygdala and L ACC was linked to greater experienced discrimination (see Fig. 3). Additionally, a positive trend level association between PD and left amygdala connectivity to a DMN region (L angular gyrus, β = 0.02, $p < .1$) and a negative trend level association between left amygdala connectivity to the left thalamus (β = -.02, p < .1) were found. Thus, greater experienced discrimination was linked to increased left amygdala-L angular gyrus connectivity and decreased left amygdala-left thalamus connectivity (see Fig. 3).

Fig 2. Right amygdala connections significantly associated with PD in the full sample. Colors represent subcortical thalamus (green) and cortical DMN (red) regions.

Fig 3. Amygdala connections associated with PD at a trend level (p < .1) in the BIPOC sample. Colors represent left amygdala-left thalamus (green) and left amygdala-left cortical DMN (red) and right amygdala-left SN (black) regions.

4.2. Traumatic events moderated the relationship between amygdala connections and perceived discrimination

Behavioral and environmental factors that may impact associations found between amygdala connectivity and PD were examined as potential moderators in a series of secondary analyses. Separate models examined internalizing, externalizing, traumatic events experienced, English proficiency, prosocial behavior, family environment, and school environment as potential moderators through the creation of interaction terms. Information about how these measures were collected can be found in our *Supplementary Materials*. Separate models were run for each amygdala connection with significant or trend-level ($p < .1$) associations with PD in both full and BIPOC samples. All analyses included sex, race/ethnicity, age, handedness, parental education, puberty status, and scanner ID as fixed effects with family nested in scanner type included as a random effect (FDR correction: $p < .05$). The following model was run for each variable to test the degree with which each variable moderated the relationship between each amygdala connection and PD:

Amygdala connectivity = intercept + d_1 + β_1(Sex) + β_2(Race/Ethnicity) + β_3(Age) + β_4(Handedness) + β_5(Parental Education) + β_6(Puberty Status) + β_7(Scanner ID) + β_8(Main Effect) + β_9(moderating variable x PD) + e,

where d_1 represents random effects, e represents error, and β represents the weighted contribution of each variable.

Results indicated that traumatic events significantly moderated the association between amygdala connectivity to the left ACC and PD in our BIPOC subsample. Specifically, BIPOC children with higher experiences of traumatic events had stronger negative associations between experienced discrimination and right amygdala connectivity to the left ACC (β = -.03, $p < .05$). Other factors examined did not moderate associations between amygdala connectivity and PD.

5. Discussion

5.1. Summary of results

The current study examined associations between amygdala connectivity and PD in a full sample and BIPOC subsample of children. In a series of secondary analyses, the potential influence of behavioral and environmental factors on identified significant and trend-level associations was also examined. Our study revealed distinct relationships between amygdala connectivity and PD in the full sample versus BIPOC subsample of youth. In our full sample, stronger right amygdala connectivity to the right thalamus was significantly associated with lower levels of PD. Right amygdala connectivity to the left thalamus was also positively associated with PD at a trend level. However, in our BIPOC subsample, only trend-level associations were found. These showed positive associations between experienced discrimination and amygdala connectivity to a DMN region (angular gyrus) and SN region (ACC), and negative associations with amygdala connectivity to the thalamus. In this subsample, traumatic events significantly moderated the relationship between right amygdala-left ACC connectivity and PD, such that greater experienced trauma predicted stronger positive associations between this connection and PD. Our results suggest distinct amygdala connections relate to experienced discrimination in BIPOC children, where experiences of traumatic events may further impact observed effects on this population. Broadly, our results suggest discrimination may have unique effects on minoritized populations and may impact neural connections associated with risk for psychopathology.

5.2. Amygdala connectivity to thalamus linked to discrimination in full sample

In our full sample, greater PD was significantly linked to decreased right amygdala connectivity to the right thalamus ($p < .05$) and left thalamus at a trend level ($p < .1$). This association contrasts with prior literature in adults, which found positive associations between this connection and experienced discrimination (52; 55). However, this connectivity pattern has been associated with threat responsivity (113, 114) and increased PTSD symptomatology (115) in adults. Prior studies also suggest experiences of discrimination may heighten PTSD symptoms (116-118), which may indicate that children with this connectivity pattern are at risk for developing these symptoms.

In our full sample, greater PD was also linked to increased amygdala connectivity to the vmPFC, a node in the DMN implicated in emotion regulation in adulthood (119) and childhood (120). In adulthood, connectivity changes in this network have been linked to experienced discrimination (56, 61), though this particular node has not been implicated in this context. Increased synchrony between the medial prefrontal cortex, more broadly,

and basolateral amygdala has been associated with the ability to identify threat vs. safety cues (121). This suggests children with this connectivity pattern may be more likely to perceive instances of discrimination.

5.3. Amygdala connectivity not significantly associated with discrimination in BIPOC sample

In our BIPOC sub-sample, trend-level associations were found between amygdala connectivity and PD. Greater experienced discrimination predicted stronger amygdala connectivity to a DMN region (angular gyrus) and SN region (ACC), and lower amygdala connectivity to the thalamus. In line with prior research, the SN and DMN have been significantly associated with discriminatory experiences (55, 61) in BIPOC adults. Similar to results in our full sample, these patterns may relate to alterations in threat response and affective processing (49, 113, 114, 122). Unlike our full sample, we did not see a significant association between amygdala-thalamus connectivity and experienced discrimination, though a similar trend-level association was found, where greater connectivity was linked to lower discrimination. Our lack of significant findings may be explained by reduced statistical power, as our BIPOC sample size did not meet the recommended minimum for brain-wide association studies (123). Decreased between-group variance and the restricted range of discrimination scores within the BIPOC group may also explain the absence of significant associations.

5.4 Traumatic events moderated association between amygdala-ACC connectivity and discrimination in BIPOC sample

In a series of secondary analyses, behavioral (internalizing and externalizing) and environmental (school environment, prosocial behavior, English proficiency, traumatic events, and family conflict) factors were considered as potential moderators.

In our BIPOC sub-sample, experienced traumatic events moderated the relationship between amygdala connectivity to the ACC and PD, indicating that positive associations between discrimination and amygdala-ACC coupling strengthened as traumatic events experienced increased. The ACC and amygdala have often been implicated in PTSD (124-126). Increased connectivity between these structures has been associated with greater PTSD symptoms in Black adults (125), suggesting experiences of discrimination increase risk for developing these symptoms (116) in BIPOC individuals. Our results may indicate that discrimination-related stress in BIPOC children contributes to cumulative trauma, resulting in greater impacts on the brain, especially in regions relevant for emotional regulation and salience detection.

While not significant moderators, significant correlations were observed between PD and our environmental and behavioral factors (see **Table S2** and **Table S3**). Significant positive correlations were seen between PD and both internalizing and externalizing behaviors in both samples, such that individuals with more experienced discrimination exhibited greater internalizing and externalizing behaviors. While associations between amygdala connectivity and internalizing (127-129) and externalizing (77, 130, 131) have been established in many studies, connectivity may be linked to specific subtypes of these behaviors as opposed to the overall constructs (79).

From the analyzed environmental variables, significant negative correlations were found between PD and school environment, prosocial behavior, and English proficiency in both samples. In line with prior literature (82), this may suggest that individuals in more supportive school environments exhibit more prosocial behavior, which facilitates social connection and resilience. Further, individuals with greater English language proficiency may experience less discrimination (98-100). Additionally, family conflict was positively correlated with PD, suggesting increased conflict in the home was related to greater experienced discrimination. Interrelations between school environment, prosocial behavior, language proficiency, and family conflict, and lack of

variability within these measures, may explain why these factors did not individually moderate relationships between PD and the brain.

6. Limitations/Future directions

While the current study provides insight into the associations between amygdala connectivity and PD, several limitations must be acknowledged. First, relatively low variability in discrimination scores and our tested moderators may have hindered our ability to detect significant associations. Further, while experienced discrimination can be measured in childhood (27-29), our measure was based on the ABCD Study's race and ethnicity classification (132) recommended by the NIH at the time of data collection, which may not have been the best fit for this time point (133). Additionally, because our BIPOC subsample was created by excluding participants categorized as white, individuals of Arab, Middle Eastern, and North African descent, who may identify as people of color, were likely not included. Multiracial individuals were also not considered, as no multiracial option was provided in our racial and ethnic classification variable. Future studies should expand racial and ethnic classifications and prioritize recruitment of diverse populations to better examine associations between discrimination and health outcomes (134). The relationship between discrimination and brain connectivity may have been impacted by other factors not evaluated in the current study, such as additional chronic stressors, coping strategies, and social support. Future studies should consider such factors. Lastly, this study lacks in its ability to assess longitudinal alterations in neural connectivity related to PD over time. Future research should address associations between amygdala connectivity and PD using future longitudinal data from the ABCD Study.

Our study underscores the impact of experienced discrimination on neural connectivity and emphasizes the importance of considering these experiences when examining health in youth, particularly in BIPOC individuals who may face compounded stressors. Understanding associations between the brain and these experiences provides a foundation for developing targeted interventions to mitigate the effects of discrimination on future health outcomes.

Acknowledgments

Data used in the preparation of this article were obtained from the Adolescent Brain Cognitive Development (ABCD) study (https://abcdstudy.org), a multisite, longitudinal study designed to recruit more than 10,000 children aged 9-10 and follow them over 10 years into early childhood. The ABCD study is supported by the National Institutes of Health and additional federal partners under award numbers U01DA041048, U01DA050989, U01DA051016, U01DA041022, U01DA051018, U01DA051037, U01DA050987, U01DA041174, U01DA041106, U01DA041117, U01DA041028, U01DA041134, U01DA050988, U01DA051039, U01DA041156, U01DA041025, U01DA041120, U01DA051038, U01DA041148, U01DA041093, U01DA041089, U24DA041123, U24DA041147. A full list of supporters is available at https://abcdstudy.org/federal-partners.html. Information about participating sites and study investigators can be found at https://abcdstudy.org/consortium_members/. ABCD consortium investigators designed and implemented the study and/or provided data but did not necessarily participate in the analysis or writing of this report. The manuscript reflects the views of the authors and does not necessarily represent the opinions or views of NIH or ABCD consortium investigators. The ABCD data repository is dynamic and continues to grow over time. The research was supported by funding from Earlham College, including Alumni Council Fund for Faculty Research, the Department of Education's Ronald E. McNair Postbaccalaureate Achievement Program, and the CBB-Student Faculty Research Support Fund.

References

1. Blendon, R. J., & Casey, L. S. (2019). Discrimination in the United States: Perspectives for the future. *Health Services Research, 54 Suppl 2*(Suppl 2), 1467–1471. https://doi.org/10.1111/1475-6773.13218
2. Williams, D. R., Lawrence, J. A., Davis, B. A., & Vu, C. (2019). Understanding how discrimination can affect health. *Health Services Research*, *54*(S2), 1374–1388. https://doi.org/10.1111/1475-6773.13222
3. Causadias, J. M., & Korous, K. M. (2019). Racial discrimination in the United States: A national health crisis that demands a national health solution. *The Journal of Adolescent Health, 64*(2), 147–148. https://doi.org/10.1016/j.jadohealth.2018.11.001
4. Devakumar, D., Shannon, G., Bhopal, S. S., & Abubakar, I. (2020). Racism and discrimination in COVID-19 responses. *Lancet*, *395*(10231), 1194. https://doi.org/10.1016/S0140-6736(20)30792-3
5. Miller, H. N., LaFave, S., Marineau, L., Stephens, J., & Thorpe, R. J., Jr (2021). The impact of discrimination on allostatic load in adults: An integrative review of literature. *Journal of Psychosomatic Research, 146,* 110434. https://doi.org/10.1016/j.jpsychores.2021.110434
6. Kraynak, T. E., Marsland, A. L., Wager, T. D., & Gianaros, P. J. (2018). Functional neuroanatomy of peripheral inflammatory physiology: A meta-analysis of human neuroimaging studies. *Neuroscience & Biobehavioral Reviews, 94,* 76–92. https://doi.org/10.1016/j.neubiorev.2018.07.013
7. Meyer, C. S., Schreiner, P. J., Lim, K., Battapady, H., & Launer, L. J. (2019). Depressive symptomatology, racial discrimination experience, and brain tissue volumes observed on magnetic resonance imaging. *American Journal of Epidemiology*, *188*(4), 656–663. https://doi.org/10.1093/aje/kwy282
8. Panza, G. A., Puhl, R. M., Taylor, B. A., Zaleski, A. L., Livingston, J., & Pescatello, L. S. (2019). Links between discrimination and cardiovascular health among socially stigmatized groups: A systematic review. *PLoS ONE*, *14*(6), e0217623. https://doi.org/10.1371/journal.pone.0217623
9. Paradies, Y., Ben, J., Denson, N., Elias, A., Priest, N., Pieterse, A., Gupta, A., Kelaher, M., & Gee, G. (2020). Racism as a determinant of health: A systematic review and meta-analysis. *PLoS ONE, 10*(9), 1–48. https://doi.org/10.1371/journal.pone.0138511
10. Ong, A. D., Cerrada, C., Lee, R. A., & Williams, D. R. (2017). Stigma consciousness, racial microaggressions, and sleep disturbance among Asian Americans. *Asian American Journal of Psychology*, *8*(1), 72. https://doi.org/10.1037/aap0000062
11. Slopen, N., Lewis, T. T., & Williams, D. R. (2016). Discrimination and sleep: A systematic review. *Sleep Medicine, 18*, 88–95. https://doi.org/10.1016/j.sleep.2015.01.012
12. Brody, G. H., Lei, M. K., Chae, D. H., Yu, T., Kogan, S. M., & Beach, S. R. H. (2014). Perceived discrimination among African American adolescents and allostatic load: A longitudinal analysis with buffering effects. *Child Development*, *85*(3), 989–1002. https://doi.org/10.1111/cdev.12213
13. Gunnar, M., & Quevedo, K. (2007). The neurobiology of stress and development. *Annual Review of Psychology*, *58*, 145–173. https://doi.org/10.1146/annurev.psych.58.110405.085605
14. Mays, V. M., Cochran, S. D., & Barnes, N. W. (2007). Race, race-based discrimination, and health outcomes among African Americans. *Annual Review of Psychology*, *58*, 201–225. https://doi.org/10.1146/annurev.psych.57.102904.190212
15. Pascoe, E. A., & Richman, L S.. (2009). Perceived discrimination and health: A meta-analytic review. *Psychological Bulletin, 135*(4), 531–554. https://doi.org/10.1037/a0016059
16. Estrada-Martínez, L. M., Caldwell, C. H., Bauermeister, J. A., & Zimmerman, M. A. (2012). Stressors in multiple life-domains and the risk for externalizing and internalizing behaviors among African Americans during emerging adulthood. *Journal of youth and adolescence*, *41*(12), 1600–1612.

https://doi.org/10.1007/s10964-012-9778-3

17. Coimbra, B. M., Hoeboer, C. M., Yik, J., Mello, A. F., Mello, M. F., & Olff, M. (2022). Meta-analysis of the effect of racial discrimination on suicidality. *SSM - Population Health*, *20*, 101283. https://doi.org/10.1016/j.ssmph.2022.101283

18. Kirkinis, K., Pieterse, A. L., Martin, C., Agiliga, A., & Brownell, A. (2018). Racism, racial discrimination, and trauma: a systematic review of the social science literature. *Ethnicity & Health, 26*(3), 1–21.

19. Valentine, J., Jessen, A. K., & Lilly, M. M. (2025). Racial discrimination, racial trauma, and PTSD in college students. *Psychological Trauma: Theory, Research, Practice, and Policy.* https://doi.org/10.1037/tra0002041

20. Wamser, R. A., & Richardson, J. R. (2024). Criterion a and non-criterion a racial discrimination experiences, posttraumatic stress symptoms, and posttraumatic cognitions among Black or African Americans. *Journal of Interpersonal Violence.* https://doi.org/10.1177/08862605231222286

21. Bleich, S. N., Findling, M. G., Casey, L. S., Blendon, R. J., Benson, J. M., SteelFisher, G. K., Sayde, J. M., & Miller, C. (2019). Discrimination in the United States: Experiences of Black Americans. *Health Services Research, 54*, 1399-1408. https://doi.org/10.1111/1475-6773.13220

22. Nagata, J. M., Ganson, K. T., Sajjad, O. M., Benabou, S. E., & Bibbins-Domingo, K. (2021). Prevalence of perceived racism and discrimination among US children aged 10 and 11 years. *JAMA Pediatrics*, *175*(8), 861. https://doi.org/10.1001/jamapediatrics.2021.1022

23. Archibald, C., Takamasa, E. J., Fraser, A. M., Metcalf, M. W., Rogers, A. A., & Bean, R. A. (2024). Sticks and atones may break bones, but racism breaks spirits: Discrimination and BIPOC adolescent mental health. *Youth & Society.* https://doi.org/10.1177/0044118x241266887

24. Loyd, A. B., Humphries, M. L., Moore, C., Owens, C. L., Smith, A. M., & Williams, N. (2024). Identifying risk and protective factors in research on mental health and Black American adolescents: 1990 through 2022. *Journal of Black Psychology, 50*(4). https://doi.org/10.1177/00957984241249360

25. Williams, M. T., Printz, D. M. B., & DeLapp, R. C. T. (2018). Assessing racial trauma with the Trauma Symptoms of Discrimination Scale. *Psychology of Violence*, *8*(6), 735–747. https://doi.org/10.1037/vio0000212

26. Trejo, A. N., Tate, A. D., Noser, A. E., Wieling, E., Kunin-Batson, A., Trofholz, A., & Berge, J. M. (2025). The role of discrimination, childhood maltreatment, and social determinants of health in adult BIPOC pain disparities. *Journal of Racial and Ethnic Health Disparities.* https://doi.org/10.1007/s40615-025-02422-9

27. Brody, G. H., Chen, Y. F., Murry, V. M., Ge, X., Simons, R. L., Gibbons, F. X., Gerrard, M., & Cutrona, C. E. (2006). Perceived discrimination and the adjustment of African American youths: A five-year longitudinal analysis with contextual moderation effects. *Child Development*, *77*(5), 1170–1189. https://doi.org/10.1111/j.1467-8624.2006.00927.x

28. Dulin-Keita, A., Hannon, L., III, Fernandez, J. R., & Cockerham, W. C. (2011). The defining moment: children's conceptualization of race and experiences with racial discrimination. *Ethnic and Racial Studies*, *34*(4), 662–682. https://doi.org/10.1080/01419870.2011.535906

29. Scott, K. E., Henkel, M. A., Moens, O. M., Devine, P. G., & Shutts, K. (2023). Children's evaluations of and reactions to racial discrimination. *Developmental Psychology*, *59*(7), 1190–1202. https://doi.org/10.1037/dev0001542

30. Cuevas, A. G., Ho, T., Rodgers, J., DeNufrio, D., Alley, L., Allen, J., & Williams, D. R. (2019). Developmental timing of initial racial discrimination exposure is associated with cardiovascular health conditions in adulthood. *Ethnicity & Health*, 1–14. https://doi.org/10.1080/13557858.2019.1613517

31. Thomas Tobin, C. S., Gutiérrez, Á., Bell, C. N., & Thorpe, R. J. (2021). Early life racial discrimination, racial centrality, and allostatic load among African American older adults. *The Gerontologist.* https://doi.org/10.1093/geront/gnab185

32. Priest, N., Doery, K., Lim, C. K., Lawrence, J. A., Zoumboulis, G., King, G., Lamisa, D., He, F., Wijesuriya, R., Mateo, C. M., Chong, S., Truong, M., Perry, R., King, P. T., Paki, N. P., Joseph, C., Pagram, D., Lekamge, R. B., Mikolajczak, G., & Darnett, E. (2024). Racism and health and wellbeing among children and youth–An updated systematic review and meta-analysis. *Social Science & Medicine, 361*, 117324. https://doi.org/10.1016/j.socscimed.2024.117324

33. Yip, T. (2015). The effects of ethnic/racial discrimination and sleep quality on depressive symptoms and self-esteem trajectories among diverse adolescents. *Journal of Youth and Adolescence, 44*(2), 419–430. https://doi.org/10.1007/s10964-014-0123-x

34. Benner, A. D., Wang, Y., Shen, Y., Boyle, A. E., Polk, R., & Cheng, Y. P. (2018). Racial/ethnic discrimination and well-being during adolescence: A meta-analytic review. *The American Psychologist*, *73*(7), 855–883. https://doi.org/10.1037/amp0000204

35. Lavner, J. A., Hart, A. R., Carter, S. E., & Beach, S. R. H. (2022). Longitudinal effects of racial discrimination on depressive symptoms among Black youth: Between- and within-person effects. *Journal of the American Academy of Child & Adolescent Psychiatry*, *61*(1), 56–65. https://doi.org/10.1016/j.jaac.2021.04.020

36. Loyd, A. B., Hotton, A. L., Walden, A. L., Kendall, A. D., Emerson, E., & Donenberg, G. R. (2019). Associations of ethnic/racial discrimination with internalizing symptoms and externalizing behaviors among juvenile justice-involved youth of color. *Journal of Adolescence*, *75*, 138–150. https://doi.org/10.1016/j.adolescence.2019.07.012

37. Marcelo, A. K., & Yates, T. M. (2019). Young children's ethnic–racial identity moderates the impact of early discrimination experiences on child behavior problems. *Cultural Diversity and Ethnic Minority Psychology*, *25*(2), 253–265. https://doi.org/10.1037/cdp0000220

38. Nyborg, V. M., & Curry, J. F. (2003). The Impact of Perceived Racism: Psychological symptoms among African American boys. *Journal of Clinical Child & Adolescent Psychology*, *32*(2), 258–266. https://doi.org/10.1207/S15374424JCCP3202_11

39. Cahill, M., Illback, R., & Peiper, N. (2024). Perceived racial discrimination, psychological distress, and suicidal behavior in adolescence: Secondary analysis of cross-sectional data from a statewide youth survey. *Healthcare*, *12*(10), 1011. https://doi.org/10.3390/healthcare12101011

40. Pearlman, A. T., Murphy, M. A., Raiciulescu, S., Johnson, N., Klein, D. A., Gray, J. C., & Schvey, N. A. (2023). Longitudinal associations between perceived discrimination and suicidality in youth. *The Journal of Pediatrics*, *262*. https://doi.org/10.1016/j.jpeds.2023.113642

41. Bernard, D. L., Smith, Q., & Lanier, P. (2022). Racial discrimination and other adverse childhood experiences as risk factors for internalizing mental health concerns among Black youth. *Journal of Traumatic Stress, 35*(2), 473–483. https://doi.org/10.1002/jts.22760

42. Green, D. J., Barnes, T. A., & Klein, N. D. (2024). Emotion regulation in response to discrimination: Exploring the role of self-control and impression management emotion-regulation goals. *Scientific Reports, 14*(1), 26632. https://doi.org/10.1038/s41598-024-76934-5

43. Steers, M. N., Chen, T. A., Neisler, J., Obasi, E. M., McNeill, L. H., & Reitzel, L. R. (2019). The buffering effect of social support on the relationship between discrimination and psychological distress among church-going African-American adults. *Behaviour Research and Therapy, 115*, 121–128. https://doi.org/10.1016/j.brat.2018.10.008

44. Fani, N., Eghbalzad, L., Harnett, N. G., Carter, S. E., Price, M., Stevens, J. S., Ressler, K. J., Van Rooij,

S. J. H., & Bradley, B. (2022a). Racial discrimination associates with lower cingulate cortex thickness in trauma-exposed black women. *Neuropsychopharmacology*, *47*(13), 2230–2237. https://doi.org/10.1038/s41386-022-01445-8

45. Fani, N., Harnett, N. G., Bradley, B., Mekawi, Y., Powers, A., Stevens, J. S., Ressler, K. J., & Carter, S. E. (2022b). Racial discrimination and white matter microstructure in trauma-exposed Black women. *Biological Psychiatry*, *91*(3), 254–261. https://doi.org/10.1016/j.biopsych.2021.08.011

46. Palms, J. D., Lee, J. H., Morris, E. P., Sol, K., Walters, M. E., Scambray, K. A., Morales, C. D., Alshikho, M. J., Lao, P. J., Manly, J. J., Brickman, A. M., & Zahodne, L. B. (2025). The relationship between racial discrimination and white matter among Black older adults. *Neurobiology of Aging, 156,* 63–72. https://doi.org/10.1016/j.neurobiolaging.2025.07.017

47. Javanbakht A. (2019). A theory of everything: Overlapping neurobiological mechanisms of psychotherapies of fear and anxiety related disorders. *Frontiers in Behavioral Neuroscience, 12,* 328. https://doi.org/10.3389/fnbeh.2018.00328

48. Thomas, E., Buss, C., Rasmussen, J. M., Entringer, S., Ramirez, J. S. B., Marr, M., Rudolph, M. D., Gilmore, J. H., Styner, M., Wadhwa, P. D., Fair, D. A., & Graham, A. M. (2019). Newborn amygdala connectivity and early emerging fear. *Developmental Cognitive Neuroscience*, *37*, 100604. https://doi.org/10.1016/j.dcn.2018.12.002

49. Satpute, A. B., & Lindquist, K. A. (2019). The default mode network's role in discrete emotion. *Trends in Cognitive Sciences, 23(*10), 851–864. https://doi.org/10.1016/j.tics.2019.07.003

50. Frank, D. W., Costa, V. D., Averbeck, B. B., & Sabatinelli, D. (2019). Directional interconnectivity of the human amygdala, fusiform gyrus, and orbitofrontal cortex in emotional scene perception. *Journal of Neurophysiology, 122*(4), 1530–1537. https://doi.org/10.1152/jn.00780.2018

51. LaBar, K., & Cabeza, R. (2006). Cognitive neuroscience of emotional memory. *Nature Reviews Neuroscience, 7*(54-64). https://doi.org/10.1038/nrn1825

52. Clark, U. S., Miller, E. R., & Hegde, R. R. (2018). Experiences of discrimination are associated with greater resting amygdala activity and functional connectivity. *Biological Psychiatry. Cognitive Neuroscience and Neuroimaging*, *3*(4), 367–378. https://doi.org/10.1016/j.bpsc.2017.11.011

53. Greer, T. M., Vendemia, J. M. C., & Stancil, M. (2012). Neural correlates of race-related social evaluations for African Americans and White Americans. *Neuropsychology, 26*(6), 704–712. https://doi.org/10.1037/a0030035

54. Rosario, M. A., Ayoub, A., Alotaibi, R., Clark, U. S., & Schon, K. (2020). Perceived control attenuates the relationship between experiences of discrimination and left amygdala volume in older adults. *Alzheimer's & Dementia, 16*(S5). https://doi.org/10.1002/alz.045394

55. Webb, E. K., Bird, C. M., deRoon-Cassini, T. A., Weis, C. N., Huggins, A. A., Fitzgerald, J. M., Miskovich, T., Bennett, K., Krukowski, J., Torres, L., & Larson, C. L. (2022). Racial discrimination and resting-state functional connectivity of salience network nodes in trauma-exposed Black adults in the United States. *JAMA Network Open*, *5*(1), e2144759. https://doi.org/10.1001/jamanetworkopen.2021.44759

56. Elbasheir, A., Katrinli, S., Kearney, B. E., Lanius, R. A., Harnett, N. G., Carter, S. E., Ely, T. D., Bradley, B., Gillespie, C. F., Stevens, J. S., Lori, A., van Rooij, S. J. H., Powers, A., Jovanovic, T., Smith, A. K., & Fani, N. (2024). Racial discrimination, neural connectivity, and epigenetic aging among Black Women. *JAMA Network Open*, *7*(6), e2416588. https://doi.org/10.1001/jamanetworkopen.2024.16588

57. Han, S. D., Lamar, M., Fleischman, D., Kim, N., Bennett, D. A., Lewis, T. T., Arfanakis, K., & Barnes, L. L. (2020). Self-reported experiences of discrimination in older black adults are associated with insula

functional connectivity. *Brain Imaging and Behavior, 15*(4), 1718–1727. https://doi.org/10.1007/s11682-020-00365-9

58.   Akdeniz, C., Tost, H., Streit, F., Haddad, L., Wüst, S., Schäfer, A., Schneider, M., Rietschel, M., Kirsch, P., & Meyer-Lindenberg, A. (2014). Neuroimaging evidence for a role of neural social stress processing in ethnic minority–associated environmental risk. *JAMA Psychiatry*, *71*(6), 672. https://doi.org/10.1001/jamapsychiatry.2014.35

59.   Zahodne, L. B., Sharifian, N., Kraal, A. Z., Morris, E. P., Sol, K., Zaheed, A. B., Meister, L., Mayeux, R., Schupf, N., Manly, J. J., & Brickman, A. M. (2023). Longitudinal associations between racial discrimination and hippocampal and white matter hyperintensity volumes among older Black adults. *Social Science & Medicine (1982)*, 316, 114789. https://doi.org/10.1016/j.socscimed.2022.114789

60.   Gordon, E. M., Laumann, T. O., Adeyemo, B., Huckins, J. F., Kelley, W. M., & Petersen, S. E. (2016). Generation and evaluation of a cortical area parcellation from resting-state correlations. *Cerebral Cortex*, *26*(1), 288–303. https://doi.org/10.1093/cercor/bhu239

61.   Dong, T. S., Gee, G. C., Beltran-Sanchez, H., Wang, M., Osadchiy, V., Kilpatrick, L. A., Chen, Z., Subramanyam, V., Zhang, Y., Guo, Y., Labus, J. S., Naliboff, B., Cole, S., Zhang, X., Mayer, E. A., & Gupta, A. (2023). How discrimination gets under the skin: Biological determinants of discrimination associated with dysregulation of the brain-gut microbiome system and psychological symptoms. *Biological Psychiatry*, *94*(3), 203–214. https://doi.org/10.1016/j.biopsych.2022.10.011

62.   Spann, M. N., Alleyne, K., Holland, C. M., Davids, A., Pierre-Louis, A., Bang, C., Oyeneye, V., Kiflom, R., Shea, E., Cheng, B., Peterson, B. S., Monk, C., & Scheinost, D. (2023). The effects of experience of discrimination and acculturation during pregnancy on the developing offspring brain. *Neuropsychopharmacology*, 1–10. https://doi.org/10.1038/s41386-023-01765-3

63.   Kral, A., Williams, C. Y., Wylie, A. C., McLaughlin, K., Stephens, R. L., Mills-Koonce, W. R., Birn, R. B., Propper, C. B., & Short, S. J. (2024). Intergenerational effects of racism on amygdala and hippocampus resting state functional connectivity. *Scientific Reports, 14*(1). https://doi.org/10.1038/s41598-024-66830-3

64.   Masten, C. L., Telzer, E. H., & Eisenberger, N. I. (2011). An fMRI investigation of attributing negative social treatment to racial discrimination. *Journal of Cognitive Neuroscience, 23*(5), 1042–1051. https://doi.org/10.1162/jocn.2010.21520

65.   Fani, N., Carter, S. E., Harnett, N. G., Ressler, K. J., & Bradley, B. (2021). Association of racial discrimination with neural response to threat in Black women in the US exposed to trauma. *JAMA Psychiatry*, *78*(9), 1005–1012. https://doi.org/10.1001/jamapsychiatry.2021.1480

66.   Assari, S., & Mincy, R. (2021). Racism may interrupt age-related brain growth of African American children in the United States. *Journal of Pediatrics & Child Health Care*, *6*(3), 1047.

67.   Chen, S., Lopez-Quintero, C., & Elton, A. (2025). Perceived racism, brain development, and internalizing and externalizing symptoms: Findings from the ABCD Study. *Journal of the American Academy of Child and Adolescent Psychiatry, S0890-8567*(25)00206-0. Advance online publication. https://doi.org/10.1016/j.jaac.2025.04.005

68.   Dumornay, N. M., Lebois, L. A. M., Ressler, K. J., & Harnett, N. G. (2023). Racial disparities in adversity during childhood and the false appearance of race-related differences in brain structure. *American Journal of Psychiatry, 180*(2), 127–138. https://doi.org/10.1176/appi.ajp.21090961

69.   Hatzenbuehler, M. L., Weissman, D. G., McKetta, S., Lattanner, M. R., Ford, J. V., Barch, D. M., & McLaughlin, K. A. (2022). Smaller hippocampal volume among Black and Latinx youth living in high-stigma contexts. *Journal of the American Academy of Child & Adolescent Psychiatry, 61*(6), 809–819. https://doi.org/10.1016/j.jaac.2021.08.017

70.   Mullins, J. L., Díaz, D. E., Firat, R. B., & Michalska, K. J. (2024). Ethnic-racial discrimination exposure and anxiety in latina girls: Amygdala volume as an indirect neurobiological pathway. *Cologne Journal of Sociology and Social Psychology.* https://doi.org/10.1007/s11577-024-00946-2

71.   Feinstein, J. S., Adolphs, R., Damasio, A., & Tranel, D. (2011). The human amygdala and the induction and experience of fear. *Current Biology*, *21*(1), 34–38. https://doi.org/10.1016/j.cub.2010.11.042

72.   Ressler K. J. (2010). Amygdala activity, fear, and anxiety: modulation by stress. *Biological Psychiatry*, *67*(12), 1117–1119. https://doi.org/10.1016/j.biopsych.2010.04.027

73.   Zhang, X., Ge, T. T., Yin, G., Cui, R., Zhao, G., & Yang, W. (2018). Stress-induced functional alterations in amygdala: Implications for neuropsychiatric diseases. *Frontiers in Neuroscience*, *12*, 367. https://doi.org/10.3389/fnins.2018.00367

74.   Chng, B. Z., & Tan, C. (2017). The effect of racial discrimination on aggression. *Pertanika Journal of Social Science and Humanities, 25*(1), 461-472.

75.   Stein, G. L., Castro-Schilo, L., Cavanaugh, A. M., Mejia, Y., Christophe, N. K., & Robins, R. (2019). When discrimination hurts: The longitudinal impact of increases in peer discrimination on anxiety and depressive symptoms in Mexican-origin youth. *Journal of Youth and Adolescence, 48*(5), 864–875. https://doi.org/10.1007/s10964-019-01012-3

76.   Propp, L., Nakua, H., Bedard, A. C. V., Sanches, M., Ameis, S. H., & Andrade, B. F. (2025). The relationship between frontal cortical thickness and externalizing psychopathology is associated with treatment outcomes in children with externalizing problems: A preliminary pilot study: La relation entre l'épaisseur du cortex frontal et les troubles extériorisés est associée aux résultats thérapeutiques chez les enfants ayant des problèmes extériorisés: Une étude pilote préliminaire. *The Canadian Journal of Psychiatry, 70*(5), 392–403. https://doi.org/10.1177/07067437251315519

77.   Thijssen, S., Collins, P. F., Weiss, H., & Luciana, M. (2021). The longitudinal association between externalizing behavior and frontoamygdalar resting-state functional connectivity in late adolescence and young adulthood. *Journal of Child Psychology and Psychiatry, and Allied Disciplines, 62*(7), 857–867. https://doi.org/10.1111/jcpp.13330

78.   Guyer, A. E., Lau, J. Y. F., McClure-Tone, E. B., Parrish, J., Shiffrin, N. D., Reynolds, R. C., Chen, G., Blair, R. J. R., Leibenluft, E., Fox, N. A., Ernst, M., Pine, D. S., & Nelson, E. E. (2008). Amygdala and ventrolateral prefrontal cortex function during anticipated peer evaluation in pediatric social anxiety. *Archives of General Psychiatry, 65*(11), 1303. https://doi.org/10.1001/archpsyc.65.11.1303

79.   Thomas, E., Juliano, A., Owens, M., Cupertino, R. B., Mackey, S., Hermosillo, R., Miranda-Dominguez, O., Conan, G., Ahmed, M., Fair, D. A., Graham, A. M., Goode, N. J., Kandjoze, U. P., Potter, A., Garavan, H., & Albaugh, M. D. (2024). Amygdala connectivity is associated with withdrawn/depressed behavior in a large sample of children from the Adolescent Brain Cognitive Development (ABCD) Study®. *Psychiatry Research Neuroimaging*, *344*, 111877–111877. https://doi.org/10.1016/j.pscychresns.2024.111877

80.   Luengo Kanacri, B. P., Eisenberg, N., Thartori, E., Pastorelli, C., Uribe Tirado, L. M., Gerbino, M., & Caprara, G. V. (2017). Longitudinal relations among positivity, perceived positive school climate, and prosocial behavior in Colombian adolescents. *Child Development, 88*(4), 1100–1114. https://doi.org/10.1111/cdev.12863

81.   Luo, Y., Ma, T., & Deng, Y. (2023). School climate and adolescents' prosocial behavior: The mediating role of perceived social support and resilience. *Frontiers in Psychology, 14,* 1095566. https://doi.org/10.3389/fpsyg.2023.1095566

82.   Manzano-Sánchez, D., Gómez-Mármol, A., Valero-Valenzuela, A., & Jiménez-Parra, J. F. (2021). School climate and responsibility as predictors of antisocial and prosocial behaviors and violence: A

study towards Self-Determination Theory. *Behavioral Sciences, 11*(3), 36. https://doi.org/10.3390/bs11030036

83. Flynn, E., Ehrenreich, S. E., Beron, K. J., & Underwood, M. K. (2014). Prosocial behavior: Long-term trajectories and psychosocial outcomes. *Social Development, 24*(3), 462–482. https://doi.org/10.1111/sode.12100

84. Memmott-Elison, M., Padilla-Walker, L. M., Yorgason, J. B., & Coyne, S. M. (2020). Intra-individual associations between intentional self-regulation and prosocial behavior during adolescence: Evidence for bidirectionality. *Journal of Adolescence, 80,* 29–40. https://doi.org/10.1016/j.adolescence.2020.02.001

85. Sheikh, I. S., Alsubaie, M. K., Dolezal, M. L., Walker, R. S., Rosencrans, P. L., Peconga, E., Holloway, A., Bentley, J. A., & Zoellner, L. A. (2022). The role of social connectedness in buffering the effects of discrimination on post-trauma cognitions in forcibly displaced Muslims. *Psychological Trauma: Theory, Research, Practice and Policy*, *14*(1), 47–54. https://doi.org/10.1037/tra0001070

86. Wang, Y., Ran, G., Zhang, Q., & Zhang, Q. (2024). The association between social support and prosocial behavior: A three-level meta-analysis. *PsyCh Journal*. https://doi.org/10.1002/pchj.792

87. Cutler, J., & Campbell-Meiklejohn, D. (2019). A comparative fMRI meta-analysis of altruistic and strategic decisions to give. *NeuroImage, 184,* 227–241. https://doi.org/10.1016/j.neuroimage.2018.09.009

88. Lockwood, P. L., Wittmann, M. K., Nili, H., Matsumoto-Ryan, M., Abdurahman, A., Cutler, J., Husain, M., & Apps, M. A. J. (2022). Distinct neural representations for prosocial and self-benefiting effort. *Current Biology*. https://doi.org/10.1016/j.cub.2022.08.010

89. Carter, R. T. (2007). Racism and psychological and emotional Injury: Recognizing and assessing race-based traumatic stress. *The Counseling Psychologist*, *35*(1), 13–105. https://doi.org/10.1177/0011000006292033

90. Forsyth, J., & Carter, R. T. (2012). The relationship between racial identity status attitudes, racism-related coping, and mental health among Black Americans. *Cultural Diversity and Ethnic Minority Psychology*, *18*(2), 128–140. https://doi.org/10.1037/a0027660

91. Mekawi, Y., Carter, S., Packard, G., Wallace, S., Michopoulos, V., & Powers, A. (2022). When (passive) acceptance hurts: Race-based coping moderates the association between racial discrimination and mental health outcomes among Black Americans. *Psychological Trauma: Theory, Research, Practice, and Policy*, *14*(1), 38–46. https://doi.org/10.1037/tra0001077

92. Pieterse, A. L., & Carter, R. T. (2010). The role of racial identity in perceived racism and psychological stress among Black American adults: Exploring traditional and alternative approaches. *Journal of Applied Social Psychology*, *40*(5), 1028–1053. https://doi.org/10.1111/j.1559-1816.2010.00609.x

93. Sellers, R. M., & Shelton, J. N. (2003). The role of racial identity in perceived racial discrimination. *Journal of Personality and Social Psychology*, *84*(5), 1079–1092. https://doi.org/10.1037/0022-3514.84.5.1079

94. Sangalang, C. C., Jager, J., & Harachi, T. W. (2017). Effects of maternal traumatic distress on family functioning and child mental health: An examination of Southeast Asian refugee families in the U.S. *Social Science & Medicine (1982), 184,* 178–186. https://doi.org/10.1016/j.socscimed.2017.04.032

95. Scully, C., McLaughlin, J., & Fitzgerald, A. (2019). The relationship between adverse childhood experiences, family functioning, and mental health problems among children and adolescents: A systematic review. *Journal of Family Therapy, 42*(2), 291–316. https://doi.org/10.1111/1467-6427.12263

96. Kim, T., Brooks, M., & Stackhouse, F. (2021). Discrimination, social connectedness, and future anxiety of first-generation Korean Americans. *Journal of Asia Pacific Counseling, 11*(2), 57–71.

https://doi.org/10.18401/2021.11.2.4

97. Lazarevic, V., Crovetto, F., Shapiro, A. F., & Nguyen, S. (2020). Family dynamics moderate the impact of discrimination on wellbeing for Latino young adults. *Cultural Diversity and Ethnic Minority Psychology*. https://doi.org/10.1037/cdp0000344

98. Back, H., & Piekkari, R. (2024). Language-based discrimination in multilingual organizations: A comparative study of migrant professionals' experiences across physical and virtual spaces. *Journal of World Business*, *59*(3), 101518. https://doi.org/10.1016/j.jwb.2024.101518

99. Kubota, R., Corella, M., Lim, K., & Sah, P. K. (2021). "Your English is so good": Linguistic experiences of racialized students and instructors of a Canadian university. *Ethnicities*, *23*(5), 758-778. https://doi.org/10.1177/14687968211055808

100. Tan, K. H., Jospa, M. E. a. W., Mohd-Said, N.-E., & Awang, M. M. (2021). Speak like a native English speaker or be judged: A scoping review. *International Journal of Environmental Research and Public Health*, *18*(23), 12754. https://doi.org/10.3390/ijerph182312754

101. Montemitro, C., D'Andrea, G., Cesa, F., Martinotti, G., Pettorruso, M., Di Giannantonio, M., Muratori, R., & Tarricone, I. (2021). Language proficiency and mental disorders among migrants: A systematic review. *European Psychiatry, 64*(1). https://doi.org/10.1192/j.eurpsy.2021.2224

102. Yoon, E., Chang, C. T., Kim, S., Clawson, A., Cleary, S. E., Hansen, M., Bruner, J. P., Chan, T. K., & Gomes, A. M. (2013). A meta-analysis of acculturation/enculturation and mental health. *Journal of Counseling Psychology*, *60*(1), 15–30. https://doi.org/10.1037/a0030652

103. Mekawi, Y., Carter, S., Brown, B., de Andino, A. M., Fani, N., Michopoulos, V., & Powers, A. (2021a). Interpersonal trauma and posttraumatic stress disorder among Black women: Does racial discrimination matter? *Journal of Trauma & Dissociation: The Official Journal of the International Society for the Study of Dissociation (ISSD)*, *22*(2), 154–169. https://doi.org/10.1080/15299732.2020.1869098

104. Clark, R., Anderson, N. B., Clark, V. R., & Williams, D. R. (1999). Racism as a stressor for African Americans. A biopsychosocial model. *The American Psychologist, 54*(10), 805–816. https://doi.org/10.1037//0003-066x.54.10.805

105. Mekawi, Y., Hyatt, C. S., Maples-Keller, J., Carter, S., Michopoulos, V., & Powers, A. (2021b). Racial discrimination predicts mental health outcomes beyond the role of personality traits in a community sample of African Americans. *Clinical Psychological Science*, *9*(2), 183–196. https://doi.org/10.1177/2167702620957318

106. Fourie, M.M., Stein, D.J., Solms, M., Gobodo-Madikizela, P., & Decety, J. (2019). Effects of early adversity and social discrimination on empathy for complex mental states: An fMRI investigation. *Scientific Reports, 9*(1). https://doi.org/10.1038/s41598-019-49298-4

107. Casey, B. J., Cannonier, T., Conley, M. I., Cohen, A. O., Barch, D. M., Heitzeg, M. M., Soules, M. E., Teslovich, T., Dellarco, D. V., Garavan, H., Orr, C. A., Wager, T. D., Banich, M. T., Speer, N. K., Sutherland, M. T., Riedel, M. C., Dick, A. S., Bjork, J. M., Thomas, K. M., Chaarani, B., … ABCD Imaging Acquisition Workgroup (2018). The Adolescent Brain Cognitive Development (ABCD) study: Imaging acquisition across 21 sites. *Developmental Cognitive Neuroscience, 32,* 43–54. https://doi.org/10.1016/j.dcn.2018.03.001

108. Phinney, J. S., Madden, T., & Santos, L. J. (1998). Psychological variables as predictors of perceived ethnic discrimination among minority and immigrant adolescents. *Journal of Applied Social Psychology, 28*(11), 937–953. https://doi.org/10.1111/j.1559-1816.1998.tb01661.x

109. Hagler, D. J., Jr, Hatton, S., Cornejo, M. D., Makowski, C., Fair, D. A., Dick, A. S., Sutherland, M. T., Casey, B. J., Barch, D. M., Harms, M. P., Watts, R., Bjork, J. M., Garavan, H. P., Hilmer, L., Pung, C. J., Sicat, C. S., Kuperman, J., Bartsch, H., Xue, F., Heitzeg, M. M., … Dale, A. M. (2019). Image

processing and analysis methods for the Adolescent Brain Cognitive Development Study. *NeuroImage, 202,* 116091. https://doi.org/10.1016/j.neuroimage.2019.116091

110. Glasser, M. F., Smith, S. M., Marcus, D. S., Andersson, J. L. R., Auerbach, E. J., Behrens, T. E. J., Coalson, T. S., Harms, M. P., Jenkinson, M., Moeller, S., Robinson, E. C., Sotiropoulos, S. N., Xu, J., Yacoub, E., Ugurbil, K., & Van Essen, D. C. (2016). The Human Connectome Project's neuroimaging approach. *Nature Neuroscience*, *19*(9), 1175–1187. https://doi.org/10.1038/nn.4361

111. Power, J. D., Barnes, K. A., Snyder, A. Z., Schlaggar, B. L., & Petersen, S. E. (2011). Spurious but systematic correlations in functional connectivity MRI networks arise from subject motion. *NeuroImage*, *59*(3), 2142–2154. https://doi.org/10.1016/j.neuroimage.2011.10.018

112. Miranda-Dominguez, O., Feczko, E., Grayson, D. S., Walum, H., Nigg, J. T., & Fair, D. A. (2018). Heritability of the human connectome: A connectotyping study. *Network Neuroscience, 2*(2), 175–199. https://doi.org/10.1162/netn_a_00029

113. Jenks, S. K., Zhang, S., Li, C. R., & Hu, S. (2020). Threat bias and resting state functional connectivity of the amygdala and bed nucleus stria terminalis. *Journal of Psychiatric Research, 122,* 54–63. https://doi.org/10.1016/j.jpsychires.2019.12.017

114. Geng, H., Wang, Y., Gu, R., Luo, Y.-J., Xu, P., Huang, Y., & Li, X. (2018). Altered brain activation and connectivity during anticipation of uncertain threat in trait anxiety. *Human Brain Mapping, 39*(10), 3898–3914. https://doi.org/10.1002/hbm.24219

115. Zhu, X., Helpman, L., Papini, S., Schneier, F., Markowitz, J. C., Van Meter, P. E., Lindquist, M. A., Wager, T. D., & Neria, Y. (2016). Altered resting state functional connectivity of fear and reward circuitry in comorbid PTSD and major depression. *Depression and Anxiety*, *34*(7), 641–650. https://doi.org/10.1002/da.22594

116. Bird, C. M., Webb, E. K., Schramm, A. T., Torres, L., Larson, C., & deRoon-Cassini, T. A. (2021). Racial discrimination is associated with acute posttraumatic stress symptoms and predicts future posttraumatic stress disorder symptom severity in trauma-exposed black adults in the United States. *Journal of Traumatic Stress*, *34*(5), 995–1004. https://doi.org/10.1002/jts.22670

117. Bogart, L. M., Wagner, G. J., Galvan, F. H., Landrine, H., Klein, D. J., & Sticklor, L. A. (2011). Perceived discrimination and mental health symptoms among Black men with HIV. *Cultural Diversity & Ethnic Minority Psychology*, *17*(3), 295–302. https://doi.org/10.1037/a0024056

118. Harb, F., Bird, C. M., Webb, E. K., Torres, L., deRoon-Cassini, T. A., & Larson, C. L. (2023). Experiencing racial discrimination increases vulnerability to PTSD after trauma via peritraumatic dissociation. *European Journal of Psychotraumatology*, *14*(2), 2211486. https://doi.org/10.1080/20008066.2023.2211486

119. Suzuki, Y., & Tanaka, S. C. (2021). Functions of the ventromedial prefrontal cortex in emotion regulation under stress. *Scientific Reports, 11*(1). https://doi.org/10.1038/s41598-021-97751-0

120. Gaffrey, M. S., Barch, D. M., Luby, J. L., & Petersen, S. E. (2020). Amygdala functional connectivity is associated with emotion regulation and amygdala reactivity in 4- to 6-year-olds. *Journal of the American Academy of Child & Adolescent Psychiatry, 60*(1). https://doi.org/10.1016/j.jaac.2020.01.024

121. Likhtik, E., Stujenske, J. M., Topiwala, M. A., Harris, A. Z., & Gordon, J. A. (2014). Prefrontal entrainment of amygdala activity signals safety in learned fear and innate anxiety. *Nature Neuroscience*, *17*(1), 106–113. https://doi.org/10.1038/nn.3582

122. Schimmelpfennig, J., Topczewski, J., Zajkowski, W., & Jankowiak-Siuda, K. (2023). The role of the salience network in cognitive and affective deficits. *Frontiers in Human Neuroscience, 17.* https://doi.org/10.3389/fnhum.2023.1133367

123. Marek, S., Tervo-Clemmens, B., Calabro, F. J., Montez, D. F., Kay, B. P., Hatoum, A. S., Donohue, M.

R., Foran, W., Miller, R. L., Hendrickson, T. J., Malone, S. M., Kandala, S., Feczko, E., Miranda-Dominguez, O., Graham, A. M., Earl, E. A., Perrone, A. J., Cordova, M., Doyle, O., . . . Dosenbach, N. U. F. (2022). Reproducible brain-wide association studies require thousands of individuals. *Nature*, *603*(7902), 654–660. https://doi.org/10.1038/s41586-022-04492-9

124. Felmingham, K., Kemp, A., Williams, L., Das, P., Hughes, G., Peduto, A., & Bryant, R. (2007). Changes in anterior cingulate and amygdala after cognitive behavior therapy of posttraumatic stress disorder. *Psychological Science*, *18*(2), 127–129. https://doi.org/10.1111/j.1467-9280.2007.01860.x

125. Harnett, N. G., Fani, N., Carter, S., Sanchez, L. D., Rowland, G. E., Davie, W. M., Guzman, C., Lebois, L. a. M., Ely, T. D., Van Rooij, S. J. H., Seligowski, A. V., Winters, S., Grasser, L. R., Musey, P. I., Seamon, M. J., House, S. L., Beaudoin, F. L., An, X., Zeng, D., . . . Ressler, K. J. (2023). Structural inequities contribute to racial/ethnic differences in neurophysiological tone, but not threat reactivity, after trauma exposure. *Molecular Psychiatry*, *28*(7), 2975–2984. https://doi.org/10.1038/s41380-023-01971-x

126. Wolf, R. C., & Herringa, R. J. (2015). Prefrontal–Amygdala dysregulation to threat in pediatric posttraumatic stress disorder. *Neuropsychopharmacology*, *41*(3), 822–831. https://doi.org/10.1038/npp.2015.209

127. Oshri, A., Reck, A. J., Carter, S. E., Uddin, L. Q., Geier, C. F., Beach, S. R. H., Brody, G. H., Kogan, S. M., & Sweet, L. H. (2024). Racial discrimination and risk for internalizing and externalizing symptoms among black youths. *JAMA Network Open*, *7*(6), e2416491. https://doi.org/10.1001/jamanetworkopen.2024.16491

128. Padgaonkar, N. T., Lawrence, K. E., Hernandez, L. M., Green, S. A., Galván, A., & Dapretto, M. (2020). Sex differences in internalizing symptoms and amygdala functional connectivity in neurotypical youth. *Developmental Cognitive Neuroscience, 44*, 100797. https://doi.org/10.1016/j.dcn.2020.100797

129. Rogers, C. E., Sylvester, C. M., Mintz, C., Kenley, J. K., Shimony, J. S., Barch, D. M., & Smyser, C. D. (2017). Neonatal amygdala functional connectivity at rest in healthy and preterm infants and early internalizing symptoms. *Journal of the American Academy of Child & Adolescent Psychiatry, 56*(2), 157–166. https://doi.org/10.1016/j.jaac.2016.11.005

130. Cardinale, E. M., Breeden, A. L., Robertson, E. L., Lozier, L. M., Vanmeter, J. W., & Marsh, A. A. (2017). Externalizing behavior severity in youths with callous–unemotional traits corresponds to patterns of amygdala activity and connectivity during judgments of causing fear. *Development and Psychopathology, 30*(1), 191–201. https://doi.org/10.1017/s0954579417000566

131. Cheetham, A., Allen, N. B., Whittle, S., Simmons, J., Yücel, M., & Lubman, D. I. (2018). Amygdala volume mediates the relationship between externalizing symptoms and daily smoking in adolescence: A prospective study. *Psychiatry Research: Neuroimaging*, 276, 46–52. https://doi.org/10.1016/j.pscychresns.2018.03.007

132. Garavan, H., Bartsch, H., Conway, K., Decastro, A., Goldstein, R. Z., Heeringa, S., Jernigan, T., Potter, A., Thompson, W., & Zahs, D. (2018). Recruiting the ABCD sample: Design considerations and procedures. *Developmental cognitive neuroscience*, *32*, 16–22. https://doi.org/10.1016/j.dcn.2018.04.004

133. Braddock, A. S., Phad, A., Tabak, R., Kumanyika, S., Johnston, S., Koopman, R., Prout, E., & McQueen, A. (2021). Assessing racial and ethnic discrimination in children: A scoping review of available measures for child health disparities research. *Health Equity, 5*(1), 727–737. https://doi.org/10.1089/heq.2021.0008

134. Fleischer, N. J., & Sadek, K. (2024). Arab, Middle Eastern, and North African health disparities research: A scoping review. *Journal of Racial and Ethnic Health Disparities*.

https://doi.org/10.1007/s40615-024-01972-8

135. Achenbach, T. M., & Rescorla, L. A. (2001). Child Behavior Checklist for Ages 6-18. *APA PsycTESTS*. https://doi.org/10.1037/t47452-000

136. Kaufman, J., Birmaher, B., Brent, D., Rao, U., et al. (1997). Schedule for Affective Disorders and Schizophrenia for School-Age Children-Present and Lifetime version (K-SADS-PL): Initial reliability and validity data. *Journal of the American Academy of Child & Adolescent Psychiatry, 36*(7), 980–988. https://doi.org/10.1097/00004583-199707000-00021

137. Hamilton, C. M., Strader, L. C., Pratt, J. G., Maiese, D., Hendershot, T., Kwok, R. K., Hammond, J. A., Huggins, W., Jackman, D., Pan, H., Nettles, D. S., Beaty, T. H., Farrer, L. A., Kraft, P., Marazita, M. L., Ordovas, J. M., Pato, C. N., Spitz, M. R., Wagener, D., Williams, M., … Haines, J. (2011). The PhenX Toolkit: Get the most from your measures. *American Journal of Epidemiology*, *174*(3), 253–260. https://doi.org/10.1093/aje/kwr193

138. Goodman, R., Meltzer, H. & Bailey, V. The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. *European Child & Adolescent Psychiatry 7,* 125–130 (1998). https://doi.org/10.1007/s007870050057

A

- ◼ Auditory (AN)
- ◼ Cingulo Opercular (CON)
- ◼ Cingulo-Parietal (CPN)
- ◼ Default (DMN)
- ◼ Dorsal Attention (DAN)
- ◼ Fronto-Parietal (FPN)
- ◼ Retrosplenial Temporal (RTN)
- ◼ Sensorimotor Hand (SMN-H)
- ◼ Sensorimotor Mouth (SMN-M)
- ◼ Salience (SN)
- ◼ Ventral-Attention (VAN)
- ◼ Visual (VIS)

B

- ◼ Cerebellum
- ◼ Thalamus
- ◼ Caudate
- ◼ Putamen
- ◼ Pallidum
- ◼ Brain Stem
- ◼ Hippocampus
- ◼ Amygdala
- ◼ Accumbens
- ◼ Diencephalon Ventral