# Fully computational design of PAM-relaxed *Staphylococcus aureus* Cas9 with expanded targeting capability

Youcai Xiong[1], Li-Kuang Tsai[1], Jun Zhou[1], Shuang Chen[1], Xiaofeng Xia[2], Jifeng Zhang[1], Y. Eugene Chen[1], Jie Xu[1]*, and Xiaoqiang Huang[1]*

[1]Center for Advanced Models for Translational Sciences and Therapeutics, Department of Internal Medicine, University of Michigan Medical School, 2800 Plymouth Road, Ann Arbor, MI 48109, USA

[2]Research & Development, ATGC Inc., 1004 W 9th Avenue, King of Prussia, PA 19406, USA

*Correspondence: jiex@umich.edu (JX); xiaoqiah@umich.edu (XH)

## Abstract

CRISPR–Cas9 nucleases have transformed genome engineering, yet their application is often constrained by protospacer-adjacent motif (PAM) requirements. *Staphylococcus aureus* Cas9 (SaCas9) is particularly attractive for in vivo applications due to its compact size; however, its NNGRRT PAM limits targetable genomic sites. Here, we report KRH, a SaCas9 variant designed entirely from the wild-type enzyme through a fully computational point-mutation design workflow, UniDesign, without additional experimental optimization. As expected, KRH efficiently recognizes an expanded NNNRRT PAM and exhibits substantially enhanced editing efficiency at non-canonical PAM sites, with improvements of up to 116-fold over the wild type. Across multiple human cell types, KRH achieves genome- and base-editing efficiencies comparable to, or exceeding, those of the well-known evolution-derived KKH variant. Computational modeling by UniDesign provides a mechanistic explanation for the PAM relaxation observed in both KRH and KKH, with structural and energetic analyses revealing that KRH relaxes PAM specificity by fine-tuning the balance between sequence-specific interactions with PAM bases and nonspecific contacts with the DNA backbone. Beyond its practical utility, KRH demonstrates that computational design can identify a minimal set of mutations sufficient to remodel the PAM interface while preserving high nuclease activity. This approach recapitulates—and in some cases surpasses—the performance of evolution-derived variants, offering a scalable strategy for high-throughput Cas9 engineering. Overall, these results establish KRH as a blueprint for rationally engineered, PAM-relaxed nucleases and underscores the power of computational design to accelerate next-generation genome editing.

## Introduction

Clustered regularly interspaced short palindromic repeats (CRISPR) and their associated nucleases have revolutionized biological research and therapeutic genome engineering[1-4]. Among these systems, *Staphylococcus aureus* Cas9 (SaCas9) is particularly attractive due to its compact size, which facilitates efficient packaging into adeno-associated virus (AAV) vectors for in vivo delivery[5]. However, the utility of SaCas9 is constrained by its relatively restrictive protospacer-adjacent motif (PAM) requirement, NNGRRT, which limits the number of targetable genomic loci[6]. Expanding SaCas9 PAM compatibility while retaining

high editing efficiency remains a key challenge for both therapeutic and biotechnological applications.

Previous efforts to relax SaCas9 PAM specificity have relied on molecular evolution, evolution-based chimera engineering, or combined computational–experimental strategies[7-9]. The well-known E782K/N968K/R1015H (KKH) variant, generated through iterative mutagenesis and selection, broadens PAM recognition to NNNRRT[7]. Despite its effectiveness, this approach does not leverage structural information and therefore provides limited mechanistic insight into PAM relaxation. Similarly, chimera engineering method successfully produced chimeric SaCas9 (cCas9) variants with altered recognition of noncanonical PAM sequences such as NNVRRN and NNVACT[8], but offered little understanding of the underlying molecular determinants. A combined computational–experimental approach (COMET) explained the activity of KKH and proposed new variants targeting NNGRRN[9]; however, its reliance on intensive molecular dynamics simulations and free-energy perturbation calculations makes it computationally expensive and impractical for high-throughput variant screening.

In our previous work, we demonstrated that UniDesign, a general computational protein design framework, can efficiently and accurately model PAM recognition across diverse Cas9 and Cas12 enzymes[10]. When native PAM-interacting amino acids (PIAAs) were preserved, UniDesign recovered predicted natural PAMs; conversely, when natural PAMs were fixed, UniDesign redesigned PIAAs recapitulated native PIAA residues with 86% sequence similarity[10]. These results indicated that UniDesign captures the intrinsic coupling between PAMs and their interacting residues, suggesting its potential for rationally engineering SaCas9 variants with expanded PAM compatibility.

Here, we report KRH (E782K/N968R/R1015H), a new SaCas9 variant designed entirely in silico using an improved UniDesign workflow for efficient point-mutation generation, without any additional wet-lab optimization. Genome editing and base editing experiments show that KRH robustly recognizes the expanded NNNRRT PAM, matching the relaxed specificity of KKH. Notably, KRH exhibits comparable or superior editing activity across multiple genomic contexts, underscoring its practical utility as a fully computationally designed alternative to evolution-derived variants.

Because KRH was generated exclusively through computational design, our approach also enables detailed interrogation of the structural and energetic mechanisms underlying PAM recognition. Modeling analyses reveal (1) how the KRH substitutions enhance PAM compatibility, (2) how both KRH and KKH achieve PAM relaxation through related yet distinct molecular interactions, and (3) a minimal set of mutations sufficient to remodel the PAM interface without substantially compromising nuclease function. These insights highlight the advantages of UniDesign for rationally CRISPR nuclease engineering.

Together, this work establishes KRH SaCas9 as a powerful, computationally designed nuclease with broadened PAM recognition and demonstrates how atomic-level modeling can both guide and mechanistically explain precise modifications to the PAM-interacting interface. Our results underscore the growing potential of computational protein design approaches like UniDesign to complement traditional molecular evolution strategies for next-generation genome editor engineering.

## Results

### Improving UniDesign for computational point-mutation variant design

UniDesign is a general framework for computational protein design, and we have demonstrated its effectiveness across a wide range of design and modeling tasks[10,11]. In its standard workflow, UniDesign builds rotamers at selected design sites on the input protein scaffold, scores combinations of rotamers using the UniEF energy function[10,11], and identifies low-energy sequences using simulated annealing Monte Carlo (SAMC) search[12] (**Fig. 1A**, light blue). Low-energy sequences from independent trajectories are then collected for downstream analysis.

Although the standard pipeline works well for de novo sequence design and applications that do not restrict the number of mutations—for example, exploring entirely new amino-acid combinations across many positions—it is less suitable for designing variants with only a small, desired number of point mutations, which is often preferred for practical experimental reasons. As a result, in earlier work with UniDesign we had to manually adjust mutable sites one at a time to perform in silico site-directed saturation mutagenesis of CYP201A1 to identify stereoselective point mutations and then combined them[11,13].

Another challenge is redundancy: identical low-energy designs frequently recur across independent SAMC trajectories, reducing design diversity. For example, a particularly favorable single mutant may be sampled repeatedly, sometimes dozens of times, crowding out other potentially informative variants and limiting exploration of the local sequence landscape.

To address these issues, we improve UniDesign's mutant-generation strategy by constraining the number of mutations allowed during SAMC simulations (**Fig. 1A**, dark blue). Designs with mutation counts outside the desired range receive a large penalty, biasing the search toward sequences with the specified number of mutations (see **Methods**). Although this ensures that designs have the intended mutation count, we found that UniDesign still often produced the same low-energy variants multiple times. To reduce this redundancy, we introduced an additional constraint that penalizes any design whose sequence is identical to one already reserved, ensuring that each low-energy design produced by a SAMC trajectory is unique (see **Methods**). With these two improvements, the enhanced UniDesign pipeline can reliably generate a variety of point-mutation variants (e.g., single, double, or triple mutants) in each run. Nevertheless, because SAMC remains stochastic, multiple runs are still required to obtain sufficient variants and assess design-space convergence.

### Iterative computational design of SaCas9 variants to relax PAM requirements

In our previous work, we showed that UniDesign-derived binding energies correlate strongly with PAM–PIAA interactions: wild-type (WT) PIAAs preferentially recognize canonical PAMs, and native PAMs favor WT PIAAs[10]. Building on this rationale, we used the enhanced UniDesign pipeline to iteratively design SaCas9 variants with relaxed PAM specificity. WT SaCas9 recognizes the NNGRRT PAM; here, our objective was to expand this specificity to NNNRRT. Using the SaCas9–sgRNA–DNA complex structure (Protein Data Bank (PDB): 5AXW; PAM: TTGGGT)[6] as the design scaffold, we considered four representative PAMs for PAM-relaxation design: TTAGGT, TTCGGT, TTGGGT, and TTTGGT.

**First design iteration: reducing positional bias at PAM position 3**. We began by targeting Arg1015, which specifically recognizes the third guanine of NNGRRT[6] via bidentate hydrogen-bonding interactions (**Fig. 1B**). For the TTGGGT PAM, WT SaCas9 achieved a binding energy of −514.65 UniDesign energy units (UEU) for TTGGGT, markedly lower than for the other three PAMs (**Data S1**), confirming the central role of Arg1015 in this positional preference.

Because binding energy is a major determinant of PAM recognition[10], we hypothesized that mutations producing similar binding energies across all four PAMs would promote relaxed PAM specificity. To quantify this similarity, we calculated the mean absolute deviation (MAD):

$$MAD = \frac{1}{n}\sum_{i=1}^{n}\left|e_{bind}^{i} - \mu\right|, \quad \mu = \frac{1}{n}\sum_{i=1}^{n}e_{bind}^{i}$$

where $e_{bind}^{i}$ is the binding energy of a SaCas9 variant for the $i$-th PAM and $\mu$ is the mean binding energy for all $n$ PAMs. A MAD of zero indicates identical binding energies.

WT SaCas9 had a high MAD of 2.43 UEU across the four PAMs (**Fig. 1C**). To reduce this bias, we performed a single-mutant scan at position 1015, sampling polar and positively charged amino acids (Cys, His, Lys, Asn, Gln, Arg, Ser, Thr, and Tyr). All substitutions substantially reduced the MAD to 0.62–0.86 UEU (**Fig. 1C**). Among these, R1015H emerged as a promising substitution because: (1) it achieved a low MAD of 0.62 UEU, indicating effective reduction of positional bias, and (2) histidine, like arginine, can carry a positive charge near physiological pH and can be stabilized by Glu993 via hydrogen-bonding interaction (**Fig. 1D**), helping maintain a similar electrostatic environment to the WT. However, the mean binding energy of R1015H (−505.61 UEU) was approximately 9 UEU weaker than the WT for TTGGGT (−514.65 UEU) (**Fig. 1E**), suggesting that R1015H alone may not provide sufficiently strong, generalizable DNA binding across TTNGGT PAMs.

**Second design iteration: restoring binding via nonspecific interactions**. To recover binding strength while avoiding sequence-dependent effects, we next introduced additional mutations aimed at enhancing nonspecific protein–DNA interactions. We generated double mutants consisting of R1015H plus one additional mutation at the remaining mutable sites. Across all four PAMs, UniDesign identified 487 double mutants with mean binding energies ranging from −509.77 to −485.86 UEU (**Data S2**). Of these, 37 variants showed both a mean binding energy < −507.61 UEU and a MAD < 0.82 UEU.

Structural analysis revealed that many low-energy designs (e.g., D786Q/M/I/L/V/N; S908R/K/M/I/W; N885F/Y/M/R; T1019L; E782R/T; N785L/K/R/M) primarily enhanced contacts with DNA or sgRNA bases rather than the DNA backbone. Likewise, the E993S/P/A/G/K/R variants relieved some steric clashes between His1015 and the thymine at the second PAM position by altering His1015 geometry, but simultaneously disrupted the favorable, preorganized His1015–Glu993 hydrogen bond (**Fig. 1D**). These patterns indicated that such substitutions might not support generalizable PAM relaxation.

In contrast, another subset of double mutants formed favorable backbone-mediated, DNA sequence-nonspecific interactions. These included mutations such as N968R/K, E782K, T787W/F/M, N803K/W, Y882R, K37R, and K822R. These positively charged arginine or lysine residues were capable of forming salt bridges

with DNA backbone phosphate groups (**Fig. 1F–L**), while the bulky hydrophobic residues could form favorable packing interactions (**Fig. S1**). These variants achieved binding energies between −507.76 UEU (N803W/R1015H) and −509.70 UEU (N968R/R1015H) (**Data S2**), although none matched the WT energy of −514.65 UEU for the native TTGGGT PAM.

**Third design iteration: combining favorable substitutions**. To further strengthen binding, we generated triple mutants by combining promising double-mutant substitutions. Across all four PAMs, UniDesign produced 50 triple mutants, all of which had lower mean binding energies than their corresponding double mutants, indicating largely additive energetic contributions (**Data S3**). The top-performing designs combined E782K, N968R/K, T787W, N803K, or Y882R with R1015H. The best triple mutant, E782K/N968R/R1015H (denoted KRH), achieved a mean binding energy of −513.75 UEU and a MAD of 0.61 UEU, closely matching the WT energy for TTGGGT (−514.65 UEU) (**Fig. 1M**). The previously reported KKH variant (E782K/N968K/R1015H) was also recapitulated and ranked fourth by mean binding energy (−513.12 UEU; MAD 0.67 UEU). Other top-ranked variants included T787W/N968R/R1015H, N803K/N968R/R1015H, and E782K/T787W/R1015H (**Fig. 1M**, **Data S3**).

Because the known KKH variant exhibits strong editing activity across NNGRRT PAMs[7]—and given the close structural and energetic similarity between KKH and our top-ranked KRH variant—we anticipated that KRH may display comparable or superior genome-editing performance. We therefore proceeded to experimental assessment without an additional design iteration.

## KRH expands the targeting range of SaCas9 across diverse cell types

To systematically evaluate whether the computationally designed KRH variant can expand the PAM range from NNGRRT to NNNRRT, we compared the editing efficiencies of WT and KRH SaCas9 across multiple genomic targets with distinct PAM sequences.

In HEK293T cells, KRH showed markedly improved editing efficiency compared to the WT at non-canonical PAM sites (NNHRRT, H=A/C/T) (**Fig. 2A**). The enhancement ranged from 1.4-fold to 116.3-fold. For example, at the *RUNX1* locus, editing efficiency increased from 0.47% with SaCas9 to 54.68% with KRH, a 116.3-fold improvement. Although efficiency at a classical NNGRRT PAM site (*VEGFA*) modestly decreased from 80.19% (WT) to 67.37% (KRH), overall activity remained high. These results indicate that KRH broadens the PAM compatibility of SaCas9 while maintaining strong activity at canonical PAMs.

To assess whether this PAM-relaxing effect is generalizable across cell types, we next compared KRH and WT SaCas9 in A549, HeLa, and U2OS cells using targets with various PAM sequences (**Fig. 2B–D**). In all three cell types, KRH exhibited significantly higher editing efficiencies at non-classical PAM sites while maintaining comparable activity to WT at classical NNGRRT sites. Editing efficiencies varied among cell types, suggesting that SaCas9 activity is influenced by cellular context; nevertheless, KRH consistently outperformed WT at non-classical PAMs (**Fig. 2E**). On average, KRH increased editing efficiency by 5.4-fold in HEK293T cells, 4.3-fold in A549 cells, 6.9-fold in HeLa cells, and 8.4-fold in U2OS cells.

We also compared the performance of KRH and WT SaCas9 across different PAM categories (**Fig. 2F**). At

NNARRT, NNCRRT, and NNTRRT PAMs, KRH improved editing efficiency by an average of 3.3-fold, 10.9-fold, and 15.4-fold, respectively. At canonical NNGRRT PAMs, KRH generally retained activity comparable to WT SaCas9.

Taken together, these results demonstrate that the computationally designed KRH SaCas9 variant substantially broadens the PAM range of WT SaCas9 and enables efficient genome editing at sites with non-classical PAM sequences across multiple human cell types.

## KRH SaCas9-based adenine base editor (ABE) broadens base-editing capabilities

Given that KRH expands the PAM compatiblity of SaCas9, we next examined whether a base editor engineered from KRH could target a broader set of genomic regions. To this end, we constructed KRH-ABE by fusing the ABE8e (V106W) deaminase to the N-terminus of KRH nickase (D10A)[14]. For an appropriate comparison, we also generated a WT SaCas9 (D10A)-based ABE, termed WT-ABE. We then systematically compared the editing efficiencies of WT-ABE and KRH-ABE across four cell types (HEK293T, A549, HeLa, and U2OS) at genomic loci bearing diverse PAM sequences.

In HEK293T cells, KRH-ABE exhibited substantially higher base-editing efficiencies than WT-ABE at all tested loci, including those with classical NNGRRT PAMs (**Fig. 3A**). At the *EMX1* locus, the A11 editing efficiency increased from 14.5% with WT-ABE to 81.1% with KRH-ABE, representing a 5.6-fold enhancement; at the *RUNX1* locus, the A15 editing efficiency increased from 0.3% with WT-ABE to 19.5% with KRH-ABE, representing a 65-fold enhancement. In A549, HeLa, and U2OS cells, KRH-ABE again showed consistently higher editing efficiency at non-classical PAM sites, while maintaining comparable activity to WT-ABE at classical PAM targets (**Fig. 3B–D**). These results demonstrate that KRH-ABE can target a wider set of genomic sites than the WT SaCas9-based editor.

As observed with genome editing, ABE performance varied across cell types (**Fig. 3A–D**), but KRH-ABE consistently outperformed WT-ABE at non-classical PAM loci in every cell line tested. On average, KRH-ABE increased editing efficiency by 9.4-fold in HEK293T cells, 3.5-fold in A549 cells, 4.6-fold in HeLa cells, and 6.3-fold in U2OS cells (**Fig. 3E**).

We also compared performance across PAM categories (**Fig. 3F**). KRH-ABE improved editing efficiency by an average of 6.5-fold at NNARRT PAM sites, 4.7-fold at NNCRRT sites, and 6.5-fold at NNTRRT sites. At canonical NNGRRT PAMs, KRH-ABE displayed slightly higher (but overall comparable) efficiency relative to WT-ABE.

Finally, we assessed potential off-target (OT) effects. KRH-ABE showed OT edits at rates comparable to WT-ABE, indicating that the KRH variant maintains the low OT activity characteristic of WT SaCas9 (**Fig. S2**).

Collectively, these results show that KRH-ABE substantially broadens the targeting range of SaCas9-based base editors while preserving high specificity, thereby experimentally validating the computational predictions underlying the KRH design.

## KRH SaCas9 demonstrates editing efficiency comparable to KKH SaCas9

The previously reported KKH variant also relaxes the PAM preference of SaCas9, enabling recognition of the

same NNNRRT PAM motif[7]. Thus, a direct comparison between KKH and our newly designed KRH variant is conducted. Structurally, both triple mutants share two key features: in each, the E782K mutation forms a favorable salt bridge with the backbone phosphate of non-target strand (NTS) nucleotide 9 (e.g. DG9*), and the R1015H mutation is stabilized by Glu993 through an oriented hydrogen bond (**Fig. 4A**). The only structural differences arise at residue 968. In KKH, the N968K substitution forms a single salt bridge with the phosphate of target strand (TS) nucleotide 2 (e.g., DT2), whereas in KRH, the N968R substitution forms two salt bridges with the phosphate groups of TS nucleotides 2 and 3 (e.g., DT2 and DA3) (**Fig. 4A**).

To directly compare their activities, we evaluated the editing efficiencies of KKH and KRH across multiple genomic loci bearing different PAM sequences. At all tested sites, KRH exhibited editing efficiencies comparable to those of KKH (**Fig. 4B**). Overall, both variants displayed similar performance, without systematic advantages for either enzyme (**Fig. 4C**).

We also compared base-editing activities of ABE systems constructed from each variant (KKH-ABE vs. KRH-ABE). Consistent with the genome-editing results, the two base editors showed comparable efficiencies across all tested PAM contexts (**Fig. 4D, E**).

## Discussion

In this study, we demonstrate that a fully computational protein design strategy based on UniDesign can generate SaCas9 variants with relaxed PAM specificity and high genome-editing activity. The KRH variant matches the performance of the evolution-derived KKH, establishing UniDesign as a predictive framework for PAM engineering rather than a descriptive or post hoc tool.

Mechanistically, our results indicate that PAM recognition and editing activity are governed by a balance between sequence-specific interactions with PAM bases and nonspecific interactions with the DNA backbone. Fine-tuning this balance of specificity and nonspecificity provides a rational strategy for engineering Cas9 variants with relaxed PAM requirements. UniDesign modeling revealed that WT SaCas9 exhibits a strong binding preference for the canonical TTGGGT PAM relative to alternative PAMs (TTAGGT, TTCGGT, and TTTGGT), and that Arg1015 is a key molecular determinant mediating specific recognition of the guanine at the third PAM position. Disrupting this specific interaction by substituting Arg1015 with His substantially reduced SaCas9 activity toward the TTGGGT PAM, whereas the R1015A mutation nearly abolished editing activity altogether[7]. These effects are consistent with UniDesign predictions, which indicate a marked reduction in binding interactions upon disruption of the Arg1015–guanine hydrogen-bonding interactions (**Fig. 1E, Data S1**). Together, these observations indicate that excessively weakened binding to the native PAM is insufficient to support robust editing. Consequently, enhacing nonspecific Cas9–DNA interactions emerges as a natural and effective strategy to restore activity while preserving equivalent recognition of relaxed PAMs at the third PAM position. Through iterative, fully computational design, we identified triple mutants with mean binding energies comparable to that of WT SaCas9 on the native TTGGGT PAM, a prediction that was fully supported by subsequent experimental validation.

Compared with prior approaches, our method is distinguished by its fully computation-driven nature and

minimal reliance on empirical screening or expert heuristics. While previous studies achieved effective PAM relaxation, they typically required extensive wet-lab evolution and/or computationally expensive simulations. In contrast, the improved UniDesign workflow enables efficient and direct exploration of promising point mutations. Depending on the number of design sites, variants generated, and stages of iterative design, a single UniDesign run on one PAM model (e.g. TTAGGT) can be completed in minutes to several hours, making our approach well suited for rapid and scalable Cas9 variant discovery.

From a practical perspective, although the molecular evolution-derived KKH variant exhibits robust editing activity comparable to that of KRH, we consistently observed higher editing efficiencies for KRH at a subset of target sites (**Fig. 4B**). This site-dependent advantage suggests that KRH may achieve a more favorable balance between PAM flexibility and target DNA engagement, potentially resulting in enhanced catalytic efficiency under certain sequence or chromatin contexts. Accordingly, KRH represents a compelling alternative to KKH in applications where maximal editing efficiency is required, particularly for targets that are suboptimal or only weakly accessible to existing SaCas9 variants. More broadly, these results demonstrate that computationally designed variants can not only recapitulate but, in some cases, surpass the performance of evolution-derived nucleases.

This study has several limitations. First, our computational design relies on the availability of high-quality Cas9 structures in complex with target DNA. Although high-resolution experimental structures exist for extensively studied enzymes such as SpCas9[15-17] and SaCas9, they are not always available for other Cas proteins of interest. This limitation may be partially mitigated by advances in deep learning-based structure prediction methods, such as AlphaFold3[18], which can generate high-quality models of protein-DNA complexes. Second, although KRH exhibited high editing efficiency at both canonical and relaxed PAMs in HEK293T cells (e.g., 50–70% modified reads; **Fig. 2A**), substantially lower activity was observed at the tested sites in other cell types, particularly A549 cells (e.g., 4–20% modified reads; **Fig. 2B**). This cell-type dependence may reflect differences in chromatin accessibility or Cas9 expression and stability. Further engineering of SaCas9 to enhance activity in such "hard-to-edit" cells will be an important direction for future work.

Looking forward, the UniDesign framework and design strategy presented here can be extended to other Cas enzymes, providing a general approach for engineering CRISPR enzymes toward diverse functional goals. For instance, we are currently assessing the applicability of this strategy to the design of PAM-relaxed Cas8 variants. Moreover, recent work by Shi et al. revealed a two-step target capture mechanism for efficient CRISPR–Cas9 editing, in which highly PAM-relaxed Cas9 variants like SpRY can become kinetically trapped between steps, reducing overall editing efficiency[19]. This suggests that, rather than relying on a single broadly PAM-compatible Cas9, a catalog of Cas9 variants—each optimized for a subset of PAM sequences with high specificity—may represent a more effective strategy for high-efficiency, high-fidelity genome editing[20]. We anticipate that UniDesign and continued methodological improvements will facilitate the rational development of such Cas9 catalogs for next-generation genome editing applications.

## Methods

### SaCas9 structure preprocessing and PAM variant generation

The crystal structure of SaCas9 bound to sgRNA and target DNA (PDB: 5AXW; PAM: TTGGGT) was downloaded from the Protein Data Bank and processed as previously described[10]. Specifically, UniDesign's *RepairStructure* and *Minimization* modules were applied to add missing side-chain atoms and optimize side-chain conformations to reduce steric clashes.

To evaluate our computational approach for relaxing PAM specificity, we focused on the most strictly required nucleotide within the SaCas9 PAM—the guanine at the third position of NNGRRT. Using the preprocessed 5AXW structure as a template, we used UniDesign's *BuildMutant* function to generate four structural models differing only in the PAM and its base-paired positions: TTAGGT, TTCGGT, TTGGGT, and TTTGGT. These variants enabled systematic assessment of sequence-dependent structural changes introduced by alternative nucleotides at the critical PAM position.

### Design sites selection

Protein design sites were classified into two categories: mutable and repackable. Mutable sites are residues allowed to change amino-acid identity during design. Repackable sites are neighboring residues whose side-chain conformations may be adjusted to accommodate mutations at mutable sites; these residues are not themselves mutated. Using the 5AXW structure visualized in PyMOL, we selected mutable and repackable sites according to the following rules.

Mutable sites included: (1) Arg1015, which directly recognizes the third guanine of the PAM; (2) residues with any side-chain atom within 4.5 Å of the side chain of Arg1015; and (3) residues with any side-chain atom within 6 Å of the main-chain atoms of the PAM, its reverse-complement nucleotides, and the nucleotides located three bases upstream and downstream of both the PAM and its reverse complement.

Repackable sites were defined as protein residues whose side-chain atoms lie within 4.5 Å of the side-chain atoms of any mutable site, allowing localized structural relaxation during design.

The final mutable sites were: Lys37, Glu782, Asn785, Asp786, Thr787, Tyr789, Asn803, Lys815, Lys818, Lys822, Tyr882, Asn885, Asn888, Ala889, Ser908, Leu909, Lys910, Pro911, Asn968, Ile982, Leu988, Glu993, Arg1002, Arg1012, Pro1013, Arg1015, and Thr1019.

The final repackable sites were: Ile784, Ile801, Asn804, Leu805, Asn813, Asp814, Leu827, Val905, Leu907, Lys929, Asn930, Arg980, Leu989, Arg991, Asn995, Tyr1001, Asp1010, Pro1014, and Ile1017.

### Improvement of UniDesign for designing point-mutation variants

Relative to earlier UniDesign versions[10,11], the main enhancement in current version (v1.2) is the introduction of new score terms that allow explicit control over the number of mutations in designed variants. Below, we summarize these updates.

The original UniDesign scoring function is defined as:

$$E_{total} = E_{UniEF,non-bind} + w_{UniEF,bind}E_{UniEF,bind} + w_{evo}E_{evo}$$

Here, $E_{UniEF,non-bind}$ and $E_{UniEF,bind}$ are non-binding and binding energies computed using the UniEF energy function. $E_{evo}$ is an evolutionary term used primarily for de novo protein seqeuence design. The weights $w$ control the relative contributions of each term, and by default both $w_{UniEF,bind}$ and $w_{evo}$ are set to 1. The evolutionary term is optional and typically disabled in protein redesign tasks.

To bias the design process toward generating variants with a specific number of point mutations, two additional penalty terms were introduced. The updated scoring function is:

$$E_{total} = E_{UniEF,non-bind} + w_{UniEF,bind}E_{UniEF,bind} + w_{evo}E_{evo} + w_{OOR}N_{OOR} + w_{exist}X_{exist}$$

The first three terms match the original score function. The newly added terms are:

**1. Mutation-count penalty ($w_{OOR}N_{OOR}$).** This term penalizes designs whose total number of mutations ($n_{mut}$) falls outside the user-specified mutation-count range [$N_{mut,min}$, $N_{mut,max}$]:

$$N_{OOR} = \begin{cases} N_{mut,min} - n_{mut}, & if\ n_{mut} < N_{mut,min} \\ n_{mut} - N_{mut,max}, & if\ n_{mut} > N_{mut,max} \\ 0, & otherwise. \end{cases}$$

This encourages the SAMC search to remain within the desired mutation-count range (e.g., exactly one mutation, or up to two mutations).

**2. Duplicate-design penalty ($w_{exist}X_{exist}$).** To prevent the same low-energy variant from being repeatedly generated across independent SAMC trajectories, designs that match a previously saved sequence are penalized:

$$X_{exist} = \begin{cases} 1, & if\ the\ design\ has\ already\ been\ saved \\ 0, & otherwise. \end{cases}$$

This promotes exploration of diverse sequence space.

Both weights $w_{OOR}$ and $w_{exist}$ are set to large positive constants (1000 by default and in this study) to strongly enforce adherence to mutation-count constraints and uniqueness.

In implementation, we did not remove or modify the original UniDesign functionalities for de novo sequence design or applications that do not restrict the number of mutations. Instead, we introduced new optional parameters that allow users to control the mutant-design strategy when desired. Specifically, the options --*min_muts*, --*max_muts*, and --*penalize_identical_seqs* enables users to specify the allowable mutant-count range and to penalize the generation of duplicate sequences. When these options are not used, UniDesign behaves identically to previous versions.

## Computational mutant design with improved UniDesign

All computational protein design simulations were performed using UniDesign v1.2. For each design iteration, the input structural model was the preprocessed SaCas9–sgRNA–DNA complex derived from 5AXW, as described above. Design-site constraints were specified using UniDesign's RESFILE format[10,11], and design simulations were performed using the SAMC protocol with mutation-count constraints and duplicate-design penalties enabled. SAMC trajectories were run using the default UniDesign temperature schedule. Unless otherwise stated, each design iteration generated up to 1000 SAMC trajectories (variants) and was repeated independently 10 times. Among the 10 repeats, the three with the lowest total energy for each PAM model and SaCas9 variant were used for energetic analysis to assess convergence.

**Design iteration 1: Identifying mutations at Arg1015 that relax PAM-position specificity**. The first design stage focused on exploring amino-acid substitutions at Arg1015, the residue that directly recognizes the third guanine in the NNGRRT PAM. To limit the search to chemically plausible alternatives and avoid destabilizing mutations, we allowed only polar or positively charged amino-acid types at position 1015: {Cys, His, Lys, Asn, Gln, Ser, Thr, Tyr, and the native Arg}. All other mutable residues were fixed to their native identities. These constraints were encoded in a RESFILE, whose content is shown in **Fig. S3A**.

To ensure that at most single-mutation variants were produced, the minimum and maximum allowed mutation counts were set to 0 and 1, respectively. Because position 1015 had only nine allowed amino-acid identities, at most nine unique variants were generated, even though the maximum number of trajectories was set to 1000. Candidate substitutions were evaluated based on total energy, binding energy across four PAM models, and structural inspection for steric compatibility. This stage identified R1015H as the most promising mutation for reducing PAM-position bias.

**Design iteration 2: Designing double mutants with R1015H as a fixed background**. The second design stage aimed to identify additional mutations that, when combined with R1015H, improved while balancing the mean binding energy across all four modeled PAM variants (TTAGGT, TTCGGT, TTGGGT, and TTTGGT). To accomplish this, residue 1015 was fixed to His, while all other mutable sites were allowed to sample all 20 amino-acid types. The RESFILE content for this iteration is provided in **Fig. S3B**.

The minimum and maximum allowed mutation counts were both set to 2 in this iteration. Each SAMC trajectory generated one unique low-energy double mutant, enforced by sequence-uniqueness constraints. After pooling results across independent runs, candidate double mutants were ranked based on (1) mean binding energy across all four PAM models, (2) structural plausibility, assessed by eliminating variants with steric clashes or unrealistic side-chain orientations, and (3) consistency, assessed by the recurrence of the same mutation across multiple independent SAMC trajectories. Promising second-site mutations identified in this stage included: N968R/K, E782K, T787W/F/M, N803K/W, Y882R, K37R, and K822R.

**Design iteration 3: Combining promising mutations into higher-order variants**. The third design stage sought to combine the beneficial second-site mutations identified in design iteration 2 into higher-order variants. To restrict the combinatorial space while enriching for functional combinations, each promising position was allowed to sample only the favorable amino-acid types identified previously or its native identity. These

constraints were encoded in the RESFILE as follows: Lys37 → {Lys, Arg}; Glu782 → {Glu, Lys}; Thr787 → {Thr, Met, Phe, Trp}; Asn803 → {Asn, Lys, Trp}; Lys822 → {Lys, Arg}; Tyr882 → {Tyr, Arg}; and Asn968 → {Asn, Lys, Arg}. All other mutable sites were fixed to their native identities, and residue 1015 was kept as His for all designs. The RESFILE content for this iteration is provided in **Fig. S3C**.

The minimum and maximum allowed mutation counts were both set to 3 in this iteration. SAMC runs were repeated using the same conditions as above, and variants that consistently emerged across independent runs and exhibited favorable energy profiles were analyzed and selected for experimental characterization.

## Plasmids construction

The KKH SaCas9 plasmid was obtained from Addgene (Plasmid #70708). Based on this plasmid, the WT and KRH variants were generated by GenScript. WT-, KKH-, and KRH-based ABE constructs were also synthesized by GenScript. The sequences of all constructs are provided in **Table S1**.

Each sgRNA expression cassette was synthesized and subsequently cloned into the pUC-GW-Amp vector (Genewiz). The sequences of all sgRNAs used in this study are listed in **Table S2**.

## Cell culture, transfection, and genomic DNA isolation

HEK293T (ATCC, CRL-11268) and A549 (ATCC, CCL-185) cells were cultured in Dulbecco's Modified Eagle Medium (Gibco) supplemented with 10% FBS (Gibco) and 1% penicillin-streptomycin (Gibco). HeLa (ATCC, CCL-2) cells were maintained in Eagle's Minimum Essential Medium (ATCC) supplemented with 10% FBS (Gibco) and 1% penicillin-streptomycin (Gibco). U2OS  (ATCC, HTB-96) cells were maintained in McCoy's 5A Medium (ATCC) supplemented with 10% FBS (Gibco) and 1% penicillin-streptomycin (Gibco). All cells were cultured at 37 °C with 5% $CO_2$ and regularly tested to confirm the absence of mycoplasma contamination.

For transfection, cells were seeded into 96-well plates and transfected at approximately 80% confluence with a total of 225 ng plasmid per well (150 ng SaCas9 or ABE plasmid + 75 ng sgRNA plasmid) using JetPRIME (PolyPlus) following the manufacturer's instructions.

Genomic DNA was isolated 72 hours post-transfection using QuickExtract[TM] DNA Extraction Solution (Lucigen) following the manufacturer's instructions.

## Deep sequencing and data analysis

Cell lysates was subjected to PCR amplification of the target loci using specific primers (**Table S3**) with barcodes. PCR was performed using the KAPA HiFi PCR Kit (Roche). Equal amounts of PCR products were pooled, purified, and commercially sequenced (Genewiz) using the NovaSeq platform.

Raw FASTQ reads were demultiplexed using bcl2fastq (Illumina) and analyzed using CRISPResso2[21] by aligning amplicon reads to the reference sequences.

## Off-target (OT) effect analysis

Potential OT sites (OTS) were predicted using Cas-OFFinder[22]. The OTS information is provided in **Table S4**.

Predicted OTS regions were amplified by PCR using primers listed in **Table S3**, followed by deep sequencing. The resulting reads were analyzed to quantify any OT events involving base modifications.

**Statistical analysis and reproducibility**

All experiments included at least three biological replicates. Data are presented as mean ± s.d. Statistical analyses were performed using GraphPad Prism 9. For comparisons between two groups, a two-tailed Student's *t*-test was used to assess statistical significance.

# Data availability

All computational protein design data, including designed models and summaries of energetic analyses, are publicly available at https://doi.org/10.5281/zenodo.18058217. The deep-sequencing data will be available on the NCBI Sequence Read Archive (SRA). The plasmid materials are available upon request to the corresponding authors.

# Code availability

The UniDesign program and associated scripts, along with detailed usage documentation, are publicly available at https://doi.org/10.5281/zenodo.18058217.

# References

Komor, A. C., Badran, A. H. & Liu, D. R. CRISPR-Based Technologies for the Manipulation of Eukaryotic Genomes. *Cell* **168**, 20-36 (2017). https://doi.org/10.1016/j.cell.2016.10.044

Hsu, P. D., Lander, E. S. & Zhang, F. Development and applications of CRISPR-Cas9 for genome engineering. *Cell* **157**, 1262-1278 (2014). https://doi.org/10.1016/j.cell.2014.05.010

Doudna, J. A. & Charpentier, E. The new frontier of genome engineering with CRISPR-Cas9. *Science* **346**, 1258096 (2014). https://doi.org/10.1126/science.1258096

Huang, X., Yang, D., Zhang, J., Xu, J. & Chen, Y. E. Recent Advances in Improving Gene-Editing Specificity through CRISPR–Cas9 Nuclease Engineering. *Cells* **11**, 2186 (2022). https://doi.org/10.3390/cells11142186

Ran, F. A. *et al.* In vivo genome editing using Staphylococcus aureus Cas9. *Nature* **520**, 186-191 (2015). https://doi.org/10.1038/nature14299

Nishimasu, H. *et al.* Crystal Structure of Staphylococcus aureus Cas9. *Cell* **162**, 1113-1126 (2015). https://doi.org/10.1016/j.cell.2015.08.007

Kleinstiver, B. P. *et al.* Broadening the targeting range of Staphylococcus aureus CRISPR-Cas9 by modifying PAM recognition. *Nat. Biotechnol.* **33**, 1293-1298 (2015). https://doi.org/10.1038/nbt.3404

Ma, D. *et al.* Engineer chimeric Cas9 to expand PAM recognition based on evolutionary information. *Nat Commun* **10**, 560 (2019). https://doi.org/10.1038/s41467-019-08395-8

Luan, B., Xu, G., Feng, M., Cong, L. & Zhou, R. Combined Computational-Experimental Approach to Explore the Molecular Mechanism of SaCas9 with a Broadened DNA Targeting Range. *J. Am.*

*Chem. Soc.* **141**, 6545-6552 (2019). https://doi.org/10.1021/jacs.8b13144

Huang, X. *et al.* Decoding CRISPR-Cas PAM recognition with UniDesign. *Brief Bioinform* **24**, bbad133 (2023). https://doi.org/10.1093/bib/bbad133

Huang, X., Sun, Y., Osawa, Y., Chen, Y. E. & Zhang, H. Computational redesign of cytochrome P450 CYP102A1 for highly stereoselective omeprazole hydroxylation by UniDesign. *J. Biol. Chem.* **299**, 105050 (2023). https://doi.org/10.1016/j.jbc.2023.105050

Huang, X., Pearce, R. & Zhang, Y. EvoEF2: accurate and fast energy function for computational protein design. *Bioinformatics* **36**, 1135-1142 (2020). https://doi.org/10.1093/bioinformatics/btz740

Sun, Y. *et al.* Computational design of CYP102A1 variants for the biosynthesis of a next-generation antiplatelet drug DT -678. *bioRxiv* (2025). https://doi.org/10.64898/2025.12.04.692440

Richter, M. F. *et al.* Phage-assisted evolution of an adenine base editor with improved Cas domain compatibility and activity. *Nat. Biotechnol.* **38**, 883-891 (2020). https://doi.org/10.1038/s41587-020-0453-z

Nishimasu, H. *et al.* Crystal structure of Cas9 in complex with guide RNA and target DNA. *Cell* **156**, 935-949 (2014). https://doi.org/10.1016/j.cell.2014.02.001

Jinek, M. *et al.* Structures of Cas9 endonucleases reveal RNA-mediated conformational activation. *Science* **343**, 1247997 (2014). https://doi.org/10.1126/science.1247997

Anders, C., Niewoehner, O., Duerst, A. & Jinek, M. Structural basis of PAM-dependent target DNA recognition by the Cas9 endonuclease. *Nature* **513**, 569-573 (2014). https://doi.org/10.1038/nature13579

Abramson, J. *et al.* Accurate structure prediction of biomolecular interactions with AlphaFold 3. *Nature* **630**, 493-500 (2024). https://doi.org/10.1038/s41586-024-07487-w

Shi, H. *et al.* Rapid two-step target capture ensures efficient CRISPR-Cas9-guided genome editing. *Mol. Cell* **85**, 1730-1742 e1739 (2025). https://doi.org/10.1016/j.molcel.2025.03.024

Collias, D. & Beisel, C. L. CRISPR technologies and the search for the PAM-free nuclease. *Nat Commun* **12**, 555 (2021). https://doi.org/10.1038/s41467-020-20633-y

Clement, K. *et al.* CRISPResso2 provides accurate and rapid genome editing sequence analysis. *Nat. Biotechnol.* **37**, 224-226 (2019). https://doi.org/10.1038/s41587-019-0032-3

Bae, S., Park, J. & Kim, J. S. Cas-OFFinder: a fast and versatile algorithm that searches for potential off-target sites of Cas9 RNA-guided endonucleases. *Bioinformatics* **30**, 1473-1475 (2014). https://doi.org/10.1093/bioinformatics/btu048

## Acknowledgments

This work was supported by the National Institutes of Health grants (GM149016 to XH and XX; HL164205 to JX). We thank the Advanced Research Computing (ARC) at the University of Michigan for providing the computational resources and services that supported this research.

## Author contributions

XH conceived and managed the project. XX, JZhang, YEC, and JX supervised the project. XH performed computational studies. YX conducted wet-lab experiments with efforts from LKT, JZhou, and SC. YX and XH wrote the initial manuscript. XX, JZhang, YEC, JX, and XH edited the manuscript. All authors participated in discussions and agreed with the final paper.

## Competing interests

The authors declare no competing interests.

## Additional information

**Supplementary information** The supplementary material is available online.

## Figure Legends

**Figure 1. Computational design of PAM-relaxed *Staphylococcus aureus* Cas9 variants**. (**A**) Improved UniDesign workflow for point-mutation generation. (**B**) Specific recognition of the third guanine in the NNGRRT PAM by Arg1015, positioned through salt-bridge interaction with Glu993. Non-target strand (NTS) nucleotides are indicated by asterisks (as in subsequent panels). (**C**) Mean absolute deviation (MAD) of binding energies across four PAMs (TTAGGT, TTCGGT, TTGGGT, and TTTGGT) for substitutions of Arg1015 with polar or positively charged residues. (**D**) UniDesign model of the R1015H mutant, showing His1015 forming a hydrogen bond with Glu993. (**E**) Mean binding energy across the four PAMs for substitutions of Arg1015 with polar or positively charged residues; error bars represent MADs. (**F–L**) UniDesign models of mutations: N968R (**F**), N968K (**G**), K37R (**H**), E782K (**I**), N803K (**J**), Y882R (**K**), and K822R (**L**). (**M**) Mean binding energies of the top triple-mutant variants across the four PAMs; error bars represent MADs.

**Figure 2. KRH expands the targeting range of SaCas9 across diverse cell types.** (**A**) Editing efficiencies of wild-type (WT) SaCas9 and the KRH variant at different PAM sites in HEK293T cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**B**) Editing efficiencies of WT SaCas9 and the KRH variant at different PAM sites in A549 cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**C**) Editing efficiencies of WT SaCas9 and the KRH variant at different PAM sites in HeLa cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**D**) Editing efficiencies of WT SaCas9 and the KRH variant at different PAM sites in U2OS cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**E**) Statistical comparison of editing efficiencies between WT SaCas9 and the KRH variant at non-canonical PAM sites across HEK293T, A549, HeLa, and U2OS cells. Data are shown as mean ± s.d.; statistical significance was assessed using a two-tailed unpaired Student's *t*-test. (**F**) Statistical comparison of editing efficiencies between WT SaCas9 and the KRH variant across different PAM classes (NNARRT, NNCRRT, NNTRRT, and NNGRRT). Data are shown as mean ± s.d.; statistical significance was assessed using a two-tailed unpaired Student's t-test.

**Figure 3. KRH-based ABE further broadens base-editing capabilities.** (**A**) Base-editing efficiencies of WT-ABE and KRH-ABE at different PAM sites in HEK293T cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**B**) Base-editing efficiencies of WT-ABE and KRH-ABE at different PAM sites in A549 cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**C**) Base-editing efficiencies of WT-ABE and KRH-ABE at different PAM sites in HeLa cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**D**) Base-editing efficiencies of WT-ABE and KRH-ABE at different PAM sites in U2OS cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**E**) Statistical comparison of base-editing efficiencies between WT-ABE and KRH-ABE at non-canonical PAM sites across HEK293T, A549, HeLa, and U2OS cells. Data are shown as mean ± s.d.; statistical significance was assessed using a two-tailed unpaired Student's *t*-test. (**F**) Statistical comparison of base-editing efficiencies between WT-ABE and KRH-ABE across different PAM classes (NNARRT, NNCRRT, NNTRRT, and NNGRRT). Data are shown as mean ± s.d.; statistical significance was assessed using a two-tailed unpaired Student's *t*-test.

**Figure 4. Comparison of KKH and KRH *Staphylococcus aureus* Cas9 variants**. (**A**) UniDesign models of the KKH and KRH variants. Non-target strand (NTS) nucleotides are indicated by asterisks. (**B**) Editing efficiencies of the KKH and KRH variants at different PAM sites in HEK293T cells. Bars represent the mean of n = 3

independent biological replicates; error bars indicate s.d. (**C**) Statistical comparison of editing efficiencies between the KKH and KRH variants in HEK293T cells. Data are shown as mean ± s.d.; statistical significance was assessed using a two-tailed unpaired Student's *t*-test. (**D**) Base-editing efficiencies of KKH-ABE and KRH-ABE in HEK293T cells. Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d. (**E**) Statistical comparison of base-editing efficiencies between KKH-ABE and KRH-ABE in HEK293T cells. Data are shown as mean ± s.d.; statistical significance was assessed using a two-tailed unpaired Student's *t*-test.

**Figure 1**

**Figure 2**

**Figure 3**

Figure 4

# Supplementary Information

## Fully computational design of PAM-relaxed *Staphylococcus aureus* Cas9 with expanded targeting capability

Youcai Xiong[1], Li-Kuang Tsai[1], Jun Zhou[1], Shuang Chen[1], Xiaofeng Xia[2], Jifeng Zhang[1], Y. Eugene Chen[1], Jie Xu[1]*, and Xiaoqiang Huang[1]*

[1]Center for Advanced Models for Translational Sciences and Therapeutics, Department of Internal Medicine, University of Michigan Medical School, 2800 Plymouth Road, Ann Arbor, MI 48109, USA

[2]Research & Development, ATGC Inc., 1004 W 9th Avenue, King of Prussia, PA 19406, USA

*Correspondence: jiex@umich.edu (JX); xiaoqiah@umich.edu (XH)

This file includes:

> Figures S1–S3
>
> Tables S1–S4

Other supplementary information includes:

> Data S1–S3

**Figure S1. UniDesign models of mutations introducing bulky hydrophobic interactions with the DNA backbone.** (**A**) T787W. (**B**) T787M. (**C**) T787F. (**D**) N803W.

**Figure S2. Evaluation of off-target (OT) effects of WT-ABE and KRH-ABE at predicted OT sites.** Bars represent the mean of n = 3 independent biological replicates; error bars indicate s.d.

**A**

```
SITES_DESIGN_START
A   37   K # K
A  782   E # E
A  785   N # N
A  786   D # D
A  787   T # T
A  789   Y # Y
A  803   N # N
A  815   K # K
A  818   K # K
A  822   K # K
A  882   Y # Y
A  885   N # N
A  888   N # N
A  889   A # A
A  908   S # S
A  909   L # L
A  910   K # K
A  911   P # P
A  968   N # N
A  982   I # I
A  988   L # L
A  993   E # E
A 1002   R # R
A 1012   R # R
A 1013   P # P
A 1015   CHKNQRSTY # R
A 1019   T # T
SITES_DESIGN_END
SITES_REPACK_START
A  784 # I
A  801 # I
A  804 # N
A  805 # L
A  813 # N
A  814 # D
A  827 # L
A  905 # V
A  907 # L
A  929 # K
A  930 # N
A  980 # R
A  989 # L
A  991 # R
A  995 # N
A 1001 # Y
A 1010 # D
A 1014 # P
A 1017 # I
SITES_REPACK_END
```

**B**

```
SITES_DESIGN_START
A   37   ACDEFGHIKLMNPQRSTVWY # K
A  782   ACDEFGHIKLMNPQRSTVWY # E
A  785   ACDEFGHIKLMNPQRSTVWY # N
A  786   ACDEFGHIKLMNPQRSTVWY # D
A  787   ACDEFGHIKLMNPQRSTVWY # T
A  789   ACDEFGHIKLMNPQRSTVWY # Y
A  803   ACDEFGHIKLMNPQRSTVWY # N
A  815   ACDEFGHIKLMNPQRSTVWY # K
A  818   ACDEFGHIKLMNPQRSTVWY # K
A  822   ACDEFGHIKLMNPQRSTVWY # K
A  882   ACDEFGHIKLMNPQRSTVWY # Y
A  885   ACDEFGHIKLMNPQRSTVWY # N
A  888   ACDEFGHIKLMNPQRSTVWY # N
A  889   ACDEFGHIKLMNPQRSTVWY # A
A  908   ACDEFGHIKLMNPQRSTVWY # S
A  909   ACDEFGHIKLMNPQRSTVWY # L
A  910   ACDEFGHIKLMNPQRSTVWY # K
A  911   ACDEFGHIKLMNPQRSTVWY # P
A  968   ACDEFGHIKLMNPQRSTVWY # N
A  982   ACDEFGHIKLMNPQRSTVWY # I
A  988   ACDEFGHIKLMNPQRSTVWY # L
A  993   ACDEFGHIKLMNPQRSTVWY # E
A 1002   ACDEFGHIKLMNPQRSTVWY # R
A 1012   ACDEFGHIKLMNPQRSTVWY # R
A 1013   ACDEFGHIKLMNPQRSTVWY # P
A 1015   H # R
A 1019   ACDEFGHIKLMNPQRSTVWY # T
SITES_DESIGN_END
SITES_REPACK_START
A  784 # I
A  801 # I
A  804 # N
A  805 # L
A  813 # N
A  814 # D
A  827 # L
A  905 # V
A  907 # L
A  929 # K
A  930 # N
A  980 # R
A  989 # L
A  991 # R
A  995 # N
A 1001 # Y
A 1010 # D
A 1014 # P
A 1017 # I
SITES_REPACK_END
```

**C**

```
SITES_DESIGN_START
A   37   KR # K
A  782   EK # E
A  785   N # N
A  786   D # D
A  787   TFMW # T
A  789   Y # Y
A  803   KNW # N
A  815   K # K
A  818   K # K
A  822   KR # K
A  882   YR # Y
A  885   N # N
A  888   N # N
A  889   A # A
A  908   S # S
A  909   L # L
A  910   K # K
A  911   P # P
A  968   KNR # N
A  982   I # I
A  988   L # L
A  993   E # E
A 1002   R # R
A 1012   R # R
A 1013   P # P
A 1015   H # R
A 1019   T # T
SITES_DESIGN_END
SITES_REPACK_START
A  784 # I
A  801 # I
A  804 # N
A  805 # L
A  813 # N
A  814 # D
A  827 # L
A  905 # V
A  907 # L
A  929 # K
A  930 # N
A  980 # R
A  989 # L
A  991 # R
A  995 # N
A 1001 # Y
A 1010 # D
A 1014 # P
A 1017 # I
SITES_REPACK_END
```

**Figure S3. UniDesign RESFILE contents used for SaCas9 redesign**. (**A**) First iteration. (**B**) Second iteration. (**C**) Third iteration.

**Table S1. DNA sequences of constructs used in this study.**

>WT-SaCas9

ggtcgacattgattattgactagttattaatagtaatcaattacggggtcattagttcatagcccatatatggagttccgcgttacataacttacggtaaatggccc
gcctggctgaccgcccaacgacccccgcccattgacgtcaataatgacgtatgttcccatagtaacgccaatagggactttccattgacgtcaatgggtggagta
tttacggtaaactgcccacttggcagtacatcaagtgtatcatatgccaagtacgccccctattgacgtcaatgacggtaaatggcccgcctggcattatgccca
gtacatgaccttatgggactttcctacttggcagtacatctacgtattagtcatcgctattaccatggtcgaggtgagccccacgttctgcttcactctccccatctc
ccccccctccccacccccaattttgtatttatttattttttaattatttttgtgcagcgatgggggcggggggggggggggggcgcgcgccaggcggggcggggcg
gggcgaggggcggggcggggcgaggcggagaggtgcggcggcagccaatcagagcggcgcgctccgaaagtttccttttatggcgaggcggcggcggcgg
cggccctataaaaagcgaagcgcgcggcgggcgggagtcgctgcgcgctgccttcgccccgtgccccgctccgccgccgcctcgcgccgcccgccccggctct
gactgaccgcgttactcccacaggtgagcgggcgggacggcccttctcctccgggctgtaattagcgcttggtttaatgacggcttgtttctttctgtggctgcgt
gaaagccttgaggggctccgggagggcccttttgtgcgggggggagcggctcgggggggtgcgtgcgtgtgtgtgtgcgtggggagcgccgcgtgcggctccgcg
ctgcccggcggctgtgagcgctgcgggcgcggcgcggggcttttgtgcgctccgcagtgtgcgcgaggggagcgcggccgggggcggtgccccgcggtgcgg
gggggggctgcgaggggaacaaaggctgcgtgcggggtgtgtgcgtgggggggtgagcaggggggtgtgggcgcgtcggtcgggctgcaaccccccctgcacc
cccctccccgagttgctgagcacggcccggcttcgggtgcggggctccgtacggggcgtggcgcggggctcgccgtgccgggcggggggtggcggcaggtgg
gggtgccgggcggggcggggccgcctcgggccggggagggctcggggagggggcgcggcggcccccggagcgccggcggctgtcgaggcgcggcgagcc
gcagccattgcctttatggtaatcgtgcgagagggcgcagggacttcctttgtcccaaatctgtgcggagccgaaatctgggaggcgccgccgcacccccctcta
gcgggcgcggggcgaagcggtgcggcgccggcaggaaggaaatgggcggggagggccttcgtgcgtcgccgcgccgccgtccccttctccctctccagcctc
ggggctgtccgcgggggggacggctgccttcggggggggacggggcagggcggggttcggcttctggcgtgtgaccggcggctctagagcctctgctaaccatgt
tcatgccttcttcttttttcctacagctcctgggcaacgtgctggttattgtgctgtctcatcattttggcaaagaattctgcagtcgacggtaccgcgggcccgggat
ccaccggtcgccaccatggggaaacggaactacatcctggggcttgacattgggataaccagcgttggctacggaattattgattatgagacacgcgatgtgat
tgacgccgggggttaggctgttcaaagaggccaacgttgaaaacaacgagggaagacggagtaagcgcggagcaagaagactcaagcgcagacggagacat
cggattcagagggtgaaaaagctgctcttcgattacaatctcctgaccgatcatagtgagctgagcggaatcaacccctacgaggcgcgagtgaaagggctttc
ccagaagctgtccgaagaggagttctccgccgcgttgctgcacctggccaaacggagggggggttcacaatgtaaacgaagtggaggaggacacgggcaatg
aacttagtacgaaagaacagatcagtaggaactctaaggctctcgaagagaaatacgtcgctgagttgcagcttgagagactgaaaaaagacggcgaagtac
gcggatctattaataggttcaagacttcagattacgtaaaggaagccaagcagcagcctcctgaaagtacagaaagcgtaccatcagctcgatcagagcttcatcgat
acctacatagatttgctggagacacggaggacatactacgagggcccaggggaaggatctccttttgggtggaaggacatcaaggaatggtacgagatgctta
tgggacattgtacatattttccggaggagctcaggagcgtcaagtacgcctacaatgccgacctgtacaatgccctcaatgacctcaataacctcgtgattacca
gggacgagaacgagaagctggagtactatgaaaagttccagattatcgagaatgtgtttaagcagaagaagaagccgacacttaagcagattgcaaaggaa
atcctcgtgaatgaggaagatatcaagggatacagagtgacaagtacaggcaagcccgagttcacaaatctgaaggtgtaccacgatattaaggacataacc
gcacgaaaggagataatcgaaaacgctgagctcctcgatcagatcgcaaaaattcttaccatctaccagtctagtgaggacattcaggaggaactgactaatct
gaacagtgagctcacccaagaggaaattgagcagatttcaaacctgaaaggctacaccgggacgcacaatctgagcctcaaagcaatcaacctcattctggat
gaactttggcacacaaatgacaaccaaattgccatattcaaccgcctgaaactggtgccaaaaaaagtggatctgtcacagcaaaaggaaatccctacaacct
tggttgacgatttattctgtccccgttgtcaagcggagcttcatccagtcaatcaaggtgatcaatgccatcattaaaaaatacggattgccaaacgatataatt
atcgagcttgcacgagagaagaactcaaaggacgcccagaagatgattaacgaaatgcagaagcgcaaccgccagacaaacgaacgcatagaggaaatta
taagaacaaccggcaaagagaatgccaagtatctgatcgagaaaatcaagctgcacgacatgcaagaaggcaagtgcctgtactctctggaagctatcccac
tcgaagatctgctgaataatccattcaattacgaggtggaccacatcatccctagatccgtaagctttgacaattccttcaataacaaagttctggttaaacagga
ggaaaattctaaaaaagggaaccggaccccgttccagtacctgagctccagtgacagcaagattagctacgagacttttaagaaacatattctgaatctggcc
aaaggcaaaggcaggatcagcaagaccaagaaggagtacctcctcgaagaacgcgacattaacagatttagtgtgcagaaagatttcatcaaccgaaacctt
gtcgatactcggtacgccacgagaggcctgatgaatctcctcaggagctacttccgcgtcaataatctggacgttaaagtcaagagcataaatgggggattcac
cagctttctgaggagaaagtggaagtttaagaaggaacgaaacaaaggatacaagcaccatgctgaggatgctttgatcatcgctaacgcggactttatcttta

aggaatggaaaaagctggataaggcaaagaaagtgatggaaaaccagatgttcgaggagaagcaggcagagtcaatgcctgagatcgagacagagcagg

aatacaaggaaattttcatcacccctcatcagattaaacacataaaggacttcaaagactataaatactctcataggggtggacaaaaaacccaatcgcgagct

cattaatgacaccctgtactcaacacggaaggatgataaaggtaataccttgattgtgaataatcttaatggattgtatgacaaagataacgacaagctcaaga

agctgatcaacaagtctccagagaagctccttatgtatcaccacgacccacagacttatcagaaattgaaactgatcatggagcaatacggggatgagaagaa

cccactctacaaatattatgaggaaacaggtaattacctgaccaagtactccaagaaggataacggaccagtgatcaaaaagataaagtactatggcaacaa

acttaatgcgcatttggacataactgacgattaccccaattctcgaaacaaggttgtgaagctctccctgaagcctttatagatttgacgtgtacctggataatggg

gtttataaattcgtcaccgtgaaaaatctggacgtgatcaaaaaggagaactattatgaagtaaactcaaagtgctatgaggaggcgaagaagctgaagaag

atctccaatcaggccgagttcatcgcttccttctataacaacgatctcatcaagatcaatggagagctttatcgcgtcattggtgtgaacaatgacttgctgaaca

ggatcgaagtcaatatgatagacattacctaccgggagtatctcgaaaacatgaatgataaacggccgcctcgaatcatcaagacaatcgcatctaaaactca

gtcaataaaaaagtactctaccgatatcctggggaatctctatgaagtgaagtcaaagaagcacccacaaatcattaaaaaaggtggatcccccaagaagaa

gaggaaagtctcgagcgactacaaagaccatgacggtgattataaagatcatgacatcgattacaaggatgacgatgacaagtaaagcggccgcactcctca

ggtgcaggctgcctatcagaaggtggtggctggtgtggccaatgccctggctcacaaataccactgagatcttttttccctctgccaaaaattatggggacatcat

gaagccccttgagcatctgacttctggctaataaaggaaatttattttcattgcaatagtgtgttggaattttttgtgtctctcactcggaaggacatatgggaggg

caaatcatttaaaacatcagaatgagtatttggtttagagtttggcaacatatgcccatatgctggctgccatgaacaaaggttggctataaagaggtcatcagt

atatgaaacagccccctgctgtccattccttattccatagaaaagccttgacttgaggttagattttttttatattttgtttgtgttattttttctttaacatccctaaa

attttccttacatgttttactagccagattttcctcctctcctgactactcccagtcatagctgtccctcttctcttatggagatccctcgacctgcagcccaagcttg

gcgtaatcatggtcatagctgtttcctgtgtgaaattgttatccgctcacaattccacacaacatacgagccggaagcataaagtgtaaagcctggggtgcctaa

tgagtgagctaactcacattaattgcgttgcgctcactgcccgctttccagtcgggaaacctgtcgtgccagcggatccgcatctcaattagtcagcaaccatagt

cccgcccctaactccgcccatcccgcccctaactccgcccagttccgcccattctccgccccatggctgactaattttttttatttatgcagaggccgaggccgcct

cggcctctgagctattccagaagtagtgaggaggctttttttggaggcctaggcttttgcaaaaagctaacttgtttattgcagcttataatggttacaaataaagc

aatagcatcacaaatttcacaaataaagcatttttttcactgcattctagttgtggtttgtccaaactcatcaatgtatcttatcatgtctggatccgctgcattaatg

aatcggccaacgcgcggggagaggcggtttgcgtattgggcgctcttccgcttcctcgctcactgactcgctgcgctcggtcgttcggctgcggcgagcggtatc

agctcactcaaaggcggtaatacggttatccacagaatcaggggataacgcaggaaagaacatgtgagcaaaaggccagcaaaaggccaggaaccgtaaa

aaggccgcgttgctggcgtttttccataggctccgcccccctgacgagcatcacaaaaatcgacgctcaagtcagaggtggcgaaacccgacaggactataaa

gataccaggcgtttcccctggaagctccctcgtgcgctctcctgttccgaccctgccgcttaccggatacctgtccgcctttctcccttcgggaagcgtggcgcttt

ctcatagctcacgctgtaggtatctcagttcggtgtaggtcgttcgctccaagctgggctgtgtgcacgaaccccccgttcagcccgaccgctgcgccttatccgg

taactatcgtcttgagtccaacccggtaagacacgacttatcgccactggcagcagccactggtaacaggattagcagagcgaggtatgtaggcggtgctaca

gagttcttgaagtggtggcctaactacggctacactagaagaacagtatttggtatctgcgctctgctgaagccagttaccttcggaaaaagagttggtagctctt

gatccggcaaacaaaccaccgctggtagcggtggtttttttgtttgcaagcagcagattacgcgcagaaaaaaaggatctcaagaagatcctttgatcttttcta

cggggtctgacgctcagtggaacgaaaactcacgttaagggattttggtcatgagattatcaaaaaggatcttcacctagatccttttaaattaaaaatgaagttt

taaatcaatctaaagtatatatgagtaaacttggtctgacagttaccaatgcttaatcagtgaggcacctatctcagcgatctgtctatttcgttcatccatagttgc

ctgactccccgtcgtgtagataactacgatacgggagggcttaccatctggccccagtgctgcaatgataccgcgagacccacgctcaccggctccagatttatc

agcaataaaccagccagccggaagggccgagcgcagaagtggtcctgcaactttatccgcctccatccagtctattaattgttgccgggaagctagagtaagta

gttcgccagttaatagtttgcgcaacgttgttgccattgctacaggcatcgtggtgtcacgctcgtcgtttggtatggcttcattcagctccggttcccaacgatcaa

ggcgagttacatgatcccccatgttgtgcaaaaaagcggttagctccttcggtcctccgatcgttgtcagaagtaagttggccgcagtgttatcactcatggttatg

gcagcactgcataattctcttactgtcatgccatccgtaagatgcttttctgtgactggtgagtactcaaccaagtcattctgagaatagtgtatgcggcgaccgag

ttgctcttgcccggcgtcaatacgggataataccgcgccacatagcagaactttaaaagtgctcatcattggaaaacgttcttcggggcgaaaactctcaaggat

cttaccgctgttgagatccagttcgatgtaacccactcgtgcacccaactgatcttcagcatcttttactttcaccagcgtttctgggtgagcaaaaacaggaagg

caaaatgccgcaaaaaagggaataagggcgacacggaaatgttgaatactcatactcttcctttttcaatattattgaagcatttatcagggttattgtctcatga

gcggatacatatttgaatgtatttagaaaaataaacaaataggggttccgcgcacatttccccgaaaagtgccacctg

>KRH-SaCas9

ggtcgacattgattattgactagttattaatagtaatcaattacggggtcattagttcatagcccatatatggagttccgcgttacataacttacggtaaatggccc

gcctggctgaccgcccaacgacccccgcccattgacgtcaataatgacgtatgttcccatagtaacgccaatagggactttccattgacgtcaatgggtggagta

tttacggtaaactgcccacttggcagtacatcaagtgtatcatatgccaagtacgccccctattgacgtcaatgacggtaaatggcccgcctggcattatgccca

gtacatgaccttatgggactttcctacttggcagtacatctacgtattagtcatcgctattaccatggtcgaggtgagccccacgttctgcttcactctccccatctc

cccccccctccccacccccaattttgtatttatttattttttaattattttgtgcagcgatgggggcggggggggggggggggcgcgcgccaggcggggcggggcg

gggcgaggggcggggcggggcgaggcggagaggtgcggcggcagccaatcagagcggcgcgctccgaaagtttccttttatggcgaggcggcggcggcgg

cggccctataaaaagcgaagcgcgcggcgggcgggagtcgctgcgcgctgccttcgccccgtgccccgctccgccgccgcctcgcgccgcccgccccggctct

gactgaccgcgttactcccacaggtgagcgggcgggacggcccttctcctccgggctgtaattagcgcttggtttaatgacggcttgtttctttctgtggctgcgt

gaaagccttgaggggctccgggagggccctttgtgcgggggggagcggctcgggggtgcgtgcgtgtgtgtgtgcgtggggagcgccgcgtgcggctccgcg

ctgcccggcggctgtgagcgctgcgggcgcggcgcggggctttgtgcgctccgcagtgtgcgcgaggggagcgcggccggggcggtgccccgcggtgcgg

ggggggctgcgaggggaacaaaggctgcgtgcggggtgtgtgcgtggggggggtgagcaggggggtgtgggcgcgtcggtcgggctgcaacccccccctgcacc

cccctccccgagttgctgagcacggcccggcttcgggtgcggggctccgtacggggcgtggcgcggggctcgccgtgccgggcgggggggtggcggcaggtgg

gggtgccgggcggggcggggccgcctcgggccggggagggctcgggggagggggcgcggcggccccccggagcgccggcggctgtcgaggcgcggcgagcc

gcagccattgcctttttatggtaatcgtgcgagagggcgcagggacttcctttgtcccaaatctgtgcggagccgaaatctgggaggcgccgccgcacccccctcta

gcgggcgcggggcgaagcggtgcggcgccggcaggaaggaaatgggcggggagggccttcgtgcgtcgccgcgccgccgtccccttctccctctccagcctc

ggggctgtccgcggggggacggctgccttcggggggggacggggcagggcggggttcggcttctggcgtgtgaccggcggctctagagcctctgctaaccatgt

tcatgccttcttcttttttcctacagctcctgggcaacgtgctggttattgtgctgtctcatcattttggcaaagaattctgcagtcgacggtaccgcgggcccgggat

ccaccggtcgccaccatggggaaacggaactacatcctggggcttgacattgggataaccagcgttggctacggaattattgattatgagacacgcgatgtgat

tgacgccggggttaggctgttcaaagaggccaacgttgaaaacaacgagggaagacggagtaagcgcggagcaagaagactcaagcgcagacggagacat

cggattcagagggtgaaaaagctgctcttcgattacaatctcctgaccgatcatagtgagctgagcggaatcaaccccctacgaggcgcgagtgaaagggctttc

ccagaagctgtccgaagaggagttctccgccgcgttgctgcacctggccaaacggaggggggttcacaatgtaaacgaagtggaggaggacacgggcaatg

aacttagtacgaaagaacagatcagtaggaactctaaggctctcgaagagaaatacgtcgctgagttgcagcttgagagactgaaaaaagacggcgaagtac

gcggatctattaataggttcaagacttcagattacgtaaaggaagccaagcagctcctgaaagtacagaaagcgtaccatcagctcgatcagagcttcatcgat

acctacatagatttgctggagacacggaggacatactacgagggcccaggggaaggatctcctttttgggtggaaggacatcaaggaatggtacgagatgctta

tgggacattgtacatattttccggaggagctcaggagcgtcaagtacgcctacaatgccgacctgtacaatgccctcaatgacctcaataacctcgtgattacca

gggacgagaacgagaagctggagtactatgaaaaagttccagattatcgagaatgtgtttaagcagaagaagaagccgacacttaagcagattgcaaaggaa

atcctcgtgaatgaggaagatatcaagggatacagagtgacaagtacaggcaagcccgagttcacaaatctgaaggtgtaccacgatattaaggacataacc

gcacgaaaggagataatcgaaaacgctgagctcctcgatcagatcgcaaaaattcttaccatctaccagtctagtgaggacattcaggaggaactgactaatct

gaacagtgagctcacccaagaggaaattgagcagatttcaaacctgaaaggctacaccgggacgcacaatctgagcctcaaagcaatcaacctcattctggat

gaactttggcacacaaatgacaaccaaattgccatattcaaccgcctgaaactggtgccaaaaaaagtggatctgtcacagcaaaaggaaatccctacaacct

tggttgacgatttattctgtcccccgttgtcaagcggagcttcatccagtcaatcaaggtgatcaatgccatcattaaaaaaatacggattgccaaacgatataatt

atcgagcttgcacgagagaagaactcaaaggacgcccagaagatgattaacgaaatgcagaagcgcaaccgccagacaaacgaacgcatagaggaaatta

taagaacaaccggcaaagagaatgccaagtatctgatcgagaaaatcaagctgcacgacatgcaagaaggcaagtgcctgtactctctggaagctatcccac

tcgaagatctgctgaataatccattcaattacgaggtggaccacatcatccctagatccgtaagctttgacaattccttcaataacaaagttctggttaaacagga

ggaaaattctaaaaaagggaaccggaccccgttccagtacctgagctccagtgacagcaagattagctacgagacttttaagaaacatattctgaatctggcc

aaaggcaaaggcaggatcagcaagaccaagaaggagtacctcctcgaagaacgcgacattaacagatttagtgtgcagaaagatttcatcaaccgaaacctt

gtcgatactcggtacgccacgagaggcctgatgaatctcctcaggagctacttccgcgtcaataatctggacgttaaagtcaagagcataaatgggggattcac

cagctttctgaggagaaagtggaagtttaagaaggaacgaaacaaaggatacaagcaccatgctgaggatgctttgatcatcgctaacgcggactttatcttta

aggaatggaaaaagctggataaggcaaagaaagtgatggaaaaccagatgttcgaggagaagcaggcagagtcaatgcctgagatcgagacagagcagg

aatacaaggaaattttcatcacccctcatcagattaaacacataaaggacttcaaagactataaatactctcatagggtggacaaaaaacccaatcgcaagct

cattaatgacaccctgtactcaacacggaaggatgataaaggtaataccttgattgtgaataatcttaatggattgtatgacaaagataacgacaagctcaaga

agctgatcaacaagtctccagagaagctccttatgtatcaccacgacccacagacttatcagaaattgaaactgatcatggagcaatacggggatgagaagaa
cccactctacaaatattatgaggaaacaggtaattacctgaccaagtactccaagaaggataacggaccagtgatcaaaaagataaagtactatggcaacaa
acttaatgcgcatttggacataactgacgattaccccaattctcgaaacaaggttgtgaagctctccctgaagccttatagatttgacgtgtacctggataatggg
gtttataaattcgtcaccgtgaaaaatctggacgtgatcaaaaaggagaactattatgaagtaaactcaaagtgctatgaggaggcgaagaagctgaagaag
atctccaatcaggccgagttcatcgcttccttctataggaacgatctcatcaagatcaatggagagctttatcgcgtcattggtgtgaacaatgacttgctgaaca
ggatcgaagtcaatatgatagacattacctaccggggagtatctcgaaaacatgaatgataaacggccgcctcacatcatcaagacaatcgcatctaaaactca
gtcaataaaaaagtactctaccgatatcctggggaatctctatgaagtgaagtcaaagaagcacccacaaatcattaaaaaaggtggatcccccaagaagaa
gaggaaagtctcgagcgactacaaagaccatgacggtgattataaagatcatgacatcgattacaaggatgacgatgacaagtaaagcggccgcactcctca
ggtgcaggctgcctatcagaaggtggtggctggtgtgtggccaatgccctggctcacaaataccactgagatctttttccctctgccaaaaattatggggacatcat
gaagcccccttgagcatctgacttctggctaataaaggaaatttattttcattgcaatagtgtgttggaattttttgtgtctctcactcggaaggacatatgggaggg
caaatcatttaaaacatcagaatgagtatttggttttagagtttggcaacatatgcccatatgctggctgccatgaacaaaggttggctataaagaggtcatcagt
atatgaaacagcccccctgctgtccattccttattccatagaaaagccttgacttgaggttagatttttttttatattttgttttgtgttatttttttctttaacatccctaaa
attttccttacatgtttttactagccagattttcctcctctcctgactactcccagtcatagctgtccctcttctcttatggagatccctcgacctgcagcccaagcttg
gcgtaatcatggtcatagctgtttcctgtgtgaaattgttatccgctcacaattccacacaacatacgagccggaagcataaagtgtaaagcctggggtgcctaa
tgagtgagctaactcacattaattgcgttgcgctcactgcccgctttccagtcgggaaacctgtcgtgccagcggatccgcatctcaattagtcagcaaccatagt
cccgcccctaactccgcccatcccgcccctaactccgcccagttccgcccattctccgcccccatggctgactaatttttttttatttatgcagaggccgaggccgcct
cggcctctgagctattccagaagtagtgaggaggctttttttggaggcctaggcttttgcaaaaagctaacttgtttattgcagcttataatggttacaaataaagc
aatagcatcacaaatttcacaaataaagcatttttttcactgcattctagttgtggtttgtccaaactcatcaatgtatcttatcatgtctggatccgctgcattaatg
aatcggccaacgcgcggggagaggcggtttgcgtattgggcgctcttccgcttcctcgctcactgactcgctgcgctcggtcgttcggctgcggcgagcggtatc
agctcactcaaaggcggtaatacggttatccacagaatcaggggataacgcaggaaagaacatgtgagcaaaaggccagcaaaaggccaggaaccgtaaa
aaggccgcgttgctggcgtttttccataggctccgcccccctgacgagcatcacaaaaatcgacgctcaagtcagaggtggcgaaacccgacaggactataaa
gataccaggcgtttccccctggaagctccctcgtgcgctctcctgttccgacccctgccgcttaccggatacctgtccgcctttctcccttcgggaagcgtggcgcttt
ctcatagctcacgctgtaggtatctcagttcggtgtaggtcgttcgctccaagctgggctgtgtgcacgaaccccccgttcagcccgaccgctgcgccttatccgg
taactatcgtcttgagtccaacccggtaagacacgacttatcgccactggcagcagccactggtaacaggattagcagagcgaggtatgtaggcggtgctaca
gagttcttgaagtggtggcctaactacggctacactagaagaacagtatttggtatctgcgctctgctgaagccagttaccttcggaaaaagagttggtagctctt
gatccggcaaacaaaccaccgctggtagcggtggtttttttgtttgcaagcagcagattacgcgcagaaaaaaaggatctcaagaagatcctttgatcttttcta
cggggtctgacgctcagtggaacgaaaactcacgttaagggattttggtcatgagattatcaaaaaggatcttcacctagatccttttaaattaaaaatgaagttt
taaatcaatctaaagtatatatgagtaaacttggtctgacagttaccaatgcttaatcagtgaggcacctatctcagcgatctgtctatttcgttcatccatagttgc
ctgactccccgtcgtgtagataactacgatacgggagggcttaccatctggccccagtgctgcaatgataccgcgagacccacgctcaccggctccagatttatc
agcaataaaccagccagccggaagggccgagcgcagaagtggtcctgcaactttatccgcctccatccagtctattaattgttgccgggaagctagagtaagta
gttcgccagttaatagtttgcgcaacgttgttgccattgctacaggcatcgtggtgtcacgctcgtcgtttggtatggcttcattcagctccggttcccaacgatcaa
ggcgagttacatgatcccccatgttgtgcaaaaaagcggttagctccttcggtcctccgatcgttgtcagaagtaagttggccgcagtgttatcactcatggttatg
gcagcactgcataattctcttactgtcatgccatccgtaagatgcttttctgtgactggtgagtactcaaccaagtcattctgagaatagtgtatgcggcgaccgag
ttgctcttgcccggcgtcaatacgggataataccgcgccacatagcagaactttaaaagtgctcatcattggaaaacgttcttcggggcgaaaactctcaaggat
cttaccgctgttgagatccagttcgatgtaacccactcgtgcacccaactgatcttcagcatcttttactttcaccagcgtttctgggtgagcaaaaacaggaagg
caaaatgccgcaaaaaagggaataagggcgacacgaaatgttgaatactcatactcttcctttttcaatattattgaagcatttatcagggttattgtctcatga
gcggatacatatttgaatgtatttagaaaaataaacaaataggggttccgcgcacatttccccgaaaagtgccacctg

>WT-ABE

ggtcgacattgattattgactagttattaatagtaatcaattacggggtcattagttcatagcccatatatggagttccgcgttacataacttacggtaaatggccc
gcctggctgaccgcccaacgacccccgcccattgacgtcaataatgacgtatgttcccatagtaacgccaatagggactttccattgacgtcaatgggtggagta

tttacggtaaactgcccacttggcagtacatcaagtgtatcatatgccaagtacgcccccctattgacgtcaatgacggtaaatggcccgcctggcattatgccca

gtacatgaccttatgggactttcctacttggcagtacatctacgtattagtcatcgctattaccatggtcgaggtgagccccacgttctgcttcactctccccatctc

cccccccctcccaccccccaattttgtatttatttatttttttaattattttttgtgcagcgatgggggcggggggggggggggggcgcgcgccaggcggggcggggcg

gggcgaggggcggggcggggcgaggcggagaggtgcggcggcagccaatcagagcggcgcgctccgaaagtttccttttatggcgaggcggcggcggcgg

cggccctataaaaagcgaagcgcgcggcgggcgggagtcgctgcgcgctgccttcgcccccgtgccccgctccgccgccgcctcgcgccgcccgcccccggctct

gactgaccgcgttactcccacaggtgagcgggcgggacggcccttctcctccgggctgtaattagcgcttggtttaatgacggcttgtttctttctgtggctgcgt

gaaagccttgaggggctccgggagggccctttgtgcgggggggagcggctcgggggggtgcgtgcgtgtgtgtgtgcgtggggagcgccgcgtgcggctccgcg

ctgcccggcggctgtgagcgctgcgggcgcggcgcggggctttgtgcgctccgcagtgtgcgcgaggggagcgcggccgggggcggtgccccgcggtgcgg

ggggggctgcgaggggaacaaaggctgcgtgcggggtgtgtgcgtgggggggtgagcaggggggtgtgggcgcgtcggtcgggctgcaacccccccctgcacc

cccctccccgagttgctgagcacggcccggcttcgggtgcggggctccgtacggggcgtggcgcggggctcgccgtgccgggcgggggtggcggcaggtgg

gggtgccgggcggggcggggccgcctcgggccggggagggctcggggagggggcgcggcggccccggagcgccggcggctgtcgaggcgcggcgagcc

gcagccattgccttttatggtaatcgtgcgagagggcgcagggacttcctttgtcccaaatctgtgcggagccgaaatctgggaggcgccgccgcacccccctcta

gcgggcgcggggcgaagcggtgcggcgccggcaggaaggaaatgggcggggagggccttcgtgcgtcgccgcgccgccgtccccttctccctctccagcctc

ggggctgtccgcggggggacggctgccttcggggggggacggggcagggcggggttcggcttctggcgtgtgaccggcggctctagagcctctgctaaccatgt

tcatgccttcttcttttttcctacagctcctgggcaacgtgctggttattgtgctgtctcatcattttggcaaagaattctgcagtcgacggtaccgcgggcccgggat

ccaccggtcgccaccatgaaacggacagccgacggaagcgagttcgagtcaccaaagaagaagcggaaagtctctgaggtggagtttttcccacgagtactgg

atgagacatgccctgaccctggccaagagggcacgggatgagagggaggtgcctgtgggagccgtgctggtgctgaacaatagagtgatcggcgagggctg

gaacagagccatcggcctgcacgacccaacagcccatgccgaaattatggccctgagacagggcggcctggtcatgcagaactacagactgattgacgccac

cctgtacgtgacattcgagccttgcgtgatgtgcgccggcgccatgatccactctaggatcggccgcgtggtgtttggatggaggaactcaaaaagaggcgccg

caggctccctgatgaacgtgctgaactaccccggcatgaatcaccgcgtcgaaattaccgagggaatcctggcagatgaatgtgccgccctgctgtgcgatttct

atcggatgcctagacaggtgttcaatgctcagaagaaggcccagagctccatcaactccggaggatctagcggaggctcctctggctctgagacacctggcac

aagcgagagcgcaacacctgaaagcagcggggggcagcagcgggggggtcagggaagcgaaattacattctggggctggccattgggataaccagcgttggct

acggaattattgattatgagacacgcgatgtgattgacgccgggggttaggctgttcaaagaggccaacgttgaaaacaacgagggaagacggagtaagcgcg

gagcaagaagactcaagcgcagacggagacatcggattcagagggtgaaaaagctgctcttcgattacaatctcctgaccgatcatagtgagctgagcggaat

caacccctacgaggcgcgagtgaaagggctttcccagaagctgtccgaagaggagttctccgccgcgttgctgcacctggccaaacggaggggggggttcacaat

gtaaacgaagtggaggaggacacgggcaatgaacttagtacgaaagaacagatcagtaggaactctaaggctctcgaagagaaatacgtcgctgagttgca

gcttgagagactgaaaaaagacggcgaagtacgcggatcattaataggttcaagacttcagattacgtaaaggaagccaagcagctcctgaaagtacagaa

agcgtaccatcagctcgatcagagcttcatcgatacctacatagatttgctggagacacggaggacatactacgagggccccaggggaaggatctccttttgggt

ggaaggacatcaaggaatggtacgagatgcttatgggacattgtacatattttccggaggagctcaggagcgtcaagtacgcctacaatgccgacctgtacaat

gccctcaatgacctcaataacctcgtgattaccagggacgagaacgagaagctggagtactatgaaaagttccagattatcgagaatgtgtttaagcagaaga

agaagccgacacttaagcagattgcaaaggaaatcctcgtgaatgaggaagatatcaagggatacagagtgacaagtacaggcaagcccgagttcacaaat

ctgaaggtgtaccacgatattaaggacataaccgcacgaaaggagataatcgaaaacgctgagctcctcgatcagatcgcaaaaattcttaccatctaccagt

ctagtgaggacattcaggaggaactgactaatctgaacagtgagctcacccaagaggaaattgagcagatttcaaacctgaaaggctacaccgggacgcaca

atctgagcctcaaagcaatcaacctcattctggatgaactttggcacacaaatgacaaccaaattgccatattcaaccgcctgaaactggtgccaaaaaaagtg

gatctgtcacagcaaaaggaaatccctacaaccttggttgacgattttattctgtcccccgttgtcaagcggagcttcatccagtcaatcaaggtgatcaatgcca

tcattaaaaaatacggattgccaaacgatataattatcgagcttcacgagagaagaactcaaaggacgcccagaagatgattaacgaaatgcagaagcgca

accgccagacaaacgaacgcatagaggaaattataagaacaaccggcaaagagaatgccaagtatctgatcgagaaaatcaagctgcacgacatgcaaga

aggcaagtgcctgtactctctggaagctatcccactcgaagatctgctgaataatccattcaattacgaggtggaccacatcatccctagatccgtaagctttgac

aattccttcaataacaaagttctggttaaacaggaggaaaattctaaaaaagggaaccggaccccgttccagtacctgagctccagtgacagcaagattagct

acgagacttttaagaaacatattctgaatctggccaaaggcaaaggcaggatcagcaagaccaagaaggagtacctcctcgaagaacgcgacattaacagat

ttagtgtgcagaaagatttcatcaaccgaaaccttgtcgatactcggtacgccacgagaggcctgatgaatctcctcaggagctacttccgcgtcaataatctgg

acgttaaagtcaagagcataaatgggggattcaccagctttctgaggagaaagtggaagtttaagaaggaacgaaacaaaggatacaagcaccatgctgag

gatgctttgatcatcgctaacgcggactttatctttaaggaatggaaaaagctggataaggcaaagaaagtgatggaaaaccagatgttcgaggagaagcag

gcagagtcaatgcctgagatcgagacagagcaggaatacaaggaaattttcatcacccctcatcagattaaacacataaaggacttcaaagactataaatact

ctcatagggtggacaaaaaacccaatcgcgagctcattaatgacaccctgtactcaacacggaaggatgataaaggtaataccttgattgtgaataatcttaat

ggattgtatgacaaagataacgacaagctcaagaagctgatcaacaagtctccagagaagctccttatgtatcaccacgacccacagacttatcagaaattga

aactgatcatggagcaatacggggatgagaagaacccactctacaaatattatgaggaaacaggtaattacctgaccaagtactccaagaaggataacggac

cagtgatcaaaaagataaagtactatggcaacaaacttaatgcgcatttggacataactgacgattaccccaattctcgaaacaaggttgtgaagctctccctg

aagccttatagatttgacgtgtacctggataatgggggtttatataattcgtcaccgtgaaaaatctggacgtgatcaaaaaggagaactattatgaagtaaactca

aagtgctatgaggaggcgaagaagctgaagaagatctccaatcaggccgagttcatcgcttccttctataacaacgatctcatcaagatcaatggagagctta

tcgcgtcattggtgtgaacaatgacttgctgaacaggatcgaagtcaatatgatagacattacctaccgggagtatctcgaaacatgaatgataaacggccgc

ctcgaatcatcaagacaatcgcatctaaaactcagtcaataaaaaagtactctaccgatatcctgggggaatctctatgaagtgaagtcaaagaagcacccaca

aatcattaaaaaaggtggatcccccaagaagaagaggaaagtctcgagcgactacaaagaccatgacggtgattataaagatcatgacatcgattacaagga

tgacgatgacaagtaaagcggccgcactcctcaggtgcaggctgcctatcagaaggtggtggctggtgtggccaatgccctggctcacaaataccactgagat

ctttttccctctgccaaaaattatggggacatcatgaagcccccttgagcatctgacttctggctaataaaggaaatttattttcattgcaatagtgtgttggaattttt

tgtgtctctcactcggaaggacatatgggagggcaaatcatttaaaacatcagaatgagtatttggtttagagtttggcaacatatgcccatatgctggctgccat

gaacaaaggttggctataaagaggtcatcagtatatgaaacagccccctgctgtccattccttattccatagaaaagccttgacttgaggttagatttttttttatatt

ttgttttgtgttatttttttctttaacatccctaaaattttccttacatgttttactagccagattttttcctcctctcctgactactcccagtcatagctgtccctcttctctt

atggagatccctcgacctgcagcccaagcttggcgtaatcatggtcatagctgtttcctgtgtgaaattgttatccgctcacaattccacacaacatacgagccgg

aagcataaagtgtaaagcctggggtgcctaatgagtgagctaactcacattaattgcgttgcgctcactgcccgctttccagtcgggaaacctgtcgtgccagcg

gatccgcatctcaattagtcagcaaccatagtcccgcccctaactccgcccatcccgcccctaactccgcccagttccgcccattctccgccccatggctgactaa

ttttttttatttatgcagaggccgaggccgcctcggcctctgagctattccagaagtagtgaggaggcttttttggaggcctaggcttttgcaaaaagctaacttgtt

tattgcagcttataatggttacaaataaagcaatagcatcacaaatttcacaaataaagcatttttttcactgcattctagttgtggtttgtccaaactcatcaatgt

atcttatcatgtctggatccgctgcattaatgaatcggccaacgcgcggggagaggcggtttgcgtattgggcgctcttccgcttcctcgctcactgactcgctgcg

ctcggtcgttcggctgcggcgagcggtatcagctcactcaaaggcggtaatacggttatccacagaatcaggggataacgcaggaaagaacatgtgagcaaa

aggccagcaaaaggccaggaaccgtaaaaaggccgcgttgctggcgtttttccataggctccgcccccctgacgagcatcacaaaaatcgacgctcaagtca

gaggtggcgaaacccgacaggactataaagataccaggcgtttccccctggaagctccctcgtgcgctctcctgttccgacctgccgcttaccggatacctgtc

cgcctttctcccttcgggaagcgtggcgctttctcatagctcacgctgtaggtatctcagttcggtgtaggtcgttcgctccaagctgggctgtgtgcacgaacccc

ccgttcagcccgaccgctgcgccttatccggtaactatcgtcttgagtccaacccggtaagacacgacttatcgccactggcagcagccactggtaacaggatta

gcagagcgaggtatgtaggcggtgctacagagttcttgaagtggtggcctaactacggctacactagaagaacagtatttggtatctgcgctctgctgaagcca

gttaccttcggaaaaagagttggtagctcttgatccggcaaacaaaccaccgctggtagcggtggtttttttgtttgcaagcagcagattacgcgcagaaaaaa

aggatctcaagaagatcctttgatctttttctacggggtctgacgctcagtggaacgaaaactcacgttaagggattttggtcatgagattatcaaaaaggatcttc

acctagatccttttaaattaaaaatgaagttttaaatcaatctaaagtatatatgagtaaacttggtctgacagttaccaatgcttaatcagtgaggcacctatctc

agcgatctgtctatttcgttcatccatagttgcctgactccccgtcgtgtagataactacgatacgggagggcttaccatctggccccagtgctgcaatgataccgc

gagacccacgctcaccggctccagatttatcagcaataaaccagccagccggaagggccgagcgcagaagtggtcctgcaactttatccgcctccatccagtct

attaattgttgccgggaagctagagtaagtagttcgccagttaatagtttgcgcaacgttgttgccattgctacaggcatcgtggtgtcacgctcgtcgtttggtat

ggcttcattcagctccggttcccaacgatcaaggcgagttacatgatcccccatgttgtgcaaaaaagcggttagctccttcggtcctccgatcgttgtcagaagt

aagttggccgcagtgttatcactcatggttatggcagcactgcataattctcttactgtcatgccatccgtaagatgcttttctgtgactggtgagtactcaaccaa

gtcattctgagaatagtgtatgcggcgaccgagttgctcttgcccggcgtcaatacgggataataccgcgccacatagcagaactttaaaagtgctcatcattgg

aaaacgttcttcggggcgaaaactctcaaggatcttaccgctgttgagatccagttcgatgtaacccactcgtgcacccaactgatcttcagcatcttttactttca

ccagcgtttctgggtgagcaaaaacaggaaggcaaaatgccgcaaaaaagggaataagggcgacacggaaatgttgaatactcatactcttcctttttcaata

ttattgaagcatttatcagggttattgtctcatgagcggatacatatttgaatgtatttagaaaaataaacaaataggggttccgcgcacatttccccgaaaagtg

ccacctg

>KKH-ABE

ggtcgacattgattattgactagttattaatagtaatcaattacggggtcattagttcatagcccatatatggagttccgcgttacataacttacggtaaatggccc

gcctggctgaccgcccaacgacccccgcccattgacgtcaataatgacgtatgttcccatagtaacgccaatagggactttccattgacgtcaatgggtggagta

tttacggtaaactgcccacttggcagtacatcaagtgtatcatatgccaagtacgccccctattgacgtcaatgacggtaaatggcccgcctggcattatgccca

gtacatgaccttatgggactttcctacttggcagtacatctacgtattagtcatcgctattaccatggtcgaggtgagccccacgttctgcttcactctccccatctc

ccccccctccccacccccaattttgtatttatttattttttaattattttgtgcagcgatgggggcggggggggggggggggcgcgcgccaggcggggcggggcg

gggcgaggggcggggcggggcgaggcggagaggtgcggcggcagccaatcagagcggcgcgctccgaaagtttccttttatggcgaggcggcggcggcgg

cggccctataaaaagcgaagcgcgcggcgggcgggagtcgctgcgcgctgccttcgccccgtgccccgctccgccgccgcctcgcgccgcccgcccccggctct

gactgaccgcgttactcccacaggtgagcgggcgggacggcccttctcctccgggctgtaattagcgcttggtttaatgacggcttgtttcttttctgtggctgcgt

gaaagccttgagggggctccgggagggccctttgtgcggggggagcggctcggggggtgcgtgcgtgtgtgtgtgcgtggggagcgccgcgtgcggctccgcg

ctgcccggcggctgtgagcgctgcgggcgcggcgcggggctttgtgcgctccgcagtgtgcgcgaggggagcgcggccgggggcggtgccccgcggtgcgg

gggggctgcgaggggaacaaaggctgcgtgcggggtgtgtgcgtggggggtgagcagggggtgtgggcgcgtcggtcgggctgcaacccccccctgcacc

ccctccccgagttgctgagcacggcccggcttcgggtgcggggctccgtacggggcgtggcgcggggctcgccgtgccgggcgggggtggcggcaggtgg

gggtgccgggcggggcggggccgcctcgggccggggagggctcggggagggggcgcggcggcccccggagcgccggcggctgtcgaggcgcggcgagcc

gcagccattgccttttatggtaatcgtgcgagagggcgcagggacttcctttgtcccaaatctgtgcggagccgaaatctgggaggcgccgccgcaccccctcta

gcgggcgcggggcgaagcggtgcggcgccggcaggaaggaaatgggcggggagggccttcgtgcgtcgccgcgccgccgtccccttctccctctccagcctc

ggggctgtccgcgggggggacggctgccttcggggggggacggggcagggcggggttcggcttctggcgtgtgaccggcggctctagagcctctgctaaccatgt

tcatgccttcttcttttttcctacagctcctgggcaacgtgctggttattgtgctgtctcatcattttggcaaagaattctgcagtcgacggtaccgcgggcccgggat

ccaccggtcgccaccatgaaacggacagccgacggaagcgagttcgagtcaccaaagaagaagcggaaagtctctgaggtggagttttcccacgagtactgg

atgagacatgccctgaccctggccaagagggcacgggatgagagggaggtgcctgtggggagccgtgctggtgctgaacaatagagtgatcggcgagggctg

gaacagagccatcggcctgcacgacccaacagcccatgccgaaattatggccctgagacagggcggcctggtcatgcagaactacagactgattgacgccac

cctgtacgtgacattcgagccttgcgtgatgtgcgccggcgccatgatccactctaggatcggccgcgtggtgtttggatggaggaactcaaaaagaggcgccg

caggctccctgatgaacgtgctgaactaccccggcatgaatcaccgcgtcgaaattaccgagggaatcctggcagatgaatgtgccgccctgctgtgcgatttct

atcggatgcctagacaggtgttcaatgctcagaagaaggcccagagctccatcaactccggaggatctagcggaggctcctctggctctgagacacctggcac

aagcgagagcgcaacacctgaaagcagcgggggcagcagcggggggtcagggaagcgaaattacattctggggctggccattgggataaccagcgttggct

acggaattattgattatgagacacgcgatgtgattgacgccggggttaggctgttcaaagaggccaacgttgaaaacaacgagggaagacggagtaagcgcg

gagcaagaagactcaagcgcagacggagacatcggattcagagggtgaaaaagctgctcttcgattacaatctcctgaccgatcatagtgagctgagcggaat

caacccctacgaggcgcgagtgaaagggctttcccagaagctgtccgaagaggagttctccgccgcgttgctgcacctggccaaacggagggggggttcacaat

gtaaacgaagtggaggaggacacgggcaatgaacttagtacgaaagaacagatcagtaggaactctaaggctctcgaagagaaatacgtcgctgagttgca

gcttgagagactgaaaaaagacggcgaagtacgcggatctattaataggttcaagacttcagattacgtaaaggaagccaagcagctcctgaaagtacagaa

agcgtaccatcagctcgatcagagcttcatcgatacctacatagatttgctggagacacggaggacatactacgagggccaggggaaggatctcctttttgggt

ggaaggacatcaaggaatggtacgagatgcttatgggacattgtacatattttccggaggagctcaggagcgtcaagtacgcctacaatgccgacctgtacaat

gccctcaatgacctcaataacctcgtgattaccagggacgagaacgagaagctggagtactatgaaaagttccagattatcgagaatgtgtttaagcagaaga

agaagccgacacttaagcagattgcaaaggaaatcctcgtgaatgaggaagatatcaagggatacagagtgacaagtacaggcaagcccgagttcacaaat

ctgaaggtgtaccacgatattaaggacataaccgcacgaaaggagataatcgaaaacgctgagctcctcgatcagatcgcaaaaattcttaccatctaccagt

ctagtgaggacattcaggaggaactgactaatctgaacagtgagctcacccaagaggaaattgagcagatttcaaacctgaaaggctacaccgggacgcaca

atctgagcctcaaagcaatcaacctcattctggatgaactttggcacacaaatgacaaccaaattgccatattcaaccgcctgaaactggtgccaaaaaaagtg

gatctgtcacagcaaaaggaaatccctacaaccttggttgacgattttattctgtcccccgttgtcaagcggagcttcatccagtcaatcaaggtgatcaatgcca

tcattaaaaaatacggattgccaaacgatataattatcgagcttgcacgagagaagaactcaaaggacgcccagaagatgattaacgaaatgcagaagcgca

accgccagacaaacgaacgcatagaggaaattataagaacaaccggcaaagagaatgccaagtatctgatcgagaaaatcaagctgcacgacatgcaaga

aggcaagtgcctgtactctctggaagctatcccactcgaagatctgctgaataatccattcaattacgaggtggaccacatcatccctagatccgtaagctttgac

aattccttcaataacaaagttctggttaaacaggaggaaaattctaaaaaagggaaccggaccccgttccagtacctgagctccagtgacagcaagattagct

acgagacttttaagaaacatattctgaatctggccaaaggcaaaggcaggatcagcaagaccaagaaggagtacctcctcgaagaacgcgacattaacagat

ttagtgtgcagaaagatttcatcaaccgaaaccttgtcgatactcggtacgccacgagaggcctgatgaatctcctcaggagctacttccgcgtcaataatctgg

acgttaaagtcaagagcataaatggggggattcaccagctttctgaggagaaagtggaagtttaagaaggaacgaaacaaaggatacaagcaccatgctgag

gatgctttgatcatcgctaacgcggactttatctttaaggaatggaaaaagctggataaggcaaagaaagtgatggaaaaccagatgttcgaggagaagcag

gcagagtcaatgcctgagatcgagacagagcaggaatacaaggaaattttcatcacccctcatcagattaaacacataaaaggacttcaaagactataaatact

ctcataggtggacaaaaaacccaatcgcaagctcattaatgacaccctgtactcaacacggaaggatgataaaggtaataccttgattgtgaataatcttaat

ggattgtatgacaaagataacgacaagctcaagaagctgatcaacaagtctccagagaagctccttatgtatcaccacgacccacagacttatcagaaattga

aactgatcatggagcaatacggggatgagaagaacccactctacaaatattatgaggaaacaggtaattacctgaccaagtactccaagaaggataacggac

cagtgatcaaaaagataaagtactatggcaacaaacttaatgcgcatttggacataactgacgattaccccaattctcgaaacaaggttgtgaagctctccctg

aagccttatagatttgacgtgtacctggataatgggggtttataaaattcgtcaccgtgaaaaatctggacgtgatcaaaaaggagaactattatgaagtaaactca

aagtgctatgaggaggcgaagaagctgaagaagatctccaatcaggccgagttcatcgcttccttctataagaacgatctcatcaagatcaatggagagcttta

tcgcgtcattggtgtgaacaatgacttgctgaacaggatcgaagtcaatatgatagacattacctaccgggagtatctcgaaaacatgaatgataaacggccgc

ctcacatcatcaagacaatcgcatctaaaactcagtcaataaaaaagtactctaccgatatcctggggaatctctatgaagtgaagtcaaagaagcacccaca

aatcattaaaaaaggtggatcccccaagaagaagaggaaagtctcgagcgactacaaagaccatgacggtgattataaagatcatgacatcgattacaagga

tgacgatgacaagtaaagcggccgcactcctcaggtgcaggctgcctatcagaaggtggtggctggtgtggccaatgccctggctcacaaataccactgagat

ctttttccctctgccaaaaattatggggacatcatgaagccccttgagcatctgacttctggctaataaaggaaatttattttcattgcaatagtgtgttggaatttttt

tgtgtctctcactcggaaggacatatgggagggcaaatcatttaaaacatcagaatgagtatttggtttagagtttggcaacatatgcccatatgctggctgccat

gaacaaaggttggctataaagaggtcatcagtatatgaaacagccccctgctgtccattccttattccatagaaaagccttgacttgaggttagatttttttttatatt

ttgttttgtgttatttttttctttaacatccctaaaattttccttacatgttttactagccagattttttcctcctctcctgactactcccagtcatagctgtccctcttctctt

atggagatccctcgacctgcagcccaagcttggcgtaatcatggtcatagctgtttcctgtgtgaaattgttatccgctcacaattccacacaacatacgagccgg

aagcataaagtgtaaagcctggggtgcctaatgagtgagctaactcacattaattgcgttgcgctcactgcccgctttccagtcgggaaacctgtcgtgccagcg

gatccgcatctcaattagtcagcaaccatagtcccgcccctaactccgcccatcccgcccctaactccgcccagttccgcccattctccgccccatggctgactaa

ttttttttatttatgcagaggccgaggccgcctcggcctctgagctattccagaagtagtgaggaggcttttttggaggcctaggcttttgcaaaaagctaacttgtt

tattgcagcttataatggttacaaataaagcaatagcatcacaaatttcacaaataaagcatttttttcactgcattctagttgtggtttgtccaaactcatcaatgt

atcttatcatgtctggatccgctgcattaatgaatcggccaacgcgcggggagaggcggtttgcgtattgggcgctcttccgcttcctcgctcactgactcgctgcg

ctcggtcgttcggctgcggcgagcggtatcagctcactcaaaggcggtaatacggttatccacagaatcaggggataacgcaggaaagaacatgtgagcaaa

aggccagcaaaaggccaggaaccgtaaaaaggccgcgttgctggcgtttttccataggctccgcccccctgacgagcatcacaaaaatcgacgctcaagtca

gaggtggcgaaacccgacaggactataaagataccaggcgtttccccctggaagctccctcgtgcgctctcctgttccgaccctgccgcttaccggatacctgtc

cgcctttctcccttcgggaagcgtggcgctttctcatagctcacgctgtaggtatctcagttcggtgtaggtcgttcgctccaagctgggctgtgtgcacgaacccc

ccgttcagcccgaccgctgcgccttatccggtaactatcgtcttgagtccaacccggtaagacacgacttatcgccactggcagcagccactggtaacaggatta

gcagagcgaggtatgtaggcggtgctacagagttcttgaagtggtggcctaactacggctacactagaagaacagtatttggtatctgcgctctgctgaagcca

gttaccttcggaaaaagagttggtagctcttgatccggcaaacaaaccaccgctggtagcggtggtttttttgtttgcaagcagcagattacgcgcagaaaaaa

aggatctcaagaagatcctttgatctttctacggggtctgacgctcagtggaacgaaaactcacgttaagggattttggtcatgagattatcaaaaaggatcttc

acctagatccttttaaattaaaaatgaagttttaaatcaatctaaagtatatatgagtaaacttggtctgacagttaccaatgcttaatcagtgaggcacctatctc

agcgatctgtctatttcgttcatccatagttgcctgactccccgtcgtgtagataactacgatacgggagggcttaccatctggccccagtgctgcaatgataccgc

gagacccacgctcaccggctccagatttatcagcaataaaccagccagccggaagggccgagcgcagaagtggtcctgcaactttatccgcctccatccagtct

attaattgttgccgggaagctagagtaagtagttcgccagttaatagtttgcgcaacgttgttgccattgctacaggcatcgtggtgtcacgctcgtcgtttggtat

ggcttcattcagctccggttcccaacgatcaaggcgagttacatgatcccccatgttgtgcaaaaaagcggttagctccttcggtcctccgatcgttgtcagaagt

aagttggccgcagtgttatcactcatggttatggcagcactgcataattctcttactgtcatgccatccgtaagatgcttttctgtgactggtgagtactcaaccaa

gtcattctgagaatagtgtatgcggcgaccgagttgctcttgcccggcgtcaatacgggataataccgcgccacatagcagaactttaaaagtgctcatcattgg

aaaacgttcttcggggcgaaaactctcaaggatcttaccgctgttgagatccagttcgatgtaacccactcgtgcacccaactgatcttcagcatctttttactttca

ccagcgtttctgggtgagcaaaaacaggaaggcaaaatgccgcaaaaaagggaataagggcgacacggaaatgttgaatactcatactcttccttttttcaata

ttattgaagcatttatcagggttattgtctcatgagcggatacatatttgaatgtatttagaaaaataaacaaatagggggttccgcgcacatttccccgaaaagtg

ccacctg

>KRH-ABE

ggtcgacattgattattgactagttattaatagtaatcaattacgggggtcattagttcatagcccatatatggagttccgcgttacataacttacggtaaatggccc

gcctggctgaccgcccaacgacccccgcccattgacgtcaataatgacgtatgttcccatagtaacgccaatagggactttccattgacgtcaatgggtggagta

tttacggtaaactgcccacttggcagtacatcaagtgtatcatatgccaagtacgccccctattgacgtcaatgacggtaaatggcccgcctggcattatgccca

gtacatgaccttatgggactttcctacttggcagtacatctacgtattagtcatcgctattaccatggtcgaggtgagccccacgttctgcttcactctccccatctc

ccccccctccccacccccaattttgtatttatttattttttaattattttgtgcagcgatggggggcggggggggggggggggcgcgcgccaggcggggcggggcg

gggcgaggggcggggcggggcgaggcggagaggtgcggcggcagccaatcagagcggcgcgctccgaaagtttccttttatggcgaggcggcggcggcgg

cggccctataaaaagcgaagcgcgcggcgggcgggagtcgctgcgcgctgccttcgccccgtgccccgctccgccgccgcctcgcgccgcccgccccggctct

gactgaccgcgttactcccacaggtgagcgggcgggacggcccttctcctccgggctgtaattagcgcttggtttaatgacggcttgtttcttttctgtggctgcgt

gaaagccttgagggggctccgggagggccctttgtgcggggggagcggctcgggggggtgcgtgcgtgtgtgtgcgtggggagcgccgcgtgcggctccgcg

ctgcccggcggctgtgagcgctgcgggcgcggcgcggggctttgtgcgctccgcagtgtgcgcgaggggagcgcggccgggggcggtgccccgcggtgcgg

ggggggctgcgaggggaacaaaggctgcgtgcggggtgtgtgcgtggggggggtgagcaggggggtgtgggcgcgtcggtcgggctgcaacccccccctgcacc

cccctccccgagttgctgagcacggcccggcttcgggtgcggggctccgtacggggcgtggcgcggggctcgccgtgccgggcggggggtggcggcaggtgg

gggtgccgggcggggcggggccgcctcgggccggggagggctcggggaggggcgcggcggccccccggagcgccggcggctgtcgaggcgcggcgagcc

gcagccattgccttttatggtaatcgtgcgagagggcgcagggacttcctttgtcccaaatctgtgcggagccgaaatctgggaggcgccgccgcacccccctcta

gcgggcgcggggcgaagcggtgcggcgccggcaggaaggaaatgggcggggagggccttcgtgcgtcgccgcgccgccgtcccccttctccctctccagcctc

ggggctgtccgcgggggggacggctgccttcgggggggggacggggcagggcggggttcggcttctggcgtgtgaccggcggctctagagcctctgctaaccatgt

tcatgccttcttctttttcctacagctcctgggcaacgtgctggttattgtgctgtctcatcattttggcaaagaattctgcagtcgacggtaccgcgggcccgggat

ccaccggtcgccaccatgaaacggacagccgacgaagcgagttcgagtcaccaaagaagaagcggaaagtctctgaggtggagtttttcccacgagtactgg

atgagacatgccctgaccctggccaagagggcacgggatgagagggaggtgcctgtgggagccgtgctggtgctgaacaatagagtgatcggcgagggctg

gaacagagccatcggcctgcacgacccaacagcccatgccgaaattatggccctgagacagggcggcctggtcatgcagaactacagactgattgacgccac

cctgtacgtgacattcgagccttgcgtgatgtgcgccggcgccatgatccactctaggatcggccgcgtggtgtttggatggaggaactcaaaaagaggcgccg

caggctccctgatgaacgtgctgaactaccccggcatgaatcaccgcgtcgaaattaccgagggaatcctggcagatgaatgtgccgccctgctgtgcgatttct

atcggatgcctagacaggtgttcaatgctcagaagaaggcccagagctccatcaactccggaggatctagcggaggctcctctggctctgagacacctggcac

aagcgagagcgcaacacctgaaagcagcggggggcagcagcggggggtcagggaagcgaaattacattctggggctggccattgggataaccagcgttggct

acggaattattgattatgagacacgcgatgtgattgacgccggggttaggctgttcaaagaggccaacgttgaaaacaacgagggaagacggagtaagcgcg

gagcaagaagactcaagcgcagacggagacatcggattcagaggtgaaaaagctgctcttcgattacaatctcctgaccgatcatagtgagctgagcggaat

caacccctacgaggcgcgagtgaaaggctttcccagaagctgtccgaagaggagttctccgccgcgttgctgcacctggccaaacggaggggggttcacaat

gtaaacgaagtggaggaggacacgggcaatgaacttagtacgaaagaacagatcagtaggaactctaaggctctcgaagagaaatacgtcgctgagttgca

gcttgagagactgaaaaaagacggcgaagtacgcggatctattaataggttcaagacttcagattacgtaaaggaagccaagcagctcctgaaagtacagaa

agcgtaccatcagctcgatcagagcttcatcgatacctacatagatttgctggagacacggaggacatactacgagggcccaggggaaggatctccttttgggt

ggaaggacatcaaggaatggtacgagatgcttatgggacattgtacatattttccggaggagctcaggagcgtcaagtacgcctacaatgccgacctgtacaat

gccctcaatgacctcaataacctcgtgattacccagggacgagaacgagaagctggagtactatgaaaagttccagattatcgagaatgtgtttaagcagaaga

agaagccgacacttaagcagattgcaaaggaaatcctcgtgaatgaggaagatatcaagggatacagagtgacaagtacaggcaagcccgagttcacaaat

ctgaaggtgtaccacgatattaaggacataaccgcacgaaaggagataatcgaaaacgctgagctcctcgatcagatcgcaaaaattcttaccatctaccagt

ctagtgaggacattcaggaggaactgactaatctgaacagtgagctcacccaagaggaaattgagcagatttcaaacctgaaaggctacaccgggacgcaca

atctgagcctcaaagcaatcaacctcattctggatgaactttggcacacaaatgacaaccaaattgccatattcaaccgcctgaaactggtgccaaaaaagtg

gatctgtcacagcaaaaggaaatccctacaaccttggttgacgattttattctgtcccccgttgtcaagcggagcttcatccagtcaatcaaggtgatcaatgcca

tcattaaaaaatacggattgccaaacgatataattatcgagcttcacgagagaagaactcaaaggacgcccagaagatgattaacgaaatgcagaagcgca

accgccagacaaacgaacgcatagaggaaattataagaacaaccggcaaagagaatgccaagtatctgatcgagaaaatcaagctgcacgacatgcaaga

aggcaagtgcctgtactctctggaagctatcccactcgaagatctgctgaataatccattcaattacgaggtggaccacatcatccctagatccgtaagctttgac

aattccttcaataacaaagttctggttaaacaggaggaaaattctaaaaaagggaaccggaccccgttccagtacctgagctccagtgacagcaagattagct

acgagacttttaagaaacatattctgaatctggccaaaggcaaaggcaggatcagcaagaccaagaaggagtacctcctcgaagaacgcgacattaacagat

ttagtgtgcagaaagatttcatcaaccgaaaccttgtcgatactcggtacgccacgagaggcctgatgaatctcctcaggagctacttccgcgtcaataatctgg

acgttaaagtcaagagcataaatggggggattcaccagctttctgaggagaaagtggaagtttaagaaggaacgaaacaaaggatacaagcaccatgctgag

gatgctttgatcatcgctaacgcggactttatctttaaggaatggaaaaagctggataaggcaaagaaagtgatggaaaaccagatgttcgaggagaagcag

gcagagtcaatgcctgagatcgagacagagcaggaatacaaggaaattttcatcacccctcatcagattaaacacataaaaggacttcaaagactataaatact

ctcatagggtggacaaaaaacccaatcgcaagctcattaatgacaccctgtactcaacacggaaggatgataaaggtaataccttgattgtgaataatcttaat

ggattgtatgacaaagataacgacaagctcaagaagctgatcaacaagtctccagagaagctccttatgtatcaccacgacccacagacttatcagaaattga

aactgatcatggagcaatacggggatgagaagaacccactctacaaatattatgaggaaacaggtaattacctgaccaagtactccaagaaggataacggac

cagtgatcaaaaagataaagtactatggcaacaaacttaatgcgcatttggacataactgacgattaccccaattctcgaaacaaggttgtgaagctctccctg

aagccttatagatttgacgtgtacctggataatggggttttataaattcgtcaccgtgaaaaatctggacgtgatcaaaaaggagaactattatgaagtaaactca

aagtgctatgaggaggcgaagaagctgaagaagatctccaatcaggccgagttcatcgcttccttctataggaacgatctcatcaagatcaatgtggagagcttta

tcgcgtcattggtgtgaacaatgacttgctgaacaggatcgaagtcaatatgatagacattacctaccgggagtatctcgaaaacatgaatgataaacggccgc

ctcacatcatcaagacaatcgcatctaaaactcagtcaataaaaaaagtactctaccgatatcctggggaatctctatgaagtgaagtcaaagaagcacccaca

aatcattaaaaaaggtggatcccccaagaagaagaggaaagtctcgagcgactacaaagaccatgacggtgattataaagatcatgacatcgattacaagga

tgacgatgacaagtaaagcggccgcactcctcaggtgcaggctgcctatcagaaggtggtggctggtgtggccaatgccctggctcacaaataccactgagat

ctttttccctctgccaaaaattatggggacatcatgaagccccttgagcatctgacttctggctaataaaggaaatttattttcattgcaatagtgtgttggaattttt

tgtgtctctcactcggaaggacatatgggagggcaaatcatttaaaacatcagaatgagtatttggtttagagtttggcaacatatgcccatatgctggctgccat

gaacaaaggttggctataaagaggtcatcagtatatgaaacagcccccctgctgtccattccttattccatagaaaagccttgacttgaggttagatttttttttatatt

ttgtttttgtgttatttttttctttaacatccctaaaattttccttacatgttttactagccagattttcctcctcctgactactcccagtcatagctgtccctcttctctt

atggagatccctcgacctgcagcccaagcttggcgtaatcatggtcatagctgtttcctgtgtgaaattgttatccgctcacaattccacacaacatacgagccgg

aagcataaagtgtaaagcctggggtgcctaatgagtgagctaactcacattaattgcgttgcgctcactgcccgctttccagtcgggaaacctgtcgtgccagcg

gatccgcatctcaattagtcagcaaccatagtcccgcccctaactccgcccatcccgcccctaactccgcccagttccgcccattctccgccccatggctgactaa

ttttttttatttatgcagaggccgaggccgcctcggcctctgagctattccagaagtagtgaggaggcttttttggaggcctaggcttttgcaaaaagctaacttgtt

tattgcagcttataatggttacaaataaagcaatagcatcacaaatttcacaaataaagcatttttttcactgcattctagttgtggtttgtccaaactcatcaatgt

atcttatcatgtctggatccgctgcattaatgaatcggccaacgcgcggggagaggcggtttgcgtattgggcgctcttccgcttcctcgctcactgactcgctgcg

ctcggtcgttcggctgcggcgagcggtatcagctcactcaaaggcggtaatacggttatccacagaatcaggggataacgcaggaaagaacatgtgagcaaa

aggccagcaaaaggccaggaaccgtaaaaaggccgcgttgctggcgtttttccataggctccgcccccctgacgagcatcacaaaaatcgacgctcaagtca

gaggtggcgaaacccgacaggactataaagataccaggcgtttccccctggaagctccctcgtgcgctctcctgttccgaccctgccgcttaccggatacctgtc

cgcctttctcccttcgggaagcgtggcgctttctcatagctcacgctgtaggtatctcagttcggtgtaggtcgttcgctccaagctgggctgtgtgcacgaacccc

ccgttcagcccgaccgctgcgccttatccggtaactatcgtcttgagtccaacccggtaagacacgacttatcgccactggcagcagccactggtaacaggatta

gcagagcgaggtatgtaggcggtgctacagagttcttgaagtggtggcctaactacggctacactagaagaacagtatttggtatctgcgctctgctgaagcca

gttaccttcggaaaaagagttggtagctcttgatccggcaaacaaaccaccgctggtagcggtggtttttttgtttgcaagcagcagattacgcgcagaaaaaa

aggatctcaagaagatcctttgatcttttctacggggtctgacgctcagtggaacgaaaactcacgttaagggattttggtcatgagattatcaaaaaggatcttc

acctagatcctttaaattaaaaatgaagttttaaatcaatctaaagtatatatgagtaaacttggtctgacagttaccaatgcttaatcagtgaggcacctatctc
agcgatctgtctatttcgttcatccatagttgcctgactccccgtcgtgtagataactacgatacgggagggcttaccatctggccccagtgctgcaatgataccgc
gagacccacgctcaccggctccagatttatcagcaataaaccagccagccggaagggccgagcgcagaagtggtcctgcaactttatccgcctccatccagtct
attaattgttgccgggaagctagagtaagtagttcgccagttaatagtttgcgcaacgttgttgccattgctacaggcatcgtggtgtcacgctcgtcgtttggtat
ggcttcattcagctccggttcccaacgatcaaggcgagttacatgatcccccatgttgtgcaaaaaagcggttagctccttcggtcctccgatcgttgtcagaagt
aagttggccgcagtgttatcactcatggttatggcagcactgcataattctcttactgtcatgccatccgtaagatgcttttctgtgactggtgagtactcaaccaa
gtcattctgagaatagtgtatgcggcgaccgagttgctcttgcccggcgtcaatacgggataataccgcgccacatagcagaactttaaaagtgctcatcattgg
aaaacgttcttcggggcgaaaactctcaaggatcttaccgctgttgagatccagttcgatgtaacccactcgtgcacccaactgatcttcagcatctttactttca
ccagcgtttctgggtgagcaaaaacaggaaggcaaaatgccgcaaaaaagggaataagggcgacacggaaatgttgaatactcatactcttcctttttcaata
ttattgaagcatttatcagggttattgtctcatgagcggatacatatttgaatgtatttagaaaaataaacaaataggggttccgcgcacatttccccgaaaagtg
ccacctg

**Table S2. List of sgRNA sequences used in this study.**

| Site | Spacer sequence (5'→3') | Scaffold sequence (5'→3') |
|------|------------------------|---------------------------|
| *EMX1* | GTGTGGTTCCAGAACCGGAGGA | gttttagtactctggaaacagaatctactaaaacaaggcaaaatgccgtgtttatctcgtcaacttgttggcgaga |
| *RNF2* | GCAGTCATCTTAGTCATTACC | gttttagtactctggaaacagaatctactaaaacaaggcaaaatgccgtgtttatctcgtcaacttgttggcgaga |
| *RUNX1* | GAGGGTGCATTTTCAGGAGGA | gttttagtactctggaaacagaatctactaaaacaaggcaaaatgccgtgtttatctcgtcaacttgttggcgaga |
| *FANCF-1* | GAGACCGCCAGAAGCTCGGAAA | gttttagtactctggaaacagaatctactaaaacaaggcaaaatgccgtgtttatctcgtcaacttgttggcgaga |
| *FANCF-2* | GGGGTCCCAGGTGCTGACGTA | gttttagtactctggaaacagaatctactaaaacaaggcaaaatgccgtgtttatctcgtcaacttgttggcgaga |
| *VEGFA* | GGGTGAGTGAGTGTGTGCGTG | gttttagtactctggaaacagaatctactaaaacaaggcaaaatgccgtgtttatctcgtcaacttgttggcgaga |

**Table S3. List of PCR primers used in this study.**

| Primer name | Sequence(5'→3') |
|---|---|
| *EMX1*-onTarget-DS-F | CAGCTCAGCCTGAGTGTTGA |
| *EMX1*-onTarget-DS-R | CTCGTGGGTTTGTGGTTGC |
| *RNF2*-onTarget-DS-F | GCCAACATACAGAAGTCAGGAA |
| *RNF2*-onTarget-DS-R | TCAGGCTGTGCAGACAAACG |
| *RUNX1*-onTarget-DS-F | AGATGTAGGGCTAGAGGGGTG |
| *RUNX1*-onTarget-DS-R | CACCGAGGCATCTCTGCAC |
| *FANCF*-1-onTarget-DS-F | TGCATTTCGACCAATAGCATTGC |
| *FANCF*-1-onTarget-DS-R | ATGGATGTGGCGCAGGTAG |
| *FANCF*-2-onTarget-DS-F | TGCATTTCGACCAATAGCATTGC |
| *FANCF*-2-onTarget-DS-R | ATGGATGTGGCGCAGGTAG |
| *VEGFA*-onTarget-DS-F | CAGTCACTAGGGGGCGCT |
| *VEGFA*-onTarget-DS-R | GAGCCGTTCCCTCTTTGCTA |
| *EMX1*-OT1-DS-F | CCCAGCACCTCTCACCAATA |
| *EMX1*-OT1-DS-R | CACACATCTGTGGAGGGTCTT |
| *EMX1*-OT2-DS-F | ACACGTGGATGTGTCTACAGC |
| *EMX1*-OT2-DS-R | TTCTGACCTCAGGTGATCCACC |
| *EMX1*-OT3-DS-F | GGGCTCGGGAGAGCAGA |
| *EMX1*-OT3-DS-R | CGGTTGTATTCGTCGTCGTC |
| *EMX1*-OT4-DS-F | GTCAGACGGGAGTCAGAACC |
| *EMX1*-OT4-DS-R | GAGTCTCGGAGCTGCCAC |
| *EMX1*-OT5-DS-F | TTGCGCCCCTAGTTTTATTTG |
| *EMX1*-OT5-DS-R | AGCTTCATGGAGGACACTTC |
| *RNF2*-OT1-DS-F | CCCACCCCCTTTTAATCGTT |
| *RNF2*-OT1-DS-R | TACAGGGCCAAGGAAGCATAA |
| *RNF2*-OT2-DS-F | CAGTGATTGACAAGTAAGTGCAT |
| *RNF2*-OT2-DS-R | ACAGTCAGAATGAGCTTGGCT |
| *RNF2*-OT3-DS-F | GAGCAGAGGCCTCAGAAGCA |
| *RNF2*-OT3-DS-R | CACAGCCTTGACCTAGACTCCT |
| *RNF2*-OT4-DS-F | GCTACCACTATTCACCCAGAAGG |
| *RNF2*-OT4-DS-R | GGTGGAGAGGAGAGGACCAG |
| *RNF2*-OT5-DS-F | TTGGGGAGACAGTTCTCGAAG |

| | |
|---|---|
| *RNF2*-OT5-DS-R | TGGAGTGGAAGCAGAAAACCA |
| *RUNX1*-OT1-DS-F | TTCTCACACAAAGCGGGGAG |
| *RUNX1*-OT1-DS-R | TCTCTATCAGCTGCATCCGC |
| *RUNX1*-OT2-DS-F | AAAGGTGTCTCTCGCATCTCC |
| *RUNX1*-OT2-DS-R | AAAGGACTCCCATACAGCCAAG |
| *RUNX1*-OT3-DS-F | CACAGCCCTTCGTTCAAGTTAC |
| *RUNX1*-OT3-DS-R | GCAAGGCTTGTGCTTTATGTA |
| *RUNX1*-OT4-DS-F | ACACAAAGAGTATGTCAGGCCATC |
| *RUNX1*-OT4-DS-R | CCTCAACTGACTTCACAGGCT |
| *RUNX1*-OT5-DS-F | TCAGAGAGAAAGAGGGGCTGA |
| *RUNX1*-OT5-DS-R | CAACACACTGGTTAGGGGTGA |
| *FANCF-2*-OT1-DS-F | GAGGACTCGAAGGGGGTTTCA |
| *FANCF-2*-OT1-DS-R | TTCAGGGTGAGGGAGGTTCAC |
| *FANCF-2*-OT2-DS-F | TGATGAGGAGCAGATGCCTTTT |
| *FANCF-2*-OT2-DS-R | AGGTTGATCCTTCTGCCCTGA |
| *FANCF-2*-OT3-DS-F | TCATCACTCAAGATACGGGACC |
| *FANCF-2*-OT3-DS-R | TGCAGCAGGCTAAACACCTA |
| *FANCF-2*-OT4-DS-F | CCCCATAAAGGTGATTCCTAGGA |
| *FANCF-2*-OT4-DS-R | GGATGGCATGACATTTCTATCATATGC |
| *FANCF-2*-OT5-DS-F | CTTTGGCCCGGGAGTAGTTG |
| *FANCF-2*-OT5-DS-R | GGGGATGAGACGTGGTCAAG |

**Table S4. Predicted off-target site sequences.**

| Off-target (OT) site | Sequence (5'→3') |
|---|---|
| *EMX1*-OT1 | GTTTGGTTCAAGAACCGGAGGGCTAAAT |
| *EMX1*-OT2 | GTGTGGTCCCTGGACCGGAGGCATCAAT |
| *EMX1*-OT3 | GTCTGGTTCCAGAACCGCCGGACCAAGT |
| *EMX1*-OT4 | GTGTGGTTCCAGAACCGCCGGGCCAAGT |
| *EMX1*-OT5 | GTGTGGTTCCAGAACCGACGGGCTAAGT |
| *RNF2*-OT1 | ACAGTCACATTAGTCATTAGCCTAAAT |
| *RNF2*-OT2 | GTTGTTATCTTAGTCTTTACCTGAGAT |
| *RNF2*-OT3 | GAAGTCATTGGAGTCATTACCATAAAT |
| *RNF2*-OT4 | GGAGTCATCTTTGACCTTACCCTAAAT |
| *RNF2*-OT5 | GCAGTTATATGAGTCATTACTAAAGGT |
| *RUNX1*-OT1 | GACGGAGCCTTTTCAGGAGGACTTAAT |
| *RUNX1*-OT2 | GAGGGAGCCTTTCCAGAAGGAGTTGAT |
| *RUNX1*-OT3 | GAGGGTGGATTTTCAAGAAGGTCAAAT |
| *RUNX1*-OT4 | GAGGGAGCATTTGCAAGAGAAGGTGGT |
| *RUNX1*-OT5 | GAAGGTGCTTTTTCCCGAGGAGAGAGT |
| *VEGFA*-OT1 | GGGGTCCCGGGTGCTGGGGCATCAGGT |
| *VEGFA*-OT2 | GGGGTCCCTGATGAAGACGTATTTGGT |
| *VEGFA*-OT3 | GGGGTTCCGGTTTCTGACGTATCCGGT |
| *VEGFA*-OT4 | GTGGTCCCAGATCCTGATGTAGGTGAT |
| *VEGFA*-OT5 | GGGATCCCAGGTGCTGCGGTTCCAGGT |