1 Attention and Emotion-Enhanced Memory: A 2 Systematic Review and Meta-Analysis of Behavioural 3 and Neuroimaging Evidence

4 **Zachariah R. Cross^{a1}, Amanda Santamaria^a, Mark J. Kohler^{a, b}**

5 ^aCentre for Cognitive and Systems Neuroscience, University of South Australia, Adelaide, Australia.

6 ^bSleep and Chronobiology Laboratory, University of South Australia, Adelaide, Australia.

7 *Corresponding author: Tel. +61 8302 4375, e-mail: zachariah.cross@mymail.unisa.edu.au

8

9 **ABSTRACT:** The interaction between attention and emotion is posited to influence long-term
10 memory consolidation. We systematically reviewed experiments investigating the influence of
11 attention on emotional memory to determine: (i) the reported effect of attention on memory for
12 emotional stimuli, and (ii) whether there is homogeneity between behavioural and neuroimaging
13 based effects. Over half of the 47 included experiments found a moderate-to-large effect of attention
14 on emotional memory as measured behaviourally. However, eye-tracking research provide mixed
15 support for the role of attention-related processes in facilitating emotional information into long-term
16 memory. Similarly, modulations in sensory-related components at encoding were not predictive of
17 long-term memory formation, whereas later components appear to differentially reflect the allocation
18 of attention to heterogeneous emotional stimuli. This dissociation in neurophysiology is paralleled by
19 the activation of distinct neural networks under full- and divided-attention conditions. We quantified
20 the effects of the behavioural, eye-tracking and neuroimaging findings via meta-analysis to show that
21 the neural substrates of attention-related emotional memory enhancement may be sensitive to specific
22 methodological parameters.

23

24 **Keywords:** Attention; Emotion; Long-Term Memory; Electroencephalography; Functional Magnetic
25 Resonance Imaging

¹Correspondence concerning this article should be addressed to Zachariah Cross

ATTENTION AND EMOTIONAL MEMORY

1. Introduction

The presence of an emotional element at encoding results in a memory trade-off, such that memory for emotional items are enhanced at the cost of memory for neutral information (Christianson, 1992; Riggs, McQuiggan, Farb, Anderson & Ryan, 2011). Early interpretations of emotion-enhanced memory are based on motivational models of emotion, which posit that the sensory system is constrained by a limitation in its processing capacity (Lang, Bradley & Cuthbert, 1998). Exogenous and endogenous attentional mechanisms allow the brain to deal with a subset of information that is deemed relevant or salient (LaBar & Cabeza, 2006; Okon-Singer, Hendler, Pessoa & Shackman, 2015; Vuilleumier, 2005). Thus, a trade-off in memory for emotional over neutral information may occur through attentional narrowing, whereby attention is rendered to emotional information for enhanced sensory processing (Chipchase & Chapman, 2013; Riggs et al., 2011). Mounting evidence supports this claim, suggesting emotional memory – the encoding and retrieval of an environmental or cognitive event that elicits an emotional response at the time of its occurrence – depends in part on attentional processes at encoding (Kensinger, 2009; Kensinger, Piguet, Krendl & Corkin, 2005; Riggs et al., 2011).

Behavioural studies illustrate that attention is modulated by emotion, whereby attention is drawn more rapidly to positive or aversive rather than neutral stimuli (Mackay et al., 2004; Kang, Wang, Surina & Lü, 2014). Studies demonstrating this finding often utilise the dot probe task (DPT), which requires subjects to simultaneously respond to stimuli varying in emotional valence (Mather & Carstensen, 2003). Research using this paradigm report slower reaction times for emotional compared to neutral stimuli of various modalities (e.g., auditory or visual stimuli) and of different stimulus types, such as images (Mather & Carstensen, 2003; Sakaki, Niki & Mather, 2012) and single words (Aquino & Arnell, 2007; Sharot & Phelps, 2004). Combined, this suggests emotional information is prioritised supramodally across sensory systems (Brosch & Van Bavel, 2012).

Electrophysiological (Carretié, Martín-Loeches, Hinojosa & Mercado, 2001; Schupp, Flaisch, Stockburger & Junghofer, 2006) and neuroanatomical studies (Sakaki et al., 2012; Smith, Henson, Rugg & Dolan, 2004; Smith, Stephan, Rugg & Dolan, 2006) report preferential neural activation

ATTENTION AND EMOTIONAL MEMORY

patterns to emotional relative to neural stimuli from various brain regions. Electroencephalographic (EEG) research demonstrates a robust modulation in event-related potential (ERP) components by emotional stimuli (Zhang, Liu, An, Yang & Wang, 2015). Negative and positive compared to neutral stimuli elicit enhanced amplitudes in early sensory-related ERPs, and ERPs associated with elaborate stimulus evaluation, such as the P1 (Delplanque, Lavoie, Hot, Silvert & Sequeira, 2004), and late positive potential (LPP; Langeslag, Olivier, Kohlen, Nijs & Strien, 2015), respectively. The P1 is most pronounced at occipital regions and is modulated by attention (Delplanque et al. 2004), while the LPP is a positive-going waveform that is morphologically similar to the P3 (Luck, 2014). Analogous to the P3, the LPP may partially reflect the release of norepineprine from the brainstem Locus Coeruleus (LC), which innervates to the amygdala and hippocampal formation (Brown, Wee, Noorden, Giltay & Nieuwenhuis, 2015; Samuels & Szabadi, 2008). These innervations may facilitate cortical reorientation to emotionally significant events, promoting emotion-enhanced memory (Brown, Steenbergen, Band, Rover & Nieuwenhuis, 2012; Brown et al., 2015).

Neuroanatomical research (Keightley et al., 2003; Talmi, Anderson, Riggs, Caplan & Moscovitch, 2008; Vuilleumier et al., 2002) demonstrates that emotional memory is encoded and consolidated over neutral information due to interactions between the amygdala and fronto-parietal attentional networks, and the influence of the amygdala on the hippocampus during consolidation (Talmi et al., 2008; Taylor & Fragopanagos, 2005; Vuilleumier, 2005). In a meta-analysis of functional magnetic resonance (fMRI) studies (Murty, Ritchey, Adcock & LaBar, 2010), it was demonstrated that successful encoding of emotional information activated widespread neural networks, involving the ventral visual stream, hippocampal complex (i.e. anterior and posterior parahippocampal gyrus; PHG) and right ventral parietal cortex, as illustrated in Figure 1. These findings are analogous to magnetoencephalographic (MEG; Peyk, Schupp, Elbert & Junghofer, 2008; Keuper et al., 2014) research, which reveals emotional information is processed hierarchically, localised to occipital-parietal regions in early time windows (e.g., 120 – 170 ms), to more anterior, temporal regions in later time windows (e.g., 220 – 330 ms).

ATTENTION AND EMOTIONAL MEMORY

79

80 **Figure 1.** Activation likelihood map from a meta-analysis of 20 fMRI studies reported by Murty and
81 colleagues (2010). (1) Regions showing reliable cortical activations in the ventral visual stream (A),
82 the left prefrontal cortex; (B), and the right parietal cortex (C). (2) Regions showing reliable co-
83 activation patterns between the amygdala and medial temporal lobe systems during encoding of
84 emotional stimuli. Adapted from “fMRI studies of successful emotional memory encoding: A
85 quantitative meta-analysis” by V. P. Murty, M. Ritchey, R. A. Adock, K. S. LaBar, 2010,
86 *Neuropsychologia*, 48, p. 3462-3463, Copyright 2017 with permission from Elsevier (License
87 number: 4232580453335).

88 There is compelling evidence to suggest attention and emotion interact to substantially influence
89 sensory processing and memory consolidation (Schupp et al., 2006; Talmi et al., 2008). However,
90 despite the breadth of research, behavioural and neuroimaging studies of the attention-emotional
91 memory interface report mixed findings. Studies of eye movements demonstrate equal fixation time to
92 negative and neutral items, while at recall, memory is enhanced for negative stimuli, but reduced for
93 neutral items (Christiansan, Loftus, Hoffmann & Loftus, 1991; Riggs et al., 2011; Wessel, Van Der

ATTENTION AND EMOTIONAL MEMORY

94 Kooy & Merckelbach, 2000). Further, electrophysiological findings, such as modulations in ERPs at
95 encoding, often do not predict enhanced emotional memory performance at recall (Herbert et al.,
96 2008; Keuper et al. 2014; Kissler, Herbert, Winkler & Junghofer, 2009).

97 To date there has been no attempt to systematically determine whether experimental research
98 supports the role of attention in emotional LTM. In particular, a comprehensive review linking overt
99 behavioural responses to changes in attention- and emotion-sensitive ERPs, and to the activation of
100 cortical and subcortical brain networks has not yet been conducted. Systematically reviewing the
101 behavioural and neuroimaging evidence of attention and emotional LTM may help to identify factors
102 that characterise disorders that have an attentional preference for aversive events, such as anxiety and
103 mood disorders (Lang et al., 2003; Leppänen, 2006). Such work would also help to illuminate the way
104 in which the central nervous system prioritises information when its processing capacity is
105 constrained, which may be particularly relevant for predictive-coding-based theories of brain function
106 (e.g., Friston, 2010).

107 The current study aimed to determine whether attention significantly impacts memory for
108 emotional stimuli. To this end, we systematically reviewed experiments investigating the influence of
109 attention on emotional long-term memory (LTM) to determine: (i) if the literature demonstrates an
110 effect of attention on memory for emotional stimuli; and (ii) whether there is homogeneity between
111 behavioural, electrophysiological, and neuroanatomical correlates for the effect of attention on LTM
112 for emotional information, and to quantify these effects via meta-analysis. A further aim of this
113 review was to explore differences in the methodologies employed and provide suggestions for future
114 emotional memory and attention research.

115 **2. Method**

116 This systematic review was conducted according to the Preferred Reporting Items for Systematic
117 Reviews and Meta-Analyses (PRISMA) guidelines (Liberati et al., 2009). PubMed, PsychInfo and
118 Medline databases were searched on November 9, 2016. The search terms ‘Emotion*’, ‘Memory’,
119 and ‘Attention*’ were used. A total of 8319 articles were identified and 2929 duplicates later

ATTENTION AND EMOTIONAL MEMORY

removed. To be eligible for inclusion, articles had to be written in English, conducted with young adults (i.e., 18 – 35; Holland & Kensinger, 2012), included an assessment of emotional memory, and employed a measure of attention as it relates to memory processes (i.e., encoding, consolidation, or retrieval) for emotional stimuli. Further, only articles that were original, peer-reviewed research were included in the review. Articles from all publication years were accepted.

Exclusion criteria included studies with samples diagnosed with psychiatric disorders (e.g., depression, anxiety, and schizophrenia), studies conducted with infants and children (i.e., 17 years and under) or with middle and older adults (i.e., 36 years and above). However, where possible, data were extracted for the age group of interest from cross-sectional studies (e.g., Mather & Carstensen, 2003) that included a sample of young adults. Studies without full methodologies, without a measure of memory *and* attention, case studies and reviews, and/or studies that examined working memory as the measure of memory, were also excluded.

The primary reviewer (ZC) screened all titles and abstracts to determine eligibility. Articles that appeared to be eligible were sourced for full-text and reference lists of these articles were screened by title and abstract to ensure all eligible articles were included. Two reviewers (ZC and AS) screened eligible abstracts and full-text articles based on review criteria. Disagreements between reviewers were addressed through discussion; however, if the two reviewers did not reach a consensus, a third reviewer (MK) was consulted. The following data were extracted from all included articles: participant sample size, age and gender ratio, measure of attention (method and outcome measure), study characteristics (type of stimuli, study paradigm and recall interval) and major findings, separated by behavioural and neuroimaging (i.e., electrophysiological and neuroanatomical) results. Available effect sizes (i.e., d , η^2 , r , and β) were reported for relevant major findings.

ATTENTION AND EMOTIONAL MEMORY

Figure 2. PRISMA flow diagram (Liberati et al., 2009) of the article screening and selection process.

The databases searched included PubMed, PsychInfo, and MedLine.

2.1. Statistical analysis

Estimates of effect sizes were calculated using Pearson's r , which is a valid effect size measure that is easily interpretable, and produces a measure between 0 (i.e., no relationship) and ± 1 (perfect relationship; Field & Gillett, 2010). An r value of .10 is interpreted as a small effect, 0.30 as a moderate effect, and 0.50 as a large effect (Chatburn, Lushington, & Kohler, 2014; Cohen, 1992). The Hedges and Vevea (1998) random-effects model was used to calculate the meta-analysis. Random effects models are an appropriate method as they enable inferences to be made beyond the studies included in the meta-analysis, and are recommended to be the norm in psychological research (Field & Gillett, 2010). Of the 38 studies included in the systematic review, 32 provided data that were able to be converted into r values (i.e., M and SD , F statistic, p value, Cohen's d , η^2 , and β). In order to dissociate behavioural and neuroimaging effects, we calculated four separate random-effects models. In the first model, we included all 32 studies in order to obtain an overall effect of attention on emotional memory consolidation. We then calculated separate models for studies that employed

ATTENTION AND EMOTIONAL MEMORY

behavioural, eye-tracking and neuroimaging (EEG/fMRI) measures. Analyses of publication bias were also computed, including Rosenthal's fail safe N , and a random-effects publication bias model (Vevea & Woods, 2005).

3. Results

Figure 2 illustrates the flow of article selection, in accordance with Liberatie et al. (2009). 123 full-text articles were read for eligibility. 85 articles were excluded due to meeting one or more of the exclusion criteria. In total, 38 articles were included. A summary of the key study characteristics are provided in Table 1. Articles with behavioural and neuroimaging (i.e., EEG, fMRI) data are presented first, followed by articles consisting of single behavioural experiments. Articles with multiple eligible experiments are summarised last.

Table 1. Summary of studies included in the systematic review ordered by neuroimaging, behavioural, and articles with multiple experiments.

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Herbert et al. (2008)	na	16	8 M	27 (na)	EEG	P1, N1, EPN	Words	Encoding; free recall	30 minutes	Memory greater for positive than negative & neutral words. No difference in memory for negative & neutral.	No difference in P1 & N1 amplitudes for any emotion. EPN amplitude greater for positive & negative than neutral words.
Keuper et al. (2014)	na	20	9 M	na (Range=21 – 31)	EEG/MEG	P1, EPN	Words	Encoding; free recall	Immediate	Memory was greater for negative & positive than neutral words.	P1 greater in MTG for emotional than neutral words. EPN greater for positive & negative words. EPN pronounced in supramarginal gyrus, occipital and limbic lobes
Kissler et al. (2009)	na	20	10 M	23.9 (Range=20 - 31)	EEG	P1, N1, EPN, LPP	Words	Encoding; free recall	30 minutes	Positive words were recalled with greater accuracy than neutral & negative words.	No difference in N1 and P1 amplitude for any emotional word type. EPN larger for positive and negative versus neutral words. LPP larger for positive versus neutral and negative words.
Koenig & Mecklinger (2008)	na	20	10 M	21 (Range=18 - 23)	EEG	Posterior Positivity	Images	Encoding; cued recall	2.5 minutes	Memory greater for positive than negative & neutral images.	Posterior positivity greater for positive & negative than neutral images.
Talmi et al. (2008)	na	11	6 M	24.43 (SD=6.23)	fMRI	BOLD Responses	Images	FA or DA encoding; recognition test.	10 minutes	No difference in memory in FA. Memory greater for emotional than neutral images under DA ($\eta^2=.33$).	BOLD response in amygdala and posterior visual streams to negative images in DA only.
Zhang et al. (2015)	na	14	7 M	na (Range=20 – 25)	EEG	P2	Scenes; Neutral words	Encoding; distraction; cued recognition	1 minute	Memory greater for words encoded in a neutral context compared to words encoded in a negative context ($\eta^2=.54$).	Increased P2 amplitude to positive & negative contexts ($\eta^2=.19$).

ATTENTION AND EMOTIONAL MEMORY

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Langeslag et al. (2015)	na	20	5 M	21.1 (Range=18 - 28)	EEG	LPP	Words	Encoding; free recall	Immediate	Memory greater for emotional than neutral words.	Increase in LPP amplitude to emotional but not neutral words.
Barnacle et al. (2016)	na	22	0 M	26 (na)	fMRI	BOLD signal	Images	Encoding; free recall	Immediate	Memory greater for emotional items in mixed lists only ($d=.38$).	Greater activation of ventral attention network for emotional stimuli in mixed lists ($r=.65$).
Bennion et al. (2013b)	na	126	na	22.4 (Range=18 – 34)	Eye Tracker & fMRI	BOLD signal/fixation duration	Scenes	Encoding; recognition test	12 hours	Fixation duration & cortisol predicted memory for negative objects across sleep but not wake	Higher cortisol was associated with greater fixation duration and activity in amygdala and vmPFC at retrieval, but only for sleep group.
Chan & Singhal (2015)	na	25	13 M	21.1 (Range=18 – 30)	Driving Simulator/ EEG	NSW	Words	Encoding; free recall test	Immediate	Memory greater for negative than neutral words ($\eta^2=.39$).	NSW amplitude smaller for negative than neutral words ($\eta^2=.33$)
Clemens et al. (2015)	na	29	14 M	34.31 (SD=9.29)	fMRI	BOLD signal	Faces	Encoding; recognition test	Immediate	na	Positive correlation between insula/TPJ and the FFG during encoding on recognition performance ($r = 0.56$).
Riggs et al. (2011)	na	24	3 M	19.17 (na)	Eye Tracker	Fixation Time	Scenes	Encoding; cued recall	10 minutes	Eye fixations greater for negative than neutral central pictures, but not peripheral. Memory greater for negative than neutral pictures ($d=.58$). Eye fixations partially mediated memory ($\beta=.11$).	na
Aquino & Arnell (2007)	na	13	7 M	19.7 (Range=18 - 22)	DPT	Reaction Time	Words	DA encoding; free recall	Immediate	DPT RT greater for emotional than neutral words. Memory greater for emotional than neutral words.	na

ATTENTION AND EMOTIONAL MEMORY

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Chan & Singhal (2013)	na	30	na	21.4 (SD=2.5)	Driving Simulator	Reaction Time	Words	DA encoding; free recall	2 minutes	Faster RT for neutral & positive than negative words. Memory greater for negative than neutral & positive words.	na
Chang & Choi (2014)	na	56	25 M	23 (Range=19 - 25)	Eye Tracker	Gaze duration	Narrative; images	Encoding; free recall	Immediate	Gaze duration predicted memory for narratives ($\beta=.57$), but not images ($\beta=.08$).	na
Humphreys et al. (2010)	na	21	6 M	na (Range=19 – 32)	Eye Tracker	Total Inspection Duration	Paired Images	Encoding; recognition test	7 days	Longer eye fixations toward & greater memory for negative than neutral pictures.	na
Maddox et al. (2012)	na	36	14 M	19.11 (SD=0.82)	ADT	Memory Performance	Words	DA or FA encoding; cued recall	Immediate	ADT accuracy worse when paired with negative words. Memory greater for negative words under DA. Memory greater for positive & negative than neutral under FA ($\chi^2=.39$).	na
Kim et al. (2013)	na	61	61 M	26.3 (SD=3.7)	Eye Tracker	Fixation Time	Paired Images	Encoding; free recall	10 minutes	Fixation time greater for negative than neutral images. Memory greater for emotional than neutral images.	na
Chipchase & Chapman (2013)	3	36	12 M	20.51 (SD=3.70)	Eye-Tracker	Fixation Time	Scenes	Encoding; recognition test	30 minutes	Fixation time greater for negative central images, but not peripheral ($\chi^2=.95$). Memory greater for negative images ($\chi^2=.19$).	na
Wessel et al. (2000)	3	180	na	18.8 (Range=17 - 27)	Eye Tracker	Fixation Time	Scenes	Encoding; recognition test	10 minutes	Longer fixations to negative than neutral items. Greater memory for negative than neutral items.	na

ATTENTION AND EMOTIONAL MEMORY

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Sharot & Phelps (2004)	na	50	21 M	na (Range=18 – 28)	DPT	Memory Performance	Words	Encoding; IR and DR recognition test	24 hours	No difference in memory for negative & neutral at IR; memory greater for negative at DR.	na
Sharot et al. (2008)	na	69	na	na (Range=18 – 35)	Eye Tracker	Fixation Time	Scenes	Encoding; recognition test	45 minutes	Fixation time greater for negative than neutral scenes. No difference in memory between neutral & negative scenes.	na
Steinmetz & Kensinger (2013)	1	39	21 M	na (Range=18 – 21)	Eye Tracker	Fixation Time	Scenes	Encoding; recognition test	30 minutes	Fixation time was equal between emotion categories ($\eta^2=.10$). Memory was greater for negative components of scenes ($\eta^2=.55$).	na
Srinivasan & Gupta (2010)	2	17	na	24.6 (SD=2.44)	Letter String	Response Accuracy	Faces	DA encoding; recognition test	Immediate	Letter String RTs were slower for emotional than neutral faces. Memory was greater for positive than negative & neutral faces.	na
Evaraert & Koster (2015)	na	49	4 M	na (Range=18 – 32)	Eye Tracker	Fixation Time	Scrambled Sentences	Encoding; incidental memory test	3 minutes	Sustained attention (fixation time; $\beta=.31$), but not attentional selection; $\beta=.06$) toward stimuli predicted retrieval of emotional items.	na
Talmi & MacGarry (2012)	1	72	19 M	19.26 (SD=2.12)	ADT	Memory Performance	Images	DA or FA encoding; free recall	1 minute	ADT RTs longer for negative images ($\eta^2=.77$). Memory greater for negative images in DA ($d=.90$), but no difference in FA.	na

ATTENTION AND EMOTIONAL MEMORY

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Bi & Han (2015)	na	28	14 M	na (Range=18 – 31)	Eye Tracker	Fixation Duration	Images	Encoding; recognition test	Immediate	Greater fixation toward negative than positive and neutral stimuli ($\eta^2=.23$). Memory greater for negative than positive stimuli.	na
Chan et al. (2016)	na	30	13 M	19.5 (SD=3.3)	Driving Simulator	Memory Performance	Words	Encoding; surprise free recall test	Immediate	No difference in memory between negative, positive and neutral words.	na
MacKay et al. (2015)	2	40	12 M	19.18 (SD=1.13)	ST	Memory Accuracy	Words	Encoding; surprise recognition memory test	Immediate	Better memory for taboo than neutral words ($\eta^2=.38$).	na
Ziaei et al. (2015)	na	37	17 M	18.97 (Range=18 – 29)	Eye Tracker	Pupillary Responses	Images	Encoding; recognition memory task	10 Minutes	Larger pupil sizes for positive targets presented with negative distractors relative to neutral distractors ($d=.42$)	na
Pichora-Fuller et al. (2016)	2	12	3 M	18.7 (SD=1.2)	ADT	Recognition Accuracy	Words	DA encoding; free recall	Immediate	Recall accuracy higher for emotional relative to neutral words in noise relative to quiet condition ($\eta^2=.09$)	na
Mather & Carstensen (2003)	1	52	22 M	25.8 (SD=5.6)	DPT	Reaction Time	Faces	DA encoding; free recall	10 minutes	No difference in DPT RTs for any emotion. Memory greater for emotional than neutral faces.	na
	2	44	16 M	25.4 (SD=4.8)	DPT	Reaction Time	Faces	DA encoding; recognition test	10 minutes	No difference in DPT RTs for any emotion. Memory greater for negative than neutral & positive faces.	na
Chapman et al. (2012)	1	51	15 M	18.4 (na)	LDT	Reaction Time	Images	DA or FA encoding; free recall task	10 or 45 minutes	LDT RT longer for emotional images. Memory greater after 45min.	na

ATTENTION AND EMOTIONAL MEMORY

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Sakaki et al. (2012)	2	23	10 M	22.8 (na)	LDT	Reaction Time	Images	FA or DA encoding; free recall task	45 minutes	LDT RTs greater for emotional than neutral images. Memory greater for emotional than neutral images.	na
	3	50	20 M	21.2 (na)	LDT	Reaction Time	Images	FA or DA encoding; recognition test	7 days	LDT RTs greater for emotional than neutral images. Memory greater for emotional than neutral images.	na
	1	22	14 M	21.09 (SD=2.36)	DPT	Reaction Time	Images	DA encoding; recognition test	5 minutes	DPT RTs greater for emotional than neutral images. Memory greater for emotional than neutral images.	na
	2	48	21 M	22.19 (SD=2.03)	ADT	Memory Performance	Images	DA or FA encoding; recognition test	3 minutes	Memory greater for emotional compared to neutral in FA and DA.	na
Kang et al. (2014)	1	90	45 M	20.16 (Range=19-24)	ADT	Memory Performance	Words	FA or DA encoding; recognition test	3 minutes	Memory greater for negative-arousing words than neutral and negative- non-arousing words in DA but not FA ($d=1.96$).	na
	2	90	45 M	21.83 (Range=18-23)	ADT	Memory Performance	Words	FA or DA encoding; recognition test	3 minutes	Memory greater for positive-arousing than positive non-arousing words in FA	na
MacKay et al. (2004)	1	28	10 M	20 (na)	ST	Colour naming accuracy	Words	DA; recall test	Immediate	ST RT longer for negative words. Memory greater for negative words.	na
	2	48	24 M	19.8 (na)	ST	Memory Accuracy	Words	DA; free recall test	Immediate	Memory for coloured Stroop words was greater for negative than neutral words.	na

ATTENTION AND EMOTIONAL MEMORY

Article		Participants			Measure of Attention		Study Characteristics			Major Findings	
Author(s)	Experiment	n	Gender	Age (Range/SD)	Method	Outcome	Stimuli Type	Paradigm	Recall Interval	Behavioural	Neuroimaging
Talmi et al. (2007)	1	48	16 M	19.02 (SD=1.9)	ADT	Memory Performance	Images	DA or FA encoding; free recall	50 minutes	ADT RTs longer for emotional images. Memory greater for negative & positive than for neutral images ($\eta^2=.18$).	na
	2	48	20 M	21.19 (SD=3.35)	Encoding Instructions	Memory Performance	Scenes	DA encoding; free recall	50 minutes	Memory greater for negative than neutral images ($\eta^2=.42$).	na
Steinmetz et al. (2014)	1	39	20 M	na (Range=18- 22)	Eye Tracker	Eye Gaze	Scenes	FA or DA encoding; recognition test	30 minutes	Eye gaze did not differ between DA & FA ($\eta^2=.65$). Memory greater for negative scenes in DA.	na
	2	46	25 M	19.7	Eye Tracker	Eye Gaze	Scenes	FA or DA encoding; recognition test	10 minutes	Eye gaze greater toward negative central images. No difference in memory for negative & neutral scenes. Memory greater for negative central items.	na
	3	42	20 M	na (Range=18- 22)	Eye Tracker	Eye Gaze	Scenes	Encoding; recognition test	30 minutes	Memory greater for negative & positive peripheral items than neutral under DA.	na

Note. *M* = Mean; *SD* = Standard Deviation; *M* = Male; EEG = Electroencephalography; na = Not Available; EPN = Early Posterior Negativity; BOLD = Blood Oxygen Level Dependent Signal; FA = Full Attention; DA = Divided Attention; η^2 = Partial Eta Squared; *d* = Cohen's *d*; fMRI = Functional Magnetic Resonance Imaging; LPP = Late Positive Potential; NSW = Negative Slow Wave; DPT = Dot Probe Task; RT = Reaction Time; β = Beta Weight; *r* = Pearson's *r*; ADT = Auditory Detection Task; IR = Immediate Recall; DR = Delayed Recall; LDT = Line Location Discrimination Task; ST = Stroop Task.

ATTENTION AND EMOTIONAL MEMORY

Of the 38 articles reviewed, 7 reported multiple relevant experiments, resulting in 47 experiments being included. All experimental methodologies were examined and the following behavioural measures of attention were included: eye-tracking, DPT, driving simulator, ADT, encoding instructions provided by researchers, letter string, LDT, and the Stroop task.

This review identified 11 experiments that examined the neurobiological correlates of attention and emotional memory. Seven experiments used EEG to derive ERP components including the P1, N1, P2, early posterior negativity (EPN), posterior positivity and LPP, while one study used MEG (Keuper et al., 2014) to derive event-related magnetic fields (ERF). Four studies employed fMRI (e.g., Talmi et al., 2008) and measured the BOLD signal to index attention to emotional stimuli at encoding.

3.1. Measures of emotional memory

One study used stimuli from the Affective Norms for English Words (ANEW; e.g., Chan & Singhal, 2013), while twelve studies used the International Affective Picture System (IAPS; e.g., Chapman et al., 2012; Humphreys et al., 2010; Koenig & Mecklinger, 2008; Riggs et al., 2011; Talmi & MacGarry, 2012; Talmi et al., 2007; Talmi et al., 2008; Zhang et al., 2015). Three studies used emotionally valenced faces (e.g., Clemens et al., 2015; Mather & Carstensen, 2003; Srinivasan & Gupta, 2010), while one study used images and emotional narratives (Chang & Choi, 2014). Remaining studies (30) derived stimuli from previous studies (e.g., established sets used by Payne, Stickgold, Swanberg & Kensinger, 2008) or Google Images. All studies without standardised stimuli generated inter-rater reliability estimates from expert judges and/or gained valence and arousal ratings from participants (e.g., Maddox et al., 2012; Sakaki et al., 2012).

Two studies (Humphreys et al., 2010; Kim et al., 2013) presented pairs of images (e.g., neutral-negative, neutral-neutral, positive-negative, and positive-neutral) to participants at encoding. Twelve experiments used emotional scenes, involving a central negative or neutral item with a neutral or negative peripheral background image, respectively. The remaining 33 experiments presented single stimuli for participants to learn.

ATTENTION AND EMOTIONAL MEMORY

182

183 3.2. *Paradigms*

184 Twenty-four experiments used a passive encoding paradigm, requiring participants to view
 185 stimuli passively for a set time with stimulus presentation ranging from one to six seconds. Of the 47
 186 experiments reviewed, 23 had full- and divided-attention paradigms, requiring participants to encode
 187 stimuli while engaging in a second task (e.g., DPT or ADT). Twenty-six experiments used cued
 188 recognition tests to assess participants' memory, involving participants responding to previously seen
 189 stimuli intermixed with new distractor stimuli. Twenty-one of the 47 experiments used a free recall
 190 paradigm, requiring participants to write down as many stimuli as they could remember with no time
 191 constraints.

192 3.3. *Recall intervals*

193 Thirty-two percent of studies tested immediate recall performance, 19% had a recall interval of
 194 less than five minutes, 32% of studies had a recall interval of between ten and thirty minutes, while
 195 8.5% of studies employed a recall interval of between 45 – 60 minutes and 8.5% of greater than 60
 196 minutes. All studies using short recall interval (i.e., <5 minutes – 60 minutes) had participants
 197 complete filler tasks, such as simple arithmetic.

198 3.4. *Behavioural measures of attention*

199 3.4.1. *Auditory discrimination task*

200 Seven experiments used an ADT to assess the effect of DA at encoding of emotional memory.
 201 All experiments reported significant effects of attention, such that when attention was divided
 202 between encoding and the ADT, memory was greater for negative than neutral and positive stimuli.
 203 Three experiments (Maddox et al., 2012; Kang et al., 2014; Talmi & MacGarry, 2012) reported
 204 greater memory for negative than neutral and positive stimuli under DA, but greater memory for
 205 negative and positive than neutral stimuli under full attention (FA).

206

ATTENTION AND EMOTIONAL MEMORY

207

208 3.4.2. Dot probe task

209 Five experiments examined the effect of the DPT on emotional memory. Two studies (Aquino
210 & Arnell, 2007; Sakaki et al., 2012) reported longer reaction times to negative than neutral stimuli,
211 which translated into greater memory for negative stimuli at immediate recall and after a five minute
212 recall interval. One study (Sharot & Phelps, 2004) reported no difference in memory for negative and
213 neutral words at immediate recall; however, when memory was tested after 24 hours, memory was
214 enhanced for negative stimuli, but diminished for neutral stimuli.

215 One study containing two experiments (Mather & Carstensen, 2003) reported no statistically
216 significant difference in DPT reaction times for negative and neutral faces. However, memory was
217 significantly greater for negative faces after a ten minute recall interval. This finding was replicated
218 using positive faces, whereby memory for negative faces was greater than memory for neutral and
219 positive faces.

220 3.4.3. Driving simulator

221 Three studies used a driving simulator to test attention to emotional items (Chan & Singhal,
222 2013, 2015; Chan et al., 2016). Participants were required to respond via a button on a steering wheel
223 when a target stimulus (neutral word) appeared on a billboard. Reaction times were slower when the
224 target stimulus was paired with negative and positive words. In two of the studies (Chan & Singhal,
225 2013, 2015), memory was greater for positive and negative than neutral words after a two minute
226 recall interval. The study with non-significant results (Chan et al., 2016) tested participants' memory
227 immediately after the encoding phase.

228 3.4.4. Encoding instructions

229 Using emotional scenes, one experiment (Talmi et al., 2007) instructed participants to pay
230 attention to central items and to ignore peripheral objects. However, memory was significantly greater

ATTENTION AND EMOTIONAL MEMORY

for central and peripheral negative objects than central and peripheral neutral objects after a 50 minute recall interval.

3.4.5. Eye-tracking

Fifteen experiments used eye-tracking as a measure of overt attention. Two experiments (Humphreys et al., 2010; Kim et al., 2013) using paired-pictures reported greater fixations to negative than neutral images, which translated into enhanced memory for negative over neutral items at recall. One experiment (Chang & Choi, 2014) reported that gaze duration predicted memory for emotional narratives but not for emotional images, while another study (Bi & Han, 2015) found that greater fixation time toward negative than positive and neutral stimuli predicted memory performance for negative stimuli. Of the 15 experiments, one (Ziaei et al., 2015) measured pupillary responses, and reported larger pupil sizes for positive targets presented with negative distractors relative to neutral distractors, which translated into greater memory for positive items.

Of the seven studies using emotional scenes, one experiment (Sharot et al., 2008) reported no difference in memory between negative and neutral stimuli, despite greater fixations for negative than neutral central and peripheral objects at encoding. The remaining six studies (Bennion et al., 2013b; Chipchase & Chapman, 2013; Riggs et al., 2011; Steinmetz & Kensinger, 2013; Steinmetz et al., 2014; Wessel et al., 2000) reported longer fixations to negative than neutral central items, but no difference in the length of fixations to negative and neutral peripheral images. All six studies reported greater memory performance for negative, relative to neutral, central and peripheral items. However, one study (Bennion et al., 2013b) also included a sleep group (i.e. compared sleep versus wake interval between learning and retrieval), and found that fixation duration predicted memory for negative objects across sleep but not wake.

In two of three experiments reported by Steinmetz et al. (2014), gaze duration did not differ between negative, neutral and positive scenes in the DA condition. After a 30 minute recall interval, memory performance was greater for negative compared to positive, neutral peripheral and central items. In the third experiment, gaze duration was greater toward negative central, but not peripheral

ATTENTION AND EMOTIONAL MEMORY

items; however, after a ten minute recall interval, memory performance was greater for central and peripheral negative items than central and peripheral neutral items.

The one study (Evaraert & Koster, 2015) that examined the effect of attention (i.e., fixation time) on retrieval of emotional memory reported a significant effect of sustained attention toward positive and negative items, but a non-significant effect of attentional selection on recollection of emotional words embedded in scrambled sentences.

3.4.6. Letter string

One study used the Letter String task to assess the effect of attention on memory for emotional faces (Srinivasan & Gupta, 2010). Participants were required to indicate on a button box whenever the letter 'N' was present in a string of letters that were superimposed on a face. Letter string reaction times were significantly longer for negative and positive compared to neutral faces; however, memory was greater for positive than neutral and negative faces at immediate recall.

3.4.7. Line location discrimination task

One article (Chapman et al., 2012) reporting three experiments used the line LDT; a computerised task requiring participants to indicate whether a line appears above or below a stimulus. In all three experiments, negative images elicited slower LDT reaction times relative to neutral stimuli. Further, memory was greater for negative than neutral stimuli at all three recall intervals (10 minutes, 45 minutes, and 7 days). However, memory for negative images was equivalent after a 45 minute delay relative to 10 minute recall interval and this effect maintained after a seven day recall interval. Memory for neutral items was reduced after the 45 minute and 7 day recall intervals relative to the 10 minute recall interval.

3.4.8. Stroop task

Two articles used the Stroop task to assess the role of attention in emotional memory (MacKay et al., 2004, 2015). In both studies, participants were required to name the colour of neutral and negative words. In the first study (MacKay et al., 2004), reaction times were longer for negative than neutral

ATTENTION AND EMOTIONAL MEMORY

words at encoding, which led to enhanced memory for negative words at immediate recall. In the second study (MacKay et al., 2015), memory was better for negative versus neutral words.

3.5. Electrophysiological and neuroanatomical measures of attention

3.5.1. Event-related potentials/fields

Three studies investigated modulations in P1 in response to emotional words (Herbert et al., 2008; Keuper et al., 2014; Kissler et al., 2009). No study reported statistically significant differences in the amplitude of the P1 between negative, neutral, and positive word types. All three experiments reported greater memory for positive than neutral, and negative words after a 30 minute (Herbert et al., 2008; Kissler et al., 2009) and immediate (Keuper et al., 2014) recall interval. Two of these three experiments examined modulations in N1 amplitude to emotional words (Herbert et al., 2008; Kissler et al., 2009). Both studies reported no statistically significant difference in N1 amplitude to positive, negative, and neutral words.

One study reported significant effects for the P2, such that positive and negative images elicited an increase in P2 amplitude relative to neutral images (Zhang et al., 2015). Memory for neutral words that were superimposed on positive and negative images was poorer compared to neutral words superimposed on neutral images, demonstrating an emotion-enhanced memory trade-off.

Two studies examined the EPN (Herbert et al., 2008; Keuper et al., 2014). Both studies employed emotional words and reported greater EPN amplitude toward positive and negative than neutral words. There was no difference in EPN amplitude between positive and negative words. Using MEG, Keuper et al. (2014) reported greater ERFs within the time window of the P1 (80 – 120ms) in the middle temporal gyrus for emotional compared to neutral words. Greater ERFs within the EPN time window (200 – 300ms) were observed in the supramarginal gyrus, occipital lobe (cuneus and precuneus) and limbic lobe (posterior cingulate cortex) for emotional compared to neutral words.

One study reported increased posterior positivity amplitude to positive and negative versus neutral images, which correlated with greater memory performance for positive and negative images (Koenig & Mecklinger, 2008). Similarly, two experiments examined the LPP and reported increases

ATTENTION AND EMOTIONAL MEMORY

in LPP amplitude to emotional relative to neutral words (Kissler et al., 2009; Langeslag et al., 2015). Memory performance was greater for emotional than neutral words at immediate recall. Finally, one experiment (Chan & Singhal, 2015) reported reduce negative slow wave (NSW) amplitude for negative versus neutral words, which was coupled with enhanced memory for negative over neutral words at immediate recall.

3.5.2. *Functional magnetic resonance imaging*

Using fMRI, four studies measured the blood oxygen-level dependent (BOLD) signal to index attention to emotional stimuli. Talmi et al. (2008) reported greater BOLD responses in the amygdala and posterior visual streams to negative than for neutral images under DA but not under FA. There was no difference in memory between negative and neutral images under FA, but greater memory for emotional than neutral images under DA was reported. Similarly, Barnacle et al. (2016) reported greater activation of the ventral attention network during the encoding of emotional images in mixed (i.e. emotional mixed with neutral stimuli) but not pure lists, which was associated with enhanced memory for emotional over neutral items at recall.

Clemens et al. (2015) reported positive correlations between activity in the insula/TPJ and FFG during encoding on recognition memory. Finally, using concurrent eye-tracking, cortisol assaying and fMRI, Bennion et al. (2013b) found that higher cortisol during encoding was associated with greater fixation duration toward negative stimuli, which predicted activity in the amygdala and vmPFC at retrieval. Interestingly, this effect was only present for across a period containing sleep, such that memory for negative items was greater after a period of sleep versus wake, and this was mediated by cortisol levels at encoding.

3.6. *Meta-analysis*

The meta-analysis contained 32 studies, comprising an overall sample of 1291 young adults. As per Brewin et al. (2007), we averaged effects for studies that reported multiple relevant effect sizes, so that each experiment contributed a single data point to the overall model (see Table 3 for a summary of the studies included in the meta-analysis). The mean pooled effect size for attention on emotional

ATTENTION AND EMOTIONAL MEMORY

long-term memory was .40 ($p < .001$, 95% CI = [.32, .48]). This indicates a moderate effect, with a significant z of 9.058, $p < .001$. Separate analyses revealed a moderate-to-large mean effect for behavioural ($r = .46$, $p < .001$, 95% CI = [.29, .54], $z = 5.704$, $p < .001$) and neuroimaging ($r = .54$, $p < .001$, 95% CI = [.40, .65], $z = 6.777$, $p < .001$) studies, and a small-to-moderate mean effect for eye-tracking studies ($r = .31$, $p < .001$, 95% CI = [.19, .42], $z = 5.003$, $p < .001$). Note that chi-square tests for homogeneity of variance were not significant for any of the models (see Table 2 for a summary of the homogeneity tests for each model). However, based on recommendations by Field and Gillett (2010) and Chatburn et al. (2014), random-effects models were used, as there is likely to be large variance in attention for various types of emotional stimuli – both behaviourally and neurobiologically – in the larger population. Thus, the insignificant chi-square tests are likely to reflect the small number of studies (32), rather than a lack of variability between experiments. Meta-analysis results are illustrated in Figure 4.

Table 2. Chi-square tests for homogeneity of variance for the four random-effects models.

Model	χ^2	df	p	n
Main	28.37	31	0.602	32
Behavioural	10.26	12	0.592	13
Eye-Tracking	10.76	11	0.463	12
Neuroimaging	4.07	6	0.667	7

Note. n = number of studies.

3.7. Publication bias

Several analyses were performed to examine potential publication bias. Rosenthal's fail safe N indicated that 1936 studies with negative findings would need to be excluded for the population effect size estimate to be non-significant. To further examine potential publication bias, a random-effects publication bias model (Vevea & Woods, 2005) was computed. A moderate two-tailed selection bias model reduced the overall effect size to 0.37, while a severe two-tailed selection bias model yielded an adjusted effect size of 0.34. From this perspective, if there were publication biases in the meta-analytic sample, the effects would be minimal, given that the adjusted effect size estimates remained moderate.

Table 3. Sample size, effect size, lower and upper 95% confidence intervals, measure, stimuli and recall interval for studies included in the meta-analysis. Studies are ranked based on largest to smallest effect size.

Study	<i>n</i>	<i>r</i>	Lower 95% CI	Upper 95% CI	Measure	Stimuli	Recall Interval
Talmi et al. (2008)	11	0.80	0.38	0.94	fMRI	Images	10 minutes
Talmi et al. (2007)	48	0.73	0.56	0.84	Instructions	Images	50 minutes
Kang et al. (2014)	90	0.69	0.56	0.78	ADT	Words	3 minutes
Barnacle et al. (2016)	22	0.65	0.31	0.84	fMRI	Images	Immediate
Chang & Choi (2014)	56	0.64	0.45	0.77	Eye-Tracking	Words	Immediate
Chan & Singhal (2015)	25	0.57	0.22	0.78	EEG	Words	Immediate
Clemens et al. (2015)	29	0.56	0.24	0.76	fMRI	Images	Immediate
Chipchase & Chapman (2013)	36	0.53	0.25	0.73	Eye-Tracking	Images	30 minutes
Srinivasan & Gupta (2010)	17	0.48	0.00	0.78	Letter String	Images	Immediate
MacKay et al. (2004)	28	0.47	0.12	0.72	ST	Words	Immediate
Bi & Han (2015)	28	0.47	0.12	0.72	Eye-Tracking	Images	Immediate
MacKay et al. (2015)	40	0.44	0.24	0.61	ST	Words	Immediate
Koenig & Mecklinger (2008)	20	0.44	0.00	0.74	EEG	Images	2.5 minutes
Zhang et al. (2015)	14	0.43	-0.13	0.78	EEG	Words	1 minute
Talmi & MacGarry (2012)	72	0.41	0.19	0.58	ADT	Images	1 minute
Sakaki et al. (2012)	48	0.41	0.14	0.62	ADT	Images	3 minutes
Steinmetz et al. (2014)	39	0.41	0.11	0.64	Eye-Tracking	Images	30 minutes
Sharot & Phelps (2004)	25	0.40	0.01	0.68	DPT	Words	24 hours
Chan & Singhal (2013)	30	0.39	0.15	0.59	EEG	Words	Immediate
Bennion et al. (2013b)	24	0.37	-0.03	0.67	Eye-Tracker/fMRI	Images	12 hours
Sharot et al. (2008)	69	0.33	0.10	0.52	Eye-Tracking	Images	45 minutes
Steinmetz & Kensinger (2013)	36	0.31	-0.01	0.58	Eye-Tracking	Images	30 minutes
Pichora-Fuller et al. (2016)	12	0.30	-0.33	0.74	ADT	Words	Immediate
Maddox et al. (2012)	36	0.28	0.05	0.55	ADT	Words	Immediate
Kim et al. (2013)	61	0.23	-0.02	0.45	Eye-Tracking	Images	10 minutes
Evaraert & Koster (2015)	49	0.20	-0.08	0.45	Eye-Tracking	Words	3 minutes
Ziaei et al. (2015)	37	0.20	-0.13	0.49	Eye-Tracking	Images	10 minutes
Mather & Carstensen (2003)	44	0.13	-0.07	0.32	DPT	Images	10 minutes
Riggs et al. (2011)	24	0.10	-0.35	0.52	Eye-Tracking	Images	10 minutes
Wessel et al. (2000)	180	0.05	-0.23	0.34	Eye-Tracking	Images	10 minutes
Humphreys et al. (2010)	18	-0.01	-0.47	0.45	Eye-Tracking	Images	7 days
Chapman et al. (2012)	23	-0.06	-0.46	0.35	LDT	Images	45 minutes
Meta-Analytic Average for Main Effect	1291	.40	[-0.32, 0.48]				

Note. *n* = sample size; *r* = correlation coefficient; CI = confidence interval; fMRI = functional magnetic resonance imaging; EEG = electroencephalography; ADT = auditory detection task; ST = Stroop task; DPT = dot probe task; LDT = line dissection task. The dashed lines separate studies with high (>0.50), moderate (0.30 – 0.49) and low (<0.29) effect sizes.

Figure 3. Forest plot for the effect (r) of attention on emotional long-term memory for behavioural, eye-tracking and neuroimaging studies. Circles indicate behavioural findings; triangles indicate eye-tracking findings; squares indicate neuroimaging (EEG/fMRI) findings. Bars indicate the 95% confidence intervals of each effect. The studies corresponding to each effect are listed on the left. The diamond and dashed line located at the bottom of the figure indicate the mean meta-analytic effect size with 95% confidence intervals.

ATTENTION AND EMOTIONAL MEMORY

4. Discussion

A total of 47 experiments across 38 studies were included in this systematic review, 32 of which were subject to meta-analysis. These studies utilised various behavioural, electrophysiological, and neuroanatomical measures to investigate the effect of attention on emotional memory consolidation. Of the behavioural studies included, over half reported statistically significant effects of attention on emotional memory, suggesting attention modulates emotional memory consolidation. The use of DA paradigms (e.g., Maddox et al., 2012; Kang et al., 2014; Talmi & MacGarry, 2012) provide the majority of behavioural evidence for these effects. However, we found largely inconsistent evidence for the role of overt attention in emotional memory for experiments utilising eye-tracking, which were corroborated by ERP experiments that reported null effects in early sensory-related potentials, but modulations in later components. A discussion of the discrepancy between the behavioural, electrophysiological and neuroanatomical findings is presented below, followed by suggestions for future research.

4.1. Behavioural effects of attention on emotional memory

The greatest effects on emotional memory were observed in DA paradigms, where participants attended to a secondary task during encoding. Experiments utilising the ADT (e.g., Maddox et al., 2012) and DPT (e.g., Aquino & Arnell, 2007) reported longer reaction times in response to emotional relative to neutral stimuli, suggesting attentional resources are preferentially allocated to salient relative to neutral information for elaborate evaluation. Across experiments, longer reaction times resulted in enhanced memory performance at recall. This emotional slowing may be explained by inhibitory effects of emotion on selective attention, whereby attention is inhibited by emotional cues, resulting in a slowing of responses to secondary tasks, such as the ADT and DPT (Bradley, 2009). This provides support for an attentional narrowing account of emotional memory, wherein emotional information interferes with cognitive and motor goals that prepare responses to incoming stimuli, reducing evaluation of less salient information and facilitating emotional information into LTM (Taylor & Fragopanagos, 2005).

ATTENTION AND EMOTIONAL MEMORY

Studies measuring eye movements suggest attention does not entirely account for the effect of emotion on memory. Utilising fixation time as a measure of overt attention, two experiments conducted mediation analyses to test the relationship between attention and emotional memory (Kim et al., 2013; Riggs et al., 2011). Both studies reported that the direct path between emotion and memory for central items remained significant when attention was fixed. Further analyses revealed that the indirect path between attention and memory for peripheral objects was not significant, such as that memory for negative peripheral objects remained greater than for neutral peripheral objects, irrespective of processing time (e.g., fixation time).

This discrepancy between eye movements and behavioural responses lends support to the argument that post-encoding processes are more critical for the consolidation of emotional information than heightened attention at encoding (Kim et al., 2013; Riggs et al., 2011). However, it is potentially problematic to assume that eye movements can be used as direct measures of overt attention, and thus predictors of behavioural outcomes. From a predictive-coding-based view of the brain, eye movements serve to gather data from the environment to test beliefs about the current internal model of the world (Friston et al., 2012). This account of eye movements is based on the free-energy principle, which posits biological agents act upon the world according to encoded representations of sensations, and that adaptive responses to the environment occur under conditions within which sampled sensations match internal predictions (Friston, 2010; Joffily & Coricelli, 2013). An emotional stimulus that is congruent with an individual's internal model may therefore elicit shorter fixations than a stimulus that is not, suggesting emotional information may serve to regulate the learning rate of a biological agent rather than directly reflecting modulations in attentional orientation (Joffily & Coricelli, 2013). Therefore, although attentional narrowing models are consistent with behavioural effects, more research is needed to understand the brain mechanisms underpinning the role of attention in emotional LTM.

4.2. Neural basis of attention-related emotional memory enhancement

Although there is a breadth of research reporting the behavioural correlates of attention and emotional memory, few experiments have investigated the electrophysiological and neuroanatomical

ATTENTION AND EMOTIONAL MEMORY

correlates of this relationship. Eleven (23%) experiments included in this review examined the electrophysiological and neuroanatomical correlates of attention and emotional memory. Modulations in sensory-related ERP components at encoding were not related to behavioural performance at recall. All studies examining modulations of the P1 and N1 in response to emotional words at encoding reported nonsignificant effects of emotion on their amplitude or latency (Herbert et al., 2008; Kissler et al., 2009). Prior research demonstrates that the P1 and N1 are modulated when attentional state is under demand (for review: Schupp et al., 2006), suggesting single word-based stimuli and scene imagery may be better indexed by later components, such as the P2 and EPN (Herbert et al., 2008).

The P2 is suggested to index post-perceptual selective attention and is sensitive to visual target detection, such that P2 amplitude has been reported to increase when target stimuli are detected among distractor objects (Kanske, Plitschka & Kotz, 2011). In one experiment, P2 amplitude increased in response to emotional words imbedded in complex visual scenes, and was associated with superior memory performance for emotional relative to neutral stimuli at recall (Zhang et al., 2015). In this experiment, neutral words were superimposed on emotionally valenced backgrounds, a paradigm more complex than the passive paradigms utilised by studies investigating the P1 and N1. The P2 may therefore represent a top-down attentional influence on emotion evaluation, particularly when presented alongside neutral stimuli, and may index attention-related cortical networks that facilitate emotional information into LTM (Carretié et al., 2004; Crowley & Colrain, 2004).

The EPN proceeds the P2 and is thought to index selective attention to specific stimulus features (Junghöfer, Bradley, Elbert & Lang, 2001). Included studies reported enhanced EPN amplitude to emotional relative to neutral stimuli, suggesting increased visual processing of emotional stimuli, and a prioritisation of emotional over neutral information. However, these components may reflect post-attentive, elaborate stimulus evaluation, rather than early attentional orientation (Low, Lang & Bradley, 2005; Thorpe, Fize & Marlot, 1996). For example, Low et al. (2005) systematically demonstrated that the EPN is modulated by picture content (objects vs people) and picture type (central vs peripheral items) above that of emotionality, suggesting the EPN reflects selective attention rather than the automatic detection and evaluation of emotion. However, the studies

ATTENTION AND EMOTIONAL MEMORY

examining the EPN included in the meta-analysis used emotionally valenced words, and each reported greater EPN amplitude in response to emotional compared to neutral words. Moreover, using MEG, Keuper et al. (2014) reported that the EPN was generated from occipital and limbic lobes, suggesting possible functional connectivity between primary visual cortices and the amygdala. This may subserve selective attention to, and the preferential processing of emotional information, which accords with fMRI research (for review: Murty et al., 2010).

In contrast to sensory-related components (i.e. N1, P1), the amplitudes of the posterior positivity and LPP were larger in response to emotional relative to neutral stimuli. The posterior positivity has been hypothesised to reflect attentional capturing mechanisms during early stages of the processing cascade (i.e. 250 – 450 ms; Koenig & Mecklinger, 2008). Similarly, the LPP has been likened to a P3b response, in the sense that the LPP is considered a sensitive measure of attentional orientation to salient information (Schupp et al., 2006). Importantly, the studies investigating the modulation of sensory-related components did not manipulate attention, and therefore, under a biased competition model of attention, there was no demand on processing resources in the relevant sensory cortex (i.e. visual or auditory cortices). This is in contrast to the posterior positivity and LPP, where irrespective of attentional conditions, they were still modulated by emotion. From this perspective, the N1 and P1 may serve to gate incoming sensory information via bottom-up processing mechanisms. During later processing stages, components such as the LPP may facilitate enhanced memory via the release of norepineprine from the LC in response to emotionally salient stimuli, which would promote synaptic plasticity via afferent inputs to the hippocampal complex and amygdala (Tully & Bolshakov, 2010).

All fMRI studies reported significant effects ($r = 0.37 - 0.80$) of attention on emotional memory, and revealed a distributed network of cortical and subcortical regions during the encoding of emotional stimuli under varying attentional conditions. Studies consistently revealed greater bilateral amygdala activation in response to emotional relative to neutral stimuli. When attention was divided, two studies (Barnacle et al., 2016; Tamli et al., 2008) reported greater activation of the ventral attention network, which predicted enhanced memory performance at recall for emotional relative to neutral stimuli. The ventral attention network – which includes the anterior insula, anterior cingulate

ATTENTION AND EMOTIONAL MEMORY

cortex and temporo-parietal junction – is involved in reorienting attention to task-relevant stimuli (Corbetta & Shulman, 2002; Fragopanagos & Taylor, 2006). However, greater activation of the ventral attention network in response to emotional stimuli under DA accords with evidence indicating that this processing stream is susceptible to emotionally salient information irrespective of task-relevance (for review: Frank & Sabatinelli, 2012). From this perspective, during top-down, goal-directed processing, the ventral attention network is critical for detecting bottom-up, stimulus-driven changes; however, emotional stimuli appear to have privilege access to attention, which in turn, promotes emotion-enhanced memory. This interpretation is consistent with behavioural experiments that report memory for emotional stimuli is enhanced under DA compared to FA, and lends support to the argument that attention is a strong predictor for long-term emotional memory consolidation.

Taken together, attention at encoding is a strong predictor of long-term emotional memory. Effects of attention are moderate at the behavioural level, while the largest effects are born from neuroimaging (EEG/fMRI) studies. In contrast, while still significant, eye-tracking studies provide the weakest effects of attention on the emotional modulation of LTM, suggesting a dissociation between eye movements and neural activity. This apparent discrepancy might be explained by the diversity in stimuli used, the length of time between encoding and recall, and the experimental paradigms used to manipulate attention. Although these differences make it difficult to establish whether emotional memory benefits more from enhanced attention at encoding, or from preferential post-encoding processes, they provide testable hypotheses for future research, which we discuss below.

4.3. Limitations of included studies and future directions

The heterogeneity between behavioural and neuroimaging studies may be due to differences in recall intervals (immediate recall versus a 24 hour consolidation period), stimuli type (words, faces, images, and scenes) and measures of attention (DPT vs EEG), as emotional memory is sensitive to these methodological parameters (Bennion, Ford, Murray & Kensinger, 2013a; Riggs et al., 2011). Specifically, all fMRI and eye-tracking studies used emotionally valenced images, while the majority of EEG studies used emotional words. Similarly, the studies which have a recall interval of 12hrs or longer (e.g., Bennion et al., 2013b; Humphreys et al., 2010) report lower effects than studies with

ATTENTION AND EMOTIONAL MEMORY

immediate recall. Accordingly, to determine the effect of attention on emotional LTM, stimuli type and recall intervals need to be better controlled across experiments. The field would also benefit from the direct comparison of image-based versus word-based tasks in terms of differences in electrophysiological and neuroanatomical attention-related responses at encoding, and further, determine whether memory depends on these processes, or relies more heavily on consolidation processes.

Experiments examining early sensory-related ERPs, such as the P1 and N1, reported no difference in amplitude between emotional word types. Previous research using oddball tasks containing images report significant modulations on the amplitude of the P1 and N1 components, as opposed to the passive viewing paradigms involving words typically employed when investigating attention and emotion (Carretie' et al., 2004; Delplanque et al., 2004). As such, further research is needed that adopts attention-demanding paradigms at encoding using images rather than words. This will allow for stronger inferences to be made regarding the influence that attention-modulated, sensory-related ERPs have on emotional LTM.

It is well established that stimulus type can bias participants' memory responses, such that emotion can modify the qualitative features of how stimuli are remembered; a change that is measureable depending on the memory variables used (e.g., familiarity, recognition accuracy; Bennion et al., 2013a). As this review did not account for specific memory performance measures, it is unclear if the behavioural and neural correlates of attention interact with qualitative changes in emotional memory. This is important to consider given that compared to familiarity-based memory, recollection involves additional prefrontal cortex activation, activation of the inferior parietal lobe and reactivation of sensory areas that are active during encoding (Skinner & Fernandes, 2007). By contrast, familiarity-based memory is associated with decreased activity of the perihinal cortex and rhinal cortex (Skinner & Fernandes, 2007), and is unaffected by reduced attention at encoding (Curran, 2004). Whether emotion interacts with familiarity- and recollection-based memory and their neural correlates under conditions of divided attention is a question needing to be addressed by future research.

ATTENTION AND EMOTIONAL MEMORY

Additionally, alternate EEG methods may be more suited to investigating the attention-emotion interaction. Evidence suggests oscillatory dynamics may be more reflective of attention-related cortical activity than ERPs (Yordanova, Kolev & Polich, 2001). Oscillatory activity provides useful information on the physiology of brain dynamics, with research demonstrating alpha-band activity (8 – 12 Hz) reliably indexes fluctuations in cortical excitation, and has been shown to be sensitive to emotional stimuli (Foxy & Snyder, 2011; Güntekin & Başar, 2014; Klimesch, 2012; Payne & Sekular, 2014; Uusberg et al., 2013). Studies (Aftanas et al., 2002; Güntekin & Başar, 2007; Onoda et al., 2007; Uusberg et al., 2013) have reported an increase in alpha desynchronisation in response to aversive (e.g., mutilated human bodies) compared to positive and neutral stimuli, suggesting a decrease in alpha power in response to emotional information may reflect enhanced neuronal excitation induced by affective attention, whereby attention is rendered to emotional stimuli for heightened sensory processing. This interpretation is consistent with behavioural findings of valence-induced changes in attention at encoding and superior performance for emotional stimuli at recall (MacKay et al., 2004; Riggs et al., 2011).

The adoption of alternative electrophysiological measurements, such as analyses of oscillatory activity, would be complemented by comparing attention-related memory enhancement with factors known to facilitate memory consolidation, such as sleep (Rasch & Born, 2013). Due to a disengagement from the external inputs of wakefulness, sleep is argued to provide a suitable environment for offline processes to facilitate localised synaptic downscaling and the distribution of hippocampally stored information into LTM (Ellenbogen, Hulbert, Stickgold, Dinges & Thompson-Schill, 2006; Rasch & Born, 2013). Using fMRI, Sterpenich et al. (2009) revealed sleep promoted the reorganisation of neuronal representations of emotional pictures, such that greater picture recognition accuracy after sleep compared to time awake was associated with enhanced activation of the ventral medial prefrontal cortex, an area involved in memory retrieval, and the extended amygdala, a region involved in modulating emotional information at encoding. These findings are in line with Bennion et al. (2015b), who found that that memory for emotional information was greater after a period of sleep versus wake, and this was mediated by cortisol levels at encoding. Further, the beneficial role of sleep

ATTENTION AND EMOTIONAL MEMORY

on memory has more recently been documented with a 90 minute nap (Payne et al., 2015), suggesting that even after brief periods, sleep actively influences long-term, system-level consolidation for emotional content. However, no study has directly examined the interaction between attention and sleep on emotional memory consolidation, limiting the ability to establish whether emotional memory benefits from enhanced attention at encoding, or from post-encoding (i.e. sleep-dependent) memory consolidation.

5. Conclusions

This systematic review and meta-analysis aimed to determine whether attention significantly impacts memory for emotional stimuli. A secondary aim was to determine whether there was homogeneity between behavioural, electrophysiological, and neuroanatomical correlates for the effect of attention on emotional memory. Overall, attention plays a significant role in facilitating memory of emotional over neutral information, and this effect was reported across behavioural, eye-tracking and neuroimaging studies. The electrophysiological correlates of the attention-emotion memory interaction appear to be more reliably indexed by ERP components later in the processing cascade, such as the LPP; however, the role of sensory-related components may be better explored by systematically manipulating attentional demands. Neuroanatomically, increased activation of the amygdala, ventral visual stream and vmPFC were reported under conditions of divided attention, suggesting these regions interact to prioritise emotional over neutral information. However, despite extensive research, examinations of the eye-tracking and neural correlates of attention and emotional LTM are inconsistent. This inconsistency likely reflects differences in emotional stimuli, paradigms, and recall intervals, and as such, future research should better control for these methodological parameters. Further, although ERPs are useful in assessing the temporal processing of attention to emotional stimuli, future research should examine changes in oscillatory dynamics. Finally, investigating the interaction between attention and sleep may further our understanding of whether emotional memory depends on attention at encoding, enhanced consolidation processes, or an interaction between the two.

Conflict of Interest

ATTENTION AND EMOTIONAL MEMORY

The authors declare no conflicts of interest.

Acknowledgements

ZRC is supported by a Research Training Program Scholarship awarded by the Australian Commonwealth Government (ID: 212190). We thank Professor Ina Bornkessel-Schlesewsky for helpful comments on an earlier version of this manuscript.

References

- Aftanas, L. I., Varlamov, A. A., Pavlov, S. V., Makhnev, V. P., & Reva, N. V. (2002). Time-dependent cortical asymmetries induced by emotional arousal: EEG analysis of event-related synchronization and desynchronization in individually defined frequency bands. *International Journal of Psychophysiology*, 44(1), 67-82. doi: 10.1016/S0167-8760(01)00194-5
- Aquino, J. M., & Arnell, K. M. (2007). Attention and the processing of emotional words: Dissociating effects of arousal. *Psychonomic Bulletin & Review*, 14(3), 430-435. doi: 10.3758/BF03194084
- Barnacle, G. E., Montaldi, D., Talmi, D., & Sommer, T. (2016). The list-composition effect in memory for emotional and neutral pictures: Differential contribution of ventral and dorsal attention networks to successful encoding. *Neuropsychologia*, 90, 125-135.
- Bennion, K. A., Ford, J. H., Murray, B. D., & Kensinger, E. A. (2013a). Oversimplification in the study of emotional memory. *Journal of the International Neuropsychological Society*, 19(09), 953-961. doi: 10.1017/S1355617713000945
- Bennion, K. A., Mickley Steinmetz, K. R., Kensinger, E. A., & Payne, J. D. (2013b). Sleep and cortisol interact to support memory consolidation. *Cerebral Cortex*, 25(3), 646-657.
- Bi, D., & Han, B. (2015). Age-related differences in attention and memory toward emotional stimuli. *PsyCh journal*, 4(3), 155-159.
- Bradley, M. M. (2009). Natural selective attention: Orienting and emotion. *Psychophysiology*, 46(1), 1-11. doi: 10.1111/j.1469-8986.2008.00702.x
- Brewin, C. R., Kleiner, J. S., Vasterling, J. J., & Field, A. P. (2007). Memory for emotionally neutral information in posttraumatic stress disorder: A meta-analytic investigation. *Journal of Abnormal Psychology*, 116(3), 448.
- Brosch, T., & Van Bavel, J. J. (2012). The flexibility of emotional attention: Accessible social identities guide rapid attentional orienting. *Cognition*, 125(2), 309-316. doi: 10.1016/j.cognition.2012.07.007
- Brown, S. B., Van der Wee, N. J., Van Noorden, M. S., Giltay, E. J., & Nieuwenhuis, S. (2015). Noradrenergic and cholinergic modulation of late ERP responses to deviant stimuli. *Psychophysiology*, 52(12), 1620-1631. doi: 10.1111/psyp.12544

ATTENTION AND EMOTIONAL MEMORY

- 354 Brown, S. B., van Steenbergen, H., Band, G. P., de Rover, M., & Nieuwenhuis, S. (2012). Functional
355 significance of the emotion-related late positive potential. *Frontiers in Human*
356 *Neuroscience*, 6, 33. doi: 10.3389/fnhum.2012.00033
- 357 Carretié, L., Hinojosa, J. A., Martín-Loeches, M., Mercado, F., & Tapia, M. (2004). Automatic
358 attention to emotional stimuli: neural correlates. *Human Brain Mapping*, 22(4), 290-299. doi:
359 10.1002/hbm.20037
- 360 Carretié, L., Martín-Loeches, M., Hinojosa, J. A., & Mercado, F. (2001). Emotion and attention
361 interaction studied through event-related potentials. *Journal of Cognitive*
362 *Neuroscience*, 13(8), 1109-1128. doi: 10.1162/089892901753294400
- 363 Chan, M., Madan, C. R., & Singhal, A. (2016). The effects of taboo-related distraction on driving
364 performance. *Acta psychologica*, 168, 20-26.
- 365 Chan, M., & Singhal, A. (2013). The emotional side of cognitive distraction: Implications for road
366 safety. *Accident Analysis & Prevention*, 50, 147-154. doi: 10.1016/j.aap.2012.04.004
- 367 Chan, M., & Singhal, A. (2015). Emotion matters: Implications for distracted driving. *Safety Science*,
368 72, 302-309.
- 369 Chang, Y., & Choi, S. (2014). Effects of seductive details evidenced by gaze duration. *Neurobiology*
370 *of Learning and Memory*, 109, 131-138. doi: 10.1016/j.nlm.2014.01.005
- 371 Chapman, H. A., Johannes, K., Poppenk, J. L., Moscovitch, M., & Anderson, A. K. (2012). Evidence
372 for the differential salience of disgust and fear in episodic memory. *Journal of Experimental*
373 *Psychology: General*, 142(4), 1100. doi: 10.1037/a0030503
- 374 Chatburn, A., Lushington, K., & Kohler, M. J. (2014). Complex associative memory processing and
375 sleep: A systematic review and meta-analysis of behavioural evidence and underlying EEG
376 mechanisms. *Neuroscience & Biobehavioral Reviews*, 47, 646-655. doi:
377 10.1016/j.neubiorev.2014.10.018
- 378 Chipchase, S. Y., & Chapman, P. (2013). Trade-offs in visual attention and the enhancement of
379 memory specificity for positive and negative emotional stimuli. *The Quarterly Journal of*
380 *Experimental Psychology*, 66(2), 277-298. doi: 10.1080/17470218.2012.707664
- 381 Christianson, S. Å. (1992). Emotional stress and eyewitness memory: A critical review. *Psychological*
382 *Bulletin*, 112(2), 284. doi: 10.1037/0033-2909.112.2.284
- 383 Christianson, S. Å., Loftus, E. F., Hoffman, H., & Loftus, G. R. (1991). Eye fixations and memory for
384 emotional events. *Journal of Experimental Psychology: Learning, Memory, and*
385 *Cognition*, 17(4), 693. doi: 10.1037/0278-7393.17.4.693
- 386 Clemens, B., Regenbogen, C., Koch, K., Backes, V., Romanczuk-Seiferth, N., Pauly, K., ... &
387 Kellermann, T. (2015). Incidental memory encoding assessed with signal detection theory and
388 functional magnetic resonance imaging (fMRI). *Frontiers in Behavioral Neuroscience*, 9.
- 389 Cohen, J., 1992. A power primer. *Psychological Review Bulletin*, 112(1), 155–159. doi:
390 10.1037/0033-2909.112.1.155
- 391 Corbetta, M., & Shulman, G. L. (2002). Control of goal-directed and stimulus-driven attention in the
392 brain. *Nature Reviews Neuroscience*, 3(3), 201-215. doi: 10.1038/nrn755

ATTENTION AND EMOTIONAL MEMORY

- 354 Crowley, K. E., & Colrain, I. M. (2004). A review of the evidence for P2 being an independent
355 component process: Age, sleep and modality. *Clinical Neurophysiology*, 115, 732-744. doi:
356 10.1016/j.clinph.2003.11.021
- 357 Curran, T. (2004). Effects of attention and confidence on the hypothesized ERP correlates of
358 recollection and familiarity. *Neuropsychologia*, 42(8), 1088-1106. doi:
359 10.1016/j.neuropsychologia.2003.12.011
- 360 Delplanque, S., Lavoie, M. E., Hot, P., Silvert, L., & Sequeira, H. (2004). Modulation of cognitive
361 processing by emotional valence studied through event-related potentials in
362 humans. *Neuroscience letters*, 356(1), 1-4. doi: 10.1016/j.neulet.2003.10.014
- 363 Ellenbogen, J. M., Hulbert, J. C., Stickgold, R., Dinges, D. F., & Thompson-Schill, S. L. (2006).
364 Interfering with theories of sleep and memory: sleep, declarative memory, and associative
365 interference. *Current Biology*, 16(13), 1290-1294.
- 366 Evaraert, J., & Koster, E. H. (2015). Interactions among emotional attention, encoding, and retrieval
367 of ambiguous information. An eye-tracking study. *Emotion*, 15(5), 539-543. doi:
368 10.1037/emo0000063
- 369 Field, A. P., & Gillett, R. (2010). How to do a meta-analysis. *British Journal of Mathematical and*
370 *Statistical Psychology*, 63(3), 665-694.
- 371 Foxe, J. J., & Snyder, A. C. (2011). The role of alpha-band brain oscillations as a sensory suppression
372 mechanism during selective attention. *Frontiers in Psychology*, 2, 1-13. doi:
373 10.3389/fpsyg.2011.00154
- 374 Frank, D. W., & Sabatinelli, D. (2012). Stimulus-driven reorienting in the ventral frontoparietal
375 attention network: the role of emotional content. *Frontiers in Human Neuroscience*, 6.
- 376 Friston, K. (2010). The free-energy principle: A unified brain theory? *Nature Reviews: Neuroscience*,
377 11(2), 127-138. doi: 10.1038/nrn2787
- 378 Friston, K., Adams, R. A., Perrinet, L., & Breakspear, M. (2012). Perceptions as hypotheses: Saccades
379 as experiments. *Frontiers in Psychology*, 3(151), 1-20. doi: 10.3389/fpsyg.2012.00151
- 380 Güntekin, B., & Başar, E. (2007). Emotional face expressions are differentiated with brain
381 oscillations. *International Journal of Psychophysiology*, 64(1), 91-100. doi:
382 10.1016/j.ijpsycho.2006.07.003
- 383 Güntekin, B., & Başar, E. (2014). A review of brain oscillations in perception of faces and emotional
384 pictures. *Neuropsychologia*, 58, 33-51. doi: 10.1016/j.neuropsychologia.2014.03.014
- 385 Herbert, C., Junghofer, M., & Kissler, J. (2008). Event-related potentials to emotional adjectives
386 during reading. *Psychophysiology*, 45(3), 487-498.
- 387 Hedges, L. V., & Vevea, J. L. (1998). Fixed-and random-effects models in meta-analysis.
388 *Psychological methods*, 3(4), 486.
- 389 Holland, A. C., & Kensinger, E. A. (2012). Younger, middle-aged, and older adults' memories for the
390 2008 U.S. Presidential Election. *Journal of Applied Research in Memory and Cognition*, 1(3),
391 163-170. doi: 10.1016/j.jarmac.2012.06.001

ATTENTION AND EMOTIONAL MEMORY

- 354 Humphreys, L., Underwood, G., & Chapman, P. (2010). Enhanced memory for emotional pictures: A
355 product of increased attention to affective stimuli? *European Journal of Cognitive*
356 *Psychology*, 22(8), 1235-1247. doi: 10.1080/09541440903427487
- 357 Joffily, M., & Coricelli, G. (2013). Emotional valence and the free-energy principle. *PLoS*
358 *Computational Biology*, 9(6), e1003094.
- 359 Junghöfer, M., Bradley, M. M., Elbert, T. R., & Lang, P. J. (2001). Fleeting images: a new look at
360 early emotion discrimination. *Psychophysiology*, 38(02), 175-178. doi: 10.1111/1469-
361 8986.3820175
- 362 Kang, C., Wang, Z., Surina, A., & Lü, W. (2014). Immediate emotion-enhanced memory dependent
363 on arousal and valence: the role of automatic and controlled processing. *Acta*
364 *Psychologica*, 150, 153-160. doi: 10.1016/j.actpsy.2014.05.008
- 365 Kanske, P., Plitschka, J., & Kotz, S. A. (2011). Attentional orienting towards emotion: P2 and N400
366 ERP effects. *Neuropsychologia*, 49(11), 3121-3129.
- 367 Keightley, M. L., Winocur, G., Graham, S. J., Mayberg, H. S., Hevenor, S. J., & Grady, C. L. (2003).
368 An fMRI study investigating cognitive modulation of brain regions associated with emotional
369 processing of visual stimuli. *Neuropsychologia*, 41(5), 585-596.
- 370 Kensinger, E. A. (2009). What factors need to be considered to understand emotional memories?
371 *Emotion Review*, 1(2), 120-121. doi: 10.1177/1754073908100436
- 372 Kensinger, E. A., Piquet, O., Krendl, A. C., & Corkin, S. (2005). Memory for contextual details:
373 effects of emotion and aging. *Psychology and Aging*, 20(2), 241. doi: 10.1037/0882-
374 7974.20.2.241
- 375 Keuper, K., Zwanzger, P., Nordt, M., Eden, A., Laeger, I., Zwitterlood, P., ... & Dobel, C. (2014).
376 How 'love' and 'hate' differ from 'sleep': Using combined electro/magnetoencephalographic
377 data to reveal the sources of early cortical responses to emotional words. *Human Brain*
378 *Mapping*, 35(3), 875-888. doi: 10.1002/hbm.22220
- 379 Kim, J. S. C., Vossel, G., & Gamer, M. (2013). Effects of emotional context on memory for details:
380 the role of attention. *PloS one*, 8(10), e77405. doi: 10.1371/journal.pone.0077405
- 381 Kissler, J., Herbert, C., Winkler, I., & Junghofer, M. (2009). Emotion and attention in visual word
382 processing—An ERP study. *Biological Psychology*, 80(1), 75-83. doi:
383 10.1016/j.biopsycho.2008.03.004
- 384 Klimesch, W. (2012). Alpha-band oscillations, attention, and controlled access to stored information.
385 *Trends in Cognitive Neuroscience*, 16(12), 606-617. doi: doi:10.1016/j.tics.2012.10.007
- 386 Koenig, S., & Mecklinger, A. (2008). Electrophysiological correlates of encoding and retrieving
387 emotional events. *Emotion*, 8(2), 162. doi: 10.1037/1528-3542.8.2.162
- 388 LaBar, K. S., & Cabeza, R. (2006). Cognitive neuroscience of emotional memory. *Nature Reviews*
389 *Neuroscience*, 7(1), 54-64. doi: 10.1038/nrn1825
- 390 Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (1998). Emotion and motivation: Measuring affective
391 perception. *Journal of Clinical Neurophysiology*, 15(5), 397-408.

ATTENTION AND EMOTIONAL MEMORY

- 354 Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (1998). Emotion, motivation, and anxiety: Brain
355 mechanisms and psychophysiology. *Biological psychiatry*, 44(12), 1248-1263.
- 356 Langeslag, S. J., Olivier, J. R., Köhlen, M. E., Nijs, I. M., & Van Strien, J. W. (2015). Increased
357 attention and memory for beloved-related information during infatuation: Behavioral and
358 electrophysiological data. *Social Cognitive and Affective Neuroscience*, 1(1), 1-9. doi:
359 10.1093/scan/nsu034
- 360 Leppänen, J. M. (2006). Emotional information processing in mood disorders: a review of behavioral
361 and neuroimaging findings. *Current Opinion in Psychiatry*, 19(1), 34-39. doi:
362 10.1097/01.yco.0000191500.46411.00
- 363 Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gøtzsche, P. C., Ioannidis, J. P., ... & Moher, D.
364 (2009). The PRISMA statement for reporting systematic reviews and meta-analyses of studies
365 that evaluate health care interventions: explanation and elaboration. *Annals of Internal*
366 *Medicine*, 151(4), W-65.
- 367 Low, A., Lang, P. J., & Bradley, M. M. (2005). What pops out during rapid picture
368 presentation? *Psychophysiology*, 42, S81.
- 369 Luck, S. J. (2014). *An Introduction to the Event-Related Potential Technique*. MIT Press.
- 370 MacKay, D. G., Johnson, L. W., Graham, E. R., & Burke, D. M. (2015). Aging, emotion, attention,
371 and binding in the taboo stroop task: data and theories. *International Journal of*
372 *Environmental Research and Public Health*, 12(10), 12803-12833.
- 373 Mackay, D. G., Shafto, M., Taylor, J. K., Marian, D. E., Abrams, L., & Dyer, J. R. (2004). Relations
374 between emotion, memory, and attention: Evidence from taboo Stroop, lexical decision, and
375 immediate memory tasks. *Memory & Cognition*, 32(3), 474-488. doi: 10.3758/BF03195840
- 376 Maddox, G. B., Naveh-Benjamin, M., Old, S., & Kilb, A. (2012). The role of attention in the
377 associative binding of emotionally arousing words. *Psychonomic Bulletin & Review*, 19(6),
378 1128-1134. doi: 10.3758/s13423-012-0315-x
- 379 Mather, M., & Carstensen, L. L. (2003). Aging and attentional biases for emotional
380 faces. *Psychological Science*, 14(5), 409-415.
- 381 Murty, V. P., Ritchey, M., Adcock, R. A., & LaBar, K. S. (2010). fMRI studies of successful
382 emotional memory encoding: A quantitative meta-analysis. *Neuropsychologia*, 48(12), 3459-
383 3469. doi: 10.1016/j.neuropsychologia.2010.07.030
- 384 Payne, J. D., Kensinger, E. A., Wamsley, E. J., Spreng, R. N., Alger, S. E., Gibler, K., ... & Stickgold,
385 R. (2015). Napping and the selective consolidation of negative aspects of
386 scenes. *Emotion*, 15(2), 176. doi: 10.1037/a0038683
- 387 Payne, L., & Sekuler, R. (2014). The importance of ignoring: Alpha oscillations protect
388 selectivity. *Current Directions in Psychological Science*, 23(3), 171-177. doi:
389 10.1177/0963721414529145
- 390 Payne, J. D., Stickgold, R., Swanberg, K., & Kensinger, E. A. (2008). Sleep preferentially enhances
391 memory for emotional components of scenes. *Psychological Science*, 19(8), 781-788. doi:
392 10.1111/j.1467-9280.2008.02157.x

ATTENTION AND EMOTIONAL MEMORY

- 354 Peyk, P., Schupp, H. T., Elbert, T., & Junghofer, M. (2008). Emotion processing in the visual brain: A
355 MEG analysis. *Brain Topography*, 20, 205-215.
- 356 Pichora-Fuller, M. K., Dupuis, K., & Smith, S. L. (2016). Effects of vocal emotion on memory in
357 younger and older adults. *Experimental Aging Research*, 42(1), 14-30.
- 358 Okon-Singer, H., Hendler, T., Pessoa, L., & Shackman, A. J. (2015). The neurobiology of emotion-
359 cognition interactions: Fundamental questions and strategies for future research. *Frontiers in*
360 *Human Neuroscience*, 9(58), 1-14. doi: 10.3389/fnhum.2015.00058
- 361 Onoda, K., Okamoto, Y., Shishida, K., Hashizume, A., Ueda, K., Yamashita, H., et al. (2007).
362 Anticipation of affective images and event-related desynchronization (ERD) of alpha activity:
363 An MEG study. *Brain Research*, 1151, 134-141. doi: 10.1016/j.brainres.2007.03.026
- 364 Rasch, B., & Born, J. (2013). About sleep's role in memory. *Physiological Review*, 93(2), 681-786.
365 doi: 10.1152/physrev.00032.2012
- 366 Riggs, L., McQuiggan, D. A., Farb, N., Anderson, A. K., & Ryan, J. D. (2011). The role of overt
367 attention in emotion-modulated memory. *Emotion*, 11(4), 776. doi: 10.1037/a0022591
- 368 Sakaki, M., Niki, K., & Mather, M. (2012). Beyond arousal and valence: The importance of the
369 biological versus social relevance of emotional stimuli. *Cognitive, Affective, & Behavioral*
370 *Neuroscience*, 12(1), 115-139. doi: 10.3758/s13415-011-0062-x
- 371 Samuels, E. R., & Szabadi, E. (2008). Functional neuroanatomy of the noradrenergic locus coeruleus:
372 Its roles in the regulation of arousal and autonomic function Part 1: Principles of functional
373 organisation. *Current Neuropharmacology*, 6(3), 235-253. doi:
374 10.2174/157015908785777229
- 375 Schupp, H. T., Flaisch, T., Stockburger, J., & Junghofer, M. (2006). Emotion and attention: Event-
376 related brain potential studies. *Progress in Brain Research*, 156, 31-51.
- 377 Sharot, T., & Phelps, E. A. (2004). How arousal modulates memory: Disentangling the effects of
378 attention and retention. *Cognitive, Affective, & Behavioral Neuroscience*, 4(3), 294-306. doi:
379 10.3758/CABN.4.3.294
- 380 Sharot, T., Davidson, M. L., Carson, M. M., & Phelps, E. A. (2008). Eye movements predict
381 recollective experience. *PLoS One*, 3(8), e2884. doi: 10.1371/journal.pone.0002884
- 382 Skinner, E. I., & Fernandes, M. A. (2007). Neural correlates of recollection and familiarity: A review
383 of neuroimaging and patient data. *Neuropsychologia*, 45(10), 2163-2179. doi:
384 10.1016/j.neuropsychologia.2007.03.007
- 385 Smith, A. P., Henson, R. N., Dolan, R. J., & Rugg, M. D. (2004). fMRI correlates of the episodic
386 retrieval of emotional contexts. *NeuroImage*, 22(2), 868-878. doi:
387 10.1016/j.neuroimage.2004.01.049
- 388 Smith, A. P., Stephan, K. E., Rugg, M. D., & Dolan, R. J. (2006). Task and content modulate
389 amygdala-hippocampal connectivity in emotional retrieval. *Neuron*, 49(4), 631-638. doi:
390 10.1016/j.neuron.2005.12.025
- 391 Srinivasan, N., & Gupta, R. (2010). Emotion-attention interactions in recognition memory for
392 distractor faces. *Emotion*, 10(2), 207. doi: 10.1037/a0018487

ATTENTION AND EMOTIONAL MEMORY

- 354 Steinmetz, K. R. M., & Kensinger, E. A. (2013). The emotion-induced memory trade-off: More than
355 an effect of overt attention? *Memory & cognition*, 41(1), 69-81. doi: 10.3758/s13421-012-
356 0247-8
- 357 Steinmetz, K. R. M., Waring, J. D., & Kensinger, E. A. (2014). The effect of divided attention on
358 emotion-induced memory narrowing. *Cognition & Emotion*, 28(5), 881-892.
- 359 Sterpenich, V., Albouy, G., Darsaud, A., Schmidt, C., Vandewalle, G., Vu, T. T. D., ... & Maquet, P.
360 (2009). Sleep promotes the neural reorganization of remote emotional memory. *The Journal*
361 *of Neuroscience*, 29(16), 5143-5152. doi: 10.1523/JNEUROSCI.0561-09.2009
- 362 Talmi, D., & McGarry, L. M. (2012). Accounting for immediate emotional memory enhancement.
363 *Journal of Memory and Language*, 66(1), 93-108. doi: 10.1016/j.jml.2011.07.009
- 364 Talmi, D., Anderson, A. K., Riggs, L., Caplan, J. B., & Moscovitch, M. (2008). Immediate memory
365 consequences of the effect of emotion on attention to pictures. *Learning & Memory*, 15(3),
366 172-182. doi: 10.1101/lm.722908
- 367 Talmi, D., Schimmack, U., Paterson, T., & Moscovitch, M. (2007). The role of attention and
368 relatedness in emotionally enhanced memory. *Emotion*, 7(1), 89. doi: 10.1037/1528-
369 3542.7.1.89
- 370 Taylor, J. G., & Fragopanagos, N. F. (2005). The interaction of attention and emotion. *Neural*
371 *Networks*, 18(4), 353-369. doi: 10.1016/j.neunet.2005.03.005
- 372 Thorpe, S., Fize, D., & Marlot, C. (1996). Speed of processing in the human visual
373 system. *Nature*, 381(6582), 520-522. doi: 10.1038/381520a0
- 374 Tully, K., & Bolshakov, V. Y. (2010). Emotional enhancement of memory: how norepinephrine
375 enables synaptic plasticity. *Molecular Brain*, 3(1), 15. doi: 10.1186/1756-6606-3-15
- 376 Uusberg, A., Uibo, H., Kreegipuu, K., & Allik, J. (2013). EEG alpha and cortical inhibition in
377 affective attention. *International Journal of Psychophysiology*, 89(1), 26-36. doi:
378 10.1016/j.ijpsycho.2013.04.020
- 379 Vevea, J. L., & Woods, C. M. (2005). Publication bias in research synthesis: sensitivity analysis using
380 a priori weight functions. *Psychological Methods*, 10(4), 428.
- 381 Vuilleumier, P. (2005). How brains beware: Neural mechanisms of emotional attention. *Trends in*
382 *Cognitive Sciences*, 9(12), 585-594. doi: 10.1016/j.tics.2005.10.011
- 383 Vuilleumier, P., Armony, J. L., Clarke, K., Husain, M., Driver, J., Dolan, R. J. (2002). Neural
384 responses to emotional faces with and without awareness: Event-related fMRI in a parietal
385 patient with visual extinction and spatial neglect. *Neuropsychologia*, 40(12), 2156-2166. doi:
386 10.1016/S0028-3932(02)00045-3
- 387 Wessel, I., De Kooy, P. V., & Merckelbach, H. (2000). Differential recall of central and peripheral
388 details of emotional slides is not a stable phenomenon. *Memory*, 8(2), 95-109. doi:
389 10.1080/096582100387641
- 390 Yordanova, J., Kolev, V., & Polich, J. (2001). P300 and alpha event-related desynchronization
391 (ERD). *Psychophysiology*, 38(1), 143-152. doi: 10.1111/1469-8986.3810143

ATTENTION AND EMOTIONAL MEMORY

- 354 Zhang, Q., Liu, X., An, W., Yang, Y., & Wang, Y. (2015). Recognition memory of neutral words can
 355 be impaired by task-irrelevant emotional encoding contexts: Behavioral and
 356 electrophysiological evidence. *Frontiers in Human Neuroscience*, 9(73), 1-12. doi:
 357 10.3389/fnhum.2015.00073
- 358 Ziaei, M., von Hippel, W., Henry, J. D., & Becker, S. I. (2015). Are age effects in positivity
 359 influenced by the valence of distractors? *PloS one*, 10(9), e0137604.