

SUPPLEMENTARY INFORMATION

Table S1: Protein abundance in *esg^{ts}>yki^{3SA}* driven ISC tumors on day 7 and day 1 of tumor induction. (Provided as an excel sheet).

Table S2: Proteins with significant fold change ($\geq \log_2 2$, $p < 0.05$) in day 7 versus day 1 of *esg^{ts}>yki^{3SA}* driven ISC tumors.

Table S3: Interacting partners belonging to the Hippo pathway for proteins with $\geq \log_2 2$ fold change in *esg^{ts}>yki^{3SA}* driven ISC tumors.

Table S4: Gene Ontology (GO) analysis of enriched proteins in *esg^{ts}>yki^{3SA}* driven ISC tumors.

Table S5: Status of integrin pathway members in *esg^{ts}>yki^{3SA}* driven ISC tumors.

Table S6: Putative Yki-Sd binding sites in regulatory regions of genes with $> \log_2 2$ fold change in protein levels *esg^{ts}>yki^{3SA}* driven ISC tumors.

Table S7: Fold change in protein levels in TONDU peptide-treated *esg^{ts}>yki^{3SA}* driven ISC tumors.

Table S2: Proteins with significant fold change ($\geq \log_2 2$, $p < 0.05$) in day 7 versus day 1 of *esg^{ts}>yki^{3SA}* driven ISC tumors.

Gene ID	Gene Symbol	Protein FDR Confidence : Combined	Master	UniProt Accession	Median (Day 1)	Median (Day 7)	Abundance Ratio: Day 7/Day 1	Abundance Ratio (log2)	T-Test (P value)	# amino acids	MW [kDa]	# Peptides (Sequester HT)	Chromosome	Found in Sample Group: (Day 1)	Found in Sample Group: (Day 7)
FBgn0261276	<i>Opa1</i>	High	None	F0JAH2	74046.703	297394.711	4.016	2.006	0.0048	453	51.2	2	2R	Peak Found	High
FBgn0000562	<i>egl</i>	Medium	Master Protein Candidate	Q9W1K4	14056.321	57460.557	4.088	2.031	0.0430	1004	112.1	1	2R	Peak Found	High
FBgn0260442	<i>rhea</i>	High	Master Protein	Q960C2	67243.947	276212.477	4.108	2.038	0.0264	1601	171.2	26	3L	High	High
FBgn0035498	<i>Fit1</i>	High	Master Protein	Q9VZ13	394737.461	1640060.666	4.155	2.055	0.0276	708	80.4	6	3L	High	High
FBgn0035793	<i>CG7546</i>	High	Master Protein Candidate	M9PBU3	91147.313	390343.234	4.283	2.098	0.0087	1179	125.7	2	3L	High	High
FBgn0030955	<i>CG6891</i>	High	Master Protein Candidate	Q8MQZ6	100332.746	448638.875	4.472	2.161	0.0323	269	30.2	1	X	High	High
FBgn0013437	<i>copia</i>	High	Master Protein	P04146	581703.875	2664281.188	4.580	2.195	0.0138	1409	162.7	3		High	High
FBgn0265991	<i>Zasp52</i>	High	None	G3JX29	147506.977	678663.543	4.601	2.202	0.0366	651	70.9	3	2R	High	High
FBgn0015379	<i>dod</i>	High	Master Protein	P54353	10240.124	94620.563	9.240	3.208	0.0451	166	18.4	1	X	Peak Found	High
FBgn0000667	<i>Actn</i>	High	Master Protein Candidate	M9MS06	60172.696	284884.955	4.734	2.243	0.0489	895	103.8	4	X	Peak Found	High
FBgn0010434	<i>cora</i>	High	Master Protein Candidate	AOA0B4 LFX4	469318.387	2248560.410	4.791	2.260	0.0047	1600	173.8	6	2R	High	High
FBgn0014020	<i>Rho1</i>	High	Master Protein	P48148	491985.963	2396139.059	4.870	2.284	0.0177	192	21.7	6	2R	Peak Found	High
FBgn0030052	<i>CG12065</i>	High	None	Q8MRM6	279747.601	1375997.625	4.919	2.298	0.0460	641	71.1	5	X	Peak Found	High
FBgn0053470	<i>CG33470; IM10; IMPPP</i>	High	Master Protein	Q8ML70	3874.029	38433.805	9.921	3.310	0.0377	257	28	1	2R	Peak Found	High
FBgn0035499	<i>Chd64</i>	High	None	M9PE30	6518473.696	32604473.558	5.002	2.322	0.0003	175	19.4	25	3L	High	High
FBgn0025352	<i>Mtpβ</i>	High	Master Protein	O77466	60337.865	605581.250	10.037	3.327	0.0340	469	50.6	1	2R	Peak Found	High
FBgn0086346	<i>ALIX</i>	High	Master Protein	Q9VB05	77987.759	397127.230	5.092	2.348	0.0169	836	92.5	2	3R	Peak Found	High
FBgn0260442	<i>rhea</i>	High	None	M9NDM3	1072195.987	5647432.310	5.267	2.397	0.0350	2169	235.1	31	3L	High	High
FBgn0004397	<i>Vinc</i>	High	Master Protein	X2JAB9	741152.635	3905646.674	5.270	2.398	0.0224	961	106.2	12	X	High	High
FBgn0021760	<i>chb</i>	High	Master Protein	Q9NBD7	31028.359	169383.656	5.459	2.449	0.0329	1491	165.5	2	3L	Peak Found	High
FBgn0262567	<i>CG43107</i>	High	Master Protein	D0IQC0	9607.135	107383.602	11.177	3.483	0.0174	63	6.8	1	2R	Peak Found	Peak Found
FBgn0013733	<i>shot</i>	High	Master Protein	A1Z9J3	28039.734	350253.043	12.491	3.643	0.0138	8805	988.9	2	2R	Peak Found	High
FBgn0033446	<i>CG1648</i>	High	Master Protein	Q7K2P3	775279.577	5030252.721	6.488	2.698	0.0201	230	23.8	18	2R	High	High
FBgn0262735	<i>Imp</i>	High	Master Protein	Q0KHU2	88808.606	580638.375	6.538	2.709	0.0201	631	69.4	3	X	Peak Found	High
FBgn0022709	<i>Adk1</i>	High	Master Protein Candidate	Q9VTV3	17311.554	113919.848	6.581	2.718	0.0072	201	21.9	1	3L	Peak Found	High
FBgn0086906	<i>sis</i>	High	None	R4UAY6	23315.416	308855.279	13.247	3.728	0.0122	662	74.6	2	3L	High	High
FBgn0010909	<i>msn</i>	Medium	None	Q7KV90	7461.706	102635.387	13.755	3.782	0.0121	1200	130.3	1	3L	Peak Found	High

Peptide therapy for tumor suppression in *Drosophila*

FBgn0036580	<i>PDCD-5</i>	High	Master Protein	Q9VUZ8	11643.499	169815.949	14.585	3.866	0.0111	133	15.1	2	3L	Peak Found	Peak Found
FBgn0051901	<i>Mur29B</i>	Medium	Master Protein Candidate	Q8MS63	22220.121	166646.781	7.500	2.907	0.0366	339	35.7	1	2L	High	High
FBgn0265434	<i>zip</i>	High	None	A0A0B4JD95	3745790.734	28852286.631	7.703	2.945	0.0010	1964	226.6	67	2R	High	High
FBgn0005666	<i>bent</i>	High	None	O76281	284599.331	2219016.392	7.797	2.963	0.0385	6658	743	15	4	Peak Found	High
FBgn0262716	<i>Arp3; Arp66B</i>	High	Master Protein	P32392	91762.304	725246.529	7.904	2.982	0.0397	418	47	4	3L	High	High
FBgn0053113	<i>Rtn1</i>	High	Master Protein Candidate	Q9VMV9	594076.854	5048772.010	8.499	3.087	0.0238	595	63.9	9	2L	High	High
FBgn0085282	<i>CG34253</i>	High	Master Protein	A8JNV2	26812.808	228363.336	8.517	3.090	0.0221	112	12.5	1	3L	Peak Found	High
FBgn0265434	<i>zip</i>	High	None	J7JVR0	1687952.657	14541350.003	8.615	3.107	0.0003	1425	164.4	39	2R	High	High
FBgn0016726	<i>RpL29</i>	High	Master Protein	B7FNL1	732637.288	6371885.220	8.697	3.121	0.0452	85	10	6	2R	High	High
FBgn0029766	<i>CG15784</i>	High	Master Protein	Q9W4C1	151556.702	1363172.164	8.994	3.169	0.0261	554	62.3	5	X	High	High
FBgn0038774	<i>CG5023</i>	High	Master Protein	Q9I7J0	580277.645	5744084.078	9.899	3.307	0.0314	169	19.1	9	3R	High	High
FBgn0001217	<i>Hsc70-2</i>	High	Master Protein	P11146	34573.184	694860.797	20.098	4.329	0.0135	633	69.7	3	3R	Peak Found	High
FBgn0051363	<i>CG31363</i>	High	Master Protein	B5RJ67	30460.900	612434.938	20.106	4.330	0.0112	230	24.4	1	3R	Peak Found	High
FBgn0000043	<i>Act42A</i>	High	Master Protein	P02572	13317.133	326000.129	24.480	4.614	0.0155	376	41.8	37	2R	Peak Found	High
FBgn0004227	<i>nonA</i>	High	Master Protein	Q8IR16	51621.380	664389.951	12.870	3.686	0.0092	742	81.9	5	X	High	High
FBgn0011225	<i>jar</i>	High	Master Protein	Q01989	32407.746	421589.398	13.009	3.701	0.0170	1253	143.2	6	3R	Peak Found	High
FBgn0034709	<i>CG3074; Swim</i>	High	Master Protein	Q7JWQ7	582800.990	7699009.721	13.210	3.724	0.0014	431	48.8	11	2R	High	High
FBgn0031436	<i>CG3214; ND-B17.2</i>	High	Master Protein	Q9VQD7	13005.392	404752.090	31.122	4.960	0.0032	142	16.8	2	2L	High	High
FBgn0000639	<i>Fbp1</i>	High	Master Protein Candidate	M9PFK6	2941545.182	75592.226	0.026	-5.282	0.0184	1027	119.4	15	3L	High	Peak Found
FBgn0033297	<i>Mal-A8</i>	High	Master Protein Candidate	H5V882	145483.008	4449.611	0.031	-5.031	0.0020	597	68.1	1	2R	High	Peak Found
FBgn0010497	<i>dmGlut; I(2)01810</i>	Medium	Master Protein Candidate	Q95R95	217644.070	7972.730	0.037	-4.771	0.0143	165	17.7	1	2L	High	Peak Found
FBgn0004426	<i>LysC</i>	High	None	P83971	1020142.977	101441.592	0.099	-3.330	0.0171	140	15.6	2	3L	High	Peak Found
FBgn0031141	<i>CG1304</i>	High	None	Q9VRD1	1379758.828	251684.488	0.182	-2.455	0.0240	260	27.8	1	X	High	High
FBgn0004427	<i>LysD</i>	High	Master Protein Candidate	P83972	2366383.414	523926.295	0.221	-2.175	0.0126	140	15.6	3	3L	High	High
FBgn0004425	<i>LysB</i>	High	Master Protein Candidate	Q08694	2366383.414	523926.295	0.221	-2.175	0.0126	140	15.6	3	3L	High	High
FBgn0004428	<i>LysE</i>	High	Master Protein	P37159	2366383.414	523926.295	0.221	-2.175	0.0126	140	15.5	3	3L	High	High
FBgn0034662	<i>CG13492</i>	High	Master Protein	Q8MLU9	1715613.215	393704.303	0.229	-2.124	0.0428	2979	321.1	12	2R	High	High
FBgn0040349	<i>CG3699</i>	High	Master Protein Candidate	Q9U1L2	6207241.123	1490634.446	0.240	-2.058	0.0024	251	26	12	X	High	High

Table S3: Interacting partners belonging to the Hippo pathway for proteins with $\geq \log_2 2$ fold change in *esg^{ts}>yki^{3SA}* driven ISC tumors.

Protein	Fold change (\log_2 fold)	T Test P value		Uniprot	§Hippo protein-protein interaction network	
					Protein-and-Hippo pathway member	Score
Cora	2.2604	0.0047	High	A0A0B4LFX4	Cora \leftrightarrow Ft	1*
Mtb- β	3.3272	0.0340	Peak Found	O77466	Mtb- β \leftrightarrow Ft	0.99*
Msn	3.7819	0.0121	Peak Found	Q7KV90	Msn \leftrightarrow Ft	1*
nonA	3.6860	0.0092	High	Q8IR16	nonA \leftrightarrow Ex	0.82*
Jar	3.7014	0.0170	Peak Found	Q01989	Jar \leftrightarrow Wts	0.89*
Talin	2.0383	0.0264	High	Q960C2	Talin \leftrightarrow Yki	0.33
Vinc	2.2184	0.0188	High	Q24584	Vinc \leftrightarrow Ft	0.36
Chd64	2.3225	0.0003	High	M9PE30	Chd64 \leftrightarrow Yki	0.01
Mtb- β	3.3272	0.0340	Peak Found	O77466	Mtb- β \leftrightarrow Wts	0.1
Arp3	2.9825	0.0397	High	P32392	Arp3 \leftrightarrow Wts	0.21
Rtnl1	3.0872	0.0238	High	Q9VMV9	Rtnl1 \leftrightarrow Ft	0.38
nonA	3.6860	0.0092	High	Q8IR16	nonA \leftrightarrow Wts	0.28

§Kwon *et al.* (1). *Statistically significant interactions

Table S4: Gene Ontology (GO) analysis of enriched proteins in *esg^{ts}>yki^{3SA}* driven ISC tumors.

MOLECULAR FUNCTION		§ GO classes	Gene Numbers	% representation	% representation
	1	binding (GO:0005488)	7	19.40%	29.20%
	2	structural molecule activity (GO:0005198)	6	16.70%	25.00%
	3	molecular function regulator (GO:0098772)	1	2.80%	4.20%
	4	catalytic activity (GO:0003824)	10	27.80%	41.70%
BIOLOGICAL PROCESS					
	1	response to stimulus (GO:0050896)	2	5.60%	7.40%
	2	cellular process (GO:0009987)	11	30.60%	40.70%
	3	multicellular organismal process (GO:0032501)	1	2.80%	3.70%
	4	metabolic process (GO:0008152)	6	16.70%	22.20%
	5	biological regulation (GO:0065007)	2	5.60%	7.40%
	6	localization (GO:0051179)	4	11.10%	14.80%
	7	biological adhesion (GO:0022610)	1	2.80%	3.70%
CELLULAR COMPONENT					
	1	organelle (GO:0043226)	9	25.00%	45.00%
	2	extracellular region (GO:0005576)	1	2.80%	5.00%
	3	cell (GO:0005623)	10	27.80%	50.00%
PROTEIN CLASSES					
	1	transmembrane receptor regulatory/adaptor protein (PC00226)	1	2.80%	4.20%
	2	hydrolase (PC00121)	5	13.90%	20.80%
	3	cell junction protein (PC00070)	1	2.80%	4.20%

Peptide therapy for tumor suppression in *Drosophila*

	4	enzyme modulator (PC00095)	6	16.70%	25.00%
	5	nucleic acid binding (PC00171)	3	8.30%	12.50%
	6	transferase (PC00220)	1	2.80%	4.20%
	7	receptor (PC00197)	1	2.80%	4.20%
	8	cytoskeletal protein (PC00085)	5	13.90%	20.80%
	9	structural protein (PC00211)	1	2.80%	4.20%
PATHWAYS					
	1	Gonadotropin-releasing hormone receptor pathway (P06664)	1	2.80%	4.30%
	2	Cadherin signaling pathway (P00012)	1	2.80%	4.30%
	3	De novo purine biosynthesis (P02738)	1	2.80%	4.30%
	4	Axon guidance mediated by Slit/Robo (P00008)	1	2.80%	4.30%
	5	Apoptosis signaling pathway (P00006)	1	2.80%	4.30%
	6	Integrin signalling pathway (P00034)	5	13.90%	21.70%
	7	Angiogenesis (P00005)	1	2.80%	4.30%
	8	Alzheimer disease-presenilin pathway (P00004)	1	2.80%	4.30%
	9	Inflammation mediated by chemokine and cytokine signaling pathway (P00031)	2	5.60%	8.70%
	10	Huntington disease (P00029)	1	2.80%	4.30%
	11	Parkinson disease (P00049)	1	2.80%	4.30%
	12	Ras Pathway (P04393)	1	2.80%	4.30%
	13	Cytoskeletal regulation by Rho GTPase (P00016)	3	8.30%	13.00%
	14	Nicotinic acetylcholine receptor signaling pathway (P00044)	3	8.30%	13.00%

^sGO enrichment was determined using PANTHER (<http://www.pantherdb.org/>).

Table S5: Status of integrin pathway members in *esg^{ts}>yki^{3SA}* driven ISC tumors.

Gene ID	Pathway member	Fly base ID	Proteomics (log ₂ fold). Current study	^s RNAseq (log ₂ fold)
<i>scb/aPS3</i>	Integrin receptor	FBgn0003328	2.6069 (UP, P=0.270)	3.2797 (UP)
<i>rhea</i>	Adaptor	FBgn0260442	2.3970 (UP, P=0.035)	2.4646 (UP)
<i>Ilk</i>	Kinase and Scaffold protein	FBgn0028427	2.0724 (UP, P=0.056)	1.6871 (UP)
<i>Pax</i>	Scaffold protein	FBgn0041789	6.0551 (UP, P=0.051)	1.6507 (UP)
<i>Vinc</i>	Scaffold protein	FBgn0004397	2.3977 (UP, P=0.022)	2.8706 (UP)
<i>vkg</i>	Basemen Membrane	FBgn0016075	1.8255 (UP, P=0.014)	2.5527 (UP)
<i>Rho1</i>	GTPase	FBgn0014020	2.2840 (UP, P=0.018)	2.3794 (UP)
<i>Act42A</i>	Cytoskeleton	FBgn0000043	4.6013 (UP, P=0.1934)	5.1188 (UP)
<i>mew/alpha-PS1</i>	Integrin receptor	FBgn0004456	not found	3.3184 (UP)
<i>mys/betaPS1</i>	Integrin receptor	FBgn0004657	not found	3.7469 (UP)
<i>if/alphaPS2</i>	Integrin receptor	FBgn0001250	not found	0.3507
<i>Itgbn/Itgbetanu</i>	Integrin receptor	FBgn0010395	not found	0.1434
<i>LanA</i>	Ligand	FBgn0002526	not found	3.0021 (UP)
<i>wb/LanA1</i>	Ligand	FBgn0261563	not found	2.0211 (UP)
<i>LanB1</i>	Ligand	FBgn0261800	not found	2.4286 (UP)

^s Song *et al.* (2).

Table S6: Putative Yki-Sd binding sites in regulatory regions of genes with $>\log_2$ fold change in protein levels $esg^{ts}>yki^{3SA}$ driven ISC tumors.

Fly base ID	Gene Symbol	Fold enrichment in $esg^{ts}>yki^{3SA}$ tumors	Chromosome	[§] Yki-Sd binding site from TSS
FBgn0261276	<i>opa1</i>	2.0059	2R	-690*
FBgn0000562	<i>egl</i>	2.0314	2R	-9.5
FBgn0035498	<i>Fit1</i>	2.0548	3L	-317
FBgn0035793	<i>CG7546</i>	2.0985	3L	-533, 193
FBgn0030955	<i>CG6891</i>	2.1608	X	-682; -316; 456
FBgn0015379	<i>dod</i>	3.2079	X	-29.5
FBgn0000667	<i>Actn</i>	2.2432	X	233.5
FBgn0010434	<i>cora</i>	2.2604	2R	346.5
FBgn0014020	<i>Rho1</i>	2.2840	2R	22.5; 1058.5
FBgn0030052	<i>CG12065</i>	2.2983	X	87; 647.5
FBgn0035499	<i>Chd64</i>	2.3225	3L	57.5
FBgn0025352	<i>Mtpbeta</i>	3.3272	2R	-129
FBgn0021760	<i>chb</i>	2.4486	3L	-100; 92; 841
FBgn0013733	<i>shot</i>	3.6429	2R	94; -421.5; -1118.5; 7211; 839; 503; -114.5
FBgn0033446	<i>CG1648</i>	2.6978	2R	1867
FBgn0010909	<i>msn</i>	3.7819	3L	446; -30.5
FBgn0053113	<i>Rtnl1</i>	3.0872	2L	-599.5; -308.5; -1035.5; 90.5
FBgn0016726	<i>Rpl-29B</i>	3.1205	2R	-77
FBgn0000043	<i>Act42A</i>	4.6135	2R	-52; -365
FBgn0011225	<i>jar</i>	3.7014	3R	-562.5
FBgn0028427	<i>ilk</i>	2.0724	3L	-4.5
FBgn0041789	<i>Pax</i>	6.0551	2L	-19
FBgn0004397	<i>vinc</i>	2.3977	X	64.5; -614
FBgn0004456	<i>mew</i>	not found	X	-185
FBgn0004657	<i>alphaPS2</i>	not found	X	630.5; 1586; 1995.5
FBgn0010395	<i>ltgbeta nu</i>	not found	2L	-110
FBgn0002526	<i>lanA</i>	not found	3L	-569.5; -1244

[§]Nagaraj *et al.* (3).

Table S7: Change in levels of proteins in TONDU peptide-treated $esg^{ts}>yki^{3SA}$ driven ISC tumors.

Fly base ID	Gene symbol	FDR confidence	UniProt Accession	TREATED	
				Abundance Ratio.	T-Test (p value)
FBgn0261276	<i>opa1</i>	High	F0JAH2	-0.9677	0.0612
FBgn0000562	<i>egl</i>	Medium	Q9W1K4	Not found	Not found
FBgn0260442	<i>rhea</i>	High	Q960C2	-0.9850	0.6182
FBgn0035498	<i>Fit1</i>	High	Q9VZI3	-1.3108	0.4323
FBgn0035793	<i>CG7546</i>	High	M9PBU3	-1.9655	0.0057
FBgn0030955	<i>CG6891</i>	High	Q8MQZ6	-2.5940	0.0034
FBgn0013437	<i>GIP</i>	High	P04146	-2.1634	0.0034
FBgn0265991	<i>Zasp52</i>	High	G3JX29	-1.2146	0.1208
FBgn0015379	<i>dod</i>	High	P54353	not found	Not found
FBgn0000667	<i>Actn</i>	High	M9MS06	-1.3641	0.0427
FBgn0010434	<i>cora</i>	High	A0A0B4LFX4	-1.0595	0.0051
FBgn0014020	<i>Rho1</i>	High	P48148	-0.8551	0.0536

FBgn0030052	CG12065	High	Q8MRM6	-1.5401	0.0876
FBgn0053470	CG33470; IM10; IMPPP	High	Q8ML70	-0.7563	0.4986
FBgn0035499	Chd64	High	M9PE30	-1.2033	0.0076
FBgn0025352	Mtpbeta	High	O77466	-2.3300	0.0139
FBgn0086346	ALIX	High	Q9VB05	-2.3246	0.0151
FBgn0260442	rhea	High	M9NDM3	-1.2592	0.0478
FBgn0004397	Vinc	High	X2JAB9	-1.3361	0.0365
FBgn0021760	chb	High	Q9NBD7	-2.1663	0.0263
FBgn0262567	CG43107	High	D0IQC0	-1.6068	0.1094
FBgn0013733	shot	High	A1Z9J3	not found	Not found
FBgn0033446	CG1648	High	Q7K2P3	-1.2957	0.0316
FBgn0262735	Imp	High	Q0KHU2	-1.6114	0.0313
FBgn0022709	Adk1	High	Q9VTV3	-1.5700	0.0068
FBgn0086906	sls	High	R4UAY6	-1.2668	0.0439
FBgn0010909	msn	Medium	Q7KV90	-0.9091	0.0273
FBgn0036580	PDCD-5	High	Q9VUZ8	-1.1028	0.3096
FBgn0051901	Mur29B	Medium	Q8MS63	-1.0776	0.0244
FBgn0265434	zip	High	A0A0B4JD95	-1.1648	0.0140
FBgn0005666	bt	High	O76281	-2.5538	0.0038
FBgn0262716	Arp3; Arp66B	High	P32392	-1.1503	0.0234
FBgn0053113	Rtnl1	High	Q9VMV9	-1.2851	0.0129
FBgn0085282	CG34253	High	A8JNV2	-0.4406	0.0846
FBgn0265434	zip-RC	High	J7JVR0	-1.1466	0.0063
FBgn0016726	Rpl-29B	High	B7FNL1	-1.8229	0.1047
FBgn0029766	CG15784	High	Q9W4C1	-2.6531	0.0395
FBgn0038774	CG5023	High	Q9I7J0	-1.3464	0.0059
FBgn0001217	Hsc70-2	High	P11146	-1.5196	0.0343
FBgn0051363	Jupiter-RD	High	B5RJ67	not found	not found
FBgn0000043	Act42A	High	P02572	-3.6540	0.0297
FBgn0004227	nonA	High	Q8IR16	-0.8528	0.0079
FBgn0011225	jar	High	Q01989	-0.3926	0.4731
FBgn0034709	CG3074; Swim	High	Q7JWQ7	-1.6677	0.0054
FBgn0031436	CG3214; ND-B17.2	High	Q9VQD7	-0.3077	0.4512

REFERENCES

1. Kwon Y, *et al.* (2013) The Hippo signaling pathway interactome. *Science* 342(6159):737-740.
2. Song W, *et al.* (2019) Tumor-Derived Ligands Trigger Tumor Growth and Host Wasting via Differential MEK Activation. *Dev Cell* 48(2):277-286 e276.
3. Nagaraj R, *et al.* (2012) Control of mitochondrial structure and function by the Yorkie/YAP oncogenic pathway. *Genes Dev* 26(18):2027-2037.