Title: Minimal system for assembly of SARS-CoV-2 virus like particles

Authors:

Heather Swann^{1,2*}, Abhimanyu Sharma^{2*}, Benjamin Preece^{1,2}, Abby Peterson^{1,2}, Crystal Eldridge^{1,2}, David M. Belnap^{3,4}, Michael Vershinin^{1,2,3,†} and Saveez Saffarian^{1,2,3,†}

Affiliations:

¹ Center for Cell and Genome Science, University of Utah

² Department of Physics and Astronomy, University of Utah

³ School of Biological Sciences, University of Utah

⁴ Department of Biochemistry, University of Utah

[†] Corresponding authors: Vershinin@Physics.utah.edu and Saffarian@Physics.Utah.edu

*These authors contributed equally to this work

Abstract

SARS-CoV-2 virus is the causative agent of COVID-19. Here we demonstrate that non-infectious SARS-CoV-2 virus like particles (VLPs) can be assembled by co-expressing the viral proteins S, M and E in mammalian cells. The assembled SARS-CoV-2 VLPs possess S protein spikes on particle exterior, making them ideal for vaccine development. The particles range in shape from spherical to elongated with a characteristic size of 129 ± 32 nm. We further show that SARS-CoV-2 VLPs dried in ambient conditions can retain their structural integrity upon repeated scans with Atomic Force Microscopy up to a peak force of 1 nN.

Main

COVID-19 is a pandemic disease caused by infection of SARS-CoV-2 virus ¹. With more than 5 million cases confirmed and a death toll exceeding several hundred thousand individuals, a search for antiviral therapies as well as vaccine candidates is of utmost urgency. Non-infectious virus like particles (VLPs) displaying essential viral proteins can be used to study the structural properties of the SARS-CoV-2 virions and due to their maximum immunogenicity are also vaccine candidates ^{2, 3}. VLPs are released from cells with similar mechanisms as fully infectious virions and resemble the shape and composition of fully infectious virions ⁴. Most Coronaviruses are pathogens of zoonotic nature with different viruses infecting avian (IBV), bovine (BCoV), porcine (TGEV), feline (FIPV) and murine(MHV) ⁴ species. There is evidence that Bat-SARS-CoV is the origin of the SARS-CoV virus which first appeared in human hosts in 2003 ⁵. The genome of SARS-CoV-2 has ~90% similarity to genome of coronaviruses previously identified in bat populations in China ^{1, 6}.

Expression of E and M proteins of TGEV result in release of VLPs with similar sizes to wild type TGEV ⁷. Similar results are reported for IBV ⁸. Similarly, expression of M, E and S proteins are shown to result in release of morphologically

identical particles to wild type SARS-CoV virus ^{9, 10}. It is known that TGEV VLPs can induce an IFN α response in their hosts ⁷. More recently human MERS-CoV VLPs were also shown to elicit an immune response and serve as vaccine candidates ¹¹.

Given the similarities between SARS-CoV-2 and SARS-CoV viruses ^{1, 12}, we set out to create SARS-CoV-2 VLPs by expressing S, M and E proteins of SARS-CoV-2 in mammalian cells. We then tested the structural integrity of the SARS-CoV-2 VLPs attached to dry glass using Atomic Force Microscopy (AFM), since SARS-CoV-2 virions have been reported to survive on solid surfaces in dry conditions for many hours ¹³.

Methods

Plasmid preparation and VLP harvest. SARS-CoV-2 M, S and E protein genes were identified from the full genome sequence of the virus ¹, these genes were then humanized and inserted in CMV driven mammalian expression vectors (see supplement for complete plasmid sequences). 24 hours after transfecting a monolayer of 293T cells with a cocktail of S, M and E plasmids, VLPs were harvested from the supernatant (see supplement for further details). The supernatant was filtered using 0.2 μ m filter and VLPs were captured in a 40-10% sucrose step gradient and concentrated using AMICON spin filters (UFC901008, EMD Millipore, Burlington, MA). Total protein yield for purified VLP stock varied somewhat but was typically above 5 mg/mL. The purified VLPs were stable for at least a week when stored at ~ 4 °C.

Immunogold electron microscopy. VLPs were incubated with 1:1000 dilution of anti-S antibody (clone 1A9, GTX632604, GeneTex, Irvine, CA) and 1:5 dilution of goat anti-mouse IgG nanogold conjugates (BBI solutions, Crumlin, UK, distributed by TedPella, Redding, CA, cat # 15753). Negative stain electron microscopy was performed on VLPs by applying 3.5 μ L of VLPs to a glow-discharged formvar-carbon coated EM grid (Ted Pella, Redding, CA) followed by two de-ionized water washes and staining with 1% uranyl acetate. Imaging was performed in a JOEL JEM1400-Plus microscope with an accelerating voltage of 120 keV.

Western Blot analysis. After triple washing the cells with PBS, 293T cells were suspended in 100 μ L of RIPA buffer (sc-24948, Santa Cruz, Dallas, Texas). 10 μ L of VLPs or cell extracts were then denatured by Laemmli sample buffer (BioRad, Hercules, CA) with 5% BME and boiled at 95°C for 10min. The proteins were separated by SDS-PAGE and then transferred to a PVDF membrane (Millipore, Burlington, Massachusetts). Membranes were stained with 1:1000 dilution of Anti-SARS-CoV S Δ 10 antibody ([1A9], GenTex, Irvine, CA) along with 1:1000 dilution of Anti-Membrane Protein (2019-nCoV) Polyclonal Antibody (NCV-M-005, eEnzyme, Gaithersburg, MD) and then immunoprobed with appropriate infrared secondary antibody. Both antibodies were confirmed to be specific to intended antigens (Fig. S3) Membrane was scanned with the Odyssey infrared imaging system (LI-COR, Lincoln, NE) according to the manufacturer's manual instruction at 700nm and 800nm.

AFM sample prep and experiments. AFM experiments were performed using Dimension Icon AFM with an MLCT-BIO-DC probe (Bruker, Santa Barbara, CA, USA) in PeakForce QNM in air mode at room temperature. Glass coverslips were functionalized with anti-S antibody as follows. Glass was first cleaned and functionalized with biotin-PEG-silane as previously described ¹⁵. The surfaces were then incubated with neutravidin (Thermo Scientific Pierce Protein Biology, Waltham, MA, USA) followed by a brief dd-H₂O wash to get rid of excess neutravidin and incubation with biotinylated anti-S antibody (11-2001-B, Abeomics, San Diego, CA, USA). Surfaces thus prepared were generally devoid of debris but sometimes had step-edge character suggesting that antibody coating was less than a full monolayer (Figure S4). The

VLPs suspended in assay buffer were then incubated with the functionalized surface and finally washed away via brief buffer exchange with dd-H₂O followed by drying under Nitrogen gas flow. All incubations lasted 30 minutes at room temperature. Assay buffer: PBS, pH 7.

Results

VLP purifications were first assessed biochemically. Figure 1 (see also Figure S1) shows western blot analysis of cell extracts as well as of purified VLPs. The isolated VLPs have both M and S proteins as identified in western blots. S protein appears more highly enriched in cells vs VLPs suggesting that not all expressed S protein is released on VLPs. The isolated VLPs were further analyzed by running a 10-40% sucrose gradient and sequential fractionation. VLPs were found to be within the density of 20-25% sucrose (Figure S2). S protein bands show a cleavage product which runs at a lower molecular weight from full S protein as shown in Figure 1 and more clearly visible in Figure S2. In addition both S protein as well as M protein form complexes which survive during western blot analysis and run at considerably higher molecular weight; successive dilutions results in breakup of these higher molecular weight fractions to respective monomeric bands for each protein (Figure S3).

We further characterized the purified VLPs via electron microscopy. Figure 2 shows a representative image of the electron micrographs with the immobilized VLPs on the EM grids. VLPs can be identified via specific nanogold immunolabeling. Notably, nanogold labels not only decorate the VLPs but also proximal areas, suggestive of S protein dissociating from VLPs during surface deposition. The SARS-CoV-2 VLPs we have characterized have a size distribution of 129 ± 32 nm, consistent with the general characterization of prior coronaviruses with size distributions of 100 - 200 nanometers⁴. This is also consistent with prior reports for SARS-CoV VLPs, which were characterized with cryotomography and have size distribution of 79 – 224 nm (shape reportedly varied from nearly spherical to ellipsoidal with a 2 to 1 aspect ratio⁹). Our measured VLPs are also consistent with limited electron microscopy data available for the fully infectious SARS-CoV-2 virions observed in patient samples¹⁴.

The structural integrity of VLPs can inform their practical applications as well as serve as an estimate of the stability of fully infectious SARS-CoV-2 virions. We therefore further characterized the VLPs on functionalized surfaces with atomic force microscopy (AFM) (Fig. 3 and Figure S5 & S6). VLPs were independently imaged on multiple occasions, originating from multiple purification batches. The observed surface density was as high as ~100 per 10 μ m square field of view for high-yield VLP batches. VLPs appeared as approximately spherically symmetric particles whose lateral diameter was in excess of 200 nm while heights of the particles varied between 50 nm and 60 nm. These shapes are consistent with VLP dimensions broadened laterally by imaging forces and tip curvature and reduced somewhat in height due to surface adhesion and possibly imaging forces. Although detailed characterization is subject of future work, we found that repeated imaging of VLPs with peak force of 1 nN led to gradual particle deformations: reduced particle heights and non-circular lateral cross-sections – consistent with VLP bursts (Figure 3C and Figure S6). This force is within the range of previously reported values (0.5-5 nN) for bursting various virus capsids^{16, 17} although most prior work has been done in liquid. Our observations represent an upper estimate of the rupture force for SARS-CoV-2. This demonstrates that SARS-CoV-2 VLPs can be disrupted by direct application of moderate mechanical perturbations and open the door for future studies of VLP mechanics and integrity.

Discussion

Expression of just M, S, and E proteins (Figure 1) was sufficient for release of VLPs which were structurally competent for

both harvesting and subsequent investigations (Fig 2 and 3). These results open the door for many further studies. They can serve as immunogenic agents in place of the full infectious virus. The VLPs can also serve to study virus interactions with proteins of interest (e.g. receptors) - to date most such studies were only possible at the single protein level or in the context of the infectious virus. In addition, artificial VLPs can now be used to study the mechanical properties of the SARS-CoV-2 virus as well as their dependence on environmental conditions. Finally, VLPs can also be used to develop and validate novel testing strategies for SARS-CoV-2. The expression methodology is robust and should require no modifications to create VLPs for most S, M, and E mutations found in native conditions ¹⁸.

Availability

For expediency, genetic material in this work is published in the supplement and is available from the authors upon request. The authors will deposit the genetic material with Addgene.

Acknowledgements

This study is supported by the NSF RAPID 2026657 award to MV and SS.

Author contributions

HS performed the biochemical characterization AS performed the AFM characterization, BP, AP and CE created reagents, DB performed the electron microscopy characterization, MV and SS designed the research and wrote the manuscript.

Competing financial interests The authors declare no financial conflicts of interest.

Figures:

Figure 1. VLP expression and characterization using western blots. (a) Schematic representation of transfection and VLP harvest. (b) Western blot analysis of cells as well as VLPs separated as explained in methods. The gel was performed simultaneously, scanned at 700 nm and 800 nm, then superimposed using ImageJ (NIH) color merge for greater clarity, followed by cropping and minimal contrast enhancement. S protein (red) and M protein (green) are seen in two middle lanes. S protein tends to aggregate at very high concentrations (Fig. S2) resulting in smeared signal above 250 kD. S protein cleavage product is seen at 75 kD however the band is better visible when imaging channels are shown separately (Fig. S6). Protein size standards are described in Methods and are seen in leftmost and rightmost lanes. All size standard bands are also annotated on the left.

Figure 2. Negative stain electron microscopy reveals SARS-CoV-2 VLPs specifically labeled with immunogold.
Scale bar : 100 nm .

Figure 3. VLP surface immobilization and imaging. (a) Schematic of VLP-surface attachment strategy (bottom to top): glass surfaces were functionalized with Biotin-PEG-Silane, then neutravidin, then biotinylated anti-S antibody which then allowed for the capture of purified VLPs. VLP imaging showed initially symmetric particles (b) which developed prominent deformations likely indicative of bursts upon repeated AFM imaging with 1 nN peak force (c).

References:

1. Wu, F. et al. *Nature* (2020).
2. Prompetchara, E., Ketloy, C. & Palaga, T. *Asian Pac J Allergy Immunol* **38**, 1-9 (2020).
3. Zumla, A., Chan, J.F.W., Azhar, E.I., Hui, D.S.C. & Yuen, K.-Y. *Nat Rev Drug Discov* **15**, 327-347 (2016).
4. Masters, P.S. in *Advances in Virus Research*, Vol. 66 193-292 (Academic Press, 2006).
5. Lau, S.K.P. et al. *Proc. Natl. Acad. Sci. U. S. A.* **102**, 14040-14045 (2005).
6. Hu, D. et al. *Emerg Microbes Infect* **7**, 154-154 (2018).
7. Baudoux, P., Carrat, C., Besnardeau, L., Charley, B. & Laude, H. *Journal of Virology* **72**, 8636-8643 (1998).
8. Corse, E. & Machamer, C.E. *Journal of Virology* **74**, 4319-4326 (2000).
9. Neuman, B.W. et al. *Journal of Structural Biology* **174**, 11-22 (2011).
10. Mortola, E. & Roy, P. *FEBS Lett* **576**, 174-178 (2004).
11. Wang, C. et al. *Oncotarget* **8**, 12686-12694 (2017).
12. Marra, M.A. et al. *Science* **300**, 1399-1404 (2003).
13. Chin, A.W.H. et al. *The Lancet Microbe* **1**, e10 (2020).
14. Kim, J.-M. et al. *Osong Public Health Res Perspect* **11**, 3-7 (2020).
15. Hodges, J.A. & Saffarian, S. *JoVE*, e51366 (2014).
16. Ivanovska, I.L. et al. *Proc. Natl. Acad. Sci. U. S. A.* **101**, 7600-7605 (2004).
17. Xu, X., Carrasco, C., de Pablo, P.J., Gomez-Herrero, J. & Raman, A. *Biophysical Journal* **95**, 2520-2528 (2008).
18. Korber, B. et al. *bioRxiv*, 2020.2004.2029.069054 (2020).

SUPPLEMENTARY INFORMATION

FOR

MINIMAL SYSTEM FOR ASSEMBLY OF SARS-COV-2 VIRUS LIKE PARTICLES

Authors:

Heather Swann^{1,2*}, Abhimanyu Sharma^{2*}, Benjamin Preece^{1,2}, Abby Peterson^{1,2}, Crystal Eldridge^{1,2}, David M. Belnap^{3,4}

Michael Vershinin^{1,2,3,†} and Saveez Saffarian^{1,2,3,†}

Affiliations:

¹ Center for Cell and Genome Science, University of Utah

² Department of Physics and Astronomy, University of Utah

³ School of Biological Sciences, University of Utah

⁴ Department of Biochemistry, University of Utah

[†] Corresponding authors: Vershinin@Physics.utah.edu and Saffarian@Physics.Utah.edu

*These authors contributed equally to this work

Materials and Methods

Cell Culture:

Cells from the human embryonic kidney 293T cell line were maintained in T-25 flasks using TrypLE Express Enzyme (Gibco) and DMEM with L-Glutamine, 4.5g/L glucose and sodium pyruvate (Corning) supplemented with 10% fetal bovine serum (Gibco). The cells were incubated at 37°C. Once over 90% confluent, the 293T cells were plated onto 100 mm tissue culture dishes with 10 mL of medium which would be ready for transfection the next day.

Transfection and VLP harvest:

When the 293T cells were at 50% confluent in the 100 mm dishes, they were co-transfected with 29.5 µg of humanized membrane in pCDNA3.1, 5.9 µg of humanized spike in pCDNA3.1, and 5.9 µg of humanized envelope in pCDNA3.1 (GenScript). This transfection was carried out using 600 mL of Opti-MEM Reduced Serum Medium (Gibco) and 40 mL of Lipofectamine 2000 (Thermo Fisher Scientific). The cells were incubated at 37°C in 9 mL of Full DMEM with FBS supplementation for 24 hours.

Western Blot protocol:

The specificity of the western blot antibodies are tested as shown in Figure S. the detailed protocol for western blot analysis is below:

1. Add sample buffer to the harvest. Add it in 1:1 ratio, i.e., 10ul sample+10ul buffer
2. Heat at 95°C for 5mins, while waiting set the gel.
3. After 5mins, quick spin the sample and start loading the gel
4. Run gel with running buffer at 90volt for 5mins and then at 160volt for 40mins or till the sample reaches the bottom of the gel
5. Prepare membrane and activate the PVDF membrane by methanol for 5mins. Put the foam and gel-blotting paper in transfect buffer for 5min. (2 foams and 4 blotting papers per gel)
6. Take out the gel and put it in transfer buffer
7. Wash the membrane with transfer buffer once before assembly
8. After you make the assembly stack run with transfer buffer at 35 volt (per gel) for 60mins
9. After the run, place the gel in a box with 7ml blocking buffer for 1hr
10. Add primary antibody with required dilution in 7 ml blocking buffer
11. Incubate overnight
12. Wash with PBS-Tween (2 times 15mins each)
13. Then add secondary antibody 1:20000. So, 0.25ul into 5ml of blocking buffer and keep for 45mins-1hr max and then again wash it with PBS-Tween (2 times 15mins each) and then with 15mins with PBS
14. Then visualize

Imaging:

Licor Odyssey – I would need to double check the model if we need that information but I believe it is model 9120. You are correct that we image at 700 and 800 nm channels. We imaged at 0.0 mm focus offset. The image in Figure 1 was imaged at “highest quality” setting

Figure S1. The data in Fig. 1B with channels separated. Here, no cropping or contrast adjustment was done. The original 16-bit TIF format images were resaved in 8-bit PNG format using ImageJ (NIH) without compression. Imaging channel labels were added for clarity.

Fraction #: STD	1	2	3	4	5	6	7	8	9	10
Density (mg/ml)	1.05	1.10	1.11	1.09	1.1	1.12	1.125	1.11	1.17	1.14

Figure S2. Sucrose fractionation of VLPs. The gel was performed simultaneously, scanned at 700 nm and 800 nm, then superimposed after minimal contrast enhancement. Protein size standards (leftmost lane) are same as Fig. 1B.

Figure S3. Serial 1:2 dilution analysis of cells. Both M (green) and S (red) proteins show molecular weight bands above their respective monomer bands (likely representative of aggregation) at highest concentrations. Monomer bands rapidly become dominant at lower dilutions.

Figure S4. Anti-S and Anti-M antibodies are highly specific. Transfected cells show M and S presence via antibody probing however un-transfected cells show no bands under identical probing. Unrelated lanes are blanked out for clarity. The gel was performed simultaneously, scanned at 700 nm and 800 nm, then superimposed after minimal contrast enhancement. Protein size standards (leftmost lane) are same as Fig. 1B.

Figure S5. AFM imaging of glass surface functionalized with anti-S antibody. Glass surface functionalized as described in main text typically has large flat debris-free areas with occasional shallow step edges. These latter features are only seen after antibody adsorption and therefore correspond to sub-monolayer antibody coverage.

Figure S6. AFM imaging and bursting of a VLP. Several repeated scans at 1 nN peak force lead intact VLP (top) to burst (bottom).

Humanized S protein expression plasmid:

GACGGATCGGGAGATCTCCCGATCCCCTATGGTGAAGTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGTATCTGCTCCC
TGCTTGTGTGTTGGAGGTCGCTGAGTAGTGCGCGAGCAAAATTTAAGCTACAACAAGGCAAGGCTTGACCGACAATTGCATGAAGA
ATCTGCTTAGGGTTAGGCGTTTTGCGCTGCTTCGCGAGTACATTTATATTGGCTCATGTCCAATATGACCGCCATGTTGACATTGATTA
TTGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCGCGGTTACATAACTTACGGTAAATGG
CCCGCTGGCTGACCGCCCAACGACCCCCGCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT
TGACGTCAATGGGTGGAGTATTTACGGTAACTGCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTCCGCCCCCTATTGACG
TCAATGACGGTAAATGGCCGCTGGCATTATGCCAGTACATGACCTTACGGGACTTTCTACTTGGCAGTACATCTACGTATTAGT
CATCGCTATTACCATGGTGTATGCGGTTTTGGCAGTACACCAATGGGCGTGGATAGCGGTTTGAATCACGGGGATTTCGAAGTCTCCAC
CCATTGACGTCAATGGGAGTTTGTGGTGGCACCAAAATCAACGGGACTTTCCAAAATGTCGTAATAACCCCGCCCCGTTGACGCAAA
TGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCGTTTAGTGAACCGTCAGATCCTCACTCTCTTCCGCATCGCTG
TCTGCGAGGGCCAGCTGTTGGGCTCGCGGTTGAGGACAACTCTTCGCGGTTTCCAGTACTCTTGATCGGAAACCCGTCGGCCT
CCGAACGGTACTCCGCCACCGAGGGACCTGAGCGAGTCCGCATCGACCGGATCGGAAAACCTCTCGAGAAAGGCGTCTAACAGTC
ACAGTCGCAAGGTAGGCTGAGCACCGTGGCGGGCGGCAGCGGGTGGCGGTGCGGGTTGTTTCTGGCGGAGGTGCTGCTGATGATG
TAATTAAGTAGGCGGTCTTGAGACGGCGGATGGTCGAGGTGAGGTGTGGCAGGCTTGAGATCCAGCTGTTGGGGTGAGTACTCCC
TCTCAAAGCGGGCATTACTTCTGCGCTAAGATTGTCAAGTTTCCAAAACGAGGAGGATTTGATATTCACCTGGCCCCGATCTGGCCAT
ACACTTGAGTGACAATGACATCCACTTTGCCTTTCTCTCCACAGGTGTCCACTCCCAGGTCCAAGTTTAACTTTAATACGACTCACTAT
AGGGGCCGCCACCAAGCTTNNNNNGGTACNNNNNATGTTTGTGTTCTGCTGCTGCCACTGGTGTCCAGCCAGTGTGTGAAC
CTGACCACCAGGACCCAACTTCCTCCTGCCTACACCAACTCCTTACCAGGGGAGTCTACTACCCTGACAAGGTGTTAGGTCCTCTGT
GCTGCACAGCACCCAGGACCTGTTTCTGCCATTCTTCAGCAATGTGACCTGGTTCATGCCATCCATGTGTCTGGCACCAATGGCACC
AAGAGGTTTGACAACCCTGTGCTGCCATTCAATGATGGAGTCTACTTTGCCAGCACAGAGAAGAGCAACATCATCAGGGGCTGGATT
TTTGGCACCACTCTGGACAGCAAGACCCAGTCCCTGCTGATTGTGAACAATGCCACCAATGTGGTGATTAAGGTGTGTGAGTTCCAG
TTCTGTAATGACCCATTCTGGGAGTCTACTACCACAAGAACAACAAGTCTGGATGGAGTCTGAGTTTCAAGGTCTACTCTCTGCCA
ACAACTGTACCTTTGAATATGTGAGCCAACCATTCCTGATGGACTTGGAGGGCAAGCAGGGCAACTTCAAGAACCTGAGGGAGTTTG
TGTTCAAGAACATTGATGGCTACTTCAAGATTTACAGCAAACACACCAATCAACCTGGTGAGGGACCTGCCACAGGGCTTCTCTGC
CTTGGAAACCACTGGTGGACCTGCCAATTGGCATCAACATCACCAGGTTCCAGACCCTGCTGGCTCTGCACAGGTCTACCTGACACCT
GGAGACTCCTCCTCTGGCTGGACAGCAGGAGCAGCAGCCTACTATGTGGGCTACCTCCAACCAAGGACCTTCTGCTGAAATACAAT
GAGAATGGCACCATCACAGATGCTGTGGACTGTGCCCTGGACCCACTGTCTGAGACCAAGTGTACCCTGAAATCCTTCACAGTGGAG
AAGGGCATCTACCAGACCAGCAACTTCAAGGTCCAACCAACAGAGAGCATTGTGAGGTTTCCAAACATCACCACCTGTGTCCATTTG
GAGAGGTGTTCAATGCCACCAGGTTTGCCTCTGTCTATGCCTGGAACAGGAAGAGGATTAGCAACTGTGTGGCTGACTACTCTGTGC
TCTACAACTCTGCCTCCTCAGCACCTTCAAGTGTATGGAGTGAGCCCAACCAAACTGAATGACCTGTGTTTACCAATGTCTATGCT
GACTCCTTTGTGATTAGGGGAGATGAGGTGAGACAGATTGCCCTGGACAAACAGGCAAGATTGCTGACTACAACTACAACTGCCT
GATGACTTCACAGGCTGTGTGATTGCCTGGAACAGCAACAACCTGGACAGCAAGGTGGGAGGCAACTACAACTACCTCTACAGACTG
TTCAGGAAGAGCAACCTGAAACCATTTGAGAGGGACATCAGCACAGAGATTTACCAGGCTGGCAGCACACCATGTAATGGAGTGGA

GGGCTTCAACTGTTACTTTCCACTCCAATCCTATGGCTTCCAACCAACCAATGGAGTGGGCTACCAACCATAACAGGGTGGTGGTGCTG
TCCTTTGAACTGCTCCATGCCCTGCCACAGTGTGTGGACCAAGAAGAGCACCAACCTGGTGAAGAACAAGTGTGTGAACCTCAAC
TTCAATGGACTGACAGGCACAGGAGTGTGTGACAGAGAGCAACAAGAAGTTCCTGCCATTCCAACAGTTTGGCAGGGACATTGCTGA
CACCACAGATGCTGTGAGGGACCCACAGACCTTGGAGATTCTGGACATCACACCATGTTCTTTGGAGGAGTGTCTGTGATTACACCT
GGCACCAACACCAGCAACCAGGTGGCTGTGCTCTACCAGGATGTGAACTGTACTGAGGTGCCTGTGGCTATCCATGCTGACCAACTT
ACACCAACCTGGAGGGTCTACAGCACAGGCAGCAATGTGTTCCAGACCAGGGCTGGCTGTCTGATTGGAGCAGAGCATGTGAACAA
CTCCTATGAGTGTGACATCCCAATTGGAGCAGGCATCTGTGCCTCCTACCAGACCCAGACCAACAGCCCAAGGAGGGCAAGGTCTGT
GGCAAGCCAGAGCATCATTGCCTACACAATGAGTCTGGGAGCAGAGAACTCTGTGGCTTACAGCAACAACAGCATTGCCATCCCAAC
CAACTTCACCATCTCTGTGACCACAGAGATTCTGCCTGTGAGTATGACCAAGACCTCTGTGGACTGTACAATGTATATCTGTGGAGAC
AGCACAGAGTGTAGCAACCTGCTGCTCCAATATGGCTCCTTCTGTACCCAACCTAACAGGGCTCTGACAGGCATTGCTGTGGAACAG
GACAAGAACACCCAGGAGGTGTTTGCCAGGTGAAGCAGATTTACAAGACACCTCCAATCAAGGACTTTGGAGGCTTCAACTTCAGC
CAGATTCTGCCTGACCCAAGCAAGCCAAGCAAGAGGTCTTCATTGAGGACCTGCTGTTCAACAAGGTGACCCTGGCTGATGCTGGC
TTCATCAAGCAATATGGAGACTGTCTGGGAGACATTGCTGCCAGGGACCTGATTTGTGCCAGAAAGTTCAATGGACTGACAGTGCTG
CCTCCACTGCTGACAGATGAGATGATTGCCCAATACACCTCTGCCCTGCTGGCTGGCACCATCACCTCTGGCTGGACCTTTGGAGCAG
GAGCAGCCCTCCAAATCCCATTTGCTATGCAGATGGCTTACAGGTTCAATGGCATTGGAGTGACCCAGAATGTGCTCTATGAGAACC
AGAAACTGATTGCCAACCAGTTCAACTCTGCCATTGGCAAGATTGAGGACTCCCTGTCCAGCACAGCCTCTGCCCTGGGCAAACCTCCA
AGATGTGGTGAACCAGAATGCCAGGCTCTGAACACCCTGGTGAAGCAACTTTCCAGCAACTTTGGAGCCATCTCCTCTGTGCTGAAT
GACATCCTGAGCAGACTGGACAAGGTGGAGGCTGAGGTCCAGATTGACAGACTGATTACAGGCAGACTCCAATCCCTCCAAACCTAT
GTGACCCAACAACCTTATCAGGGCTGCTGAGATTAGGGCATCTGCCAACCTGGCTGCCACCAAGATGAGTGAGTGTGTGCTGGGACA
AAGCAAGAGGGTGGACTTCTGTGGCAAGGGCTACCACCTGATGAGTTTTCCACAGTCTGCCCTCATGGAGTGGTGTTCTGCTGT
GACCTATGTGCTGCCAGGAGAAGAACTTACCACAGCCCCTGCCATCTGCCATGATGGCAAGGCTCACTTTCAAGGGAGGGAGT
GTTTGTGAGCAATGGCACCCACTGGTTTGTGACCCAGAGGAACTTCTATGAACCACAGATTATCACCACAGACAACACCTTTGTGTCT
GGCAACTGTGATGTGGTGATTGGCATTGTGAACAACACAGTCTATGACCCACTCCAACCTGAACTGGACTCCTTCAAGGAGGAACTG
GACAAATACTTCAAGAACCACACCAGCCCTGATGTGGACCTGGGAGACATCTCTGGCATCAATGCCTCTGTGGTGAACATCCAGAAG
GAGATTGACAGACTGAATGAGGTGGCTAAGAACCTGAATGAGTCCCTGATTGACCTCCAAGAACTGGGCAAATATGAACAATACATC
AAGTGCCATGGTACATCTGGCTGGGCTTCATTGCTGGACTGATTGCCATTGTGATGGTGACCATAATGCTGTGTTGTATGACCTCCT
GTTGTTCTGTCTGAAAGGCTGTTGTTCTGTGGCTCCTGTTGTAAGTTTGATGAGGATGACTCTGAACCTGTGCTGAAAGGAGTGAA
ACTGCACTACACCTGANNNNNTCTAGANNNNNGCGCCGCCGAATTCGGGCCCGTTTAAACCCGCTGATCAGCCTCGACTGTGCCT
TCTAGTTGCCAGCCATCTGTTGTTTGGCCCTCCCCGTGCCTTCCTTGACCCTGGAAGGTGCCACTCCCACTGTCCTTTCCTAATAAAAT
GAGGAAATTGCATCGCATTGTCTGAGTAGGTGTCTATTCTATTCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGGAGGATTGGG
AAGACAATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACCAGCTGGGGCTCTAGGGGGTATCC
CCACGCGCCCTGTAGCGGCGCATTAAAGCGCGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGC
CCGCTCCTTTCGCTTCTTCCCTTCTTCTCGCCACGTTGCGCGGCTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCC
GATTTAGTGCTTTACGGCACCTCGACCCCAAAAAAATTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTT

TCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTT
TGATTTATAAGGGATTTTGCCGATTTGCGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAACGCGAATTAATTCTGTGGA
ATGTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCA
GGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAA
CTCCGCCCATCCCGCCCCTAACTCCGCCAGTTCCGCCATTCTCCGCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGG
CCGCCTCTGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCCGGGAGCTTGTAT
ATCCATTTTCGGATCTGATCAGCACGTGATGAAAAAGCCTGAACTCACCGCGACGTCTGTGAGAAAGTTTCTGATCGAAAAGTTCGAC
AGCGTCTCCGACCTGATGCAGCTCTCGGAGGGCGAAGAATCTCGTGCTTTCAGCTTCGATGTAGGAGGGCGTGGATATGTCCTGCGG
GTAAATAGCTGCGCCGATGGTTTCTACAAAGATCGTTATGTTTATCGGCACTTTGCATCGGCCGCGCTCCCGATTCCGGAAGTGCTTG
ACATTGGGGAATTCAGCGAGAGCCTGACCTATTGCATCTCCCGCCGTGCACAGGGTGTACGTTGCAAGACCTGCCTGAAACCGAAC
TGCCCGCTGTTCTGCAGCCGGTCGCGGAGGCCATGGATGCGATCGCTGCGGCCGATCTTAGCCAGACGAGCGGGTTGCGCCCATTC
GGACCGCAAGGAATCGGTCAATACACTACATGGCGTGATTTTCATATGCGCGATTGCTGATCCCCATGTGTATCACTGGCAAACCTGTG
ATGGACGACACCGTCAGTGCGTCCGTGCGCAGGCTCTCGATGAGCTGATGCTTTGGGCCGAGGACTGCCCCGAAGTCCGGCACCTC
GTGCACGCGGATTTGGGCTCCAACAATGTCTGACGGACAATGGCCGCATAACAGCGGTTCATTGACTGGAGCGAGGCGATGTTGCG
GGATTCCCAATACGAGGTCGCCAACATCTTCTCTGGAGGCCGTGGTTGGCTTGTATGGAGCAGCAGACGCGCTACTTCGAGCGGAG
GCATCCGGAGCTTGCAAGATCGCCGCGGCTCCGGGCGTATATGCTCCGCATTGGTCTTGACCAACTCTATCAGAGCTTGGTTGACGG
CAATTTTCGATGATGCAGCTTGGGCGCAGGGTCGATGCGACGCAATCGTCCGATCCGGAGCCGGGACTGTGCGGCGTACACAAATCG
CCCGCAGAAGCGCGGCCGTCTGGACCGATGGCTGTGTAGAAGTACTCGCCGATAGTGGAACCGACGCCCCAGCACTCGTCCGAGG
GCAAAGGAATAGCACGTGCTACGAGATTTGATTCCACCGCCGCTTCTATGAAAGGTTGGGCTTCGGAATCGTTTTCCGGGACGCC
GGCTGGATGATCCTCCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCCACCCCAACTTGTTTATTGCAGCTTATAATGGTTACAAAT
AAAGCAATAGCATCACAAATTTACAAAATAAAGCATTTTTTTTCACTGCATTCTAGTTGTGGTTTGTCCAACTCATCAATGTATCTTATC
ATGTCTGTATACCGTCGACCTCTAGCTAGAGCTTGGCGTAATCATGGTCATAGCTGTTTCTGTGTGAAATTGTTATCCGCTCACAATT
CCACACAACATACGAGCCGGAAGCATAAAGTGTAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCACATTAATTGCGTTGCGCTCA
CTGCCCCGCTTTCCAGTCGGGAAACCTGTCGTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCCTATTGG
GCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGCGCTCGGTCGTTGCGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATA
CGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCG
CGTTGCTGGCGTTTTTTCATAGGCTCCGCCCCCTGACGAGCATCACAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGACAG
GACTATAAAGATACCAGGCGTTTTCCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCC
TTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTGTTGCTCCAAGCTGGGCT
GTGTGCACGAACCCCCGTTACGCCCCACCGCTGCGCCTTATCCGGTAACATCGTCTTGAGTCCAACCCGTAAGACACGACTTATC
GCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAACT
ACGGCTACACTAGAAGAACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCG
GCAAACAAACCACCGCTGGTAGCGGTTTTTTTGTGTTGCAAGCAGCAGATTACGCGCAGAAAAAAAGGATCTCAAGAAGATCCTTTGA
TCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTTTGGTCATGAGATTATCAAAAAGGATCTTCACCTA

GATCCTTTTAAATTAATAATGAAGTTTTAAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAATCAGTG
 AGGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAGATAACTACGATACGGGAGGGCTTA
 CCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGG
 GCCGAGCGCAGAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGAAGCTAGAGTAAGTAGTTCGCCAG
 TTAATAGTTTGCACAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTACGCTCGTCGTTTGGTATGGCTTCATTACAGCTCCGGTTCC
 CAACGATCAAGGCGAGTTACATGATCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCTCCGATCGTTGTCAGAAGTAAGT
 TGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTTACTGTGTCATGCCATCCGTAAGATGCTTTTCTGTGACTGGT
 GAGTACTCAACCAAGTCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCA
 CATAGCAGAACTTTAAAAGTGCTCATCATTGAAAAACGTTCTTCGGGGCGAAAACTCTCAAGGATCTTACCGCTGTTGAGATCCAGTT
 CGATGTAACCCACTCGTGACCCAACTGATCTTCAGCATCTTTTACTTTACCAGCGTTTCTGGGTGAGCAAAAAACAGGAAGGCAAAA
 TGCCGCAAAAAAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTCAATATTATTGAAGCATTATCAGGGT
 TATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCAC
 CTGACGTC

Humanized M protein expression plasmid:

GACGGATCGGGAGATCTCCCGATCCCCTATGGTGCCTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGTATCTGCTCCC
 TGCTTGTGTGTTGGAGGTCGCTGAGTAGTGCGCGAGCAAAATTAAGCTACAACAAGGCAAGGCTTGACCGACAATTGCATGAAGA
 ATCTGCTTAGGGTTAGGCGTTTTGCGCTGCTTCGCGATGTACGGGCCAGATATACGCGTTGACATTGATTATTGACTAGTTATTAATA
 GTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCCGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCG
 CCAACGACCCCCGCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGG
 AGTATTTACGGTAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATG
 GCCCGCCTGGCATTATGCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGG
 TGATGCGGTTTTGGCAGTACATCAATGGGCGTGATAGCGGTTTGACTCACGGGGATTTCGAAGTCTCCACCCCATGACGTCAATG
 GGAGTTTGTGTTTGGCACCAAAATCAACGGGACTTTCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAAATGGGCGGTAGGCGTG
 TACGGTGGGAGGTCTATATAAGCAGAGCTCTCTGGCTAACTAGAGAACCCACTGCTTACTGGCTTATCGAAATTAATACGACTCACTA
 TAGGGAGACCCAAGCTGGCTAGCGCAGCATCTTCAGCTCTTGGGTTTAGCAAAAGTTCATCTCCTTCTGCATCCTTAACTGAGAATGA
 GCTTTTGTGGGAGCCACACCAAGTCAAGTTGGATTTGAACCCAGCTGCTCTGTACAAGCTTGGTACCGCCACCATGGCCGACAGCAA
 CGGCACCATCACCGTGGAGGAGCTGAAGAAGCTGCTGGAGCAGTGGAACCTGGTGATCGGCTTCTGTTCTGACCTGGATCTGCCT
 GCTGCAGTTTCGCTACGCCAACAGGAACAGGTTCTGTACATCATCAAGCTGATCTTCTGTGGCTGCTGTGGCCCGTGACCTGGCC
 TGCTTCGTGCTGGCCGCCGTGTACAGGATCAACTGGATCACCGGCGGCATCGCCATCGCCATGGCCTGCCTGGTGGGCTGATGTGG
 CTGAGCTACTTCATCGCCAGCTTCAGGCTGTTGCCAGGACCAGGAGCATGTGGAGCTTCAACCCCGAGACCAACATCCTGCTGAAC
 GTGCCCCTGCACGGCACCATCCTGACCAGGCCCTGCTGGAGAGCGAGCTGGTGATCGGCGCCGTGATCCTGAGGGGCCACCTGAG
 GATCGCCGGCCACCACCTGGGCAGGTGCGACATCAAGGACCTGCCAAGGAGATCACCGTGGCCACCAGCAGGACCCTGAGCTACT
 ACAAGCTGGGCGCCAGCCAGAGGGTGGCCGCGACAGCGGCTTCGCCGCCTACAGCAGGTACAGGATCGGCAACTACAAGCTGAA

CACCGACCACAGCAGCAGCAGCGACAACATCGCCCTGCTGGTGCAGTAATCTAGAGGGCCCGTTTAAACCCGCTGATCAGCCTCGAC
TGTGCTTCTAGTTGCCAGCCATCTGTTGTTTGCCCCTCCCCCGTGCCTTCCTTGACCTGGAAGGTGCCACTCCCACTGTCCTTTCCTA
ATAAAATGAGGAAATTGCATCGCATTGTCTGAGTAGGTGTCATTCTATTCTGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAG
GATTGGGAAGACAATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACCAGCTGGGGCTCTAGGG
GGTATCCCCACGCGCCCTGTAGCGGCGCATTAAGCGCGGCGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCC
CTAGCGCCCGCTCCTTTCGCTTCTCCCTTCTCTTCGCCACGTTGCGCGGCTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTA
GGGTTCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAG
ACGGTTTTTCGCCCTTTCGACGTTGGAGTCCACGTTCTTTAATAGTGGAAGTCTTGTTCAACTGGAACAACACTCAACCTATCTCGGT
CTATTCTTTGATTTATAAGGGATTTTGGCGATTTGCGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAACGCGAATTAAT
TCTGTGGAATGTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTC
AGCAACCAGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCC
GCCCCTAACCTCCGCCCATCCCGCCCTAACTCCGCCAGTTCCGCCATTCTCCGCCCATGGCTGACTAATTTTTTTTATTTATGCAGA
GGCCGAGGCCGCTCTGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCCGGG
AGCTTGATATCCATTTTCGGATCTGATCAAGAGACAGGATGAGGATCGTTTCGCATGATTGAACAAGATGGATTGCACGCAGGTTCT
CCGGCCGCTTGGGTGGAGAGGCTATTCCGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCCGGCTGTCA
GCGCAGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCCGGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTG
GCTGGCCACGACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGC
CGGGGACAGGATCTCCTGTCATCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGA
TCCGGCTACCTGCCATTGACCAACGCGAAACATCGCATCGAGCGAGCACGTAAGGCTGGAAGCCGGTCTTGTGATCAGGA
TGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAAGTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAGGATCTCG
TCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTTCTGGATTGATGACTGTGGCCGGCTGGGTG
TGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGGGCTGACCGCTTCTCGTGC
TTTACGGTATCGCCGCTCCCGATTGCGAGCGCATCGCCTTCTATCGCCTTCTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTGAA
ATGACCGACCAAGCGACGCCAACCTGCCATCACGAGATTTGATTCCACCGCCGCTTCTATGAAAGGTTGGGCTTCGGAATCGTTT
TCCGGGACGCCGGCTGGATGATCCTCCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCACCCCACTTGTTTATTGCAGCTTATAA
TGGTTACAAATAAAGCAATAGCATCACAAATTTACAAATAAAGCATTTTTTTTCACTGCATTCTAGTTGTGGTTTGCCAACTCATCA
ATGTATCTTATCATGTCTGTATACCGTCGACCTCTAGCTAGAGCTTGGCGTAATCATGGTCATAGCTGTTTCTGTGTGAAATTGTTAT
CCGCTCACAAATCCACACAACATACGAGCCGGAAGCATAAAGTGTAAGCCTGGGGTGCTAATGAGTGAGCTAACTCACATTAATT
GCGTTGCGCTCACTGCCCCGCTTCCAGTCGGGAAACCTGTCGTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGG
TTTGCATATTGGGCGCTTTCGCTTCTCGCTCACTGACTCGCTCGCTCGGTGCTCGGCTGCGGCGAGCGGTATCAGCTCACTCA
AAGGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACC
GTAAAAAGGCCGCTTGTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAGAGGTGGC
GAAACCCGACAGGACTATAAGATAACAGGCGTTTTCCCCTGGAAGTCCCTCGTGCGCTCTCCTGTTCCGACCTGCCGCTTACCGG
ATACCTGTCCGCTTCTCCCTTCGGGAAGCGTGGCGCTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCCGGTGTAGGTGTTGCT

CCAAGCTGGGCTGTGTGCACGAACCCCCGTTACAGCCGACCGCTGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAG
ACACGACTTATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGT
GGTGGCCTAACTACGGCTACACTAGAAGAACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTA
GCTCTTGATCCGGCAAACAAACCACCGCTGGTAGCGGTGGTTTTTTTGTGTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTC
AAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGAACGAAACTCACGTTAAGGGATTTTGGTCATGAGATTATCAAA
AAGGATCTTCACCTAGATCCTTTTAAATTAATAATGAAGTTTTAAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACC
AATGCTTAATCAGTGAGGCACCTATCTCAGCGATCTGTCTATTTGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAGATAACTACG
ATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAAC
CAGCCAGCCGGAAGGGCCGAGCGCAGAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGA
GTAAGTAGTTCGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTCACGCTCGTCGTTTGGTATGGCTT
CATTAGCTCCGGTTCCCAACGATCAAGGCGAGTTACATGATCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCTCCGAT
CGTTGTCAGAAGTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCATGCCATCCGTAAGAT
GCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGCGTCAATACG
GGATAATACCGCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTGGAAAACGTTCTTCGGGGCGAAAACTCTCAAGGATCTTACC
GCTGTTGAGATCCAGTTTCGATGTAACCCACTCGTGACCCCACTGATCTTCAGCATCTTTACTTTACCAGCGTTTCTGGGTGAGCAA
AAACAGGAAGGCAAAATGCCGCAAAAAAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTCAATATTATT
GAAGCATTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAACAAATAGGGGTTCCGCGCACATT
TCCCCGAAAAGTGCCACCTGACGTC

Humanized E protein expression plasmid sequence:

GACGGATCGGGAGATCTCCCGATCCCCTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGTATCTGCTCCC
TGCTTGTGTGTTGGAGGTCGCTGAGTAGTGCGCGAGCAAAATTTAAGCTACAACAAGGCAAGGCTTGACCGACAATTGCATGAAGA
ATCTGCTTAGGGTTAGGCGTTTTGCGCTGCTTCGCGATGTACGGGCCAGATATACGCGTTGACATTGATTATTGACTAGTTATTAATA
GTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCGCGGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCG
CCCAACGACCCCCGCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGG
AGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATG
GCCCCGCTGGCATTATGCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGG
TGATGCGGTTTTTGGCAGTACATCAATGGGCGTGGATAGCGTTTTGACTCACGGGGATTTCGAAGTCTCCACCCCATGACGTCAATG
GGAGTTTGTGTTTGGCACCAAAATCAACGGGACTTTCAAAATGTCGTAACAACCTCCGCCCCATTGACGCAAATGGGCGGTAGGCGTG
TACGGTGGGAGGTCTATATAAGCAGAGCTCTCTGGCTAACTAGAGAACCCACTGCTTACTGGCTTATCGAAATTAATACGACTCACTA
TAGGGAGACCCAAGCTGGCTAGCGCAGCATCTTCAGCTCTTGGGTTTAGCAAAAGTTCATCTCCTTCTGCATCCTTAACTGAGAATGA
GCTTTTGTGGGAGCCACACCAAGTCAAGTTGGATTTGAACCCAGCTGCTCTGTACAAGCTTGGTACCGCCACCATGTACAGCTTCGTG
AGCGAGGAGACCGGCACCCTGATCGTGAACAGCGTGCTGCTGTTCTGGCCTTCGTGGTGTTCTGCTGGTGACCTGGCCATCCTG

ACCGCCCTGAGGCTGTGCGCCTACTGCTGCAACATCGTGAACGTGAGCCTGGTGAAGCCCAGCTTCTACGTGTACAGCAGGGTGAAG
AACCTGAACAGCAGCAGGGTGCCCGACCTGCTGGTGTAACTAGAGGGCCGTTTAAACCCGCTGATCAGCCTCGACTGTGCCTTCT
AGTTGCCAGCCATCTGTTGTTTGGCCCTCCCCCGTGCCTTCCTTGACCCTGGAAGGTGCCACTCCCCTGTCTTTCTAATAAAATGA
GGAAATTGCATCGCATTGTCTGAGTAGGTGTCATTCTATTCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGGAA
GACAATAGCAGGCATGCTGGGGATGCGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACCAGCTGGGGCTCTAGGGGGTATCCCC
ACGCGCCCTGTAGCGGCGCATTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCCTACACTTGCCAGCGCCCTAGCGCCC
GCTCCTTTGCTTTCTTCCCTTCTTTCTCGCCACGTTGCGCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGA
TTTAGTGCTTTACGGCACCTCGACCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAGACGGTTTTTC
GCCCTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTG
ATTTATAAGGGATTTTGCCGATTTGCGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTAACGCGAATTAATTCTGTGGAAT
GTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAG
GTGTGGAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCCGCCCTAAC
TCCGCCCATCCCGCCCCTAACTCCGCCAGTTCCGCCATTCTCCGCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGC
CGCCTCTGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGAGGCCTAGGCTTTTGCAAAAAGCTCCCGGGAGCTTGATA
TCCATTTTCGGATCTGATCAAGAGACAGGATGAGGATCGTTTCGCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCT
TGGGTGGAGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCCGGCTGTCAGCGCAGGG
GCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCCGGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCAC
GACGGGCGTTCTTTCGCGAGCTGTGCTCGACGTTGTACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGGCAG
GATCTCCTGTCTCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTA
CCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGTA CTGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGG
ACGAAGAGCATCAGGGGCTCGCGCCAGCCGAAGTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAGGATCTCGTCGTGACC
CATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAGTGGCCGCTTTTCTGGATTCTGACTGTGGCCGGCTGGGTGTGGCGGAC
CGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGGGCTGACCGCTTCCTCGTGCTTTACGGT
ATCGCCGCTCCCGATTGCGAGCGCATCGCTTCTATCGCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTGAAATGACCGA
CCAAGCGACGCCAACCTGCCATCACGAGATTCGATTCCACCGCCGCTTCTATGAAAGGTTGGGCTTCGGAATCGTTTTCCGGGAC
GCCGGCTGGATGATCCTCCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCACCCCAACTGTTTATTGCAGCTTATAATGGTTACA
AATAAGCAATAGCATCACAAATTCACAAATAAAGCATTTTTTTTCACTGCATTCTAGTTGTGGTTGTCCAAACTCATCAATGTATCTT
ATCATGTCTGTATACCGTCGACCTCTAGCTAGAGCTTGGCGTAATCATGGTCATAGCTGTTTCTGTGTGAAATTGTTATCCGCTCACA
ATTCCACACAACATACGAGCCGGAAGCATAAAGTGTAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCACATTAATTGCGTTGCGC
TCACTGCCCGCTTTCCAGTCGGGAAACCTGTCGTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTTCGTATT
GGGCGCTCTTCCGCTTCTCGCTCACTGACTCGCTGCGCTCGGTCGTTCCGGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTA
ATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGG
CCGCGTTGCTGGCGTTTTTTCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGA
CAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCC

GCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTCGTTGCTCCAAGCTGG
GCTGTGTGCACGAACCCCCGTTAGCCCCGACCGCTGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTT
ATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTA
ACTACGGCTACACTAGAAGAACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATC
CGGCAAAACAAACCACCGCTGGTAGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCC
TTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTTTGGTCATGAGATTATCAAAAAGGATCTTC
ACCTAGATCCTTTTAAATTAATAATGAAGTTTTAAATCAATCTAAAGTATATATGAGTAACTTGGTCTGACAGTTACCAATGCTTAAT
CAGTGAGGCACCTATCTCAGCGATCTGTCTATTTGTTTCATCCATAGTTGCCTGACTCCCCGTCGTGTAGATAACTACGATACGGGAG
GGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCG
GAAGGGCCGAGCGCAGAAGTGGTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAAGTAGTT
CGCCAGTTAATAGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTACGCTCGTCGTTTGGTATGGCTTCATTAGCTCC
GGTTCCCAACGATCAAGGCGAGTTACATGATCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCCTCCGATCGTTGTCAGAA
GTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTTACTGTCATGCCATCCGTAAGATGCTTTTCTGTG
ACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCCCGGCGTCAATACGGGATAATACC
GCGCCACATAGCAGAACTTTAAAAGTGCTCATCATTGGAAAACGTTCTTCGGGGCGAAAACTCTCAAGGATCTTACCGCTGTTGAGAT
CCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATCTTTTACTTTCACCAGCGTTTCTGGGTGAGCAAAAAACAGGAAG
GCAAAATGCCGCAAAAAAGGGAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAGCATTTAT
CAGGGTTATTGTCTCATGAGCGGATACATATTGAATGTATTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAAG
TGCCACCTGACGTC