

Supplementary Materials for

Twelve-month specific IgG response to SARS-CoV-2 receptor-binding domain among COVID-19 convalescent plasma donors in Wuhan

Cesheng Li^{1,*}, Ding Yu^{2,3,*}, Xiao Wu¹, Hong Liang^{2,3}, Zhijun Zhou¹, Yong Xie^{1,3}, Taojing Li³, Junzheng Wu², Fengping Lu¹, Lu Feng¹, Min Mao¹, Lianzhen Lin¹, Huanhuan Guo¹, Shenglan Yue¹, Feifei Wang¹, Yan Peng¹, Yong Hu¹, Zejun Wang⁴, Jianhong Yu¹, Yong Zhang³, Jia Lu⁴, Haoran Ning¹, Huichuan Yang⁴, Daoxing Fu³, Yanlin He^{1,3}, Dongbo Zhou^{3,4}, Tao Du³, Kai Duan⁴, Demei Dong³, Kun Deng¹, Xia Zou¹, Ya Zhang¹, Rong Zhou³, Yang Gao³, Xinxin Zhang^{6,#} & Xiaoming Yang^{4,#}

¹Sinopharm Wuhan Plasma-derived Biotherapies Co., Ltd, 430207 Wuhan, China.

²Chengdu Rongsheng Pharmaceuticals Co., Ltd, 610041 Chengdu, China.

³Beijing Tiantan Biological Products Co., Ltd, 100024 Beijing, China.

⁴China National Biotec Group Company Limited, 100029 Beijing, China.

⁵Wuhan Institute of Biological Products Co. Ltd., 430207 Wuhan, China.

⁶Research Laboratory of Clinical Virology, Ruijin Hospital and Ruijin Hospital North, National Research Center for Translational Medicine, Shanghai Jiao Tong University of Medicine, 200025 Shanghai, China.

***Equal contributing authors**

#Jointly supervising authors

Supplemental Table 1 Percentage changes of RBD-IgG titers distribution of COVID-19 convalescent plasma donors at early, middle, and late stages following diagnosis.

	Percentage (%)		
	1-2 months	6-7 months	11-12 months
1:2560	11.28	1.14	0.90
1:1280	17.95	4.55	1.65
1:640	26.67	9.47	6.16
1:320	16.67	26.14	18.47
1:160	15.64	31.06	29.73
1:80	6.41	17.05	24.32
<1:80	5.38	10.61	18.77

Supplemental Table 2 Percentage changes of RBD-IgG titers in plasma donors with low, moderate, or high titers after a long period of time. Negative, titers less than 1:80. High (high titers), titers of 1:1280 and \geq 1:2560. Moderate (moderate titers), titers of 1:320-1:640. Low (low titers), titers of 1:80-1:160.

		% at 10-11 months			
		High	Moderate	Low	Negative
Initial	High (n=70)	8.57	54.29	35.71	1.43
	Moderate (n=107)	1.87	24.30	60.75	13.08
	Low (n=60)	0.00	11.67	36.67	51.67