Is male dimorphism under sexual selection in humans? A meta-analysis

Lidborg, L. H.^{1*}, Cross, C. P.², Boothroyd, L. G.¹

1. Department of Psychology, Durham University, South Road, Durham, DH1 3LE, UK

2. School of Psychology and Neuroscience, University of St Andrews, St Mary's St Mary's Quad, South St, St Andrews KY16 9JP, UK

*Author for correspondence: linda.h.lidborg@durham.ac.uk

Word count: 7,846

Keywords: sexual selection; human evolution; sexual dimorphism; masculinity; mating success; reproductive success

Abstract

Humans are sexually dimorphic: men and women differ in body build and composition, craniofacial structure, and voice pitch, likely mediated in part by developmental testosterone. Sexual selection hypotheses posit that, ancestrally, more ‘masculine’ men may have acquired more mates and/or sired more viable offspring. Thus far, however, evidence for either association is unclear. Here, we meta-analyze the relationships between six masculine traits and mating/reproductive outcomes (96 studies, 474 effects, $N = 177,044$). Voice pitch, height, and testosterone all predicted mating; however, strength/muscularity was the strongest and only consistent predictor of both mating and reproduction. Facial masculinity and digit ratios did not significantly predict either. There was no clear evidence for any effects of masculinity on offspring viability. Our findings support arguments that strength/muscularity can be considered sexually selected in humans, but raise concerns over other forms of masculinity and highlight the need to increase tests of evolutionary hypotheses outside of industrialized populations.

Introduction

Sexual dimorphism refers to sex differences in morphological and behavioral traits, excluding reproductive organs (1), with particular emphasis on traits thought to have evolved through sexual selection (2). Humans are a sexually dimorphic species (1). Sexual selection in mammalian species, including human and non-human primates, is commonly argued to have acted more strongly on male traits, as a consequence of greater variance in males' reproductive output (3) and a male-biased operational sex ratio, i.e. a surplus of reproductively available males relative to fertile females (e.g. 4).

Dimorphic traits that are exaggerated in males are typically referred to as masculine. In humans, masculine faces are characterized by features such as a pronounced brow ridge, a longer lower face, and wider mandibles, cheekbones, and chins (5). Men are, on average, 7-8% taller than women (6) and weigh approximately 15% more (7). Relative to this fairly modest body size dimorphism, upper body musculature and strength are highly dimorphic in humans: compared to women, men have 61% more overall muscle mass, and 90% greater upper body strength (8). Men's bodies also tend to have a V- or wedge-shape, showing a greater shoulder-to-hip ratio (9, 10) and waist-to-chest ratio (11, 12) than women's. Second-to-fourth finger (digit) length ratios are often claimed to be sexually dimorphic, with men's 2D:4D typically being lower than women's (13; though this may not be universal: 14). In addition, fundamental frequency, commonly referred to as voice pitch, is nearly six standard deviations lower in men than in women (15).

The development of these masculine traits in men is influenced by exposure to androgens, particularly testosterone. With the exception of 2D:4D, which is commonly claimed to be influenced primarily by prenatal testosterone levels and is present at birth (16; but see 17), masculine traits generally develop or become exaggerated following a surge in testosterone production at sexual maturity (18-20) – although it is not necessarily clear whether the size of that surge corresponds directly to the extent of trait expression.

Proposed mechanisms underlying the evolution of masculine traits

Key to the assumption that men's masculine traits are sexually selected is that masculine traits should be reliably associated with greater biological fitness. Men may increase fitness by producing a greater quantity of offspring overall (i.e. greater *fertility*), by acquiring a greater number of partners which may in turn mediate offspring numbers (greater *mating success*), and/or by producing more *surviving* offspring (greater *reproductive success*).

Two key hypotheses and attendant mechanisms have been drawn on by evolutionary behavioral scientists, predicting positive associations between masculinity and fitness outcomes. Firstly, according to the *immunocompetence handicap hypothesis* (21), masculine traits are a costly signal of heritable immunocompetence, i.e. good genetic quality, due to the putative immunosuppressive properties of testosterone (see 22). Masculine men should therefore produce healthier and more viable offspring, who are more likely to survive. Thus, women should be able to increase their fitness (via offspring survival) by selecting masculine men as mates. Authors therefore suggested that masculinity in men is intersexually selected, evolved and/or maintained through female choice, and should be associated with greater mating success in contexts where women are able to exercise choice. This should thus result in greater reproductive success, and an advantage in offspring survival.

The immunocompetence handicap hypothesis has persisted in the literature, particularly with reference to facial masculinity (although there are no *a priori* reasons to expect this putative mechanism to act more strongly on men's faces than on their bodies), despite concerns regarding its validity since at least 2005 (23). While beyond the scope of this article, common criticisms include that the relationship between testosterone and health is complex (24), and facial masculinity is inconsistently linked to health (e.g. 25-29). Evidence is similarly mixed regarding the key assumption that women are attracted to masculinity in men's faces (29, 30) and bodies (31-34).

Secondly, under the *male-male competition hypothesis*, authors have argued that formidable (i.e. physically strong and imposing) men are better equipped to compete with other men for resources, status, and partners (35, 36), through e.g. direct physical contests or by deterring rivals indirectly (35, 37). For instance, increased musculature may intimidate competitors by signaling fighting prowess (38) and strength (39), while facial masculinity and voice pitch may also have an indirect relationship with perceived formidability (40-45).

Importantly, while male-male competition is often framed as an alternative to female choice, women may preferentially mate with both well-resourced men, and with competitive men, facilitating intersexual selection for masculinity (i.e. a ‘sexy sons’ effect, see 46) where male status is due to, or competitiveness is cued by, formidability (28). Some authors have suggested that formidability increases men’s mating success through dominance over other men (which may create the circumstances that women select them as mates) rather than women’s direct preferences for formidable traits per se (47-49). However, regardless of whether the driving mechanism is intra- or intersexual selection (or a combination thereof), the male-male competition hypothesis predicts that formidable men will acquire more partners over their lifetime, which will in turn result in more offspring. This approach, however, does not make any particular predictions regarding offspring health or survival.

It can be noted that proponents of both the immunocompetence and male-male competition hypotheses have also suggested that more masculine men may show reduced investment in romantic relationships and in offspring (50-53), potentially suppressing offspring health/survival. This could arise from an association between circulating testosterone (which masculine traits are commonly argued to index) and motivation for sexual behavior (54, 55) shifting effort away from parental investment towards pursuit of mating opportunities. Two important caveats here, however, are that the relationship between men’s testosterone levels in adolescence (when most masculine traits become exaggerated) and in

adulthood is exceedingly weak (56), and masculine trait expression in adulthood is not consistently correlated with adult testosterone levels (e.g. 57, 58). Simply being more attractive to potential new partners, however, might shift behavior away from relationship investment (for discussion see e.g. 59). Because of this, many authors have previously suggested that women face a trade-off between the (health or competitive) benefits of masculinity, and paternal investment.

The association between masculine traits and biological fitness

We therefore have at least two theoretical positions which assert that masculine men should have greater numbers of sexual partners, greater offspring numbers, and perhaps a greater proportion of surviving offspring, in at least some circumstances. Studies addressing these predictions in societies without effective contraception have done so directly via offspring numbers and/or offspring survival. In most industrialized populations, where access to contraceptives attenuates the relationship between sexual behavior and reproductive success, mating success measures are often used instead. These include preferences for casual sex, number of sexual partners, and age at first sexual intercourse (earlier sexual activity allows for a greater lifetime number of sexual partners), as these are assumed to have correlated with reproductive success in men under ancestral conditions (60).

A key problem, however, is that the predictions outlined above do not always capture the diversity of human reproductive ecologies even where diverse data exists. We have already noted the fact that female choice may be important to outcomes above. Furthermore, even amongst non-contracepting populations, differences in rates of polygyny, pair-bond breakdown, and attitudes to fertility may moderate reproductive success and its variance. For instance, monogamous cultures do not typically show greater variance in men's versus women's reproductive success (61) and while increasing numbers of sexual partners (e.g. in serially monogamous or polygynous cultures) may often be important for increasing male

reproductive success, the inverse is true amongst the Pimbwe where women are more advantaged by increased numbers of partners (62). Similarly, although the strongly monogamous Agta show high rates of fertility (63), data from ostensibly non-contracepting rural Catholics in C20th Poland (64) shows much lower rates of fertility. These issues highlight the fact that humans have likely had diverse reproductive and pair-bonding norms for a long time. As such we can make two observations. Firstly, availability of contraception in low-fertility samples might ‘free’ sexual behavior from the constraints of pregnancy avoidance, and we might find *stronger* relationships between any evolved motivation for sex, and actual sexual behavior, in these samples than would have necessarily been found ancestrally. Secondly, however, any adaptation which has been maintained across recent hominid lineages must have been adaptive *on average* across diverse reproductive ecologies. As such, if the proposed adaptation (masculinity leading to enhanced reproductive success via mating, and possibly increased offspring survival) exists, we should expect to see both: *i.* masculinity being associated with increased mating success in both high and (perhaps especially) low fertility populations, and *ii.* masculinity being on average positively associated with fertility, and potentially offspring survival, in non-contraception/high fertility populations.

Previous studies explicitly testing the relationships between masculine traits and fitness outcomes have been overwhelmingly conducted in low fertility samples and have produced a mixture of positive, negative, and null results (e.g. 63, 65, 66), highlighting both the need for meta-analytic comparison of evidence, and for thorough literature searching to identify other potential data from a wider population sample. To date, however, meta-analytic analyses are rare, typically exclude many aspects of masculinity, and focus on *either* mating *or* reproductive outcomes, despite both being relevant to testing the theories above. Van Dongen and Sprengers (67) meta-analyzed the relationships between men’s handgrip strength (HGS)

and sexual behavior in only three industrialized populations (showing a weak, positive association [$r = .24$]). Across 33 non-industrialized societies, von Rueden and Jaeggi (68) found that male status (which included, but was not limited to, measures of height and strength) weakly predicted reproductive success (overall $r = .19$). In contrast, Xu and colleagues (69) reported no significant association between men's height and offspring numbers across 16 studies when analyzing both industrialized and non-industrialized populations. Lastly, Grebe and colleagues' (54) meta-analysis of 16 effects – the majority of which came from Western samples - showed that men with high levels of circulating testosterone, assayed by blood or saliva, invested more in mating effort, indexed by mating with more partners and showing greater interest in casual sex ($r = .22$). Across all of their analyses (which also included pair-bond status, fatherhood status, and fathering behaviors), Grebe and colleagues found no significant differences between 'Western' and 'non-Western' samples, but their 'non-Western' grouping for the relevant analysis only included a low fertility population in 21st Century China. To our knowledge, facial masculinity, voice pitch, and 2D:4D have never been meta-analyzed in relation to mating and/or reproduction.

The present study

The present article therefore searched widely for published and unpublished data to meta-analyze the relationships between six main masculine traits in men (facial masculinity, body masculinity, 2D:4D, voice pitch, height, and testosterone levels) and *both* mating and reproductive outcomes, in *both* high and low fertility samples. By including multiple traits, a broad search strategy, and considering high and low fertility samples both separately and together, we can ascertain whether the current scientific evidence base provides plausible support for the sexual selection of masculine traits in humans. By further testing the publication status of each effect (whether the specific effect size/analysis was reported in a

published article or not), we can also evaluate the evidence for publication bias, since this is known to artificially inflate effects in diverse literatures.

Mating measures included behavioral measures such as number of sexual partners, number of marital spouses, and age at first sexual intercourse. Since increased mating effort is an additional possible route to increased reproductive output, we also included mating attitudes, such as preferences for casual sex. Reproductive measures included: fertility measures, such as number of children/grandchildren born and age at the birth of the first child; and reproductive success measures, i.e. number of offspring surviving childhood. Since offspring mortality is a measure specifically of offspring viability, we included this as a separate measure (i.e. mortality rate and/or number of deceased offspring).

Methods

Literature search and study selection

A systematic search was initially carried out between November 2017 and February 2018 using the databases PsycINFO, PubMed, and Web of Science; the searches were saved and search alerts ensured inclusion of subsequently published studies. Search terms are given in Box 1.

(masculin OR "sexual dimorphism" OR "sexually dimorphic" OR width-to-height OR muscularity OR shoulder-to-hip OR chest-to-waist OR "digit ratio" OR 2d:4d OR "hand grip strength" OR "handgrip strength" OR "grip strength" OR testosterone OR "voice pitch" OR "vocal pitch" OR voice OR "non-fat body mass" OR "lean body mass" OR "fundamental frequency" OR "facial* dominan*" OR height OR "sexual dimorphism in stature" OR "CAG repeat*")*

AND

(*“sex* partner*” OR “short-term relationship*” OR “short term mating” OR “extra pair” OR sociosexual* OR “age of first intercourse” OR “age of first sexual intercourse” OR “age at first intercourse” OR “age at first sexual intercourse” OR “age of sexual debut” OR “age at first sex” OR “mating success” OR “number of offspring” OR “offspring number” OR “number of children” OR “number of grandoffspring” OR “number of grand offspring” OR “offspring health” OR “offspring mortality” OR “mortality of offspring” OR “surviving offspring” OR “offspring survival” OR “reproductive onset” OR “reproductive success” OR “long-term relationship*” OR “age of first birth”*)
AND (*human OR man OR men OR participant**).

Box 1. Search terms for meta-analysis study discovery

Studies were also retrieved through cross-referencing, citation searches/alerts, and by asking for data on social media. The systematic search generated 2,221 results, including duplicates, and a further approximately 300 articles were found by other means. After scanning titles and abstracts, 280 articles/dissertations were reviewed in full. Studies submitted up to 1 May 2020 were accepted. Eligible studies included at least one of the following predictors: facial masculinity, body masculinity (strength, body shape, or muscle mass/non-fat body mass), 2D:4D, voice pitch, height, or testosterone levels. The following outcome measures were included:

- Mating domain: global sociosexuality (i.e. preferences for casual sex: 70, 71) and specific measures of mating attitudes and mating behaviors where:

i. Mating attitudes included: preferences for short-term relationships, and sociosexual attitudes and desires.

ii. Mating behaviors included: number of sexual partners, one-night-stands/short-term relationships, potential conceptions, sociosexual behaviors, extra-pair sex, age at first sexual

intercourse, and number of marital spouses.

- Reproductive domain: including both fertility and reproductive success, described below.

i. Fertility: number of children and grandchildren born, and age at the birth of the first child.

ii. Reproductive success: number of surviving children/grandchildren.

- Offspring mortality domain: mortality rate and number of deceased offspring.

Both published and unpublished studies were eligible. We restricted our sample to studies with adult participants (≥ 17 years old). If key variables were collected but the relevant analyses were not reported, we contacted authors to request effect sizes or raw data. If data were reported in more than one study, we selected the analysis with the larger sample size or which included appropriate control variables, such as age. Studies using measures that were ambiguous and/or not comparable to measures used in other studies were excluded (e.g. measures of body size without information about the proportion of fat/muscle mass, or reproductive data during a very restricted time period). Twin studies where participants were sampled as pairs, population level studies, and studies analyzing both sexes together were also excluded, as well as articles that were not written in English. Multiple measures from the same study were retained if they met the other criteria.

We chose Pearson's r as our effect size measure and effect sizes not given as r were converted (see Supplementary File 1 for conversion formulas); if effect sizes were not convertible, the study was excluded. Where effect sizes for non-significant results were not stated in the article and could not be obtained, an effect size of 0 was assigned ($k = 28$).

Excluding those effects from the analyses had no effect on any of the results. Twenty-nine percent of all observations (133 of 452, selected randomly) were double coded by the first author > 2 months apart. Intracoder agreement was 97%. For coding decisions, see Supplementary Files 2.

In total, 96 studies were selected (8, 9, 12, 31, 33, 47, 48, 58, 63-67, 72-154), comprising 474 effect sizes from 99 samples and 177,044 unique participants (Figure 1). This exceeds the number of studies for each of the meta-analyses published previously (54, 67-69).

[INSERT FIGURE 1 HERE]

Figure 1. All studies included in the meta-analysis.

Statistical analyses

We used the *metafor* package (155) in R 3.6.2 (156). *metafor* transforms Pearson's r to Fisher's Z for analysis; for ease of interpretation, effect sizes were converted back to r for presentation of results. For 2D:4D and voice pitch, effects were reverse coded prior to analysis because low values denote greater masculinity. Similarly, effects were reverse coded for all offspring mortality outcomes as well as the outcomes age at first birth and age at first sexual intercourse/contact, as low values denote increased fitness. In all analyses reported here, therefore, a positive value of r denotes a positive relationship between masculinity and fitness outcomes. All predicted relationships were positive.

Analyses were conducted using random-effects models, as we expected the true effect to vary across samples. We controlled for multiple comparisons by computing q -values (157). Note that q -values estimate the probability that a significant effect is truly significant or not; they are not adjusted p values. Thus, in all analyses presented below, only effects that remained significant after q -value computation (indicated by q -values $< .05$) are presented as significant. Q -values for all analyses can be viewed in Supplementary File 7.

The analyses were conducted on three levels for both predictor traits and outcomes (Figure 2). For predictor traits, all six masculine traits were first combined and analyzed together at the *global masculinity level*. At the *trait level*, each masculine trait was then

analyzed separately. Lastly, each masculine trait was further divided into separate *trait indices*, which were analyzed as potential moderators (see below).

[INSERT FIGURE 2 HERE]

Figure 2. Overall analysis structure.

For the outcomes, mating, reproduction, and offspring mortality were first analyzed together at the *total fitness level*. Given the widespread use of mating measures as proxies of reproductive outcomes, it is imperative where possible to test (and ideally compare) both mating and reproduction, to ensure that we are not relying on proxies that do not measure what they are assumed to measure. The *domain level* therefore divided outcomes into the *mating domain*, the *reproductive domain*, and the *offspring mortality domain* and analyzed them separately. The last level, the *measures level*, further divided mating and reproduction into their separate measures (mating attitudes and behaviors, and fertility and reproductive success, respectively), which were analyzed as subgroups.

The mating domain comprised mating *attitudes* and mating *behaviors*, as high mating success may result from increased mating efforts (reflected in favorable attitudes towards short-term mating) and/or encountering more mating opportunities (reflected in mating behaviors) without actively seeking them (because of female choice, for example). It is therefore necessary to divide these two measures.

The reproductive measures, fertility (number of offspring) and reproductive success (number of surviving offspring), are closely related but were also analyzed separately in subgroup analyses. Offspring mortality, on the other hand, was usually indexed by mortality *rate* (only two studies used absolute number of dead offspring, and it made no difference to the results whether those studies were included or not) and is not directly related to offspring numbers. Offspring mortality was therefore analyzed as a separate domain. As there were too

few observations of offspring mortality to test predictor traits separately, this outcome was only analyzed at the global masculinity level.

In addition to analyzing all samples together, we also analyzed low and high fertility samples separately to assess whether results were robust in both types of populations. We used a cut-off of three or more children per woman on average within that sample, which roughly corresponds to samples with vs without widespread access to contraception (158). Samples therefore had two levels: *all samples*, and the two sample types *low fertility* and *high fertility*.

The analysis structure was therefore as summarized in Figure 2: *overall analyses* tested global masculinity as a predictor of total fitness, as well as the three domains of mating, reproduction, and offspring mortality, separately, across all samples. In our *main analyses*, we analyzed masculinity at the trait level, in relation to the two outcome domains mating and reproduction. The following *subgroup analyses* considered low and high fertility samples separately, in addition to also dividing outcomes into their respective measures (mating attitudes vs mating behaviors, and fertility vs reproductive success).

Lastly, we performed a series of exploratory meta-regressions on potential moderator variables. Such moderation analyses compare effect sizes across categories of studies as determined by a particular study characteristic, e.g. monogamous vs polygynous marriage systems, to determine if effect sizes were robust and/or equivalent across these categories. Since power was often low, we ran moderation analyses separately for each study characteristic rather than trying to test for interactions. For all masculine traits where we had sufficient power, trait-general moderation analyses included: domain type (mating vs reproduction), mating measure type (attitudes vs behaviors), reproductive measure type (fertility vs reproductive success), sample type (low vs high fertility), low fertility sample type (student vs non-student), high fertility sample type (traditional vs industrialized), ethnicity,

marriage system, publication status (published vs not published effect), peer review status (peer reviewed vs not peer reviewed), sexual orientation, transformation of variables, conversion of effect sizes, age control, and inclusion of other control variables. Note that since we included many non-published effects from studies that were published, ‘publication status’ referred to whether particular the particular *effects* were published, not the study as whole – the analysis can therefore detect evidence of any tendency for significant results to be ‘written up’ while nonsignificant ones are not, whether this bias occurs between or within manuscripts. We ran moderation analyses both for outcome domains and outcome measures (i.e. mating attitudes and mating behaviors, and fertility and reproductive success, respectively). For each masculine trait, we also conducted trait-specific moderation analyses (e.g. subjectively rated vs morphometric facial masculinity (for full details on trait-specific moderators, see Supplementary Files 3).

Analyses sometimes included more than one observation from the same study/sample. In all analyses, therefore, effect sizes were clustered both by sample and by study. For all analyses, only relationships with a minimum of three independent samples from a minimum of two separate studies were analyzed. For moderation analyses, this meant that *each category* of the moderator needed observations from at least three samples from at least two studies; in many cases, there were not enough observations to test for moderators.

In the Results section, unless otherwise specified, we summarize results from *trait-general* moderation analyses of outcome *domains* only (where results for outcome *measures* and *trait-specific* moderators are reported in Supplemental File 4). Additional details and full results of all analyses can be found in Supplementary Files 3-5.

Results

Summary of samples

All 96 studies included in the meta-analysis are shown in Figure 1. In total, 29 articles reported effect sizes from high fertility samples, which included 17 articles drawing on 13 different extant forager or subsistence populations (of the type sometimes referred to as ‘small scale societies’, coded here as non-industrialized) predominantly in Africa or Latin America. The remaining high fertility data came from historical samples or low socioeconomic status sub-populations within low-fertility countries (e.g. agricultural Polish communities, former ‘delinquents’ in the US, and Zulus living in South African townships). Sixty-nine articles reported data from low fertility populations, which came from 54 primarily student or partially-student samples (43 of which were from English-speaking countries), and only 12 samples which could be considered representative community or cohort/panel samples. Two articles reported data drawn from ‘global’ online samples (classified as low fertility). The remaining low fertility samples were either unspecified or sampled particular sub-populations (e.g. specific professions).

Overall analyses of global masculinity

In the initial overall analyses, global masculinity was weakly but significantly associated with greater total fitness (i.e. mating, reproduction, and offspring mortality combined) ($r = .080$ (95% CI: [0.061, 0.101], $q = .001$; we reiterate here that for all analyses, q -values $< .05$ denote significance after correcting for multiple comparisons). When we divided the outcome measures into their three domains, the positive (albeit weak) associations with global masculinity remained significant for mating, but not for reproduction or offspring mortality (mating: $r = .090$ (95% CI: [0.071, 0.110], $q = .001$; reproduction: $r = .047$ (95% CI: [0.004, 0.090], $q = .080$; offspring mortality: $r = .002$ (95% CI: [-0.011, 0.015], $q = .475$). While the effect was thus only significant for mating, the differences between effects were not significant, but we note that sample sizes differed considerably between domains.

Below, we present in further detail the results of the effect of global masculinity on each of the three outcome domains: mating, reproduction, and offspring mortality. We then present the associations between each masculine trait and mating and reproductive measures, separately. We also present results for subgroup and trait-general moderation analyses (for outcome domains only); for complete results, see Supplementary Files 4 and 5.

Mating

Main analyses of each masculine trait. This set of analyses tested the prediction that individual masculine traits are positively associated with mating. In terms of the overall mating domain (i.e. mating attitudes and behaviors combined), all masculine traits showed the predicted positive relationships with mating, and the effects were significant for all traits except for facial masculinity and 2D:4D (Table 1). Some of these effects were very weak, however. The strongest associations with the mating domain were seen in terms of body masculinity ($r = .133$, 95% CI: [0.091, 0.176], $q = .001$; Figure 3), voice pitch ($r = .132$, 95% CI: [0.061, 0.204], $q = .002$; Figure 4), and testosterone levels ($r = .093$, 95% CI: [0.066, 0.121], $q = .001$; Figure 5). Height showed a significant but smaller effect size ($r = .057$, 95% CI: [0.027, 0.087], $q = .002$; Figure 6). While not the weakest association, the relationship between facial masculinity and mating was nonsignificant ($r = .080$, 95% CI: [-0.003, 0.164], $q = .117$). The effect for 2D:4D was also nonsignificant ($r = .034$, 95% CI: [0.000, 0.069], $q = .102$), and moderation analyses showed that this was the only trait that showed a significantly smaller effect size than the strongest predictor, body masculinity ($p < .001$, $q = .006$).

[INSERT TABLE 1 AROUND HERE]

Comparison of high and low fertility samples. Across all masculine traits, most effect sizes (94%) came from low fertility samples. Moderation analyses of sample type could only be run for body masculinity and height; neither was significant, although in both cases the effect

sizes observed in the main analyses were significant only for low fertility, and not the less numerous high fertility samples ($k = 4$ for each trait). The other four traits had only been measured in one high fertility sample each, and the main analyses thus contained almost exclusively low fertility samples. We further compared low fertility samples which were predominantly students with other low fertility samples as part of our moderation analyses where possible, i.e. for body masculinity, voice pitch, height, and testosterone. for body masculinity, student samples showed a significantly stronger effect than non-student samples for mating *behaviors* only ($B = -.128, p = .009, q = .032$) but otherwise we found no differences (see Supplementary File 4).

[INSERT FIGURES 3, 4, 5 AND 6 AROUND HERE – FIGURE CAPTIONS BELOW]

Figure 3

Forest plot of the association between body masculinity and the mating domain. Effect sizes are shown as Z-transformed r , with 95% confidence intervals in brackets. The width of the diamond corresponds to the confidence interval for the overall effect.

Figure 4

Forest plot of the association between voice pitch and the mating domain. Effect sizes are shown as Z-transformed r , with 95% confidence intervals in brackets. The width of the diamond corresponds to the confidence interval for the overall effect.

Figure 5

Forest plot of the association between testosterone levels and the mating domain. Effect sizes are shown as Z-transformed r , with 95% confidence intervals in brackets. The width of the diamond corresponds to the confidence interval for the overall effect.

Figure 6

Forest plot of the association between height and the mating domain. Effect sizes are shown as Z-transformed r , with 95% confidence intervals in brackets. The width of the diamond corresponds to the confidence interval for the overall effect.

Inclusion bias/heterogeneity. Since the analysis included unpublished data, the distribution of effects in the funnel plots (see Supplementary File 6A) shows availability bias rather than publication bias. Apart from voice pitch, for which we did not have many effects, visual

inspection of funnel plots indicated that they were generally symmetric, suggesting that the analysis did not systematically lack studies with unexpected small effects. There was significant heterogeneity of effect sizes for facial masculinity, body masculinity, and height; all of which are accounted for in a random-effects analysis.

Additional subgroup and moderation analyses for outcome domains. In this step of the analyses, we tested the hypothesis that each of the six masculine traits is positively associated with the two mating domain measures (mating attitudes and mating behaviors) and tested further potential control variables and trait-specific moderators. Results of subgroup analyses can be viewed in Table 1 and trait-general moderators in Table 3; full results of all moderation analyses are reported in Supplementary Files 4.

Type of mating measure (attitudes vs behaviors) was never a significant moderator. However, for both body masculinity and height, there were significant effects for mating behaviors (body masculinity: $r = .142$, 95% CI: [0.099, 0.187], $q = .001$, height: $r = .054$, 95% CI: [0.021, 0.087], $q = .008$) but not attitudes. Voice pitch was significantly related to mating behaviors ($r = .124$, 95% CI: [0.043, 0.206], $q = .016$) but was not measured in combination with mating attitudes. Testosterone levels showed near identical effects for both mating attitudes and behaviors ($r = .099$, 95% CI: [0.026, 0.173], $q = .032$ and $r = .084$, 95% CI: [0.058, 0.110], $q = .001$, respectively).

No trait-general moderator consistently changed the pattern of the associations (Table 3). Body masculinity effects were stronger in studies where age had not been controlled for compared to where it had been controlled for ($B = 0.103$, $p = .015$, $q = .047$). Associations for 2D:4D were weaker in non-white/mixed ethnicity samples compared to white samples ($B = -0.080$, $p = .014$, $q = .047$), and stronger where variables had been transformed to approximate normality compared to when they had not been transformed ($B = 0.103$, $p = .016$, $q = .047$). Similarly, associations for testosterone levels were also stronger for normality-transformed

variables ($B = 0.057, p = .015, q = .047$), and weaker in gay/mixed sexuality samples compared to in heterosexual samples ($B = -0.059, p = .003, q = .016$).

For trait-specific moderators, significant moderation was seen for *type* of body masculinity where body shape was a significantly weaker predictor than strength ($B = -0.099, p = .003, q = .017$). Effects for *rated* body masculinity were significantly stronger than for indices taken from body measurements ($B = 0.177, p = .007, q = .029$). For 2D:4D, studies that had measured digit ratios three times – rather than twice or an unknown number of times – showed significantly stronger effects ($B = 0.102, p = .006, q = .025$).

Reproduction

Main analyses of each masculine trait. In this set of analyses, we tested the hypothesis that individual masculine traits positively predict reproduction. As Table 2 shows, relationships were generally in the predicted direction, but body masculinity was the strongest and only significant predictor ($r = .143, 95\% \text{ CI: } [0.076, 0.212], q = .001$; Figure 7). The only trait with an effect size significantly smaller than body masculinity was height ($B = -0.107, p = .005, q = .023$).

[INSERT TABLE 2 AROUND HERE]

[INSERT FIGURE 7 AROUND HERE – FIGURE CAPTION BELOW]

Figure 7

Forest plot of the association between body masculinity and the reproductive domain. Effect sizes are shown as Z-transformed r , with 95% confidence intervals in brackets. The width of the diamond corresponds to the confidence interval for the overall effect.

Comparison of high and low fertility samples. The majority (77 %) of observations of reproduction were from high fertility samples. Moderation analyses of low versus high fertility samples could only be conducted for 2D:4D and height; effect sizes did not differ

significantly between sample types. Comparing types of high fertility samples (industrialized vs non-industrialized) for 2D:4D and height did not show any differences in effect sizes (see Supplementary File 4). It was not possible to compare sample subtypes for the other traits because observations were almost entirely from non-industrialized populations.

Inclusion bias/heterogeneity. Visual inspection of funnel plots (see Supplementary File 6B) suggested that while the effects for voice pitch, height, and testosterone levels were symmetrically distributed, our analysis may have lacked studies for the other traits. Facial masculinity and height showed significant heterogeneity.

[INSERT TABLE 3 AROUND HERE]

Additional subgroup and moderator analyses for outcome domains. Results of subgroup analyses can be viewed in Table 2 and trait-general moderators in Table 3; full results of moderation analyses are found in Supplementary File 4.

Moderation analyses (where possible) showed no evidence that the effects of masculinity traits on fertility differed from the effects on reproductive success. However, for body masculinity, the effect on fertility was significant ($r = .130$, 95% CI: [0.060, 0.201], $q = .002$; five out of six samples high fertility) while the somewhat larger effect on reproductive success was not. For 2D:4D, there was a significant effect for reproductive success (four out of five samples from high fertility populations: $r = .174$, 95% CI: [0.085, 0.267], $q = .002$) but not for fertility.

Similarly, for mating, no trait-general or trait-specific moderators had any consistent effects on the results. Body masculinity effects were stronger where effect sizes had been converted to Pearson's r compared to where they initially had been given as r ($B = 0.143$, $p =$

.015, $q = .047$), and effects for height were stronger in gay/mixed sexuality samples than heterosexual samples ($B = 0.135$, $p = .016$, $q = .047$).

Comparing mating and reproduction across traits

Moderation analyses of domain type (mating versus reproduction) for each trait showed no significant differences, although height and testosterone levels had weaker associations with reproduction than mating while body masculinity showed the opposite pattern. There were generally far fewer observations for reproductive measures, so this nonsignificant analysis may reflect lack of power. For facial masculinity, voice pitch, and 2D:4D, effect sizes for global mating and reproductive measures were near identical.

Discussion

Summary of results

We conducted the first comprehensive meta-analysis of the relationships between men's masculine traits and outcomes related to mating and reproduction. Various proposed (and non-mutually exclusive) hypotheses suggest that more masculine men should show increased mating success (indexed by more matings and/or preferences for short-term mating), increased reproductive output (indexed by fertility and/or reproductive success), and/or lower offspring mortality. Our results showed partial support for these predictions. Global masculinity (i.e. all masculine traits combined) significantly predicted effects in the mating domain, but not the reproductive domain or the offspring mortality domain. When we analyzed each masculine trait separately, all traits except facial masculinity and 2D:4D significantly predicted effects in the mating domain, where similarly strong associations were seen for body masculinity, voice pitch, and testosterone levels, and a weaker correlation was seen for height. In terms of the reproductive domain, the only significant predictor was body masculinity. It was not possible to analyze offspring mortality at the specific predictor level

owing to a severe lack of relevant data from which to draw conclusions (total number of observations for each outcome domain: mating domain $k = 371$; reproductive domain $k = 81$; offspring mortality domain $k = 22$).

We also examined how these effects play out in high versus low fertility populations. Typically, however, different outcomes were measured in different groups of populations; mating outcomes were predominantly measured in low fertility populations, while reproductive outcomes were measured mainly in high fertility populations. This made it more challenging to draw direct comparisons. Where it was possible to run moderation analyses on sample type, there were no significant differences. These analyses, however, have small numbers of high and low fertility samples in mating and reproductive outcomes respectively. Therefore, while we can confidently say that most forms of masculinity (but not facial masculinity or 2D:4D) are associated with (largely self-reported) mating outcomes in low fertility samples, we cannot draw any clear conclusions regarding mating success in high fertility samples. Similarly, although we are confident that body masculinity is associated with fertility/reproductive success in high fertility samples, we cannot draw conclusions about low fertility contexts.

More generally, our moderation analyses on outcome types and factors relating to measure quality did not yield any consistent differences between effect sizes, suggesting that the effects we do find are reasonably robust within sample type at least. Two key points to note here are that: *i.* Although effect sizes for mating attitudes and mating behaviors did differ for some traits (i.e. facial masculinity and body masculinity), these differences were never significant, despite mating behaviors being constrained by opportunities (assuming participants report truthfully). *ii.* Similarly, effect sizes did sometimes differ by publication status but never significantly so; in addition, the direction of the differences was not

consistent (i.e. effect sizes were not consistently larger in published analyses), suggesting that researchers have not been selectively reporting larger effect sizes.

Compared to previous meta-analyses assessing associations between handgrip strength and mating outcomes (67), height/strength and reproductive outcomes (68, 69), and testosterone levels and mating effort (54), our analysis benefits from more comprehensive measures of masculinity, larger sample sizes, and inclusion of more unpublished effects. With the exception of (69), we observe smaller effect sizes than previous meta-analyses, which suggests that the association between masculinity and fitness outcomes has previously been overestimated. In general, what significant associations we did observe were small and ranged between $r = .05$ and $.17$, although they are potentially meaningful in an evolutionary context. As benchmarks for interpreting correlations, Funder and Ozer (159) suggest that a correlation of $.10$, while being a small effect, has the potential to be influential over a long time period, and a medium-size correlation of $.20$ can be consequential both in the short- and long-term. The cumulative effect of relatively ‘weak’ correlations can therefore be of real consequence, particularly when considered in terms of selection acting over many generations.

Major implications

Selection for body masculinity. The first stand-out result of our analysis is that body masculinity (i.e. strength/muscularity) is the only trait in our analysis that was consistently correlated with both mating and reproductive outcomes across populations, and the effects of body masculinity on these outcomes were among the strongest in the analysis. In contrast, other aspects of masculinity (except facial masculinity and 2D:4D) predicted mating success in low fertility samples but did not yield reproductive benefits in high fertility samples.

Body masculinity is therefore the trait for which we have the most compelling evidence for present selection in naturally fertile populations. Overall, since traits such as

body size, strength, and muscularity are associated with formidability, our findings are consistent with the male-male competition hypothesis. In species with male intrasexual competition, males tend to evolve to become larger, stronger, and more formidable than females, as they are in humans. Some authors argue that male-male violence has influenced human evolution (35, 160), and male intergroup aggression increases mating/reproductive success in both non-industrialized human societies and in non-human primates (161, 162). For example, in the Yanomamö Indians, men who kill others have greater reproductive success (163). A relationship between formidable traits and fitness outcomes need not be a direct one, however. It might, as mentioned in the introduction, be mediated by other factors that are important in mate choice, such as interpersonal status and dominance. For example, features that are advantageous in intraspecies conflicts may also be advantageous when hunting game (37); Smith and colleagues (135) reported that in a hunter-gatherer population, men with greater upper body strength and a low voice pitch had increased reproductive success, but this relationship was explained by hunting reputation.

It is of course possible that different selection pressures may have contributed to the evolution of different masculine traits. Male-male competition for resources and mates, female choice, and intergroup violence are all plausible, non-mutually exclusive explanations (164). In this article, we have focused on the effect of men's own traits on their fitness, but it is of course equally possible that men varying in masculinity may differ in the quality of the partners they acquire. If masculine men are able to secure partners who are more fertile and/or better parents, this may also increase their fitness.

No evidence of advantage for facial masculinity. Considerable attention has been given in the literature to the hypothesis that masculinity in men's facial structure is an indicator of heritable immunocompetence (i.e. good genes), which should then be associated with greater

mating and reproductive success. While we find that the effect of facial masculinity on mating was similar in size to that of other traits ($r = .08$), it was not significantly different from zero, suggesting more variability in effects. Furthermore, the effect of facial masculinity on mating (such as it was) was largely driven by mating attitudes and was close to zero for mating behaviors, suggesting that men's facial masculinity exerts virtually no influence on mating when moderated by female choice. Similarly, the influence of facial masculinity on fertility in high fertility samples was non-existent ($r = .00$). Although the relationship with reproductive success appeared stronger, this was based on only two samples. This is, all together, doubly striking because although voice pitch, height, and testosterone levels did not predict reproductive outcomes, they did all relate to mating in the expected direction. Facial masculinity is ergo an outlier in being so entirely unrelated to mating success in our data, while subject to so large a literature assuming the opposite.

Overall, these findings contradict a large body of literature claiming that women's preferences for masculinity in men's faces are adaptive. Rather, they indicate that such preferences (to the extent they exist at all) are a modern anomaly only found in industrialized populations, as suggested by Scott and colleagues (43), and as demonstrated by the positive correlation between facial masculinity preferences and national health and human development indices (27).

Students and foragers. One key observation regarding our dataset is that it shows a rather 'bimodal' distribution between a large number of studies sampling (predominantly English-speaking) students on one hand, and a cluster of studies sampling foragers, horticulturalists, and other subsistence farmers (predominantly from just two continents) on the other. Where it was possible to compare student vs non-student/mixed samples within low fertility populations, and traditional vs industrialized high fertility samples, we generally did not find

any differences. Likewise, where it was possible to compare monogamous and formally polygynous cultures, we also found no differences. This is despite evidence that monogamy actually changes selection pressures on human men (61). Therefore, although we are reasonably confident that our results regarding body masculinity and reproduction are robust, insofar as they are based on non-industrialized populations with a range of subsistence patterns (hunter-gatherers, forager-horticulturalists, and pastoralists), it remains essential to consider rebalancing the literature. Not only do we require more holistic representation of non-industrialized populations (drawing from Asia and Oceania in particular, where we had one and zero samples, respectively), but it is also important to increase representation of non-student participants in low fertility contexts.

Disconnection between mating and reproductive literatures. As noted above, we found that voice pitch, height, and testosterone levels were associated with (largely self-reported) mating success in mostly low fertility populations, but not with actual reproductive fitness in high fertility populations. A caveat here is that effect sizes for voice pitch and reproduction were similar in strength to effect sizes for body masculinity, but we note that this analysis had the smallest sample size of our whole analysis ($k = 5$, $n = 143$), which prevents us from drawing firm conclusions regarding the relationship between voice pitch and reproductive outcomes.

Overall, however, the contradicting pattern of results for the traits mentioned above raise important concerns for the human sexual selection field, particularly with respect to whether (and which) mating measures can be used as reliable indicators of likely ancestral fitness when considering the current evidence base. Since reproductive outcomes – for good reason – are not considered meaningful fitness measures in populations with widespread contraception use, we typically test fitness outcomes in industrialized populations using mating measures such as sociosexual attitudes and casual sexual encounters. This is done

under the assumption that such measures index mating strategies that ancestrally would have increased men's offspring numbers. However, if mating outcomes (be it attitudinal or behavioral) measured in low fertility populations truly index reproductive outcomes in naturally fertile contexts, we would expect traits that predict mating to also predict reproduction on average across samples (notwithstanding the diversity in norms/reproductive behaviors across high fertility samples). We do not, however, have evidence that this is generally the case. Our findings therefore raise the question of whether these widely used measurements are truly valid proxies of what we purport to be measuring.

Our findings thus illustrate that when we attempt to test the same underlying research questions using different measurements in different populations, this may yield conclusions that are erroneous or misleading when applied outside of the studied population. We suggest, based on our analysis, that researchers could for instance consistently gather sexual partner number, age of marriage, and number/survival rates of offspring in multiple population types. Wherever possible, it is essential to use the same measurements across populations, or at least resist the temptation of applying our findings universally.

Key limitations

Non-linearity. A limitation of our analysis is that we only assessed linear relationships, ignoring possible curvilinear associations. There is evidence suggesting that moderate levels of masculinity might be associated with increased reproductive success (see e.g. 63, for offspring survival rates) and perceived attractiveness (31, 165, but see also 34), with a decrease for both very low and very high levels of masculinity. Indeed, some of these authors have argued that masculinity may be under stabilizing, rather than directional, selection in humans. In instances such as these, our 'null' conclusions regarding e.g. facial masculinity, remain valid; facial masculinity does not appear to be under directional selection. However,

we also note that there is data suggesting that height in men may be optimal when it is over-average but not maximal. In this scenario, although the linear relationship would be weaker, the trait remains under directional selection, and we would still expect to see positive, albeit weak, associations in our analyses. In the vast majority of studies included, only linear relationships were tested, and acquiring original data to investigate and synthesize non-linear effects was beyond the scope of the current article. However, increased publication of open data with articles may well facilitate such a project in future years.

Testosterone effects. As mentioned above, in our analysis testosterone levels predicted mating outcomes – with similar effect sizes for attitudinal and behavioral measures – but did not predict reproduction. While a causal relationship between testosterone levels and mating success cannot be established from this (i.e. whether high testosterone men pursue more mating opportunities which leads to more matings, or whether high testosterone results from many matings), testosterone is commonly argued to motivate investment in mating effort. *If* current testosterone levels index degree of masculine trait expression in men, our results *might* indicate that masculine men’s increased mating success is due to greater pursuit of matings - rather than reflecting female choice and/or greater competitiveness. Two caveats for interpreting our results, however (applicable both to the significant effect we observe for mating and the nonsignificant effect for reproduction), is that circulating testosterone levels *i.* change over the course of a man’s lifetime, peaking in early adulthood and subsequently declining (50; although this may not be the case in non-industrialized populations: 166), and *ii.* are reactive. In the studies we gathered, testosterone levels were generally measured contemporaneously with mating/reproductive data collection – not when masculine traits generally become exaggerated in adolescence. Testosterone also decreases, for example, when men enter a relationship or get married (167, 168), when they become fathers (167, 169), or

when they engage in childcare (167). Thus, men whose testosterone levels were previously high may show declining testosterone levels either because of their age and/or because their relationship or fatherhood status has changed. This limits the conclusions we can draw, both with regards to a potential mediating role of testosterone levels in the association between masculine traits and mating success, and the observed nonexistent effect for testosterone levels and reproductive outcomes. We also note that the sample size for reproduction is small.

Conclusion

In summary, we used a large-scale meta-analysis of six masculine traits and their relationships with mating and reproductive outcomes to test whether such traits are under present selection in humans. We found that all masculine traits except facial masculinity and 2D:4D were associated with significantly greater mating success. However, only body masculinity predicted higher fertility, indexed by reproductive onset, number of offspring, and grand-offspring. We further note that the mating and reproduction literature is starkly split between studying mating in predominantly student settings, and 'only' fertility in high fertility settings, which imposes constraints on both this paper and our field as a whole. We argue that our findings illustrate that when we test hypotheses about human evolution largely in industrialized populations, we risk drawing conclusions that are not supported outside of evolutionarily novel, highly niche mating and reproductive contexts. We therefore call for greater sample diversity and more homogenous measurements in future research.

References

1. J. M. Plavcan, Sexual dimorphism in primate evolution. *Am. J. Phys. Anthropol.* 116(S33), 25-53 (2001).

2. J. H. Crook, "Sexual selection, dimorphism, and social organization in the primates"
in *Sexual selection and the descent of man*, B. G. Campbell, Ed. (Aldine Publishing
Company, 1972).
3. M. F. Hammer, F. L. Mendez, M. P. Cox, A. E. Woerner, J. D. Wall, Sex-biased
evolutionary forces shape genomic patterns of human diversity. *PLoS Genet* 4(9),
e1000202 (2008).
4. J. C. Mitani, J. Gros-Louis, A. F. Richards, Sexual dimorphism, the operational sex
ratio, and the intensity of male competition in polygynous primates. *Am. Nat.* 147(6),
966-980 (1996).
5. J. P. Swaddle, G. W. Reiersen, Testosterone increases perceived dominance but not
attractiveness in human males. *Proc. Royal Soc* 269(1507), 2285-2289 (2002).
6. J. P. Gray, L. D. Wolfe, Height and sexual dimorphism of stature among human
societies. *Am. J. Phys. Anthropol.* 53(3), 441-456 (1980).
7. R. J. Smith, W. L. Jungers, Body mass in comparative primatology. *J. Hum. Evol.*
32(6), 523-559 (1997).
8. W. D. Lassek, S. J. C. Gaulin, Costs and benefits of fat-free muscle mass in men:
relationship to mating success, dietary requirements, and native immunity. *Evol. Hum.*
Behav. 30(5), 322-328 (2009).
9. S. M. Hughes, G. G. Gallup, Sex differences in morphological predictors of sexual
behavior: Shoulder to hip and waist to hip ratios. *Evol. Hum. Behav.* 24(3), 173-178
(2003).
10. D. Singh, Adaptive significance of female physical attractiveness: Role of waist-to-hip
ratio. *J. Pers. Soc. Psychol.* 65(2), 293-307 (1993).
11. M. Tovée, D. Maisey, E. Vale, P. Cornelissen, Characteristics of male attractiveness
for women. *Lancet* 353(9163), 1500-1500 (1999).

12. J. Weeden, J. Sabini, Subjective and objective measures of attractiveness and their relation to sexual behavior and sexual attitudes in university students. *Arch. Sex. Behav.* 36(1), 79-88 (2007).
13. J. T. Manning, *Digit ratio: A pointer to fertility, behavior, and health*. (Rutgers University Press, 2002).
14. C. L. Apicella, V. A. Tobolsky, F. W. Marlowe, K. W. Miller, Hadza hunter-gatherer men do not have more masculine digit ratios (2D:4D). *Am. J. Phys. Anthropol.* 159(2), 223-232 (2016).
15. D. A. Puts, C. L. Apicella, R. A. Cárdenas, Masculine voices signal men's threat potential in forager and industrial societies. *Proc. Royal Soc. B.* 279(1728), 601-609 (2012).
16. F. Galis, C. Ten Broek, S. Dongen, L. Wijnaendts, Sexual dimorphism in the prenatal digit ratio (2D:4D). *Arch. Sex. Behav.* 39(1), 57-62 (2010).
17. G. Richards, M. Gomes, T. Ventura, Testosterone measured from amniotic fluid and maternal plasma shows no significant association with directional asymmetry in newborn digit ratio (2D:4D). *J. Dev. Orig. Health Dis.* 10(3), 362-367 (2019).
18. S. A. Butterfield, R. A. Lehnhard, E. M. Loovis, T. Coladarci, D. Saucier, Grip strength performances by 5- to 19-year-olds. *Percept Mot Skills* 109(2), 362-370 (2009).
19. P. Y. Fechner, "The biology of puberty: New developments in sex differences" in *Gender differences at puberty*, C. Hayward, Ed. (Cambridge University Press, 2003).
20. E. M. Weston, A. E. Friday, P. Liò, Biometric evidence that sexual selection has shaped the hominin face. *PLoS One* 2(8), e710. (2007).
21. I. Folstad, A. J. Karter, Parasites, bright males, and the immunocompetence handicap. *Am. Nat.* 139(3), 603-622 (1992).

22. M. P. Muehlenbein, R. G. Bribiescas, Testosterone-mediated immune functions and male life histories. *Am. J. Hum. Biol.* 17(5), 527-558 (2005).
23. L. G. Boothroyd, B. C. Jones, D. M. Burt, R. E. Cornwell, A. C. Little, B. P. Tiddeman, D. I. Perrett, Facial masculinity is related to perceived age, but not perceived health. *Evol. Hum. Behav.* 26(5) 417-431 (2005).
24. J. Nowak, B. Pawłowski, B. Borkowska, D. Augustyniak, Z. Drulis-Kawa, No evidence for the immunocompetence handicap hypothesis in male humans. *Sci. Rep.* 8(1), 1-11 (2018).
25. L. G. Boothroyd, I. Scott, A. W. Gray, C. I. Coombes, N. Pound, Male facial masculinity as a cue to health outcomes. *Evol. Psychol.* 11(5) 1044-58 (2013).
26. Y. Z. Foo, L. W. Simmons, D. I. Perrett, P. G. Holt, P. R. Eastwood, G. Rhodes, Immune function during early adolescence positively predicts adult facial sexual dimorphism in both men and women. *Evol. Hum. Behav.* 41(3), 199-209 (2020).
27. U. M. Marcinkowska, M. J. Rantala, A. J. Lee, M. V. Kozlov, T. Aavik, H. Cai, ... B. J. Dixson, Women's preferences for men's facial masculinity are strongest under favorable ecological conditions. *Sci. Rep.* 9(1), 1-10 (2019).
28. I. M. L. Scott, A. P. Clark, L. G. Boothroyd, I. S. Penton-Voak, Do men's faces really signal heritable immunocompetence? *Behav. Ecol.* 24(3), 579-589 (2013).
29. A. A. Zaidi, J. D. White, B. C. Mattern, C. R. Liebowitz, D. A. Puts, P. Claes, M. D. Shriver, Facial masculinity does not appear to be a condition-dependent male ornament and does not reflect MHC heterozygosity in humans. *Proc. Natl. Acad. Sci. U.S.A.* 116(5), 1633 (2019).
30. A. C. Little, "Attraction and human mating" in *Evolutionary perspectives on social psychology*, V. Zeigler-Hill, L. L. Welling, T. K. Shackelford, Eds. Springer, Cham. (2015) pp. 319-332.

31. D. A. Frederick, M. G. Haselton, Why is muscularity sexy? Tests of the fitness indicator hypothesis. *Pers. Soc. Psychol. Bull.* 33(8), 1167-1183 (2007).
32. P. B. Gray, D. A. Frederick, Body image and body type preferences in St. Kitts, Caribbean: A cross-cultural comparison with US samples regarding attitudes towards muscularity, body fat, and breast size. *Evol. Psychol.* 10(3), 147470491201000319 (2012).
33. A. W. Lukaszewski, C. M. Larson, K. A. Gildersleeve, J. R. Roney, M. G. Haselton, Condition-dependent calibration of men's uncommitted mating orientation: Evidence from multiple samples. *Evol. Hum. Behav.* 35(4), 319-326 (2014).
34. A. Sell, A. W. Lukaszewski, M. Townsley, Cues of upper body strength account for most of the variance in men's bodily attractiveness. *Philos. Trans. R. Soc. Lond., B, Biol. Sci.* 284(1869), 20171819 (2017).
35. A. K. Hill, D. H. Bailey, D. A. Puts, "Gorillas in our midst? Human sexual dimorphism and contest competition in men" in *On human nature*, E. O. Wilson, (Academic Press, 2016).
36. D. Puts, Human sexual selection. *Curr Opin Psychol* 7, 28-32 (2016).
37. A. Sell, L. Hone, N. Pound, The importance of physical strength to human males. *Hum. Nat* 23(1), 30-44 (2012).
38. A. Sell, L. Cosmides, J. Tooby, D. Sznycer, C. von Rueden, M. Gurven, Human adaptations for the visual assessment of strength and fighting ability from the body and face. *Proc. Biol. Sci.* 276(1656), 575-584 (2009).
39. P. K. Durkee, A. T. Goetz, A. W. Lukaszewski, Formidability assessment mechanisms: Examining their speed and automaticity. *Evol. Hum. Behav.* 39(2), 170-178 (2018).

40. M. L. Butovskaya, S. Windhager, D. Karelin, A. Mezentseva, K. Schaefer, B. Fink, Associations of physical strength with facial shape in an African pastoralist society, the Maasai of Northern Tanzania. *PLoS One* 13(5), e0197738 (2018).
41. M. P. Haselhuhn, M. E. Ormiston, E. M. Wong, Men's facial width-to-height ratio predicts aggression: A meta-analysis. *PLoS One* 10(4), e0122637 (2015).
42. J. Raine, K. Pisanski, A. Oleszkiewicz, J. Simner, D. Reby, Human listeners can accurately judge strength and height relative to self from aggressive roars and speech. *iScience* 4, 273-280 (2018).
43. A. C. Little, V. Třebický, J. Havlíček, S. C. Roberts, K. Kleisner, Human perception of fighting ability: Facial cues predict winners and losers in mixed martial arts fights. *Behav. Ecol.* 26(6), 1470-1475 (2015).
44. D. A. Puts, T. Aung, Does men's voice pitch signal formidability? A reply to Feinberg et al. *Trends Ecol. Evol.* 34(3), 189-190 (2019).
45. I. M. Scott, A. P. Clark, S. C. Josephson, A. H. Boyette, I. C. Cuthill, R. L. Fried, M. A. Gibson, B. S. Hewlett, M. Jamieson, W. Jankowiak, P. L. Honey, Z. Huang, M. A. Liebert, B. G. Purzycki, J. H. Shaver, J. J. Snodgrass, R. Sosis, L. S. Sugiyama, V. Swami, D. W. Yu, Y. Zhao, I. S. Penton-Voak, Human preferences for sexually dimorphic faces may be evolutionarily novel. *Proc. Natl. Acad. Sci. U.S.A.* 111(40), 14388-14393 (2014).
46. P. J. Weatherhead, R. J. Robertson, Offspring quality and the polygyny threshold: "The sexy son hypothesis". *Am. Nat.* 113(2), 201-208 (1979).
47. A. K. Hill, J. Hunt, L. L. M. Welling, R. A. Cardenas, M. A. Rotella, J. R. Wheatley, K. Dawood, M. D. Shriver, D. A. Puts, Quantifying the strength and form of sexual selection on men's traits. *Evol. Hum. Behav.* 34(5), 334-341 (2013).

48. T. L. Kordsmeyer, J. Hunt, D. A. Puts, J. Ostner, L. Penke, The relative importance of intra- and intersexual selection on human male sexually dimorphic traits. *Evol. Hum. Behav.* 39(4), 424-436 (2018).
49. R. B. Slatcher, P. H. Mehta, R. A. Josephs, Testosterone and self-reported dominance interact to influence human mating behavior. *Soc. Psychol. Pers. Sci.* 2(5), 531-539 (2011).
50. A. Booth, J. M. Dabbs Jr, Testosterone and men's marriages. *Soc Forces.* 72(2), 463-477 (1993).
51. L. G. Boothroyd, B. C. Jones, D. M. Burt, D. I. Perrett, Partner characteristics associated with masculinity, health and maturity in male faces. *Pers. Individ. Differ.* 43(5), 1161-1173 (2007).
52. M. N. Muller, F. W. Marlowe, R. Bugumba, P. T. Ellison, Testosterone and paternal care in East African foragers and pastoralists. *Proc. Royal Soc. B.* 276(1655), 347-354 (2009).
53. C. Schild, J. Stern, L. Penke, I. Zettler, Voice pitch – A valid indicator of one's unfaithfulness in committed relationships?. *Adapt. Hum. Behav. Physiol.* 1-16 (2020).
54. N. M. Grebe, R. E. Sarafin, C. R. Strenth, S. Zilioli, Pair-bonding, fatherhood, and the role of testosterone: A meta-analytic review. *Neurosci Biobehav Rev* 98, 221-233 (2019).
55. C. T. Halpern, J. R. Udry, B. Campbell, C. Suchindran, Testosterone and pubertal development as predictors of sexual activity: A panel analysis of adolescent males. *Psychosom. Med.* 55(5), 436 (1993).
56. I. van Bokhoven, S. H. M. van Goozen, H. van Engeland, B. Schaal, L. Arseneault, J. R. Séguin, J. - M. Assaad, D. S. Nagin, F. Vitaro, R. E. Tremblay, Salivary

- testosterone and aggression, delinquency, and social dominance in a population-based longitudinal study of adolescent males. *Horm. Behav.* 50(1), 118-125 (2006).
57. C. E. Lefevre, G. J. Lewis, D. I. Perrett, L. Penke, Telling facial metrics: Facial width is associated with testosterone levels in men. *Evol. Hum. Behav.* 34(4), 273-279 (2013).
58. M. Peters, L. W. Simmons, G. Rhodes, Testosterone is associated with mating success but not attractiveness or masculinity in human males. *Anim. Behav.* 76, 297-303 (2008).
59. S. W. Gangestad, J. A Simpson, The evolution of human mating: Trade-offs and strategic pluralism. *Behav. Brain Sci.* 23(4), 573-587 (2000).
60. D. Pérusse, Cultural and reproductive success in industrial societies: Testing the relationship at the proximate and ultimate levels. *Behav Brain Sci* 16(2), 267-283 (1993).
61. G. R. Brown, K. N. Laland, M. B. Mulder, Bateman's principles and human sex roles. *Trends Ecol. Evol.* 24(6) 297-304 (2009).
62. M. Borgerhoff Mulder, Serial monogamy as polygyny or polyandry?: Marriage in the Tanzanian Pimbwe. *Hum. Nat.* 20(2) (2009).
63. L. G. Boothroyd, A. W. Gray, T. N. Headland, R. T. Uehara, D. Waynforth, D. M. Burt, N. Pound, Male facial appearance and offspring mortality in two traditional societies. *PLoS One* 12(1), e0169181 (2017).
64. B. Pawlowski, L. G. Boothroyd, I. D. Perrett, S. Kluska, Is female attractiveness related to final reproductive success?. *Coll. Antropol.* 32(2), 457-460 (2008).
65. S. Arnocky, J. M. Carré, B. M. Bird, B. J. P. Moreau, T. Vaillancourt, T. Ortiz, N. Marley, The facial width-to-height ratio predicts sex drive, sociosexuality, and intended infidelity. *Arch. Sex. Behav.* 47(5), 1375-1385 (2018).

66. G. Rhodes, L. W. Simmons, M. Peters, Attractiveness and sexual behavior: Does attractiveness enhance mating success? *Evol. Hum. Behav.* 26(2), 186-201 (2005).
67. S. Van Dongen, E. Sprengers, Hand grip strength in relation to morphological measures of masculinity, fluctuating asymmetry and sexual behaviour in males and females. *Sex Hormones. InTech*, 293-306. (2012).
68. C. R. von Rueden, A. V. Jaeggi, Men's status and reproductive success in 33 nonindustrial societies: Effects of subsistence, marriage system, and reproductive strategy. *Proc. Natl. Acad. Sci. U.S.A.* 113(39), 10824-10829 (2016).
69. Y. Xu, S. Norton, Q. Rahman, Early life conditions, reproductive and sexuality-related life history outcomes among human males: A systematic review and meta-analysis. *Evol. Hum. Behav.* 39(1), 40-51 (2018).
70. L. Penke, J. B. Asendorpf, Beyond global sociosexual orientations: A more differentiated look at sociosexuality and its effects on courtship and romantic relationships. *J. Pers. Soc. Psychol.* 95(5), 1113-1135 (2008).
71. J. A. Simpson, S. W. Gangestad, Individual differences in sociosexuality: Evidence for convergent and discriminant validity. *J. Pers. Soc. Psychol.* 60(6), 870-883 (1991).
72. A. Alvergne, C. Faurie, M. Raymond, Variation in testosterone levels and male reproductive effort: Insight from a polygynous human population. *Horm. Behav.* 56(5), 491-497 (2009).
73. C. L. Apicella, Upper-body strength predicts hunting reputation and reproductive success in Hadza hunter-gatherers. *Evol. Hum. Behav.* 35(6), 508-518 (2014).
74. C. L. Apicella, D. R. Feinberg, F. W. Marlowe, Voice pitch predicts reproductive success in male hunter-gatherers. *Biol. Lett.*, 3(6), 682-684 (2007).
75. J. Aronoff, "Life history strategies, testosterone, and the anthropology of human development," University of Alabama, Tuscaloosa, Alabama (2017).

76. J. A. Atkinson, “Anthropometric correlates of reproductive success, facial configuration, risk taking and sexual behaviors among indigenous and Western populations: The role of hand-grip strength and wrist width,” University at Albany, Albany, New York (2012).
77. J. Atkinson, R. N. Pipitone, A. Sorokowska, P. Sorokowski, M. Mberira, A. Bartels, G. G. Gallup, Voice and handgrip strength predict reproductive success in a group of indigenous African females. *PLoS One* 7(8), e41811 (2012).
78. A. F. Bogaert, W. A. Fisher, Predictors of university men's number of sexual partners. *J. Sex Res.* 32(2), 119-130 (1995).
79. A. Booth, D. R. Johnson, D. A. Granger, Testosterone and men's health. *J. Behav. Med.* 22(1), 1-19 (1999).
80. L. G. Boothroyd, C. P. Cross, A. W. Gray, C. Coombes, K. Gregson-Curtis, Perceiving the facial correlates of sociosexuality: Further evidence. *Pers. Individ.* 50(3), 422-425 (2011).
81. L. G. Boothroyd, B. C. Jones, D. M. Burt, L. M. DeBruine, D. I. Perrett, Facial correlates of sociosexuality. *Evol. Hum. Behav.* 29(3), 211-218 (2008).
82. N. E. Charles, G. M. Alexander, The association between 2D:4D ratios and sociosexuality: A failure to replicate. *Arch. Sex. Behav.* 40(3), 587-595 (2011).
83. N. Chaudhary, et al. Polygyny without wealth: Popularity in gift games predicts polygyny in BaYaka Pygmies. *R. Soc. Open Sci.* 2(5), 150054 (2015).
84. R. S. Edelstein, W. J. Chopik, E. L. Kean, Sociosexuality moderates the association between testosterone and relationship status in men and women. *Horm. Behav.* 60(3), 248-255 (2011).
85. R. G. Falcon, Stay, stray or something in-between? A comment on Wlodarski et al. *Biol. Lett.* 12(5), 20151069 (2016).

86. D. Farrelly, R. Owens, H. R. Elliott, H. R. Walden, M. A. Wetherell, The effects of being in a “new relationship” on levels of testosterone in men. *Evol. Psychol.* 13(1), 147470491501300116 (2015).
87. M. J. Frederick, “Effects of early developmental stress on adult physiology and behavior,” State University of New York at Albany, Albany, New York (2010).
88. D. A. Frederick, B. N. Jenkins, Height and body mass on the mating market: Associations with number of sex partners and extra-pair sex among heterosexual men and women aged 18–65. *Evol. Psychol.* 13(3) (2015).
89. A. C. Gallup, D. D. White, G. G. Gallup Jr, Handgrip strength predicts sexual behavior, body morphology, and aggression in male college students. *Evol. Hum. Behav.* 28(6), 423-429 (2007).
90. J. E. Genovese, Physique correlates with reproductive success in an archival sample of delinquent youth. *Evol. Psychol.* 6(3) (2008).
91. L. T. Gettler, P. X. Kuo, S. Rosenbaum, J. L. Avila, T. W. McDade, C. W. Kuzawa, Sociosexuality, testosterone, and life history status: Prospective associations and longitudinal changes among men in Cebu, Philippines. *Evol. Hum. Behav.* 40(2), 249-258 (2019).
92. T. E. Gildner, “Life history tradeoffs between testosterone and immune function among Shuar forager-horticulturalists of Amazonian Ecuador,” University of Oregon, Eugene, Oregon (2018).
93. J. Gómez-Valdés, et al, Lack of support for the association between facial shape and aggression: A reappraisal based on a worldwide population genetics perspective. *PLoS One* 8(1), e52317 (2013).

94. E. M. Hartl, E. P. Monnelly, R. D. Elderkin, *Physique and delinquent behavior: A thirty year follow-up of William H. Sheldon's Varieties of Delinquent Youth* (Academic Press, 2013).
95. S. Hoppler, A. Walther, P. La Marca-Ghaemmaghami, U. Ehlert, Lower birthweight and left-/mixed-handedness are associated with intensified age-related sex steroid decline in men. Findings from the Men's Health 40+ Study. *Andrology* 6(6), 896-902 (2018).
96. J. Hönekopp, M. Voracek, J. T. Manning, 2nd to 4th digit ratio (2D:4D) and number of sex partners: Evidence for effects of prenatal testosterone in men. *Psychoneuroendocrinology* 31(1), 30-37 (2006).
97. J. Hönekopp, U. Rudolph, L. Beier, A. Liebert, C. Müller, Physical attractiveness of face and body as indicators of physical fitness in men. *Evol. Hum. Behav.* 28(2), 106-111 (2007).
98. S. Kirchengast, Differential reproductive success and body size in! Kung San people from northern Namibia. *Coll. Antropol.* 24(1), 121-132 (2000).
99. S. Kirchengast, E. M. Winkler, Differential reproductive success and body dimensions in Kavango males from urban and rural areas in northern Namibia. *Hum. Biol.* 291-309 (1995).
100. C. Klimas, U. Ehlert, T. J. Lacker, P. Waldvogel, A. Walther, Higher testosterone levels are associated with unfaithful behavior in men. *Biol. Psychol.* 146, 107730 (2019).
101. M. Klimek, A. Galbarczyk, I. Nenko, L. C. Alvarado, G. Jasienska, Digit ratio (2D:4D) as an indicator of body size, testosterone concentration and number of children in human males. *Ann. Hum. Biol.* 41(6), 518-523 (2014).

102. T. L. Kordsmeyer, L. Penke, The association of three indicators of developmental instability with mating success in humans. *Evol. Hum. Behav.* 38(6), 704-713 (2017).
103. M. Krzyżanowska, C. N. Mascie-Taylor, J. C. Thalabard, Is human mating for height associated with fertility? Results from a British national cohort study. *Am. J. Hum. Biol.* 27(4), 553-563 (2015).
104. R. Kurzban, J. Weeden, HurryDate: Mate preferences in action. *Evol. Hum. Behav.* 26(3), 227-244 (2005).
105. B. B. Little, R. M. Malina, P. H. Buschang, L. R. Little, Natural selection is not related to reduced body size in a rural subsistence agricultural community in southern Mexico. *Hum. Biol.* 287-296 (1989).
106. J. Loehr, R. B. O'Hara, Facial morphology predicts male fitness and rank but not survival in Second World War Finnish soldiers. *Biol. Lett.* 9(4), 20130049 (2013).
107. D. P. Longman, M. K. Surbey, J. T. Stock, J. C. Wells, Tandem androgenic and psychological shifts in male reproductive effort following a manipulated “win” or “loss” in a sporting competition. *Hum. Nat.* 29(3), 283-310 (2018).
108. V. X. Luevano, K. Merklings, J. J. Sanchez-Pinelo, M. Shakeshaft, M. L. Velazquez, “Facial width-to-height ratio, psychopathy, sociosexual orientation, and accepting detection-risk in extra-pair relationships.” Poster presented at the annual meeting of the Western Psychological Association, Portland, OR. (2018, April).
109. D. Maestripieri, A. Klimczuk, D. Traficante, M. C. Wilson, Ethnicity-related variation in sexual promiscuity, relationship status, and testosterone levels in men. *Evol. Behav. Sci.* 8(2), 96 (2014).

110. J. T. Manning, B. Fink, Digit ratio (2D:4D), dominance, reproductive success, asymmetry, and sociosexuality in the BBC Internet Study. *Am. J. Hum. Biol.* 20(4), 451-461 (2008).
111. J. T. Manning, P. Henzi, P. Venkatramana, S. Martin, D. Singh, Second to fourth digit ratio: Ethnic differences and family size in English, Indian and South African populations. *Ann. Hum. Biol.* 30(5), 579-588 (2003).
112. M. Marczak, M. Misiak, A. Sorokowska, P. Sorokowski, No sex difference in digit ratios (2D:4D) in the traditional Yali of Papua and its meaning for the previous hypotheses on the inter-population variability in 2D:4D. *Am. J. Hum. Biol.* 30(2) (2018).
113. M. McIntyre, S. W. Gangestad, P. B. Gray, J. F. Chapman, T. C. Burnham, M. T. O'Rourke, R. Thornhill, Romantic involvement often reduces men's testosterone levels--but not always: The moderating role of extrapair sexual interest. *J. Pers. Soc. Psychol.* 91(4), 642 (2006).
114. J. Međedović, T. Bulut, A life-history perspective on body mass: Exploring the interplay between harsh environment, body mass, and mating success. *Evol. Behav. Sci.* 13(1), 84 (2019).
115. M. A. Mosing, K. J. Verweij, G. Madison, N. L. Pedersen, B. P. Zietsch, F. Ullén, Did sexual selection shape human music? Testing predictions from the sexual selection hypothesis of music evolution using a large genetically informative sample of over 10,000 twins. *Evol. Hum. Behav.* 36(5), 359-366 (2015).
116. U. Mueller, A. Mazur, Facial dominance in Homo sapiens as honest signaling of male quality. *Behav. Ecol.* 8(5), 569-579 (1997).

117. N. J. Nagelkerke, R. M. Bernsen, S. K. Sgaier, P. Jha, Body mass index, sexual
behaviour, and sexually transmitted infections: An analysis using the NHANES 1999–
2000 data. *BMC Public Health* 6(1), 199 (2006).
118. D. Nettle, Height and reproductive success in a cohort of British men. *Hum.*
Nat. 13(4), 473-491 (2002).
119. B. Pawlowski, R. Dunbar, A. Lipowicz, Tall men have more reproductive
success. *Nature* 403 (6766), 156 (2000).
120. T. V. Pollet, L. van der Meij, K. D. Cobey, A. P. Buunk, Testosterone levels
and their associations with lifetime number of opposite sex partners and remarriage in
a large sample of American elderly men and women. *Horm. Behav.* 60(1), 72-77
(2011).
121. P. Polo, J. A. Muñoz-Reyes, M. Pita, T. K. Shackelford, B. Fink, Testosterone-
dependent facial and body traits predict men's sociosexual attitudes and behaviors.
Am. J. Hum. Biol. 31(3), e23235 (2019).
122. M. E. Price, N. Pound, J. Dunn, S. Hopkins, J. Kang, Body shape preferences:
Associations with rater body shape and sociosexuality. *PLoS One* 8(1) (2013).
123. P. Prokop, P. Fedor, Physical attractiveness influences reproductive success of
modern men. *J Ethol* 29(3), 453-458 (2011).
124. P. Prokop, P. Fedor, Associations between body morphology, mating success
and mate preferences among Slovak males and females. *Anthropol. Anz.* 70(2), 121-
135 (2013).
125. D. A. Puts, S. J. Gaulin, K. Verdolini, Dominance and the evolution of sexual
dimorphism in human voice pitch. *Evol. Hum. Behav.* 27(4), 283-296 (2006).
126. D. A. Puts, L. E. Pope, A. K. Hill, R. A., Cárdenas, L. L. Welling, J. R.
Wheatley, S. M. Breedlove, Fulfilling desire: Evidence for negative feedback between

1065 men's testosterone, sociosexual psychology, and sexual partner number. *Horm. Behav.*
1066 70, 14-21 (2015).

1067 127. D. A. Putz, S. J. Gaulin, R. J. Sporter, D. H. McBurney, Sex hormones and
1068 finger length: What does 2D:4D indicate?. *Evol. Hum. Behav.* 25(3), 182-199 (2004).

1069 128. Q. Rahman, M. Korhonen, A. Aslam, Sexually dimorphic 2D:4D ratio, height,
1070 weight, and their relation to number of sexual partners. *Pers. Individ.* 39(1), 83-92
1071 (2005).

1072 129. K. A. Rosenfield, A. Sorokowska, P. Sorokowski, D. A. Puts, Sexual selection
1073 for low male voice pitch among Amazonian forager-horticulturists. *Evol. Hum. Behav.*
1074 41(1), 3-11 (2020).

1075 130. S. Schwarz, M. Mustafić, M. Hassebrauck, J. Jörg, Short-and long-term
1076 relationship orientation and 2D:4D finger-length ratio. *Arch. Sex. Behav.* 40(3), 565-
1077 574 (2011).

1078 131. E. C. Scott, C. J. Bajema, Height, weight and fertility among the participants of
1079 the third Harvard growth study. *Hum. Biol.* 501-516 (1982).

1080 132. M. L. Shoup, G. G. Gallup, Men's faces convey information about their bodies
1081 and their behavior: What you see is what you get. *Evol. Psychol.* 6(3),
1082 147470490800600311 (2008).

1083 133. K. Sim, W. Y. Chun, The relationships of assertiveness and responsiveness to
1084 sexual behavior. *Psychologia* 59(1), 50-69 (2016).

1085 134. Z. L. Simmons, J. R. Roney, Variation in CAG repeat length of the androgen
1086 receptor gene predicts variables associated with intrasexual competitiveness in human
1087 males. *Horm. Behav.* 60(3), 306-312 (2011).

135. K. M. Smith, Y. M. Olkhov, D. A. Puts, C. L. Apicella, Hadza men with lower voice pitch have a better hunting reputation. *Evol. Psychol.* 15(4), 1474704917740466 (2017).
136. M. Sneade, A. Furnham, Hand grip strength and self-perceptions of physical attractiveness and psychological well-being. *Evol. Psychol. Sci.* 2(2), 123-128 (2016).
137. P. Sorokowski, A. Sorokowska, D. P. Danel, Why pigs are important in Papua? Wealth, height and reproductive success among the Yali tribe of West Papua. *Econ. Hum. Biol.* 11(3), 382-390 (2013).
138. E. T. Steiner, "Testosterone and vasopressin in men's reproductive behavior," University of Oregon, Eugene, Oregon (2011).
139. J. Stern, K. Karastoyanova, M. Kandrik, J. Torrance, A. C. Hahn, I. Holzleitner,... B. C. Jones, Are sexual desire and sociosexual orientation related to men's salivary steroid hormones?. *Adapt. Hum. Behav. Physiol.* 6(4) 447-466 (2020).
140. H. L. Strong, "Association of prenatal androgen exposure with attention and sociosexual orientation," California State University, Long Beach, California (2014).
141. H. Strong, V. X. Luevano, "Prenatal androgen exposure predicts relationship-type preference but not experience," Poster presented at the annual meeting of the Association for Psychological Science, San Diego, CA. (2014, May).
142. S. V. Subramanian, L. K. Ackerson, G. D. Smith, N. A. John, Association of maternal height with child mortality, anthropometric failure, and anemia in India. *JAMA* 301(16) 1691-1701 (2009).
143. A. Suire, M. Raymond, M. Barkat-Defradas, Human vocal behavior within competitive and courtship contexts and its relation to mating success. *Evol. Hum. Behav.* 39(6), 684-691 (2018).

- 1112 144. H. L., Tao, C. C. Yin, Height, partners and offspring: Evidence from Taiwan.
1113 *J. Biosoc. Sci.* 48(5) 593-615 (2016).
- 1114 145. S. M. van Anders, L. D. Hamilton, N. V. Watson, Multiple partners are
1115 associated with higher testosterone in North American men and women. *Horm. Behav.*
1116 51(3), 454-459 (2007).
- 1117 146. M. A. C. Varella, J. V. Valentova, K. J. Pereira, V. S. R. Bussab, Promiscuity
1118 is related to masculine and feminine body traits in both men and women: Evidence
1119 from Brazilian and Czech samples. *Behav. Process.* 109, 34-39 (2014).
- 1120 147. C. von Rueden, M. Gurven, H. Kaplan, Why do men seek status? Fitness
1121 payoffs to dominance and prestige. *Proc. R. Soc. B.* 278(1715), 2223-2232 (2011).
- 1122 148. M. Voracek, U. Pum, S. G. Dressler, Investigating digit ratio (2D:4D) in a
1123 highly male-dominated occupation: The case of firefighters. *Scand. J. Psychol.* 51(2),
1124 146-156 (2010).
- 1125 149. A. Walther, M. Philipp, N. Lozza, U. Ehlert, The rate of change in declining
1126 steroid hormones: a new parameter of healthy aging in men?. *Oncotarget* 7(38), 60844
1127 (2016).
- 1128 150. A. Walther, M. Philipp, N. Lozza, U. Ehlert, Emotional support, depressive
1129 symptoms, and age-related alterations in male body composition: Cross-sectional
1130 findings from the men's health 40+ study. *Front. Psychol.* 8, 1075 (2017).
- 1131 151. A. Walther, F. Mahler, R. Debelak, U. Ehlert, Psychobiological protective
1132 factors modifying the association between age and sexual health in men: Findings
1133 from the men's health 40+ study. *Am. J. Men's Health* 11(3), 737-747 (2017).
- 1134 152. A. Walther, P. Waldvogel, E. Noser, J. Ruppen, U. Ehlert, Emotions and
1135 steroid secretion in aging men: A multi—study report. *Front. Psychol.* 8, 1722 (2017).

153. D. Wayne, Fluctuating asymmetry and human male life-history traits in rural Belize. *Proc. R. Soc. B* 265(1405), 1497-1501 (1998).
154. E. M. Winkler, S. Kirchengast, Body dimensions and differential fertility in! Kung San males from Namibia. *Am. J. Hum. Biol.* 6(2), 203-213 (1994).
155. W. Viechtbauer, Conducting meta-analyses in R with the metafor package. *J. Stat. Softw.* 36(3), 1–48 (2010).
156. R Development Core Team (2019) R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna.
157. J. D. Storey, A direct approach to false discovery rates, *J. R. Stat. Soc.* (64) 479–498 (2002).
158. The World Bank. (2018). Fertility rate, total (births per woman). <https://data.worldbank.org/indicator/SP.DYN.TFRT.IN>
159. D. C. Funder, D. J. Ozer, Evaluating effect size in psychological research: Sense and nonsense. *AMPPS* 2(2), 156-168 (2019).
160. A. Gat, Proving communal warfare among hunter-gatherers: The quasi-rousseauan error. *Evol. Anthropol.* 24(3), 111-126 (2015).
161. L. Glowacki, R. Wrangham, Warfare and reproductive success in a tribal population. *Proc. Natl. Acad. Sci. U.S.A.* 112(2), 348-353 (2015).
162. J. H. Manson, R. W. Wrangham, J. L. Boone, B. Chapais, R. I. M. Dunbar, R. Ember, W. Irons, L. F. Marchant, W. C. McGrew, T. Nishida, Paterson, J. D. Smith, E. A. Stanford, C. B. C. M. Worthman, Intergroup aggression in chimpanzees and humans [and comments and replies]. *Curr. Anthropol.* 32(4), 369-390 (1991).
163. N. A. Chagnon, Life histories, blood revenge, and warfare in a tribal population. *Science* 239(4843), 985-992 (1988).

- 1160 164. J. M. Plavcan, Body size, size variation, and sexual size dimorphism in early
1161 Homo. *Curr. Anthropol.* 53(S6), S409-S423 (2012).
- 1162 165. V. S. Johnston, R. Hagel, M. Franklin, B. Fink, K. Grammer, Male facial
1163 attractiveness: Evidence for hormone-mediated adaptive design. *Evol. Hum. Behav.*
1164 22(4), 251-267 (2001).
- 1165 166. R. G. Bribiescas, Testosterone levels among Aché hunter-gatherer men. *Hum.*
1166 *Nat.* 7(2), 163-188 (1996).
- 1167 167. J. Archer, Testosterone and human aggression: An evaluation of the challenge
1168 hypothesis. *Neurosci Biobehav Rev* 30(3), 319-345 (2006).
- 1169 168. S. A. Holmboe, L. Priskorn, N. Jørgensen, N. E. Skakkebaek, A. Linneberg, A.
1170 Juul, A.-M. Andersson, Influence of marital status on testosterone levels—A ten year
1171 follow-up of 1113 men. *Psychoneuroendocrinology* 80, 155-161 (2017).
- 1172 169. L. T. Gettler, T. W. McDade, A. B. Feranil, C. W. Kuzawa, Longitudinal
1173 evidence that fatherhood decreases testosterone in human males. *Proc. Natl. Acad. Sci.*
1174 *U.S.A.* 108(39), 16194-16199 (2011).

1176 Supplementary References

- 1177 A. P. Clark, Self-perceived attractiveness and masculinization predict women's
1178 sociosexuality. *Evol. Hum. Behav.* 25(2), 113-124 (2004).
- 1179 C. R. Hodges-Simeon, S. J. Gaulin, D. A. Puts, Voice correlates of mating success in men:
1180 examining “contests” versus “mate choice” modes of sexual selection. *Arch. Sex.*
1181 *Behav.* 40(3), 551-557 (2011).
- 1182 J. Hönekopp, M. Voracek, J. T. Manning, 2nd to 4th digit ratio (2D:4D) and number of sex
1183 partners: Evidence for effects of prenatal testosterone in men.
1184 *Psychoneuroendocrinology* 31(1), 30-37 (2006).

1185 M. Kandrik, A. C. Hahn, C. Han, J. Wincenciak, C. I. Fisher, L. M. DeBruine, B. C. Jones,
1186 Does the interaction between cortisol and testosterone predict men's facial
1187 attractiveness?. *Adapt. Hum. Behav. Physiol.* 3(4), 275-281 (2017).
1188 M. G. Kendall, *Rank correlation methods (4th ed.)*. (Charles Griffin & Co., 1970).
1189 R. A. Peterson, S. P. Brown, On the use of beta coefficients in meta-analysis. *Adapt. Hum.*
1190 *Behav. Physiol.* 90(1), 175 (2005).
1191 K. Sim, The relationship between sex-typical body shape and quality indicators. *JSEC* 7(2),
1192 97 (2013).

Authors	Year	Predictor	Outcome	Sample	Sample location	Low or high fert. N	
Alvergne et al.	2009	T	REP	Rural villagers	Senegal	High	53
Apicella	2014	Body masc	MAT, REP, OM	Hadza	Tanzania	High	51
Apicella et al.	2007	Body masc, voice pitch, height	REP, OM	Hadza	Tanzania	High	44-52
Arnocky et al.	2018	Facial masc	MAT	Students	Canada	Low	135
Aronoff et al.	2017	T	MAT	Students	US	Low	99
Atkinson	2012	Body masc	MAT	Students	US	Low	66
Atkinson et al.	2012	Body masc, voice pitch, height	REP	Himba (Ovahimba)	Namibia	High	36
Bogaert & Fisher	1995	T	MAT	Students	Canada	Low	195-196
Booth et al.	1999	T	MAT	Army veterans and non-veterans	US	Low	4393
Boothroyd et al.	2008	Facial masc	MAT	Students	UK	Low	18-19
Boothroyd et al.	2011	Facial masc	MAT	Students	UK	Low	36
Boothroyd et al.	2017	Facial masc	REP, OM	Agta	Philippines	High	65
		Facial masc	MAT, REP, OM	Maya	Belize	High	23-35
Charles & Alexander	2011	2D:4D, T	MAT	Students	US	Low	25-42
Chaudhary et al.	2015	Body masc, height	MAT, REP, OM	Mbendjele BaYaka	Democratic Republic of the Congo	High	55-73
Edelstein et al.	2011	T	MAT	Students	US	Low	134
Falcon	2016	2D:4D	MAT	Students	US	Low	137
Farrelly et al.	2015	T	MAT	Students	UK	Low	75-78
Frederick	2010	Body masc, 2D:4D, height	MAT	Students	US	Low	61
Frederick & Haselton	2007	Body masc	MAT	Students	US	Low	56-121
Frederick & Jenkins	2015	Height	MAT	Online	Worldwide	Low	28759-31418
Gallup et al.	2007	Body masc, 2D:4D	MAT	Students	US	Low	71-75
Genovese	2008	Body masc	REP	Former teenage delinquents	US	High	181
Gettler et al.	2019	T	MAT	Cebu Longitudinal Health and Nutrition Survey	Philippines	High	288
Gildner	2018	Body masc, 2D:4D, height	REP	Shuar Health and Life History Project	Ecuador	High	48
Gómez-Valdés et al.	2013	Facial masc	REP	Hallstatt skulls	Austria	High	179
Hartl et al.	1982	Body masc, height	MAT, REP	Former teenage delinquents	US	High	180-185
Hill et al.	2013	Facial masc, body masc, voice pitch, height	MAT	Students	US	Low	63
Hoppler, Walther et al.	2018	T	REP	Men’s health 40+ study	Switzerland	Low	268
Hughes & Gallup Jr.	2003	Body masc	MAT	Students	US	Low	50-59
Hönekopp et al.	2006	2D:4D, height	MAT	Students and non-students	Germany	Low	79-99
Hönekopp et al.	2007	Facial masc, body masc, height, T	MAT	Students and non-students	Germany	Low	77
Kirchengast	2000	Height	REP, OM	!Kung San	Namibia	High	103
Kirchengast & Winkler	1995	Height	REP, OM	Urban and rural Kavango people	Namibia	High	59-78
Klimas et al.	2019	T	MAT	Men’s health 40+ study	Switzerland	Low	159
Klimek et al.	2014	2D:4D, height	REP	Mogielica Human Ecology Study Site	Poland	High	238
Kordsmeyer et al.	2018	Body masc, voice pitch, height, T	MAT	Students and non-students	Germany	Low	103-164
Kordsmeyer & Penke	2017	2D:4D, height	MAT	Students and non-students	Germany	Low	141
Krzyzanowska et al.	2015	Height	REP	National Child Development Study	UK	Low	6535
Kurzban & Weeden	2005	Height	MAT, REP	Speed daters	US	Low	1503-1501
Lassek & Gaulin	2009	Body masc, height	MAT	NHANES III	US	Low	4167-5159
Little et al.	1989	Height	REP, OM	Rural; growth stunted	Mexico	High	103
Loehr & O'Hara	2013	Facial masc	REP	WWII soldiers	Finland	High	795
Longman et al.	2018	T	MAT	Students	UK	Low	38
Luevano et al.	2018	Facial masc, height	MAT	Students	US	Low	35-66
Lukaszewski et al.	2014	Body masc	MAT	Students	US	Low	48-174
Maestripieri et al.	2014	T	MAT	Students	US	Low	41-61
Manning & Pink	2018	2D:4D	REP	Online	Worldwide	Low	26872-83681
Manning et al.	2003	2D:4D	REP	Community	England	Low	189
		2D:4D	REP	Sugali and Yanadi tribal groups	India	High	80
		2D:4D	REP	Zulus from townships near Durban	South Africa	High	66
Marczak et al.	2018	2D:4D	REP	Yali	Indonesia	High	47
McIntyre et al.	2006	T	MAT	Students	US	Low	68-81
Međedović & Bulut	2019	Height	MAT	Students	Serbia	Low	39
Mosing et al.	2015	Height	MAT, REP	Study of Twin Adults: Genes and Environment	Sweden	Low	2310-2549
Mueller & Mazur	1997	Facial masc	REP	West Point class of 1950	US	High	337
Nagelkerke et al.	2006	Height	MAT	NHANES 99–00	US	Low	798-809
Nettle	2002	Height	REP	National Child Development Study	UK	Low	4474
Pawlowski et al.	2008	Height	REP	Rural	Poland	High	46
Pawlowski et al.	2000	Height	REP	Urban and rural	Poland	High	3201
Peters et al.	2008	Facial masc, body masc, T	MAT	Students	Australia	Low	100-113
Pollet et al.	2011	T	MAT	National Social Life, Health, and Aging Project	US	Low	749
Polo et al.	2019	Facial masc, body masc, height	MAT	Students and non-students	Chile	Low	198-206
Price et al.	2013	Body masc, height	MAT	Mainly students	UK	Low	55
Prokop & Fedor	2011	Height	REP	Friends and family of students	Slovakia	Low	499
Prokop & Fedor	2013	Height	MAT	Students	Slovakia	Low	105-150
Puts et al.	2006	Voice pitch	MAT	Students	US	Low	103
Puts et al.	2015	T	MAT	Students	US	Low	59-61
Putz et al.	2004	2D:4D	MAT	Students	US	Low	207-219
Rahman et al.	2005	2D:4D, height	MAT	Students and non-students	UK	Low	78-150
Rhodes et al.	2005	Facial masc, body masc, height	MAT	Mainly students	Australia	Low	142-166
Rosenfield et al.	2020	Body masc, voice pitch, height	MAT, REP, OM	Tsimané	Bolivia	High	55-62
Schwarz et al.	2011	2D:4D	MAT	Students	Germany	Low	52-89
Scott & Bajema	1982	Height	REP	Third Harvard Growth Study	US	High	606
Shoup & Gallup	2008	Body masc, 2D:4D	MAT	Students	US	Low	28-38
Sim & Chun	2016	Body masc, 2D:4D	MAT	Students	US	Low	90
Simmons & Roney	2011	Body masc, T	MAT	Students	US	Low	138
Smith et al.	2017	Body masc	REP	Hadza	Tanzania	High	51
Sneade & Furnham	2016	Body masc	MAT	Students	UK	Low	145
Sorokowski et al.	2013	Height	REP, OM	Yali	Indonesia	High	49-52
Steiner et al.	2011	2D:4D, T	REP	Students and non-students	US	Low	30
Stern et al.	2020	T	MAT	Students	UK	Low	61
Strong et al.	2014	Body masc	MAT	Students	US	Low	31
Strong & Luevano	2014	Body masc, 2D:4D, height	MAT	Students	US	Low	51-66
Subramanian et al.	2009	Height	OM	2005-2006 National Family Health Survey	India	Low	21120
Suire et al.	2018	Voice pitch	MAT	Mainly students	France	Low	57-58
Tao & Yin	2016	Height	REP	The Panel Study of Family Dynamics	Taiwan	Low	1409
van Anders et al.	2007	T	MAT	Non-students	US	Low	31
Van Dongen & Sprengers	2012	Facial masc, body masc, 2D:4D	MAT	Not specified	Not specified	Low	52
Varella et al.	2014	Body masc, 2D:4D, height	MAT	Students	Brazil, Czech Republic	Low	69-80
von Rueden et al.	2011	Body masc, height	REP, OM	Tsimané	Bolivia	High	162-197
Voracek et al.	2010	2D:4D, height	REP	Firefighters	Austria	Low	134
Walther et al.	2016	Body masc	REP	Men’s health 40+ study	Switzerland	Low	271
Walther et al.	2017a	Body masc	MAT	Men’s health 40+ study	Switzerland	Low	226
Walther et al.	2017b	Height	REP	Men’s health 40+ study	Switzerland	Low	271
Walther et al.	2017c	Height	MAT	Men’s health 40+ study	Switzerland	Low	226
Waynforth	1998	2D:4D, height	MAT, REP, OM	Villagers	Belize	High	35-56
Weeden & Sabini	2007	Body masc, 2D:4D, height	MAT	Students	US	Low	188-212
Winkler & Kirchengast	1994	Height	REP, OM	!Kung San	Namibia	High	31-114

Note. Fert = fertility, masc = masculinity, MAT = mating, NHANES = National Health and Nutrition Examination Survey, OM = offspring mortality, REP = reproduction, T = testosterone.

Overall analyses (all traits & all samples combined)

- Global masculinity (all masculine traits) predicting:
 - Total fitness
 - Mating domain
 - Reproductive domain
 - Offspring viability domain

Main analyses (separating masculine traits; all samples combined)

- Each masculine trait predicting:
 - Mating domain
 - Reproductive domain

Subgroup analyses (separating sample type & outcome measure type)

- Low fertility samples:
 - Each masculine trait predicting:
 - Mating domain
 - Mating attitudes
 - Mating behaviors
 - Reproductive domain
 - Fertility
 - Reproductive success
- High fertility samples:
 - Each masculine trait predicting:
 - Mating domain
 - Mating attitudes
 - Mating behaviors
 - Reproductive domain
 - Fertility
 - Reproductive success

Moderation analyses (full details in Supplementary Files 3)

- Domain type (mating vs reproduction)
 - Mating measure type (attitudes vs behaviors)
 - Reproductive measure type (fertility vs reproductive success)
- Sample type (low vs high fertility)
 - Low fertility sample type (student vs non-student sample)
 - High fertility sample type (traditional vs industrialized sample)
- Ethnicity
- Marriage system
- Publication type
- Peer-review status
- Sexual orientation
- Transformation of variables
- Conversion of effect size
- Age control
- Other control variables

−0.5 0 0.5 1

Author(s) and year		N	Fisher's Z
Charles & Alexander, 2011		42	-0.23 [-0.55, 0.08]
Charles & Alexander, 2011		42	-0.21 [-0.53, 0.10]
Charles & Alexander, 2011		42	-0.24 [-0.56, 0.07]
Bogaert & Fisher, 1995		195	0.20 [0.06, 0.34]
Bogaert & Fisher, 1995		196	0.14 [-0.00, 0.28]
Edelstein et al., 2011		134	0.17 [0.00, 0.34]
Edelstein et al., 2011		134	0.06 [-0.11, 0.23]
Edelstein et al., 2011		134	0.20 [0.03, 0.37]
Farrelly et al., 2015		78	0.08 [-0.15, 0.31]
Farrelly et al., 2015		78	0.05 [-0.18, 0.28]
Farrelly et al., 2015		78	0.18 [-0.04, 0.41]
Farrelly et al., 2015		75	0.15 [-0.08, 0.38]
Farrelly et al., 2015		75	0.03 [-0.20, 0.26]
Maestriperieri et al., 2014		61	0.07 [-0.19, 0.33]
Maestriperieri et al., 2014		61	0.03 [-0.23, 0.29]
Maestriperieri et al., 2014		45	0.06 [-0.24, 0.36]
Maestriperieri et al., 2014		41	0.02 [-0.30, 0.34]
Booth et al., 1999		4393	0.07 [0.04, 0.10]
Aronoff et al., 2017		99	0.09 [-0.11, 0.29]
Aronoff et al., 2017		99	0.09 [-0.11, 0.29]
Aronoff et al., 2017		99	0.08 [-0.12, 0.28]
Aronoff et al., 2017		99	0.02 [-0.18, 0.22]
van Anders et al., 2007		31	0.08 [-0.29, 0.45]
McIntyre et al., 2006		61	0.04 [-0.18, 0.26]
McIntyre et al., 2006		68	0.11 [-0.13, 0.35]
Pollet et al., 2011		749	0.12 [0.05, 0.19]
Puts et al., 2015		59	0.34 [0.08, 0.60]
Puts et al., 2015		59	0.32 [0.06, 0.58]
Puts et al., 2015		59	-0.02 [-0.28, 0.24]
Puts et al., 2015		59	-0.06 [-0.32, 0.20]
Puts et al., 2015		59	0.30 [0.04, 0.56]
Puts et al., 2015		61	0.21 [-0.04, 0.47]
Puts et al., 2015		61	0.16 [-0.10, 0.42]
Puts et al., 2015		61	-0.01 [-0.27, 0.25]
Puts et al., 2015		61	-0.16 [-0.42, 0.10]
Puts et al., 2015		61	0.16 [-0.10, 0.42]
Peters et al., 2008		107	0.17 [-0.02, 0.37]
Peters et al., 2008		107	0.19 [-0.00, 0.38]
Peters et al., 2008		107	0.08 [-0.11, 0.27]
Peters et al., 2008		100	0.03 [-0.16, 0.23]
Peters et al., 2008		107	-0.00 [-0.19, 0.19]
Simmons & Roney, 2011		138	0.08 [-0.09, 0.25]
Simmons & Roney, 2011		138	-0.01 [-0.18, 0.16]
Kordsmeyer et al., 2018		163	0.13 [-0.02, 0.29]
Kordsmeyer et al., 2018		163	0.16 [0.01, 0.32]
Kordsmeyer et al., 2018		104	0.09 [-0.10, 0.29]
Hönekopp et al., 2007		77	0.00 [-0.23, 0.23]
Hönekopp et al., 2007		77	0.30 [0.08, 0.53]
Hönekopp et al., 2007		77	0.11 [-0.12, 0.34]
Gettler et al., 2019		288	0.09 [-0.03, 0.21]
Gettler et al., 2019		288	0.06 [-0.06, 0.18]
Gettler et al., 2019		288	0.03 [-0.09, 0.15]
Gettler et al., 2019		288	0.08 [-0.04, 0.20]
Gettler et al., 2019		288	0.07 [-0.05, 0.19]
Gettler et al., 2019		288	-0.02 [-0.14, 0.10]
Gettler et al., 2019		288	0.09 [-0.03, 0.21]
Gettler et al., 2019		288	0.06 [-0.06, 0.18]
Longman et al., 2018		38	0.41 [0.08, 0.74]
Longman et al., 2018		38	0.37 [0.03, 0.70]
Longman et al., 2018		38	0.18 [-0.15, 0.51]
Longman et al., 2018		38	0.30 [-0.03, 0.63]
Klimas et al., 2019		159	0.21 [0.05, 0.36]
Stern et al., 2020		61	-0.02 [-0.28, 0.24]
Stern et al., 2020		61	0.01 [-0.25, 0.27]
Stern et al., 2020		61	-0.02 [-0.28, 0.23]
Stern et al., 2020		61	-0.02 [-0.28, 0.23]
RE Model			0.09 [0.07, 0.12]

bioRxiv preprint doi: <https://doi.org/10.1101/2020.03.06.980896>; this version posted July 7, 2024. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

Outcome: Sample	Mating					
	Facial masculinity	Body masculinity	2D:4D	Voice pitch	Height	T levels
Mating domain: All samples	$r = .080$ (-0.003, 0.164), $p = .060$, $q = .117$ $k = 30$, $s = 11$, $n = 948$ $Q(df = 29) = 54.834$, $p = .003$	$r = .133$ (0.091, 0.176), $p < .001$, $q = .001$ $k = 121$, $s = 32$, $n = 7939$ $Q(df = 120) = 297.472$, $p < .001$	$r = .034$ (0.000, 0.069), $p = .049$, $q = .102$ $k = 84$, $s = 23$, $n = 66807$ $Q(df = 83) = 101.994$, $p = .077$	$r = .132$ (0.061, 0.204), $p < .001$, $q = .002$ $k = 8$, $s = 5$, $n = 443$ $Q(df = 7) = 2.334$, $p = .939$	$r = .057$ (0.027, 0.087), $p < .001$, $q = .002$ $k = 62$, $s = 25$, $n = 43686$ $Q(df = 61) = 263.247$, $p < .001$	$r = .093$ (0.066, 0.121), $p < .001$, $q = .001$ $k = 66$, $s = 21$, $n = 7083$ $Q(df = 65) = 66.090$, $p = .439$
Mating attitudes: All samples	$r = .095$ (-0.072, 0.263), $p = .263$, $q = .304$ $k = 5$, $s = 4$, $n = 407$ $Q(df = 4) = 8.684$, $p = .070$	$r = .078$ (0.002, 0.155), $p = .045$, $q = .098$ $k = 20$, $s = 9$, $n = 922$ $Q(df = 19) = 17.606$, $p = .549$	$r = .035$ (-0.061, 0.132), $p = .474$, $q = .385$ $k = 19$, $s = 7$, $n = 504$ $Q(df = 18) = 24.141$, $p = .151$	$s = 0$	$r = .028$ (-0.013, 0.068), $p = .179$, $q = .253$ $k = 9$, $s = 6$, $n = 4232$ $Q(df = 8) = 5.137$, $p = .743$	$r = .099$ (0.026, 0.173), $p = .008$, $q = .032$ $k = 21$, $s = 11$, $n = 1039$ $Q(df = 20) = 25.379$, $p = .187$
Mating behaviors: All samples	$r = .025$ (-0.059, 0.109), $p = .554$, $q = .424$ $k = 22$, $s = 8$, $n = 755$ $Q(df = 21) = 37.044$, $p = .017$	$r = .142$ (0.099, 0.187), $p < .001$, $q = .001$ $k = 91$, $s = 31$, $n = 7738$ $Q(df = 90) = 267.876$, $p < .001$	$r = .038$ (-0.002, 0.078), $p = .061$, $q = .117$ $k = 51$, $s = 19$, $n = 1607$ $Q(df = 50) = 64.049$, $p = .087$	$r = .124$ (0.043, 0.206), $p = .003$, $q = .016$ $k = 7$, $s = 5$, $n = 443$ $Q(df = 6) = 2.162$, $p = .904$	$r = .054$ (0.021, 0.087), $p = .001$, $q = .008$ $k = 48$, $s = 24$, $n = 42179$ $Q(df = 47) = 247.032$, $p < .001$	$r = .084$ (0.058, 0.110), $p < .001$, $q = .001$ $k = 32$, $s = 17$, $n = 6765$ $Q(df = 31) = 28.558$, $p = .592$
Mating domain: Low fert. samples	$r = .089$ (-0.001, 0.179), $p = .053$, $q = .109$ $k = 28$, $s = 10$, $n = 913$ $Q(df = 27) = 54.287$, $p = .001$	$r = .135$ (0.091, 0.180), $p < .001$, $q = .001$ $k = 117$, $s = 28$, $n = 7572$ $Q(df = 116) = 289.080$, $p < .001$	$r = .038$ (0.002, 0.073), $p = .037$, $q = .086$ $k = 82$, $s = 22$, $n = 66751$ $Q(df = 81) = 101.369$, $p = .063$	$r = .129$ (0.055, 0.204), $p < .001$, $q = .005$ $k = 7$, $s = 4$, $n = 388$ $Q(df = 6) = 2.234$, $p = .897$	$r = .055$ (0.024, 0.086), $p < .001$, $q = .004$ $k = 58$, $s = 21$, $n = 43310$ $Q(df = 57) = 259.576$, $p < .001$	$r = .099$ (0.069, 0.129), $p < .001$, $q = .001$ $k = 58$, $s = 20$, $n = 6795$ $Q(df = 57) = 61.443$, $p = .320$
Mating attitudes: Low fert. samples	$r = .095$ (-0.072, 0.262), $p = .263$, $q = .304$ $k = 5$, $s = 4$, $n = 407$ $Q(df = 4) = 8.684$, $p = .070$	$r = .078$ (0.002, 0.155), $p = .045$, $q = .098$ $k = 20$, $s = 9$, $n = 922$ $Q(df = 19) = 17.606$, $p = .549$	$r = .035$ (-0.061, 0.132), $p = .474$, $q = .385$ $k = 19$, $s = 7$, $n = 504$ $Q(df = 18) = 24.141$, $p = .151$	$s = 0$	$r = .028$ (-0.013, 0.068), $p = .179$, $q = .253$ $k = 9$, $s = 6$, $n = 4232$ $Q(df = 8) = 5.137$, $p = .743$	$r = .108$ (0.021, 0.195), $p = .015$, $q = .047$ $k = 17$, $s = 10$, $n = 751$ $Q(df = 16) = 20.017$, $p = .220$
Mating behaviors: Low fert. samples	$r = .028$ (-0.063, 0.119), $p = .543$, $q = .420$ $k = 20$, $s = 7$, $n = 720$ $Q(df = 19) = 36.610$, $p = .009$	$r = .145$ (0.100, 0.193), $p < .001$, $q = .001$ $k = 87$, $s = 27$, $n = 7371$ $Q(df = 86) = 259.448$, $p < .001$	$r = .042$ (0.001, 0.083), $p = .045$, $q = .098$ $k = 49$, $s = 19$, $n = 1551$ $Q(df = 48) = 62.941$, $p = .073$	$r = .119$ (0.034, 0.205), $p = .006$, $q = .025$ $k = 6$, $s = 4$, $n = 388$ $Q(df = 5) = 2.017$, $p = .847$	$r = .051$ (0.017, 0.086), $p = .004$, $q = .019$ $k = 44$, $s = 20$, $n = 41803$ $Q(df = 43) = 243.392$, $p < .001$	$r = .088$ (0.058, 0.119), $p < .001$, $q = .001$ $k = 30$, $s = 16$, $n = 6477$ $Q(df = 29) = 27.793$, $p = .529$
Mating domain: High fert. samples	$s = 1$	$r = .105$ (-0.069, 0.280), $p = .235$, $q = .285$ $k = 4$, $s = 4$, $n = 367$ $Q(df = 3) = 7.282$, $p = .063$	$s = 1$	$s = 1$	$r = .089$ (-0.016, 0.193), $p = .096$, $q = .157$ $k = 4$, $s = 4$, $n = 376$ $Q(df = 3) = 3.388$, $p = .336$	$s = 1$
Mating attitudes: High fert. samples	$s = 0$	$s = 0$	$s = 0$	$s = 0$	$s = 0$	$s = 1$
Mating behaviors: High fert. samples	$s = 1$	$r = .105$ (-0.069, 0.280), $p = .235$, $q = .285$ $k = 4$, $s = 4$, $n = 367$ $Q(df = 3) = 7.282$, $p = .063$	$s = 1$	$s = 1$	$r = .089$ (-0.016, 0.193), $p = .096$, $q = .157$ $k = 4$, $s = 4$, $n = 376$ $Q(df = 3) = 3.388$, $p = .336$	$s = 1$

Note. Fert. = fertility; k = number of observations; n = number of unique participants; Q = Cochran's Q test of heterogeneity; q = q-value; s = number of samples; T = testosterone.

Table 2

Masculine traits predicting reproduction: main analyses and subgroup analyses of mating attitudes vs mating behaviors and low vs high fertility samples. Pearson's r (95% CI); p value for meta-analytic effect q -value (correcting for multiple comparisons); number of observations (k), samples (s), and unique participants (n); test for heterogeneity (Q), p value for heterogeneity. bioRxiv preprint doi: <https://doi.org/10.1101/2020.03.06.980896>; this version posted July 7, 2021. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

Outcome: Sample	Reproduction					
	Facial masculinity	Body masculinity	2D:4D	Voice pitch	Height	T levels
Reproductive domain: All samples	$r = .099$ (-0.012, 0.211), $p = .081$, $q = .140$ $k = 5$, $s = 5$, $n = 1411$ $Q(df = 4) = 8.799$, $p = .066$	$r = .143$ (0.076, 0.212), $p < .001$, $q = .001$ $k = 14$, $s = 8$, $n = 897$ $Q(df = 13) = 16.356$, $p = .230$	$r = .074$ (-0.006, 0.154), $p = .070$, $q = .131$ $k = 19$, $s = 10$, $n = 84558$ $Q(df = 18) = 31.704$, $p = .024$	$r = .136$ (-0.053, 0.328), $p = .158$, $q = .228$ $k = 5$, $s = 3$, $n = 143$ $Q(df = 4) = 5.378$, $p = .251$	$r = .006$ (-0.049, 0.062), $p = .819$, $q = .491$ $k = 35$, $s = 25$, $n = 22326$ $Q(df = 34) = 433.359$, $p < .001$	$r = .039$ (-0.067, 0.145), $p = .474$, $q = .385$ $k = 3$, $s = 3$, $n = 351$ $Q(df = 2) = 0.387$, $p = .824$
Fertility: All samples	$r = .003$ (-0.253, 0.260), $p = .980$, $q = .543$ $k = 3$, $s = 3$, $n = 437$ $Q(df = 2) = 5.416$, $p = .067$	$r = .130$ (0.060, 0.201), $p < .001$, $q = .002$ $k = 8$, $s = 6$, $n = 813$ $Q(df = 7) = 4.840$, $p = .679$	$r = .032$ (-0.065, 0.130), $p = .514$, $q = .406$ $k = 13$, $s = 5$, $n = 84128$ $Q(df = 12) = 17.757$, $p = .123$	$s = 2$	$r = .011$ (-0.039, 0.062), $p = .660$, $q = .451$ $k = 26$, $s = 23$, $n = 22242$ $Q(df = 25) = 400.038$, $p < .001$	$s = 2$
RS: All samples	$s = 2$	$r = .192$ (-0.052, 0.441), $p = .122$, $q = .189$ $k = 6$, $s = 4$, $n = 205$ $Q(df = 5) = 11.344$, $p = .045$	$r = .174$ (0.085, 0.267), $p < .001$, $q = .002$ $k = 6$, $s = 5$, $n = 430$ $Q(df = 5) = 0.976$, $p = .965$	$s = 2$	$r = -0.044$ (-0.201, 0.113), $p = .584$, $q = .430$ $k = 9$, $s = 9$, $n = 603$ $Q(df = 8) = 33.311$, $p < .001$	$s = 1$
Reproductive domain: Low fert. samples	$s = 0$	$s = 1$	$r = .083$ (-0.023, 0.190), $p = .126$, $q = .191$ $k = 8$, $s = 4$, $n = 84034$ $Q(df = 7) = 13.988$, $p = .051$	$s = 0$	$r = -0.037$ (-0.112, 0.038), $p = .337$, $k = 8$, $s = 8$, $n = 17135$ $Q(df = 7) = 244.970$, $p < .001$	$s = 2$
Fertility: Low fert. samples	$s = 0$	$s = 1$	$r = .052$ (-0.065, 0.169), $p = .386$, $q = .369$ $k = 7$, $s = 3$, $n = 83845$ $Q(df = 6) = 8.335$, $p = .215$	$s = 0$	$r = -0.037$ (-0.112, 0.038), $p = .337$, $q = .347$ $k = 8$, $s = 8$, $n = 17135$ $Q(df = 7) = 244.970$, $p < .001$	$s = 2$
RS: Low fert. samples	$s = 0$	$s = 0$	$s = 1$	$s = 0$	$s = 0$	$s = 0$
Reproductive domain: High fert. samples	$r = .099$ (-0.012, 0.211), $p = .081$, $q = .140$ $k = 5$, $s = 5$, $n = 1411$ $Q(df = 4) = 8.799$, $p = .066$	$r = .163$ (0.104, 0.225), $p < .001$, $q = .001$ $k = 13$, $s = 7$, $n = 626$ $Q(df = 12) = 12.347$, $p = .418$	$r = .083$ (-0.039, 0.205), $p = .184$, $q = .257$ $k = 11$, $s = 6$, $n = 524$ $Q(df = 10) = 12.595$, $p = .247$	$r = .136$ (-0.053, 0.327), $p = .158$, $q = .228$ $k = 5$, $s = 3$, $n = 143$ $Q(df = 4) = 5.378$, $p = .251$	$r = .034$ (-0.041, 0.109), $p = .377$, $q = .367$ $k = 27$, $s = 17$, $n = 5191$ $Q(df = 26) = 70.216$, $p < .001$	$s = 1$
Fertility: High fert. samples	$r = .003$ (-0.253, 0.260), $p = .980$, $q = .543$ $k = 3$, $s = 3$, $n = 437$ $Q(df = 2) = 5.416$, $p = .067$	$r = .165$ (0.095, 0.237), $p < .001$, $q = .001$ $k = 7$, $s = 5$, $n = 542$ $Q(df = 6) = 0.988$, $p = .986$	$s = 2$	$s = 2$	$r = .059$ (0.007, 0.111), $p = .025$, $q = .068$ $k = 18$, $s = 15$, $n = 5107$ $Q(df = 17) = 26.458$, $p = .067$	$s = 0$
RS: High fert. samples	$s = 2$	$r = .192$ (-0.052, 0.441), $p = .122$, $q = .189$ $k = 6$, $s = 4$, $n = 205$ $Q(df = 5) = 11.344$, $p = .045$	$r = .170$ (0.053, 0.291), $p = .005$, $q = .022$ $k = 5$, $s = 4$, $n = 241$ $Q(df = 4) = 0.965$, $p = .915$	$s = 2$	$r = -.044$ (-0.201, 0.113), $p = .584$, $q = .430$ $k = 9$, $s = 9$, $n = 603$ $Q(df = 8) = 33.311$, $p < .001$	$s = 1$

Note. fert. = fertility; k = number of observations; n = number of unique participants; Q = Cochran's Q test of heterogeneity; $q = q$ -value; RS = reproductive success; s = number of samples; T = testosterone.

Table 3

Overview of moderation analyses for the mating vs reproductive domains. Significant associations are indicated by + and – signs, showing the direction of the moderator relative to the reference category (stated first in the moderator column); crosses indicate no significant moderation; and ‘na’ indicates that power was too low to run that specific analysis. Only associations that remained significant after controlling for multiple comparisons are indicated here.

Note that this table only shows general moderators shared by all masculine traits; for trait-specific moderation analyses, see Supplementary Files 4. Likewise, for moderation analyses of the two mating domain measures attitudes and behaviors, and the two reproductive domain measures fertility and reproductive success, we also refer to Supplementary Files 4.

Moderator	Facial masc.		Body masc.		2D:4D		Voice pitch		Height		T levels	
	MAT	REP	MAT	REP	MAT	REP	MAT	REP	MAT	REP	MAT	REP
Mating vs reproductive domain		×		×		×		×		×		×
Mating attitudes vs behaviors	×	na	×	na	×	na	na	na	×	na	×	na
Fertility vs reproductive success	na	na	na	×	na	×	na	na	na	×	na	na
Low vs high fertility sample	na	na	×	na	na	×	na	na	×	×	na	na
Low fertility: student vs non-student sample	na	na	×	na	×	na	na	na	×	na	×	na
High fertility: traditional vs industrialized sample	na	na	na	na	na	×	na	na	na	×	na	na
Predominantly white vs mixed/other/unknown ethnicity sample	×	na	×	na	—	×	na	na	×	×	×	na
Monogamous vs non-monogamous marriage system	na	na	×	na	na	×	na	na	na	×	na	na
Published vs non-published results	×	na	×	×	×	×	na	na	×	×	×	na
Peer reviewed vs not peer reviewed study	na	na	×	na	×	na	na	na	×	na	na	na
Heterosexual vs gay/mixed/unknown sample	×	na	×	na	×	×	na	na	×	+	—	na
Non-normality-transformed vs transformed variables	na	na	×	×	+	×	na	na	×	×	+	na
Non-converted vs converted effect sizes	na	na	×	+	na	na	na	na	×	×	×	na
Age controlled for vs not controlled for	×	na	+	na	×	×	na	na	×	×	×	na
Inclusion of non-relevant control variables vs not	na	na	na	×	na	na	na	na	na	×	×	na

Note. Masc = masculinity; MAT = mating; REP = reproduction; T = testosterone.