Pyruvate:ferredoxin oxidoreductase and low abundant ferredoxins support aerobic photomixotrophic growth in cyanobacteria

Yingying Wang^a, Xi Chen^a, Katharina Spengler^a, Karoline Terberger^a, Marko Boehm^{a,b}, Jens Appel^{a,b}, Thomas Barske^c, Stefan Timm^c, Natalia Battchikova^d, Martin Hagemann^c, Kirstin Gutekunst^{a,b}

^aDepartment of Biology, Botanical Institute, Christian-Albrechts-University, D-24118 Kiel, Germany; ^bDepartment of Molecular Plant Physiology, Bioenergetics in Photoautotrophs, University of Kassel, D-34132 Kassel, Germany, ^cPlant Physiology Department, University of Rostock, D-18059 Rostock, Germany, ^dDepartment of Biochemistry, Molecular Plant Biology, University of Turku, FI-20014 Turku, Finland

*Kirstin Gutekunst

Email: kirstin.gutekunst@uni-kassel.de

Author Contributions: YW, NB, MH and KG designed research, YW, XC, KS, KT, MB, JA, TB, ST, NB performed research, all authors analyzed data, YW and KG wrote the first draft of the paper, all authors contributed to the final version.

Competing Interest Statement: The authors declare no conflict of interest.

Keywords: cyanobacteria, ferredoxin, GOGAT, pyruvate dehydrogenase

Abstract

The decarboxylation of pyruvate is a central reaction in the carbon metabolism of all organisms. Both the pyruvate:ferredoxin oxidoreductase (PFOR) and the pyruvate dehydrogenase (PDH) complex catalyze this reaction. Whereas PFOR reduces ferredoxin, the PDH complex utilizes NAD⁺. Anaerobes rely on PFOR, which was replaced during evolution by the PDH complex found in aerobes. Cyanobacteria possess both. Our data challenge the view that PFOR is exclusively utilized for fermentation. Instead, we show, that the cyanobacterial PFOR is stable in the presence of oxygen *in vitro* and is required for optimal photomixotrophic growth under aerobic conditions while the PDH complex is inactivated under the same conditions. We found that cells rely on a general shift from utilizing NAD(H)-dependent to ferredoxin-dependent enzymes under these conditions.

The utilization of ferredoxins instead of NAD(H) saves a greater share of the Gibbs free energy, instead of wasting it as heat. This obviously simultaneously decelerates metabolic reactions as they operate closer to their thermodynamic equilibrium. It is common thought that during evolution, ferredoxins were replaced by NAD(P)H due to their higher stability in an oxidizing atmosphere. However, utilization of NAD(P)H could also have been favored due to a higher competitiveness because of an accelerated metabolism.

Introduction

FeS clusters, pyruvate:ferredoxin oxidoreductase and ferredoxins

Life evolved under anaerobic conditions in an environment that was reducing and replete with iron and sulfur. Later on, hydrogen escape to space irreversibly oxidized Earth (1, 2). Prebiotic redox reactions, that took place on the surfaces of FeS minerals, are at present mimicked by catalytic FeS clusters in a plethora of enzymes and redox carriers (3, 4). One example are ferredoxins, that are small, soluble proteins containing 4Fe4S, 3Fe4S or 2Fe2S clusters and shuttle electrons between redox reactions. They display a wide range of redox potentials between -240 mV to -680 mV and are involved in a variety of metabolic pathways (5). Ferredoxins are among the earliest proteins on Earth and are accordingly present in all three kingdoms of life (6). FeS enzymes are especially widespread in anaerobes (7).

The advent of oxygenic photosynthesis necessitated adaptations, as especially 4Fe4S clusters are oxidized and degraded to 3Fe4S in the presence of oxygen resulting in inactivated enzymes (7-9). In aerobes, FeS enzymes are commonly replaced by FeS cluster free isoenzymes or alternative metabolic strategies (8). One well known example is the replacement of the FeS cluster containing pyruvate:ferredoxin oxidoreductase (PFOR), which catalyzes the decarboxylation of pyruvate during fermentation in anaerobes, by the pyruvate dehydrogenase (PDH) complex for respiration in aerobes (7, 10). Both enzymes catalyze the same reaction, whereat PFOR uses ferredoxin as redox partner and the PDH complex reduces NAD⁺. PFORs are evolutionary old enzymes. They are widespread in autotrophic and heterotrophic bacteria, in archaea, amitochondriate eukaryotic protists, hydrogenosomes as well as in cyanobacteria and algae (7). Depending on organism, metabolism and conditions, PFOR can be involved in the oxidation of pyruvate for heterotrophy or alternatively catalyze the reverse reaction by fixing CO₂ and forming pyruvate from acetyl CoA for an autotrophic lifestyle (11-13). The enzyme might have played a central role for the evolution of both autotrophic and heterotrophic processes from the very beginning (14). PFOR indeed participates as CO₂ fixing enzyme in four out of seven currently known and most ancient autotrophic pathways (reverse tricarboxylic acid (rTCA) cycle, reversed oxidative tricarboxylic acid (roTCA) cycle, reductive acetyl-CoA pathway, and dicarboxylate/hydroxybutyrate (DC/HB) cycle) (12, 15). PFORs contain one to three 4Fe4S clusters and get in general readily inactivated by oxygen upon purification. So far, there are only three reported exceptions to this rule: the PFORs of *Halobacterium halobium*, *Desulfovibrio africanus* and *Sulfolobus acidocaldarius* are stable *in vitro* in the presence of oxygen (11, 16-19). Even though all three enzymes are stable upon purification in the presence of oxygen, anaerobic conditions are required for *in vitro* maintenance of enzyme activities with the PFORs of *Desulfovibrio africanus* and *Sulfolobus acidocaldarius*. The enzyme of *Halobacterium halobium* is the only reported PFOR so far, which is active under aerobic conditions *in vitro* (19, 20). *In vivo* studies on these PFORs under aerobic conditions are missing. Ferredoxins that contain 4Fe4S clusters are likewise vulnerable to oxidative degradation. In the evolution from anoxygenic to oxygenic photosynthesis, the soluble 4Fe4S ferredoxin, which transfers electrons from FeS-type photosystems PSI to other enzymes in anoxygenic photosynthesis was replaced by an oxygen-tolerant 2Fe2S ferredoxin (9). In addition, ferredoxins have in general been complemented or replaced by NAD(P)H as alternative, oxygen-insensitive reducing agents in aerobes (10).

The pyruvate dehydrogenase complex

The PDH complex, which utilizes NAD⁺ is composed of the three subunits: pyruvate dehydrogenase (E1), dihydrolipoyl transacetylase (E2) and dihydrolipoyl dehydrogenase (E3). It

catalyzes the irreversible decarboxylation of pyruvate. The PDH complex is active under oxic conditions but gets inactivated under anaerobic conditions in both prokaryotes and eukaryotes, albeit via distinct mechanisms. In the absence of oxygen NADH/NAD⁺ ratios rise as respiration does no longer oxidize the NADH coming from the PDH complex and the subsequent reactions of the TCA cycle. In prokaryotes, as e.g. *E. coli*, NADH interacts with the dihydrolipoyl dehydrogenase (E3) subunit and thereby inhibits the PDH complex (21, 22). In eukaryotes, the PDH complex gets inactivated at high NADH/NAD⁺ ratios via phosphorylation of highly conserved serine residues in the pyruvate dehydrogenase (E1) subunit (23).

Synechocystis sp. PCC 6803 is a cyanobacterium that performs oxygenic photosynthesis and lives photoautotrophically by fixing CO₂ via the Calvin-Benson-Bassham (CBB) cycle. In the presence of external carbohydrates these are metabolized additionally, resulting in a photomixotrophic lifestyle. In darkness *Synechocystis* switches to a heterotrophic or under anaerobic conditions to a fermentative lifestyle. As in many cyanobacteria, pyruvate can be either decarboxylated via PFOR or alternatively via the PDH complex in *Synechocystis*. PFOR is assumed to be involved in fermentation under anoxic conditions and the PDH complex in aerobic respiration. The observation that *pfor* is transcribed under photoautotrophic conditions in the presence of oxygen in the cyanobacteria *Synechococcus* sp. PCC 7942 and *Synechocystis* was therefore surprising but is well in line with the observation that other enzymes assigned to anaerobic metabolism in eukaryotes are expressed in the presence of oxygen as well (10, 24). *Synechoystis* possesses a network of up to 11 ferredoxins containing 2Fe2S, 3Fe4S and 4Fe4S clusters (25, 26). The 2Fe2S ferredoxin 1 (Ssl0020) is essential and by far the most abundant ferredoxin in *Synechocystis* and is the principal acceptor of photosynthetic electrons at PSI (27). Structures, redox potentials and distinct functions have been resolved for some of the alternative low abundant ferredoxins, however, the metabolic significance of the complete network is still far from being understood (25, 26, 28-31).

In this study we show that PFOR and low abundant ferredoxins are required for optimal photomixotrophic growth under oxic conditions. In line with this we found that the cyanobacterial PFOR is stable in the presence of oxygen *in vitro*. PFOR and ferredoxins can functionally replace the NAD⁺ dependent PDH complex, which we found to get inactivated at high NADH/NAD⁺ ratios. Likewise, the ferredoxin dependent F-GOGAT (glutamine oxoglutarate aminotransferase) is essential for photomixotrophic growth as well and cannot be functionally replaced by the NADH dependent N-GOGAT. The cells obviously switch in their utilization of isoenzymes and redox pools. However, the key factor for this switch is not oxygen but are the highly reducing conditions within the cells. Our data suggest that the pool of ferredoxins in *Synechocystis* functions as an overflow basin to shuttle electrons, when the NADH/NAD⁺ pool is highly reduced.

Results

The roles of PDH complex and PFOR were studied in *Synechocystis* under different growth conditions. PDH could not be deleted from the genome indicating that this enzyme complex is essential, whereas *pfor* was knocked out in a previous study (28). In line with this we found that all fully sequenced cyanobacteria contain a PDH complex, which points out its significance and that 56 % thereof possess a PFOR in addition (Fig. 1S). We unexpectedly found that the *Synechocystis* $\Delta pfor$ deletion mutant was impaired in its photomixotrophic growth under oxic conditions in continuous light. Growth impairment was typically visible starting around day three to six of the growth experiment (Fig. 1A and 3A). Under photoautotrophic conditions $\Delta pfor$ grew just as the WT (Fig. 1A). The oxygen concentration in the photomixotrophic cultures was close to

saturation around 250 $\mu\text{Mol O}_2$ throughout the growth experiment (Fig. S2). Studies on the transcription of *pfor* and the alpha subunit of the pyruvate dehydrogenase (E1) of *pdhA* revealed that both genes are transcribed under photomixo- and photoautotrophic conditions (Fig. S3). These observations raised two questions: Why is the PDH complex, which catalyzes the same reaction as PFOR, not able to compensate for the loss of PFOR? And how can PFOR, which is assumed to be oxygen-sensitive, be of physiological relevance in the presence of oxygen?

Figure 1: (A) Growth and (B) NADH/NAD⁺ ratios of wild type (WT) and $\Delta pfor$ under photoautotrophic and photomixotrophic (+ glc) conditions in continuous light. Shown are mean values $\pm$ SD from at least 3 replicates.

The most obvious assumption is that the PDH complex might get inactivated under photomixotrophic conditions. As the PDH complex gets inactivated at high NADH/NAD⁺ ratios in prokaryotes and eukaryotes, we wondered if NADH/NAD⁺ ratios might be increased under photomixotrophic conditions. Corresponding measurements confirmed this assumption. Whereas NADH/NAD⁺ ratios were stable under photoautotrophic conditions in WT and $\Delta pfor$ they raised three to fourfold in the first five days of photomixotrophic growth, exactly in that period in which the growth impairment of $\Delta pfor$ in the presence of glucose was most apparent (Fig.1B).

In eukaryotes serine kinases phosphorylate three conserved serine residues of the pyruvate dehydrogenase (E1) at high NADH/NAD⁺ ratios and thereby inhibit the PDH complex. In line with this, photomixotrophic growth of two out of ten serine/threonine protein kinase (spk) deletion mutants was affected, which indicates that phosphorylation of enzymes is relevant for optimal photomixotrophic growth in *Synechocystis* (Fig. S4).

In eukaryotes, phosphorylation of serine residues at sites 2 and 3 of the E1 subunit reduces enzyme activity moderately, whereas phosphorylation of the serine residue in site 1 alone completely inhibits the PDH complex (32-34). In order to check if the E1 subunit of *Synechocystis* contains these conserved serine residues as well, sequence alignments were performed and revealed that serine residues 2 and 3 are absent, whereas the serine residue 1 is present in *Synechocystis* and furthermore highly conserved in the E1 subunit of all 932 cyanobacterial PdhA sequences that were analyzed (Fig. S5 and S6). Immunoblot analyses indicate that the PdhA subunit of the PDH complex might either degrade or might get phosphohorylated at high NADH/NAD⁺ ratios (Fig. S7 and S8). However, this could not be shown unambiguously as phosphorylation could not be confirmed by mass spectrometry (Table S3).

Figure 2: (A) Inhibition of the PDH complex in *Synechocystis* via inactivation of the dihydrolipoyl dehydrogenase (E3) subunit (SynLPD) by NADH. I: The rate of recombinant SynLPD activity (3 mM DL-dihydrolipoic acid) as a function of NAD⁺ (0.1, 0.2, 0.3, 0.4, 0.5, 1, 2, 3, 4 and 5 mM) reduction in the presence of the indicated NADH concentrations (0, 0.1, 0.15 and 0.2 mM). NADPH (0.1 mM) was used as a control to demonstrate the specificity of NADH inhibition. Specific enzyme activity is expressed in μmol NADH per min⁻¹ mg protein⁻¹ at 25°C. II: Lineweaver-Burk plots of enzyme activities at four NADH concentrations. III: The inhibitor constant (K_i) was estimated by linear regression of (I) the slopes of the three Lineweaver-Burk plots at the four NADH concentrations versus (II) the NADH concentration. Shown are mean values ± SD from at least 3 technical replicates. (B) Enzyme activity of PFOR that was purified in the presence of oxygen. PFOR activity was measured in the presence of FNR, ferredoxin and NADP⁺. The reaction was started by addition of 10 mM pyruvate as indicated by the arrow. Assay 1 (blue line): The assay mixture was kept anaerobic with 40 mM glucose, 40 U glucose oxidase and 50 U catalase, showing that PFOR, which was purified in the presence of oxygen, is active. Assay 2 (red line): Assay 2 had the same composition as assay 1 but glucose, glucose oxidase and catalase were omitted, showing that anaerobic conditions are required for activity of PFOR *in vitro*. Assay 3 (grey line): This assay is the continuation of the measurement of assay 2 after addition of glucose, glucose oxidase and catalase. Representative traces of three replicates are shown.

For prokaryotes it was shown that the PDH complex is inhibited by a distinct mechanism directly by NADH which binds to the dihydrolipoyl dehydrogenase (E3) subunit of the PDH complex. Therefore, the recombinant dihydrolipoyl dehydrogenase of *Synechocystis* (SynLPD) was tested in an *in vitro* assay with different NADH concentrations. The enzyme indeed loses activity at higher NADH/NAD⁺ ratios, whereas NADPH has no effect (Fig. 2A). The SynLPD activity was completely inhibited by NADH with an estimated K_i of 38.3 μM (Fig. 2A). Hence, the enzyme activity dropped to approximately 50% at a NADH/NAD⁺ ratio of 0.1 (e.g. at 0.2 mM NADH in the presence of 2 mM NAD⁺). Please note, that much higher NADH/NAD⁺ ratios (> 0.4) were measured in photomixotrophic cells of *Synechocystis* (see Fig. 1B). This points to an efficient inhibition of PDH activity via the highly decreased function of the E3 subunit (SynLPD). NADH/NAD⁺ ratios above 0.1 could not be tested in the enzyme assays due to the high background absorption of the added NADH, which prevented SynLPD activity detections. Taken together these measurements convincingly show that the PDH complex is most likely inhibited under photomixotrophic

conditions at high NADH/NAD⁺ ratios, which provides evidence that pyruvate oxidation must be performed instead via PFOR and gives an explanation for the importance of PFOR under these conditions.

As the cyanobacterial PFOR is regarded as an oxygen sensitive enzyme that exclusively supports fermentation under anaerobic conditions, we overexpressed the enzyme and purified it in the presence of oxygen in order to check for its stability under aerobic conditions (Fig. S9, S10, S11C). Enzymatic tests revealed that PFOR from *Synechocystis* was indeed stable under aerobic conditions *in vitro*, which means that the enzyme was not degraded and kept its activity but required anoxic conditions for the decarboxylation of pyruvate (Fig. 2B) as reported for the oxygen stable PFORs of *Desulfovibrio africanus* and *Sulfolobus acidocaldarius* (11, 16).

In contrast to the PDH complex, PFOR transfers electrons from pyruvate to oxidized ferredoxin. In order to investigate if any of the low abundant ferredoxins (Fx) might be of importance for photomixotrophic growth, respective deletion mutants were generated (Table S1 and S2, Fig. S11A) and tested for their ability to grow under photoautotrophic and photomixotrophic conditions. To this end *fx3* (*slr1828*), *fx4* (*slr0150*), *fx6* (*ssl2559*), *fx7* (*sll0662*) and *fx9* (*slr2059*) could be completely deleted from the genome, whereas *fx2* (*sll1382*) and *fx5* (*slr0148*) kept some wild type copies of the genes. We did furthermore not succeed to delete *fx8* (*ssr3184*). Flavodoxin (*isiB*; *sll0284*), which replaces ferredoxins functionally under Fe-limitation was deleted as well. In addition, the double mutants $\Delta fx7\Delta fx9$ and $\Delta fx9\Delta isiB$ as well as the triple mutant $\Delta fx7\Delta fx8\Delta fx9$ were generated. Photoautotrophic growth of all these ferredoxin deletion mutants was similar to the WT (Fig. S12). However, under photomixotrophic conditions deletion of either *fx3*, *fx9* or flavodoxin (*isiB*) resulted in a growth behavior that was similar to $\Delta pfor$ (Fig. 3A).

These results indicate that there might be a general shift to utilize the ferredoxin pool as soon as the NADH/NAD⁺ pool is over reduced. Beside the PFOR/PDH complex couple, GOGAT (glutamine oxoglutarate aminotransferase) is as well present in form of two isoenzymes in *Synechocystis* that either utilizes reduced ferredoxin (F-GOGAT; *sll1499*) or NADH (N-GOGAT; *sll1502*). In line with our assumption that ferredoxin utilization is preferred in over reduced cells after glucose addition, we hypothesized that F-GOGAT might be required for optimal photomixotrophic growth. Respective deletion mutants were generated (Table S1 and S2, Fig. S11B) and revealed that neither $\Delta f-gogat$ nor $\Delta n-gogat$ were impaired in their growth under photoautotrophic conditions, whereas $\Delta f-gogat$ displayed a strong growth impairment under photomixotrophic conditions in contrast to $\Delta n-gogat$ and the WT (Fig. 3B). These data indicate that cells indeed rely on a general switch from utilizing NAD(H) to utilizing ferredoxins for optimal photomixotrophic growth. It was recently shown that photosynthetic complex I (NDH1) exclusively accepts electrons from reduced ferredoxin instead of NAD(P)H (35). Photosynthesis continues under photomixotrophic conditions. However, in addition to water oxidation at photosystem II (PSII), electrons from glucose oxidation can as well enter the respiratory/photosynthetic electron transport chain and eventually arrive at photosystem I (PSI) to support anoxygenic photosynthesis. Anoxygenic photosynthesis thus uses electrons from glucose oxidation that enter the respiratory/photosynthetic electron transport chain and are excited at PSI.

Figure 3: (A) Photomixotrophic growth of wild type (WT), $\Delta pfor$, ferredoxin (fx) and flavodoxin (isiB) deletion mutants as indicated. (B) Growth of WT, $\Delta f-gogat$ and $\Delta n-gogat$ under photoautotrophic and photomixotrophic conditions. (C) Electron transport with DCMU at PSI in the absence and presence of glucose in the WT, $\Delta ndhD1\Delta ndhD2$, Δhk and $\Delta glgP1\Delta glgP2$. Shown are mean values $\pm$ SD from at least 3 replicates.

Three entry points exist that can feed electrons from glucose oxidation into the plastoquinone (PQ) pool in the thylakoid membrane: the succinate dehydrogenase (SDH), which accepts electrons from the conversion of succinate to fumarate; NDH-2, which accepts electrons from NADH and photosynthetic complex I (NDH-1), which accepts electrons from reduced ferredoxin (see Fig. 4B). Based on the observed shift from utilizing ferredoxin instead of NAD(P)H, we thus wondered if photosynthetic complex I (NDH-1) might be required for anoxygenic photosynthesis under photomixotrophic conditions as an entry point for electrons coming from glucose oxidation. Cells were incubated with DCMU that blocks the electron transfer from PSII to the PQ-pool. Thereby, exclusively electron transfer from glycogen or glucose oxidation to PSI could be measured based on a recently developed protocol (36). According to this protocol electrons were counted that flow through PSI via $DIRK_{PSI}$ measurements by the KLAS/NIR instrument. The electron transport at PSI was then measured in the absence and in the presence of glucose. In addition to

the WT, several mutants were analyzed with deletions in entry points as well as glucose metabolizing enzymes. The mutant with a deleted photosynthetic complex I ($\Delta ndhD1\Delta ndhD2$) should no longer be able to feed electrons from reduced ferredoxin into the respiratory/photosynthetic electron transport chain, while the hexokinase mutant (Δhk) should no longer be able to metabolize external glucose. The glycogen phosphorylase mutant ($\Delta glgP1\Delta glgP2$) is unable to break down its internal glycogen reservoir (36-38). As expected and in parts shown recently (36), addition of glucose resulted in higher donations of electrons to PSI in the WT and $\Delta glgP1\Delta glgP2$, whereas neither $\Delta ndhD1\Delta ndhD2$ nor Δhk were able to provide electrons from glucose oxidation to PSI (Fig. 3C). Anoxygenic photosynthesis using glucose oxidation and PSI thus relies on the ferredoxin dependent photosynthetic complex I. In line with this, it was shown earlier that $\Delta ndhD1\Delta ndhD2$ is not able to grow in the presence of glucose and DCMU under photoheterotrophic conditions (39).

It should be noted in this context that there is no known glycolytic enzyme neither in the Emden-Meyerhoff-Parnass-, the Entner-Doudouhoff-, the phosphoketolase-, or the oxidative pentose phosphate pathway in *Synechocystis*, which utilizes ferredoxin as electron acceptor (38, 40, 41). PFOR is currently indeed the only known enzyme in the central carbon metabolism that reduces ferredoxin upon glucose oxidation (Fig. 4A). The second known source for reduced ferredoxin is PSI (Fig. 4B). Further studies are required to elucidate the exact role of ferredoxins under photomixotrophic conditions.

Discussion

There is an irritating high number of reports in prokaryotes and eukaryotes on the presence and expression of enzymes under oxic conditions that are assigned to anaerobic metabolism (10, 24, 42). One example is the production of hydrogen by the oxygen sensitive FeFe-hydrogenase in air-grown *Chlamydomonas reinhardtii* algae in a fully aerobic environment, which is enabled by microoxic niches within the thylakoid stroma (43). Another example is the constitutive expression of PFOR and the oxygen sensitive NiFe-hydrogenase under oxic conditions in cyanobacteria. By itself, the widespread presence of these enzymes in organisms that either live predominantly aerobically as e.g. cyanobacteria or are even obligate aerobes as e.g. *Sulfolobus acidocaldarius*, which possesses a PFOR, indicates a misconception and lack of understanding. The PFOR of *Sulfolobus acidocaldarius* could be isolated as stable enzyme in the presence of O₂, however, enzyme activity measurements required the consumption of oxygen *in vitro* (11). Does this mean, that anaerobic micro-niches are required within this obligate aerobe to activate an enzyme of its central carbon metabolism? It might alternatively be that living cells have the ability to maintain reducing conditions in the presence of oxygen, which is a challenge in enzymatic *in vitro* assays. Conclusions on *in vivo* enzyme activities based on *in vitro* experiments therefore should be made with caution. Even though we could measure decarboxylation of pyruvate via PFOR only in the absence of oxygen *in vitro*, our data strongly indicate that this enzyme is active *in vivo* under aerobic and highly reducing conditions. We assume that either anaerobic micro-niches or alternatively mechanisms within the cell that are not understood yet, keep the enzyme active in an aerobic environment.

The replacement of FeS enzymes and ferredoxins by FeS free alternatives and NADPH in the course of evolution is in general discussed with regard to the oxygen sensitivity of FeS clusters in connection with the shift from anoxic to oxic conditions on Earth (8, 10). Oxygen is without any doubt one important factor. However, the shift from anoxic to oxic conditions went along with a shift from reducing to more oxidizing conditions. This shift was among others achieved by the

escape of hydrogen into space, which irreversibly withdrew electrons from Earth (2). The withdrawal of electrons and the establishment of oxidizing conditions might have been an additional important factor (independent of oxygen and the oxygen sensitivity of FeS clusters) that triggered these evolutionary changes by enabling reactions with higher driving forces. The idea is thus that PFOR and ferredoxins might have been replaced by the PDH complex and NADH due to their potential to release larger amounts of Gibbs free energy ($\Delta G < 0$). When competing with other organisms for resources an accelerated metabolism can be highly beneficial. The decision to either utilize the PDH complex or alternatively PFOR and along this line, the replacement of PFOR by the PDH complex in the course of evolution might have been determined by the prioritization for high chemical driving forces. On that note, we were unable to delete the PDH complex in *Synechocystis*, which points to its essential role. PFOR is in contrast dispensable under photoautotrophic conditions and cells obviously prefer to decarboxylate pyruvate via the PDH complex under these conditions. By transferring electrons to NAD^+ instead of ferredoxin less Gibbs free energy is stored. However, this comes along with a higher driving force that is visible when regarding the reaction Gibbs energies of $\Delta_r G^m$ -39 kJ/mol for the reaction catalyzed by the PDH complex versus $\Delta_r G^m$ -23 kJ/mol for the reaction catalyzed by PFOR (Fig. 4C) (44).

Under photomixotrophic conditions, photosynthesis and glucose oxidation operate in parallel causing highly reducing conditions in the cells. As soon as the NADH/NAD^+ pool is highly reduced, cells might be forced to switch to the ferredoxin pool, as shown by our data. Glucose is alternatively oxidized via four glycolytic routes. Flux analyzes have shown that glycolytic intermediates enter the CBB cycle, eventually lower glycolysis and finally provide pyruvate (45). Depending on the precise route taken, glucose oxidation yields distinct forms of reducing equivalents (38). Three enzymes are involved in oxidation steps: Glc6P dehydrogenase (Zwf) and 6PG dehydrogenase (Gnd) yield NADPH, whereas GAP dehydrogenase (GAPDH) yields NADH. NAD(P)H is furthermore provided downstream in the TCA cycle. PFOR is thus the only known direct source for reduced ferredoxin in glucose oxidation (Fig. 4A). The wide network of low abundant ferredoxins in *Synechocystis* and the importance of these ferredoxins under photomixotrophic conditions on the one hand and the low number of known enzymes that directly reduce ferredoxins on the other hand unveils that our conception is not yet inherently consistent. An additional potential source of reduced ferredoxin could be the transfer of electrons from NAD(P)H. The transhydrogenase (PntAB), which is located in the thylakoid membrane utilizes proton translocation to transfer electrons from NADH to NADP^+ (46). Electrons from NADPH could be further transferred to ferredoxin via ferredoxin-NADPH-oxidoreductase (FNR). Another potential turntable for the exchange of electrons is the diaphorase part of the NiFe-hydrogenase in *Synechocystis*, which was recently shown to shuttle electrons between NAD(P)H, flavodoxin and several ferredoxins *in vitro* (26).

Figure 4: Optimal photomixotrophic growth requires low abundant ferredoxins, PFOR and F-GOGAT. Electrons from glucose oxidation that arrive at PSI require ferredoxin-dependent photosynthetic complex I (NDH-1). Cells shift from utilizing NAD(H) dependent to ferredoxin dependent enzymes when brought from photoautotrophic to photomixotrophic conditions. (A) Glycolytic routes, lower glycolysis and the TCA cycle yield NAD(P)H from glucose oxidation. The only known enzyme that produces reduced ferredoxin from glucose oxidation is PFOR. Both the decarboxylation of pyruvate as well as the synthesis from glutamate from 2-oxoglutarate and glutamine can be catalyzed by distinct enzymes that either utilize ferredoxin (PFOR, F-GOGAT) or NAD(H) (PDH-complex; N-GOGAT). (B) Photosynthetic complex I (NDH-1) accepts electrons from reduced ferredoxin. The complex is required for the input of electrons from glucose oxidation into anoxygenic photosynthesis in the presence of DCMU. (C) The $\Delta G^{\circ m}$ of pyruvate decarboxylation via the PDH complex is more negative than via PFOR, which results in a higher driving force. Photomixotrophy results in reducing conditions. The redox potential of the NAD(P)H/NAD(P)⁺ pool which is around -320 mV will turn more negative upon reduction. This could facilitate the transfer of electrons from NADH to ferredoxins. In addition, inactivation of NAD⁺ dependent enzymes (such as the PDH complex) and their functional replacement by ferredoxin dependent enzymes (such as PFOR) support the suggested shift from the utilization of the NAD(H) to the ferredoxin pool.

In order to get a complete picture, it would be essential to know the redox potentials of all ferredoxins in *Synechocystis*. Currently, they have been determined for Fx1 (-412 mV), Fx2 (-243 mV), and Fx4 (-440 mV), whereas the value for Fx4 is based on measurements of a homologue in *Thermosynechococcus elongatus* (27, 29, 30). Fx1 to Fx6 in *Synechocystis* possess 2Fe2S clusters for which redox potentials between -240 to -440 mV are typical (5). For 3Fe4S clusters as present in Fx8 (containing one 3Fe4S and one 4Fe4S cluster) redox potentials between -120 to -430 mV

were determined and for 4Fe4S clusters as present in Fx7 (4FeFS) and Fx9 (containing two 4Fe4S clusters) redox potentials between -300 to -680 mV were found (5). Without yet knowing the exact values for all ferredoxins in *Synechocystis*, it is anyway likely that they span a wide range of redox potentials.

The redox potential of any given couple does not have a constant value but is influenced among others by the ratio of the redox partners. The redox potential of the NADH/NAD⁺ pool will thus turn more negative upon reduction. Obviously, storing electrons as reducing equivalents with lower redox potential saves more of their potential energy. The driving force of a reaction is on the other hand higher if electrons are transferred across larger redox potential differences. This will slow down the back reaction and thereby speed up the forward reaction. The idea is thus that the NADH/NAD⁺ pool gets reduced first prioritizing high driving forces. However, as the redox potential of the NADH/NAD⁺ pool turns slowly more negative, it might reach levels that are characteristic for ferredoxin couples. This might provoke a metabolic shift to transfer electrons to oxidized ferredoxin instead of NAD⁺ (Fig. 4C). This shift can be regulated on several levels. Among others, as shown in this study, high NADH/NAD⁺ ratios can inactivate enzymes that rely on this couple and thereby support the action of isoenzymes that interact with the Fx_{red}/Fx_{ox} couple instead. In addition, electron turntables as the transhydrogenase, FNR and the diaphorase can support this shift (26, 46).

In the case of *Synechocystis*, it is especially beneficial to shift their reducing equivalent pools to ferredoxin, as Fx is able to donate electrons to the photosynthetic complex I (35). In contrast to SDH and NDH-2, the photosynthetic complex I is coupled to a proton gradient and thus yields a higher amount of ATP. By shifting their pools of reducing equivalents, cells are thus able to save a greater share of the potential energy of electrons instead of wasting it as heat. As a pay-off, this shift should obviously come along with a slowdown of metabolic reactions.

Conclusion

The cyanobacterium *Synechocystis* encounters highly reducing conditions under photomixotrophy in the presence of oxygen. The PDH complex gets inactivated under these conditions at high NADH/NAD⁺ ratios and is functionally most likely replaced by PFOR. PFOR is stable in the presence of oxygen *in vitro* and reduces ferredoxin instead of NAD⁺. PFOR, low abundant ferredoxins and the ferredoxin-dependent GOGAT are required for optimal photomixotrophic growth. Electrons from the oxidation of external glucose furthermore rely upon the presence of photosynthetic complex I (which accepts electrons from ferredoxin) in order to reach PSI. These findings indicate that cells perform a general shift in the utilization of their reducing equivalent pools from NAD(H) to ferredoxin under photomixotrophic conditions.

Materials and Methods

Growth conditions

All strains were grown in 50 ml BG-11 (47) buffered with TES pH 8. WT, $\Delta pfor$, $\Delta f-gogat$, $\Delta n-gogat$, $\Delta isiB$, all ferredoxin deletion mutants, $\Delta ndhD1\Delta ndhD2$, Δhk , and $\Delta glgP1\Delta glgP2$ were and placed in 100 ml Erlenmeyer flasks on a rotary shaker at 28 °C, 50 $\mu\text{E m}^{-2} \text{s}^{-1}$ and 100 rpm. After several days of growth, the cells were inoculated into 200 ml BG-11 at an OD₇₅₀ of 0.05 and placed into glass tubes bubbled with air at 50 $\mu\text{E m}^{-2} \text{s}^{-1}$ at 28 °C and growth was monitored by measuring the optical density at 750 nm. In liquid cultures all the strains were grown without addition of antibiotics and for photomixotrophic conditions 10 mM glucose was added. In case of the mutants deficient in Serine/Threonine- and Tyrosine kinases all strains were first inoculated from agar

plates into 100 ml BG-11-Medium. The cells were pre-cultivated shaking Erlenmeyer flasks (140 rpm) for 7 days under ambient air with $35 \mu\text{E m}^{-2} \text{s}^{-1}$ and 30°C . Ahead of the growth experiment, cells were harvested from the cultures by centrifugation ($5000 \times g$, 20°C , 5 min) and re-suspended in fresh BG11 medium. The cultures were adjusted to OD_{750} of 0.5 with BG-11 medium and subsequently split into two aliquots. One part of the cultures was supplemented with 10 mM Glucose and the remaining part served as a control without glucose. *Synechocystis* strains were grown under ambient air conditions with $35 \mu\text{E m}^{-2} \text{s}^{-1}$ and 30°C . Growth was monitored by measuring the OD_{750} every 24 h until the cultures reached the stationary growth phase. Pictures displaying the phenotypes were taken at the end of the cultivation period. For mutant selection and segregation the cells were grown on BG-11-agar containing 50 $\mu\text{g/mL}$ kanamycin, 20 $\mu\text{g/mL}$ spectinomycin, 25 $\mu\text{g/mL}$ erythromycin, 10 $\mu\text{g/mL}$ gentamycin, and 20 $\mu\text{g/mL}$ chloramphenicol.

Construction of mutants

All the primers used in this study are listed in table S1. All mutants are listed in table S2. Most mutants were constructed in the non-motile GT WT of *Synechocystis* sp. PCC 6803 while a few serine/threonine protein kinase mutants were constructed in the motile PCC-M WT strain of *Synechocystis* as indicated in detail in table S2 (48). The procedure to generate the constructs for deletion of *pfor*, *pdhA*, *isiB* and the different ferredoxin genes was described in Hoffmann et al. (2006) (49). In brief, the up- and downstream regions as well as the required antibiotic resistance cassette were amplified by PCR. Subsequently, the three fragments were combined by a PCR fusion including the outermost primers. The resulting product was inserted by TA-cloning into the pCR2.1 TOPO-vector (ThermoFisher, Waltham, MA, USA). Constructs for the deletion of the genes of the NADH-dependent and the ferredoxin-dependent GOGAT were generated by Gibson cloning (50) assembling three fragments into the pBluescript SK(+) in a single step. After examination by sequencing the plasmids were transformed into *Synechocystis* sp. PCC 6803 cells as described (51). Resulting transformants were either checked by PCR or Southern hybridization after several rounds of segregation (Fig. S11). The deletion strains of the serine/threonine kinase genes *spkA*, *spkB*, *spkD*, *spkG* and *spkL* carry mutations in their kinase domains and were generated accordingly. Their segregation was complete and will be described elsewhere (Barkse and Hagemann, in preparation). To generate a construct for overexpression of *pfor* (*sl10741*) including a His-tag a DNA fragment containing 212 bp up- and 212 bp downstream of the *sl10741* start codon, with a BamHI, XhoI and NdeI site in between and 20 bp sequences that overlap with the pBluescript SK(+) vector at the respective ends was synthesized by GeneScript (Piscataway Township, NJ, USA) (Fig S6A). Another DNA fragment containing a modified petE promoter, followed by His-tag, TEV cleavage recognition site and linker encoding sequences, various restriction sites and 20 bp sequences that overlap with the pBluescript SK(+) vector at the respective ends was also synthesized by GenScript (Fig S6B). These fragments were cloned into the pBluescript SK(+) vector by Gibson cloning, respectively. A kanamycin antibiotic resistance cassette was inserted into the EcoRV site of the plasmid containing the modified petE promoter. The resulting promoter-cassette plasmid and the PFOR plasmid were digested with BamHI and NdeI and the promoter cassette was ligated into the alkaline phosphatase treated PFOR plasmid to yield the final construct. This plasmid was sequenced, transformed into *Synechocystis* sp. PCC 6803 and segregation was confirmed by PCR analysis (Fig S9C).

Southern-Blotting

200 ng genomic DNA was digested with Hind III and loaded on a 0.8 % agarose gel in TBE buffer. After blotting the DNA on a nylon membrane (Hybond N+, Merck, Darmstadt, Germany) it was cross-linked to the membrane in a Stratalinker (Stratagene, CA, USA). Detection of the respective bands was carried out by the Dig DNA labeling and detection kit (Roche, Penzberg, Germany) according to the manufacturers instructions.

RT-PCR

To a volume of 15 µl containing 1 µg of RNA 2 µl RNase-free DNase (10 U/µl, MBI Fermentas, St. Leon-Rot, Germany), 2 µl 10 x DNase buffer (MBI Fermentas, St. Leon-Rot, Germany) and 1 µl Riboblock RNase Inhibitor (40 U/µl, MBI Fermentas, St. Leon-Rot, Germany) were added before incubation at 37 °C for 2 hours. Subsequently the sample was quickly cooled on ice. 2 µl 50 mM EDTA was added and it was incubated at 65 °C for 10 min and again quickly cooled on ice to get rid of the DNase activity. To check the digestion efficiency, 1 µl of the sample was used as a template for PCR. 1 µl genomic DNA and 1 µl H₂O were used as positive and negative controls, respectively. Reverse transcription PCR was performed with 9 µl of those samples free of DNA with the RT-PCR kit (Applied Biosystems, Karlsruhe, Germany) according to the manufacturer's instruction. 9 µl of the same sample was used in parallel as a negative control. The reaction mixture was incubated for 1 h at 37 °C including a gene-specific tag-1 primer. For the subsequent PCR a gene-specific tag-2 primer and the respective reverse primer (s. table S1) were used.

Oxygen measurements

To measure the concentration of dissolved oxygen in the cultures oxygen sensors from Unisense (Unisense, Aarhus, Denmark) were used. After a two point calibration of the sensor by using distilled water equilibrated with air and a solution with 0.1 M NaOH and 0.1 M ascorbate containing no oxygen it was placed in the respective culture and the measurement was started.

Mass spectrometry

Pieces of the gel corresponding to bands 1-4 in the Fig. 2A were excised, reduced and alkylated following by digestion with Trypsin Gold (Promega) and extraction of peptides as described (52). Peptides from the bands 2-4 were further enriched for phosphopeptides using TiO₂ as described (53). Next, the peptides were analyzed by LC-MS/MS using a Q Exactive Hybrid Quadrupole-Orbitrap mass spectrometer (Thermo Scientific) connected in-line to an Easy-nLC HPLC system (Thermo Scientific), as described (53). The raw data were processed with Protein Discoverer software (Thermo Fisher Scientific, Inc.). Database searches were performed using the in-house Mascot server (Matrix Science) against a database of *Synechocystis* 6803 proteins supplemented with sequences of common protein contaminants. The search criteria allowed for one miscleavage of trypsin, oxidation of methionine, acetylation of the protein N-termini and phosphorylation of S, T and Y residues.

Determination of NAD⁺/NADH

All the cultures used for NAD⁺/NADH determination experiment were grown autotrophically and mixotrophically in 250 ml BG-11 medium. 5 ml to 10 ml cells, equivalent to about 10⁹ cells/ml (10 ml cultures of OD₇₅₀ of 1) were sampled for the measurements. The cells were centrifuged at 3,500 x g -9 °C for 10 min and the pellets were washed with 1 ml 20 mM cold PBS (20 mM KH₂PO₄, 20 mM K₂HPO₄, and 150 mM NaCl). The suspension was transferred to a 2 ml reaction cup and was

centrifuged at 12,000 x g for 1 min at -9 °C. For all further steps the NAD⁺/NADH Quantification Colorimetric Kit (Biovision, CA, USA) was used. The pellet was resuspended in 50 µl extraction buffer and precooled glass beads (Ø=0.18 mm) were added to about 1 mm to the surface of the liquid. The mixture was vortexed 4 times 1 min in the cold room (4 °C) and intermittently chilled on the ice for 1 min. 150 µl extraction buffer was added again and the mixture was centrifuged at 3,500 xg for 10 min at -9 °C. The liquid phase was transferred as much as possible into a new reaction cup and centrifuged at maximum speed for 30 min at -9 °C. All further steps were conducted as described by the manufacturer. Finally, the samples were incubated for 1 to 4 hours in 96 well plates before measuring absorbance at 450 nm by TECAN GENios (TECAN Group Ltd., Austria) along with a NADH standard curve.

Immunoblots

Whole cell extracts were applied on 10 % SDS-polyacrylamide gels according to the protocol of Laemmli (1970). After separation of the proteins the gel was semi-dry blotted on a nitrocellulose membrane (Roti-NC, 0.2 µm Transfer membrane for protein analyses, Carl Roth, Karlsruhe, Germany). For blocking the membrane was incubated in 2.5 % BSA in TBS (20 mM Tris pH 7.5, 150 mM NaCl). For the detection of phosphorylated Serine residues a TBS solution with a 1:100 dilution of the Anti-Phospho-Serin Antibody (Qiagen, Hilden, Germany) was used. For detection of the PdhA subunit an antibody was raised against the peptide TKYRREVLKDDGYDQ (Fig. S7) in rabbits by Agrisera (Umeå, Sweden). On the membranes 1:1000 dilution of this antibody in TBS was used. As secondary antibody either an anti-mouse IgG-HRP conjugate or an anti-rabbit IgG-HRP conjugate was used at 1:10,000 dilution. For detection the membrane was immersed in a 1:1 mixture of solution A (100 mM Tris/HCl pH = 8.5, 0.4 mM p-coumaric acid, 2.5 µM luminol) and solution B (100 mM Tris/HCl pH = 8.5, 100 mM H₂O₂) for 1 min and subsequently exposed to an X-ray film (Thermo Scientific CL-XPosure Film, Life Technologies GmbH, Germany).

Antibody against the PdhA subunit of the PDH complex

In order to raise an antibody against the alpha subunit of PdhA from the PDH complex, the peptide TKYRREVLKDDGYDQ (Fig. S7) was used for immunization of rabbits (Agrisera, Umeå, Sweden).

Purification and activity measurement of dihydrolipoyl dehydrogenase (E3 subunit, SynLPD)

The recombinant His-tagged SynLPD (Slr1096) was generated and purified essentially as described previously (54). Prior activity measurements, the elution fractions were desalted through PD10 columns (GE healthcare, Solingen, Germany). The protein concentration was determined according to Bradford (55). SynLPD activity was determined in the forward direction. DL-dihydrolipoic acid served as the substrate at a final concentration of 3 mM. SynLPD activity was followed as reduction of NAD⁺ (included in varying concentrations, 0.1, 0.2, 0.3, 0.4, 0.5, 1, 2, 3, 4 and 5 mM) at 340 nm. The K_i constant was estimated in the presence of four NADH concentrations (0, 0.1, 0.15 and 0.2 mM) as well as NADPH (0.1 mM) as control. Specific enzyme activity is expressed in µmol NADH per min⁻¹ mg protein⁻¹ at 25°C. Mean values and standard deviations were calculated from at least three technical replicates for all substrate/co-substrate combinations. All chemicals were purchased from Merck (Darmstadt, Germany).

Purification of pyruvate:ferredoxin oxidoreductase (PFOR)

For the purification of PFOR from *Synechocystis* sp. PCC 6803 (Fig. S9, S10), three 6-L autotrophic cultures of the PFOR overexpression strain (PFOR:oe) were grown to an OD₇₅₀ of about 1. Cells

were harvested by centrifugation at 4.000 rpm in a JLA-8.1000 rotor for 20 min at 4°C. Initially, His-PFOR over-expression in the 6-L cultures was assessed by SDS PAGE analysis followed by immunoblotting with a His-tag specific antibody (GenScript; Fig S7). A specific band could be detected in the over-expression mutant, confirming expression and stable accumulation of the over-expressed and N-terminally His-tagged PFOR protein. For large-scale purification cells were resuspended in lysis buffer (50 mM NaPO₄ pH=7.0; 250 mM NaCl; 1 tablet complete protease inhibitor EDTA free (Roche, Basel, Switzerland) per 50 mL) and broken by passing them through a French Press cell at 1250 p.s.i. twice. Unbroken cells and membranes were pelleted in a Beckman ultracentrifuge using a 70 Ti rotor at 35.000 rpm for 45 min at 4°C. The decanted soluble extract was adjusted to a volume of 90 mL with lysis buffer and incubated with 10 mL TALON cobalt resin (Takara, Shiga, Japan) for 1 h at 4°C. The resin was then washed extensively with 200 mL lysis buffer and subsequently with 100 mL lysis buffer containing 5 mM imidazole. Bound proteins were eluted with 20 mL elution buffer (50 mM NaPO₄ pH=7.0; 250 mM NaCl; 500 mM imidazole). The protein was concentrated overnight to a volume of 2 mL in a Vivaspinn 20 Ultrafiltration Unit (5 kDa MWCO)(Merck, Darmstadt, Germany) and then loaded onto a HiLoad™ 26/60 Superdex™ 75 prep grade (GE Healthcare, Chicago, IL, USA) using 25 mM NaPO₄, pH=7.0; 50 mM NaCl; 5% (v/v) glycerol as the running buffer. The run was monitored at 280 nm and fractions were collected (Fig. 8A).

Activity measurement of pyruvate:ferredoxin oxidoreductase (PFOR)

The specific activity of the pyruvate:ferredoxin oxidoreductase was measured essentially as described (11). The activity assay contained in 1 ml 100 mM Tris-HCl (pH 8), 0.5 mM Coenzyme A, 10 mM pyruvate, 5 mM thiamine pyrophosphate, 40 mM glucose, 40 U glucose oxidase, 50 U catalase, and 10 mM methyl viologen. Reduction of methylviologen was followed at 604 nm and an extinction coefficient of 13.6 mM⁻¹ cm⁻¹ was used. The reaction was started by adding 8.9 x 10⁻⁵ M isolated PFOR.

We also tested ferredoxin reduction by the PFOR by a mixture containing the same substances as above except methyl viologen. To this mixture 1.6 mM ferredoxin 1 and 1.3 mM ferredoxin:NADP⁺ reductase and 1 mM NADP⁺ were added. In this case the reduction of NADP⁺ was followed at 340 nm. The same mixture without glucose, glucose oxidase and catalase were used to test if the enzyme also works in the presence of oxygen.

In-vivo electron flow through photosystem I

The electron flux through photosystem I was measured by the Dual-KLAS/NIR (Walz GmbH, Effeltrich, Germany) by a newly developed method (36). In brief, cell suspensions were adjusted to 20 µg/mL chlorophyll and 20 µM DCMU was added. Electron flow through PSI was determined by dark-interval relaxation kinetics (DIRK) measurements at a light intensity of 168 µE/m²/s in the absence and presence of 10 mM glucose.

Determination of reaction Gibbs energies

Δ_rG^m for the reaction catalyzed by the PDH complex and by PFOR were calculated using eQuilibrator (<http://ealibrator.weizmann.ac.il/>) according to (44). CO₂ (total) was considered as hydrated and dehydrated forms of CO₂ are considered to be in equilibrium in biochemical reactions. Ionic strength of 0.2M, pH of 7 and metabolite concentrations of 1 mM were assumed. In order to determine the redox potential of pyruvate we used the reactions Gibbs energy of -39 kJ/mol for the PDH complex and -23 kJ/mol for PFOR. Assuming a redox potential of -320 mV for

NAD(P)H and -400 mV for ferredoxin the potential of pyruvate was determined according to $\Delta G = -nF\Delta E$ to -520 mV.

Acknowledgments

Technical assistance of Klaudia Michl during the growth experiments of serine/threonine protein kinase (spk) deletion mutants is acknowledged.

This study was supported by grants from the China Scholarship Council (CSC) (Grant # 201406320187), FAZIT-Stiftung, Deutsche Bundesstiftung Umwelt, German Ministry of Science and Education (BMBF FP309), and the German Science Foundation (DFG Gu1522/2-1, HA2002/23-1 and FOR2816).

References

1. K. J. Zahnle, D. C. Catling, M. W. Claire, The rise of oxygen and the hydrogen hourglass. *Chemical Geology* **362**, 26-34 (2013).
2. D. C. Catling, K. J. Zahnle, C. P. McKay, Biogenic Methane, Hydrogen Escape, and the Irreversible Oxidation of Early Earth. *Science* **293**, 839 (2001).
3. M. J. Russell, W. Martin, The rocky roots of the acetyl-CoA pathway. *Trends in Biochemical Sciences* **29**, 358-363 (2004).
4. G. Wächtershäuser, Evolution of the first metabolic cycles. *Proceedings of the National Academy of Sciences* **87**, 200 (1990).
5. J. Liu *et al.*, Metalloproteins Containing Cytochrome, Iron–Sulfur, or Copper Redox Centers. *Chemical Reviews* **114**, 4366-4469 (2014).
6. J. D. Kim, A. Rodriguez-Granillo, D. A. Case, V. Nanda, P. G. Falkowski, Energetic Selection of Topology in Ferredoxins. *PLoS Comput Biol* **8**, e1002463 (2012).
7. M. Müller *et al.*, Biochemistry and Evolution of Anaerobic Energy Metabolism in Eukaryotes. *Microbiology and Molecular Biology Reviews* **76**, 444 (2012).
8. J. A. Imlay, Iron-sulphur clusters and the problem with oxygen. *Molecular Microbiology* **59**, 1073-1082 (2006).
9. B. Jagannathan, G. Shen, J. Golbeck, The evolution of type I reaction centers: the response to oxygenic photosynthesis. *Advances in Photosynthesis and Respiration* **33** (2012).
10. S. B. Gould *et al.*, Adaptation to life on land at high O₂ via transition from ferredoxin-to NADH-dependent redox balance. *Proceedings of the Royal Society B: Biological Sciences* **286**, 20191491 (2019).
11. A. Witt, R. Pozzi, S. Diesch, O. Hädicke, H. Grammel, New light on ancient enzymes – in vitro CO₂ Fixation by Pyruvate Synthase of *Desulfovibrio africanus* and *Sulfolobus acidocaldarius*. *The FEBS Journal* **286**, 4494-4508 (2019).
12. A. Mall *et al.*, Reversibility of citrate synthase allows autotrophic growth of a thermophilic bacterium. *Science* **359**, 563 (2018).
13. M. C. Evans, B. B. Buchanan, D. I. Arnon, A new ferredoxin-dependent carbon reduction cycle in a photosynthetic bacterium. *Proceedings of the National Academy of Sciences of the United States of America* **55**, 928-934 (1966).
14. K. Gutekunst, Hypothesis on the Synchronistic Evolution of Autotrophy and Heterotrophy. *Trends in Biochemical Sciences* **43**, 402-411 (2018).
15. G. Fuchs, Alternative Pathways of Carbon Dioxide Fixation: Insights into the Early Evolution of Life? *Annual Review of Microbiology* **65**, 631-658 (2011).

- 638 16. L. Pieulle *et al.*, Isolation and characterization of the pyruvate-ferredoxin oxidoreductase
639 from the sulfate-reducing bacterium *Desulfovibrio africanus* *Biochimica Et Biophysica*
640 *Acta-Protein Structure and Molecular Enzymology* **1250**, 49-59 (1995).
- 641 17. L. Pieulle, V. Magro, E. C. Hatchikian, Isolation and analysis of the gene encoding the
642 pyruvate-ferredoxin oxidoreductase of *Desulfovibrio africanus*, production of the
643 recombinant enzyme in *Escherichia coli*, and effect of carboxy-terminal deletions on its
644 stability. *Journal of Bacteriology* **179**, 5684-5692 (1997).
- 645 18. N. Vita, E. C. Hatchikian, M. Nouailler, A. Dolla, L. Pieulle, Disulfide Bond-Dependent
646 Mechanism of Protection against Oxidative Stress in Pyruvate-Ferredoxin
647 Oxidoreductase of Anaerobic *Desulfovibrio* Bacteria. *Biochemistry* **47**, 957-964 (2007).
- 648 19. L. Kerscher, D. Oesterhelt, Purification and Properties of Two 2-Oxoacid:Ferredoxin
649 Oxidoreductases from *Halobacterium halobium*. *European Journal of Biochemistry* **116**,
650 587-594 (1981).
- 651 20. L. Kerscher, D. Oesterhelt, Ferredoxin is the coenzyme of alpha-ketoacid
652 oxidoreductases in *Halobacterium halobium*. *FEBS Lett* **83**, 197-201 (1977).
- 653 21. Y. Kim, L. O. Ingram, K. T. Shanmugam, Dihydrolipoamide Dehydrogenase Mutation
654 Alters the NADH Sensitivity of Pyruvate Dehydrogenase Complex of *Escherichia coli* K-
655 12. *Journal of Bacteriology* **190**, 3851-3858 (2008).
- 656 22. Z. Sun *et al.*, Amino acid substitutions at glutamate-354 in dihydrolipoamide
657 dehydrogenase of *Escherichia coli* lower the sensitivity of pyruvate dehydrogenase to
658 NADH. *Microbiology* **158**, 1350-1358 (2012).
- 659 23. E. Kolobova, A. Tuganova, I. Boulatnikov, K. M. Popov, Regulation of pyruvate
660 dehydrogenase activity through phosphorylation at multiple sites. *Biochem. J.* **358**, 69-
661 77 (2001).
- 662 24. O. Schmitz, J. Gurke, H. Bothe, Molecular evidence for the aerobic expression of *nifJ*,
663 encoding pyruvate : ferredoxin oxidoreductase, in cyanobacteria. *FEMS Microbiol. Lett.*
664 **195**, 97-102 (2001).
- 665 25. C. Cassier-Chauvat, F. Chauvat, Function and Regulation of Ferredoxins in the
666 Cyanobacterium *Synechocystis* PCC6803: Recent Advances. *Life* **4**, 666-680 (2014).
- 667 26. J. H. Artz *et al.*, The structure and reactivity of the HoxEFU complex from the
668 cyanobacterium *Synechocystis* sp. PCC 6803. *Journal of Biological Chemistry*
669 10.1074/jbc.RA120.013136 (2020).
- 670 27. H. Bottin, B. Lagoutte, Ferredoxin and flavodoxin from the cyanobacterium
671 *Synechocystis* sp PCC 6803. *Biochimica et Biophysica Acta (BBA) - Bioenergetics* **1101**,
672 48-56 (1992).
- 673 28. K. Gutekunst *et al.*, The Bidirectional NiFe-hydrogenase in *Synechocystis* sp. PCC 6803 Is
674 Reduced by Flavodoxin and Ferredoxin and Is Essential under Mixotrophic, Nitrate-
675 limiting Conditions. *Journal of Biological Chemistry* **289**, 1930-1937 (2014).
- 676 29. M. Schorsch *et al.*, A unique ferredoxin acts as a player in the low-iron response of
677 photosynthetic organisms. *Proceedings of the National Academy of Sciences* **115**,
678 E12111 (2018).
- 679 30. T. Motomura *et al.*, An alternative plant-like cyanobacterial ferredoxin with
680 unprecedented structural and functional properties. *Biochimica et Biophysica Acta (BBA)*
681 *- Bioenergetics* **1860**, 148084 (2019).
- 682 31. H. Mustila, Y. Allahverdiyeva, J. Isojärvi, E. M. Aro, M. Eisenhut, The bacterial-type [4Fe-
683 4S] ferredoxin 7 has a regulatory function under photooxidative stress conditions in the

684 cyanobacterium *Synechocystis* sp. PCC 6803. *Biochimica et Biophysica Acta (BBA) -*
685 *Bioenergetics* **1837**, 1293-1304 (2014).

686 32. L. G. Korotchkina, M. S. Patel, Probing the Mechanism of Inactivation of Human
687 Pyruvate Dehydrogenase by Phosphorylation of Three Sites. *Journal of Biological*
688 *Chemistry* **276**, 5731-5738 (2001).

689 33. J. Fan *et al.*, Tyr-301 Phosphorylation Inhibits Pyruvate Dehydrogenase by Blocking
690 Substrate Binding and Promotes the Warburg Effect. *Journal of Biological Chemistry* **289**,
691 26533-26541 (2014).

692 34. F. Seifert *et al.*, Phosphorylation of Serine 264 Impedes Active Site Accessibility in the E1
693 Component of the Human Pyruvate Dehydrogenase Multienzyme Complex. *Biochemistry* **46**, 6277-6287 (2007).

694 35. J. M. Schuller *et al.*, Structural adaptations of photosynthetic complex I enable
695 ferredoxin-dependent electron transfer. *Science* **363**, 257-260 (2019).

696 36. M. L. Theune *et al.*, In-vivo quantification of electron flow through photosystem I –
697 Cyclic electron transport makes up about 35% in a cyanobacterium. *Biochimica et*
698 *Biophysica Acta (BBA) - Bioenergetics* **1862**, 148353 (2021).

700 37. S. Doello, A. Klotz, A. Makowka, K. Gutekunst, K. Forchhammer, A specific glycogen
701 mobilization strategy enables awakening of dormant cyanobacteria from chlorosis. *Plant*
702 *Physiology* **177**, 594-603 (2018).

703 38. A. Makowka *et al.*, Glycolytic Shunts Replenish the Calvin–Benson–Bassham Cycle as
704 Anaplerotic Reactions in Cyanobacteria. *Molecular Plant* **13**, 471-482 (2020).

705 39. H. Ohkawa, H. B. Pakrasi, T. Ogawa, Two types of functionally distinct NAD(P)H
706 dehydrogenases in *Synechocystis* sp. strain PCC6803. *J Biol Chem* **275**, 31630-31634
707 (2000).

708 40. X. Chen *et al.*, The Entner–Doudoroff pathway is an overlooked glycolytic route in
709 cyanobacteria and plants. *Proceedings of the National Academy of Sciences* **113**, 5441-
710 5446 (2016).

711 41. W. Xiong *et al.*, Phosphoketolase pathway contributes to carbon metabolism in
712 cyanobacteria. *Nature Plants* **2**, 15187 (2015).

713 42. K. Gutekunst *et al.*, LexA regulates the bidirectional hydrogenase in the cyanobacterium
714 *Synechocystis* sp. PCC 6803 as a transcription activator. *Molecular Microbiology* **58**, 810-
715 823 (2005).

716 43. O. Liran *et al.*, Microoxic Niches within the Thylakoid Stroma of Air-Grown
717 *Chlamydomonas reinhardtii* Protect [FeFe]-Hydrogenase and Support Hydrogen
718 Production under Fully Aerobic Environment. *Plant Physiology* **172**, 264-271 (2016).

719 44. E. Noor, H. S. Haraldsdóttir, R. Milo, R. M. T. Fleming, Consistent Estimation of Gibbs
720 Energy Using Component Contributions. *PLOS Computational Biology* **9**, e1003098
721 (2013).

722 45. T. Nakajima *et al.*, Integrated Metabolic Flux and Omics Analysis of *Synechocystis* sp.
723 PCC 6803 under Mixotrophic and Photoheterotrophic Conditions. *Plant and Cell*
724 *Physiology* **55**, 1605-1612 (2014).

725 46. J. Kämäräinen *et al.*, Pyridine nucleotide transhydrogenase PntAB is essential for optimal
726 growth and photosynthetic integrity under low-light mixotrophic conditions in
727 *Synechocystis* sp. PCC 6803. *New Phytologist* 10.1111/nph.14353, n/a-n/a (2016).

- 728 47. R. Rippka, J. Deruelles, J. B. Waterbury, M. Herdman, R. Y. Stanier, Generic Assignments,
729 Strain Histories and Properties of Pure Cultures of Cyanobacteria. *Journal of General*
730 *Microbiology* **111**, 1-61 (1979).
- 731 48. D. Trautmann, B. Voss, A. Wilde, S. Al-Babili, W. R. Hess, Microevolution in
732 cyanobacteria: re-sequencing a motile substrain of *Synechocystis* sp. PCC 6803. *DNA Res*
733 **19**, 435-448 (2012).
- 734 49. D. Hoffmann, K. Gutekunst, M. Klissenbauer, R. Schulz-Friedrich, J. Appel, Mutagenesis
735 of hydrogenase accessory genes of *Synechocystis* sp. PCC 6803. *FEBS Journal* **273**, 4516-
736 4527 (2006).
- 737 50. D. G. Gibson *et al.*, Enzymatic assembly of DNA molecules up to several hundred
738 kilobases. *Nature Methods* **6**, 343-345 (2009).
- 739 51. J. G. K. Williams, "Construction of specific mutations in photosystem II photosynthetic
740 reaction center by genetic engineering methods in *Synechocystis* 6803" in *Methods in*
741 *Enzymology*. (Academic Press, 1988), vol. 167, pp. 766-778.
- 742 52. A. Shevchenko, M. Wilm, O. Vorm, M. Mann, Mass Spectrometric Sequencing of
743 Proteins from Silver-Stained Polyacrylamide Gels. *Analytical Chemistry* **68**, 850-858
744 (1996).
- 745 53. M. Angeleri, D. Muth-Pawlak, E. M. Aro, N. Battchikova, Study of O-Phosphorylation
746 Sites in Proteins Involved in Photosynthesis-Related Processes in *Synechocystis* sp.
747 Strain PCC 6803: Application of the SRM Approach. *J Proteome Res* **15**, 4638-4652
748 (2016).
- 749 54. O. Reinholdt *et al.*, Redox-Regulation of Photorespiration through Mitochondrial
750 Thioredoxin o1. *Plant Physiology* **181**, 442 (2019).
- 751 55. M. M. Bradford, A rapid and sensitive method for the quantitation of microgram
752 quantities of protein utilizing the principle of protein-dye binding. *Analytical*
753 *Biochemistry* **72**, 248-254 (1976).

754

Supplementary Information

Pyruvate:ferredoxin oxidoreductase and low abundant ferredoxins support aerobic photomixotrophic growth in cyanobacteria

Yingying Wang^a, Xi Chen^a, Katharina Spengler^a, Karoline Terberger^a, Marko Boehm^{a,b}, Jens Appel^{a,b}, Thomas Barske^c, Stefan Timm^c, Natalia Battchikova^d, Martin Hagemann^c, Kirstin Gutekunst^{a,b}

kirstin.gutekunst@uni-kassel.de

^aDepartment of Biology, Botanical Institute, Christian-Albrechts-University, D-24118 Kiel, Germany;

^bDepartment of Molecular Plant Physiology, Bioenergetics in Photoautotrophs, University of Kassel, D-34132 Kassel, Germany, ^cPlant Physiology Department, University of Rostock, D-18059 Rostock, Germany, ^dDepartment of Biochemistry, Molecular Plant Biology, University of Turku, FI-20014 Turku, Finland

S1: Bioinformatic analyses concerning the distribution of PDH complex and PFOR in cyanobacteria

S2: Oxygen concentrations in photomixotrophic cultures of WT and $\Delta pfor$

S3: RT-PCR on *pfor* and *pdhA* in the WT under photoautotrophic and photomixotrophic conditions

S4: Growth of serine/threonine protein kinase (spk) deletion mutants

S5: Extract of the sequence alignment of PdhA subunit and sequence logo

S6: Sequence alignment of 932 cyanobacterial PdhA sequences

S7: Antibody against the PdhA subunit of the PDH complex

S8: Immunoblot with an antibody against the E1 subunit of PdhA of the PDH complex

S9: SDS PAGE analysis followed by immunoblotting of *Synechocystis* overexpressing PFOR

S10: Large-scale PFOR purification

S11: Examination of segregation of deletion mutants via PCR or Southern blot

S12: Photoautotrophic growth of ferredoxin deletion mutants

Table S1: List of primers used in this study to generate deletion strains and for RT-PCR

Table S2: List of *Synechocystis* strains and mutants used in this study

Table S3: Peptides of the alpha subunit of the pyruvate dehydrogenase (Slr1934) E1 component detected via MS/MS in band No. 1 of Fig. S8

diazotrophic (with N₂ase) non-diazotrophic (without N₂ase)

Figure S1: Bioinformatic analyses concerning the distribution of PDH complex and PFOR in diazotrophic and non-diazotrophic cyanobacteria. All shown genomes possess a PDH complex.

All completely sequenced cyanobacterial genomes were analyzed via tblastn for the presence of the PDH complex and PFOR. For this, in order to exclude symbionts, cyanobacterial genomes were in a first step searched for the *psbD* gene (PSII subunit). We used the *psbD* gene (*slr0849*) of *Synechocystis* as bait. Only genomes containing *psaD* were used for all further analysis. 197 genomes remained and were searched by tblastn using the *pdhA* subunit (*slr1934*) from the PDH complex from *Synechocystis* as bait. The largest expect value was 2×10^{-136} . *pdhA* was found in all genomes analyzed. 67 of these genomes contain *nifD* (highest e-value 4×10^{-104}) and *nifK* (highest e-value 1×10^{-73}), the two subunits of the nitrogenase for N₂-fixation and a diazotrophic lifestyle. Diazotrophic and non-diazotrophic cyanobacteria were searched for the presence of PFOR by using *slr0741* from *Synechocystis*. The highest e-value in this case was 0.

We found that all fully sequenced diazotrophic and non-diazotrophic cyanobacteria with PSII contain genes coding for a PDH complex and that 56 % thereof possess a PFOR as well. If we subtract from this group all diazotrophic cyanobacteria that contain a nitrogenase and might therefore utilize PFOR in the process of nitrogen fixation, 130 non-diazotrophic cyanobacteria remain. Within the group of non-diazotrophic cyanobacteria 42% possess a PFOR in addition to the PDH complex. This clearly shows that the property of holding both a PDH complex and a PFOR in cyanobacteria that live predominantly under oxic conditions is truly widespread. The analysis furthermore confirms our observation, that the PDH complex is preferred over the utilization of PFOR in cyanobacteria.

Figure S2: Oxygen concentrations in photomixotrophic cultures of wild type (WT) and $\Delta pfor$ were close to oxygen saturation throughout the growth experiments. Original traces are shown.

Figure S3: RT-PCR showing that *pfor* and *pdhA* are transcribed under photoautotrophic and photomixotrophic conditions in the wild type. Total RNA of wild type cells was reverse transcribed and subsequently subjected to PCRs with either primers specific for *rnpB*, *pfor* or *pdhA* (table S1). In the control reactions (C) reverse transcriptase was omitted.

Figure S4: (A) Photoautotrophic and (B) photomixotrophic growth of serine/threonine protein kinase (spk) deletion mutants. The mutants were constructed in different *Synechocystis* WT backgrounds (table S2). *spkA*, *spkB*, *spkD*, *spkE* and *spkG* were deleted in the non-motile GT strain as all other mutants in this study with exception of *spkC*, *spkF*, *spkI*, *spkK*, and *spkL* that were deleted in the motile strain indicated as WTm. Shown are mean values $\pm$ SD from at least 3 replicates.

Photoautotrophic and photomixotrophic growth of ten serine/threonine protein kinase (spk) deletion mutants was analyzed. They grew like the WT under photoautotrophic conditions (Fig. S4A) whereas the growth of *ΔspkB* and *ΔspkL* was affected under photomixotrophic conditions (Fig. S4B). This indicates that phosphorylation of enzymes is relevant for optimal photomixotrophic growth in *Synechocystis*.

A

```

N7120    FRGHSLADP--DEMRSKAEKEFWFSRDPIKKLAAYLIEQNLADEAELKAIERKIQDVIDD
O6506    FRGHSLADP--DELRSEEKEYWFPDPPIKKLAADLTERNLATVEELKEIEQKIQALVDD
L8106    FRGHSLADP--DELRDQEEKDFWFSRDPIKKLANYLIEKNLASAEQLKEIDHKIQAVVDD
S7942    FRGHSLADP--DELRSEEKEFWLARDPIKRFAAHLTEFNLATHEELKAIDKKIEALVAE
S6803    FRGHSLADP--DELRSAEEKQFWAARDPIKKFAAFMTEHELASNEELKAIDKRIQEVIDD
Gviol    FRGHSLADP--DELRDPAEKEFWRKQDPPIRLAAFVREQELASAEELKAIDQEIRAEIDD
Btaurus  YHGHSMSPDGVSYRTREEIQEVRSKSDPIMLLKDRMVNSNLASVEELKEIDVEVRKEIED
Rnorveg  YHGHSMSPDGVSYRTREEIQEVRSKSDPIMLLKDRMVNSNLASVEELKEIDVEVRKEIED
Hsapiens YHGHSMSPDGVSYRTREEIQEVRSKRDPIIILQDRMVNSKLATVEELKEIGAEVRKEIDD
          ::***::** .          ::          *** : : : ** : ** * ... : :

```

B

Figure S5: (A) Extract of the sequence alignment with the E1 subunits of the PDH complex. Shown are cyanobacterial sequences of *Nostoc* sp. PCC 7120 (N7120), *Oscillatoria* sp. PCC 6506 (O6506), *Lynbya* sp. PCC 8106 (L8106), *Synechococcus* sp. PCC 7942 (S7942), *Gloeobacter violaceus* (Gviol), and *Synechocystis* sp. PCC 6803 (S6803), and eukaryotic sequences of cattle (*Bos taurus* (Btaurus)), rat (*Rattus norvegicus* (Rnorveg)) and human (*Homo sapiens* (Hsapiens)). Serine residue 1 (S), is conserved in all PdhAs whereas residues 2 (S) and 3 (S), are only found in the eukaryotes. The first serine residue (S) was found in all 932 cyanobacterial PdhA sequences extracted from Genbank by a blast search as of January 11th 2021 (Fig. S5). (B) Sequence logo of 17 amino acids around serine residue 1 from 932 cyanobacterial *pdhA* sequences showing that this region is highly conserved. The logo was generated via <https://weblogo.berkeley.edu/logo.cgi>.

Figure S6: Sequence alignment by ClustalW of 932 cyanobacterial PdhA sequences extracted from Genbank by a blast search on January 11th 2021. The region containing the conserved serine residue (marked in red) is shown.

Alignment of cyanobacterial PdhA Sequences (only the part around the conserved serine residue (**S**) is shown)

```

NER82895.1      RTYRYKGHSMSDPAKYRTKEEVESYK-QRDPVEQVKATILKKK-----LASEAELAKID
MBC7866741.1    KTYRYKGHSMSDPQKYRTKEELEAYK-EKDPIEHVLKVLRTDY-----KVSDAEIEVMT
NET36155.1      RTYRYKGHSVSDPARYRTKEEVQEYK-DKDPVKMTEAKILKDK-----IATAEEIAAIK
WP_099077406.1  KTYRYRGHSMSDAQHYRTKEEVEEYR-KIDPIIQVLDI IKENN-----YATEAEIEAID
WP_110151329.1  KTYRYRGHSMSDPAKYRSRDEVQAVRDKSDPIEGLKR-ELEAA-----GVSEADLKTIE
WP_110154872.1  KTYRYRGHSMSDPAKYRTREEVQAMKDDSDCIDHAKR-ELEAM-----GVSEDELKKID
WP_162547839.1  LTYRYRGHSMSDPAKYRSKEEVQKMRSEQDPIEQVRARLLEKG-----WATEDELKAID
WP_162544581.1  VTYRYRGHSMSDPAKYRSKEEVDVDRMRGEHDPIDQVRSRLLENG-----WATEDDLKGLD
WP_110150063.1  LTYRYRGHSMSDPAKYRTKDEVTKYRQERDPIEQVRARLLEAG-----VVTEDDLKKIE
WP_017290656.1  VTYRFRSMFDAELYRDKAEEVEEWK-QRCPISTLTQQLKAQG-----QITDADVERIE
WP_190651747.1  VTYRFRSMFDAELYRDKAEEVEEWK-QRCPISTLTQQLKAQG-----QITDADVERME
WP_190573087.1  TTYRFRSMFDAELYREKAEEVEQWK-QRCPIATLTQQLKEQE-----KISDADLEAME
WP_190936745.1  ITYRFRSMFDAELYRDKAEEVELWK-QRCPIETFAKRLQEQQ-----LLSDTEWEAME
BAZ39299.1      VTYRFRSMFDFEFYREKTEVEQWK-QRCPIEMLTKKLTEQG-----LLSGVELAAME
HFN00591.1      ITYRFRSMFDFEFYREKAEEVEQWR-ERCPINTLFKTIQEKG-----WLSDETEWNQLN
HBC42436.1      RTYRFRSMFDAELYRDKEVEEVEWK-QRCPIATLTQQLKAQG-----LLSDQDLVTMK
WP_190401563.1  VTYRFRSMFDAELYRDKAEEVEQWK-QRCPIANLTQQLKAQG-----LLSDADLTAMQ
HBN08467.1      LTYRFRSMDPELYRNKAEEVEEWK-KRDPIPRFLEGCLANK-----LLSREDADRIS
HDW98853.1      ITYRFRSSLADPDELRSPREEKEFWR-QRDPIKQLERYALEHN-----LMTEADFQAIH
WP_011431966.1  ITYRFRSSLADPDELRSPREEKEFWR-QRDPIKQLERYALEHN-----LMTEADFQAIH
WP_099812446.1  LTYRFRSSLADPDELRSPREEKEFWR-QRDPIKRLERYALEHN-----LMTEADFQAIQ
WP_011429423.1  ITYRFRSSLADPDELRSPREEKEFWR-QRDPIKRLERYALEHN-----LMTEADFQAIQ
NJL98069.1      MTYRFRSSLADPDELRDPDEKEFWR-KQDPIKQLERYGLEHN-----LTKADCQEIQ
NJK62068.1      ITYRFRSSLADPDELRQPEDKEFWR-QRDPLKSLERYALEHA-----LVSEAEFQHIQ
WP_026101161.1  MTYRFRSSLADPDELRVEEKEFWR-QQDPIKAFFERYALEHE-----LMAQAELEDEIS
BAC89470.1      TTYRFRSSLADPDELRDPAEKEFWR-KQDPIPRLAFFVREQE-----LASAEELKAID
WP_164928801.1  TTYRFRSSLADPDELRDPAEKEFWR-KQDPIPRLAFFVREQE-----LASAEELKAID
WP_011142838.1  TTYRFRSSLADPDELRDPAEKAHWR-KQDPLPRLRVWLEEQQ-----LASVEDLKRIE
WP_023173177.1  TTYRFRSSLADPDELRDPAEKEFWR-QQDPIPRLAFFIAEQG-----FAGPDDELKID
HGZ85391.1      NTYRFRSSLADPDELRDPQEKEFWR-KQDPIPKLASYSVNSD-----LASEAELKLIE
MBD1195191.1    LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEHN-----LANAEELKGID
WP_010310573.1  LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEHN-----LATADELKGIE
WP_010315614.1  LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEHN-----LATTEELKGIE
PWL22038.1      LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEHN-----LATAEELKGIE
WP_185187231.1  LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEQN-----LATADELKAIE
GDX71957.1      LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEHN-----LANADELKAID
NDF62096.1      LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLAAHLIEHN-----LANADELKAID
NBW63180.1      LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLGAQLIERG-----LATADDLKQID
NDG75008.1      LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLGAHLIEHN-----LATAEELKAIE
WP_094588615.1  LTYRFRSSLADPDELRRAEAEKEFWA-QRDPIKRLGAHLIEQN-----LATAEELKAIE
WP_094560219.1  LTYRFRSSLADPDELRRAEAEKEFWA-KRDPIKALAARLIEQG-----LASGEELKAIE
WP_190389986.1  LTYRFRSSLADPDELRRAEAEKEFWA-KRDPIKALGSRLIEQG-----LATAEELKAIE
WP_197153330.1  LTYRFRSSLADPDELRRAEAEKEFWA-KRDPIKALAVRLIEQN-----LASEAELKAIE
WP_106502205.1  LTYRFRSSLADPDELRRAEAEKEFWA-KRDPIKSLASRLIEQG-----LTAAEELKSIE
WP_186699049.1  LTYRYRGHSSLADPDELRRAEAEKAFWA-KRDPIKRLGAQLVEQQ-----LATAEELKAIE
WP_193915991.1  LTYRYRGHSSLADPDELRRAEAEKAFWA-KRDPIKRLGGQLLEQQ-----LATAEELKAIE
WP_193815924.1  LTYRYRGHSSLADPDELRRAEAEKAFWA-KRDPIKRLGGQLVEQQ-----LATAEELKAIE
QNI69975.1      LTYRYRGHSSLADPDELRRAEAEKAFWA-KRDPIKRLGAQLVEQQ-----LATAEELKAIE
WP_006909495.1  LTYRYRGHSSLADPDELRRAEAEKEFWA-KRDPIKRLAASLVEQG-----LATADELKAID
WP_087068638.1  LTYRYRGHSSLADPDELRRAEAEKEFWA-KRDPIINRLAAHLVEQG-----LASADELKAID
NDC35000.1      LTYRYRGHSSLADPDELRRAEAEKEFWA-KRDPIKRLAAQLVSQS-----LASAEELEAID
NDC14028.1      LTYRFRSSLADPDELRRAEAEKEFWA-KRDPIKQLAAHLVAQN-----LATPEELKAID
WP_048017862.1  LTYRYRGHSSLADPDELRQAQEKDFWA-QRDPIKRLAAHLVEHG-----LVAAEELKAID
TVS06357.1      LTYRYRGHSSLADPDELRQAQEKDFWA-KRDPIKGLAAHLIEQN-----LATADELKAID
NBR45324.1      LTYRFRSSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID
NBP32852.1      LTYRFRSSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID
NBP98431.1      LTYRFRSSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID
NBQ20070.1      LTYRFRSSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID
NBO29789.1      LTYRFRSSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID
OON11472.1      LTYRFRSSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID

```

NBV59412.1 LTYRFRGHSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----KATAEDLAAID
 WP_106499614.1 LTYRFRGHSLADPDELRDPEEKAFWA-QRDPIKQFSALLLNQG-----XATAXDLAAID
 MBJ7364777.1 LTYRFRGHSLADPDELRDPEEKAFWT-NRDPKQFSAFMQQQG-----LASAADLADID
 NDC15673.1 LTYRFRGHSLADPDELRDPEEKAFWA-ARDPIKHLAGLQSRG-----LATAEDLETID
 NBO22110.1 LTYRFRGHSLADPDELRDPEEKAFWA-ARDPIKHLAGLQSRG-----LATAEDLETID
 WP_197725975.1 LTYRFRGHSLADPDELRDPEEKAFWA-ARDPIKHLAGVLQSRG-----LATAADLEAIE
 WP_180664702.1 LTYRFRGHSLADPDELRDPEEKAFWA-ARDPIKHLAGVLQSRG-----LATAADLEAIE
 WP_180651812.1 LTYRFRGHSLADPDELRDPEEKAFWA-ARDPIKHLAGVLQSRG-----LATAADLEAIE
 WP_181466413.1 LTYRFRGHSLADPDELRDPEEKAFWA-ARDPIKHLAGVLQSRG-----LATAADLEAIE
 OUT70434.1 MTYRFRGHSLADPDELRDPEEKAFWA-ERDPIKAFSAEMVSRD-----LLSPEEMAAID
 RCL54587.1 MTYRFRGHSLADPDELRDPEEKAFWA-ERDPIKGFSAEVSARG-----LLSAEEMAAID
 RPF75188.1 MTYRFRGHSLADPDELRDPEEKAFWA-ERDPIKGFSAEVSARG-----LLSAEEMAAID
 OUW38983.1 MTYRFRGHSLADPDELRDPEEKAFWA-ERDPIKGFQATMHARG-----LLSAEEMEADID
 WP_011936122.1 MTYRFRGHSLADPDELRDPEEKAFWA-ERDPIKGFQATMHARG-----LLSAEEMEADID
 NBQ37607.1 MTYRFRGHSLADPDELRDPEEKAFWA-ERDPIKGFQATMHARG-----LLSAEEMEADID
 PZV21699.1 LTYRFRGHSLADPDELRSAAEKDFWA-QRDPIKALAAHLTSHG-----LASADELKEIE
 WP_094514657.1 LTYRFRGHSLADPDELRSAAEKDFWA-QRDPIKALAAHLTSHG-----LASADELKEIE
 WP_197162892.1 LTYRFRGHSLADPDELRSAAEKDFWA-KRDPIKALAAHLTSHD-----LASSEELKAIE
 WP_006171785.1 LTYRFRGHSLADPDELRSAAEKDFWA-KRDPLKALAAHLTSHD-----LASLEELKAIE
 WP_185464938.1 LTYRFRGHSLADPDELRSAAEKDFWA-KRDPLKALAAHLTSHG-----LATAEELKAIE
 WP_094554638.1 LTYRFRGHSLADPDELRSAAEKDFWA-KRDPLKALATHLTSHG-----LASSSEDLKAIE
 WP_197153832.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKQLAAHLTSQG-----LASGDDLKAIE
 WP_197169642.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKQLAAHLTSQG-----LASGDDLKAIE
 PHX87613.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKQLAGHLLEQQ-----LASEADLKAIE
 MBJ7492800.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKQLAGHLLEQQ-----LASEADLKAIE
 WP_094587424.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAGRLVEEG-----LAAAEELKEID
 WP_190611115.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAGRLVEEG-----LAAAEELKEID
 WP_190544577.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAVRLTEQG-----LATAEELKEID
 WP_015108816.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAVRLTEQG-----LATAEELKEID
 WP_106220728.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAARLIDQG-----LATAEELKEID
 WP_159816067.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAARLIEQG-----LATAEELKEID
 KEF42988.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAARLIAMN-----LATAKELKEID
 GDX75696.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKRLAADLISAG-----LVSEAEELKEIE
 WP_197212572.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPIKQLAARLTADG-----LASEAEELKEID
 PZU96658.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKALAGQLISAE-----LATAEELKAIE
 PZV02932.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKALAGQLISAE-----LATAEELKAIE
 WP_071801427.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPIKALAAQLISGE-----LATAEELKAIE
 WP_043696173.1 LTYRFRGHSLADPDELRSAAEKQFWA-ERDPLKALERDLGAG-----LVQSDELRAIE
 OUW68062.1 LTYRFRGHSLADPDELRSAAEKQFWA-ERXPLKALERDLGAG-----LVQSDELRAIE
 WP_186485172.1 LTYRFRGHSLADPDELRSAAEKQFWA-ERDPLKALERDLGAG-----LVQSDELRAIE
 WP_041425471.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAG-----LVTSDELRGIE
 ABB26477.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAG-----LVTSDELRGIE
 WP_037988804.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAG-----LVTSDELRGIE
 EAU70620.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAG-----LVTSDELRGIE
 MBE67365.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAG-----LVSSDELRAIE
 MAV11884.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKAMERDLCQSQ-----LVSPDELRAIE
 MAV12853.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCQSQ-----LVSPDELRAIE
 WP_186586329.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCNAN-----LVSSDELRSIE
 MBA4732986.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCNAN-----LVSSDELRSIE
 WP_011128484.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCEAN-----LVSSDELRSIE
 WP_186511662.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCEAN-----LVSSDELRSIE
 WP_186481880.1 LTYRFRGHSLADPDELRSAAEKQFWT-QRDPLKALERDLCEAN-----LVSSDELRSIE
 WP_186496693.1 LTYRFRGHSLADPDELRSAAEKQFWA-ERDPIKALERDLCEAN-----LVSSDELRSIE
 QNI92122.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCEAN-----LVSSDELRSIE
 QNI51575.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCEAN-----LVSSDELRSIE
 QNJ14498.1 LTYRFRGHSLADPDELRSAAEKQFWT-QRDPLKALERDLCEAN-----LVSSDELRSIE
 QNI42770.1 LTYRFRGHSLADPDELRSAAEKQFWA-QRDPLKALERDLCEAN-----LVSSDELRSIE
 WP_186542049.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTQAG-----LVNSEELRAIE
 WP_114988422.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTQAG-----LVNSEELRAIE
 WP_186508997.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTQAG-----LVNSEELRAIE
 WP_115132999.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTQAG-----LVNSEELRAIE
 WP_115008758.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTQAG-----LVKSEELRAIE
 WP_186495702.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAG-----LVNSEELRAIE
 WP_115081976.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTEAS-----LVNSEELRAIE
 MBN89045.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTXAG-----LVNSXXLRAXE
 WP_186571723.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTDAG-----LVNSDELRAIE
 WP_115092889.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTDAG-----LVNSDELRAIE
 WP_166016785.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTDG-----LVNSDELRAIE
 WP_115023735.1 LTYRFRGHSLADPDELRSAAEKQFWA-KRDPLKALERDLTDG-----LVNSDELRAIE

MBA4736711.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKGLERDLTESG-----LVSSDELRAIE
 WP_038557300.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKGLERDLTESG-----LVNSDELRAIE
 AII49956.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKGLERDLTESG-----LVNSDELRAIE
 WP_025362400.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVNSDELRAIE
 WP_041434499.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVNSDELRAIE
 ABB34648.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVNSDELRAIE
 WP_186494888.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVNSDELRAIE
 WP_186514981.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVSSDELRAIE
 QNI99748.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVNSDELRAIE
 QNI63881.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVSSDELRAIE
 QNI81749.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTQAG-----LVNSDELRAIE
 QNJ10957.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTQAG-----LVNSDELRAIE
 QNI62062.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEAG-----LVNSDELRAIE
 MAI96686.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTEPG-----LVRAEELRSIE
 WP_038545717.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKAFENDLVSAG-----MVSADDELRAIE
 AII44015.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKAFENDLVSAG-----MVSADDELRAIE
 WP_028952470.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKAFERDLVSAD-----LVSSDELRAIE
 MAR06916.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLTQAG-----LVNSDELRAIE
 MAV10744.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKQFERDLTDAG-----LATGEELRAIE
 MAH57385.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTEAG-----LASSDELRAIE
 WP_186583024.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLAAN-----LVSAEELRAIE
 OUX72890.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLAAN-----LVSAEELRAIE
 WP_186594678.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLAAN-----LVSAEELRAIE
 WP_011933632.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLAAN-----LVSAEELRAIE
 QNI68134.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLAAN-----LVSAEELRAIE
 WP_006041926.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLAAN-----LVSAEELRAIE
 WP_130128599.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVAAG-----LVTSDDLRAIE
 WP_007100389.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVTAG-----LVTSDDLRAIE
 WP_131456226.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVGAG-----LVSSDELRAIE
 WP_186469284.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGAG-----LVSSDELRAIE
 MAN19309.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGAG-----LVSSADDLRAIE
 WP_186500504.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGAG-----LVSSADDLRAIE
 WP_186480809.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGAG-----LVSSADDLRAIE
 QNI72826.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGAG-----LVSSADDLRAIE
 QNI49148.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGAG-----LVSSADDLRAIE
 WP_114994065.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGSG-----LVSSADDLRAIE
 WP_066906878.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGSG-----LVSSADDLRAIE
 WP_186990744.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGSG-----LVSSADDLRAIE
 WP_115125273.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGSG-----LVSSADDLRAIE
 WP_067094249.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVSSG-----LVSSADDLRAIE
 MAF41349.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGSG-----LVSSADDLRAIE
 WP_186492118.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGTG-----LVSSADDLRAIE
 MAD67846.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGTG-----LVSSADDLRAIE
 QNJ22073.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALERDLVGSG-----LVSSADDLRAIE
 WP_186545267.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVGEG-----LVSADELRAIE
 WP_006854596.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVGEG-----LVSADELRAIE
 WP_048346005.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVGEG-----LVSADELRAIE
 NCG16233.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVNADELRAIE
 WP_186524841.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVNADELRAIE
 WP_186590036.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVHADELRAIE
 WP_186518446.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVSADELRAIE
 RPF75398.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVSADELRAIE
 WP_011618705.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVSADELRAIE
 MAK15883.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLVSDG-----LVSADELRAIE
 MBT65798.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKAFERDLISDG-----LVRADELRAIE
 OUW46225.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVSAG-----MVSSEELRAIE
 MAS27149.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVSAG-----MVSSEELRAIE
 RZO14415.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVSAG-----MVSSEELRAIE
 WP_115120634.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVSAG-----MVSSEELRAIE
 WP_115020054.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVSAG-----MVSSEELRAIE
 WP_007098531.1 LTYRFRGHSLADPDELRAEEEEKQFWA-QRDPLKALERDLVSAG-----LATADDLRTIE
 WP_063403366.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVSAEELRAIE
 KZR70120.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVSAEELRTIE
 WP_063414562.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVSAEELRAIE
 WP_063397204.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVRADELRAIE
 WP_011826582.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVRADELRAIE
 RZO50162.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVRADELRAIE
 WP_011129726.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVRAEELRAIE
 WP_063399594.1 LTYRFRGHSLADPDELRAEEEEKQFWA-KRDPLKALEKDLTSES-----LVSAEELRAIE

WP_036912824.1 LTYRFRGHSLADPDELRSSEKQFWA-ERDPLRALEHDLTQAN-----LVRADELRAIE
GCE65219.1 LTYRFRGHSLADPDELRSSEKQFWA-ERDPLRALEHDLTQAN-----LVTAEQLRTVE
WP_150884904.1 LTYRFRGHSLADPDELRSSEKQFWA-RRDPIQALERDLTSQG-----LVAAGELRAIE
TGG79186.1 LTYRFRGHSLADPDELRCQEKAFAWA-RRDPLKGLAAHLIDHG-----LACQAELSAIG
MXX09417.1 LTYRYRGHSLADPDELRLDEQEKAFAWA-QRDPIAALAAQLTRHD-----LASEPDLDAIS
MYF36125.1 LTYRYRGHSLADPDELRLDEQEKAFAWA-QRDPIAALAAQLTRHD-----LASEPDLDAIS
MXW12941.1 LTYRYRGHSLADPDELRLDEQEKAFAWA-QRDPIAALAAQLTRHD-----LASEPDLDAIS
WP_034416483.1 LTYRYRGHSLADPDELRLDEQEKAFAWS-QRDPIAALGAHLTRHD-----LATPEDLAAIN
HBP54007.1 LTYRYRGHSLADPDELRLDEQEKAFAWS-QRDPTAALGAHLTRHD-----LATPEDLAAIN
WP_143325374.1 LTYRYRGHSLADPDELRLDEQEKTFWA-QRDPIAALSAQLTRHG-----LASSGRLLAID
OOV28384.1 LTYRYRGHSLADPDELRLDEQEKTFWA-QRDPIAALSAQLTRHG-----LASSGRLLAID
KKZ14696.1 LTYRYRGHSLADPDELRLDEQEKTFWA-QRDPIAALSAQLTRHG-----LASSGRLLAID
OOV35959.1 LTYRYRGHSLADPDELRLDEQEKTFWA-QRDPIAALSAQLTRHG-----LASSGRLLAID
MXW40928.1 LTYRYRGHSLADPDELRLDAQEKDFWA-QRDPIALAAQLVRHD-----LASPEQLAID
MXZ82475.1 LTYRYRGHSLADPDELRLDAQEKDFWA-QRDPIALAAQLVRHD-----LASPEQLAID
WP_074457610.1 LTYRYRGHSLADPDELRLDAQEKDFWA-QRDPIMALATQLIRHD-----LASPERLLAID
KKZ10870.1 LTYRYRGHSLADPDELRLDEQEKAFAWG-QRDPVTALAAQLIRHD-----LASPERLLAID
KKZ11816.1 LTYRYRGHSLADPDELRLDEQEKAFAWG-QRDPIVALAGHLNHHG-----LANPERLLAIA
WP_011125513.1 LTYRFRGHSLADPDELRSAEEKDFWA-SRDPLKLLKLNTEKD-----LVSSKELRAIE
KGG14287.1 LTYRFRGHSLADPDELRSAEEKDFWA-SRDPLKLLKLNTEKD-----LVSSKELRAIE
KGG22140.1 LTYRFRGHSLADPDELRSAEEKDFWA-SRDPLKLLKLNTEKD-----LVSSKELRAIE
WP_036918589.1 LTYRFRGHSLADPDELRSSSEKDFWA-KRDPLKLLKLDLSEKN-----IVSSSELREIE
KGG16280.1 LTYRFRGHSLADPDELRSSSEKDFWA-KRDPLKLLKLDLSEKN-----IVSSSELREIE
WP_012195887.1 LTYRFRGHSLADPDELRLSEKEKEFWG-QRDPLKNLAKVLVSKE-----LANENELKNIE
WP_036902357.1 LTYRFRGHSLADPDELRLSEKEKEFWG-KRDPIKTLQSLEISKD-----LVKENELKSIE
KGF96626.1 LTYRFRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKSID
WP_032521686.1 LTYRFRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKSID
KGG00227.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----LATEEELKIIIE
WP_032516396.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----LATEEELKIIIE
WP_079292646.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKIIIE
WP_079340310.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKIIIE
WP_075439730.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQAIIDGK-----FATEEELKIIIE
WP_011818906.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKIIIE
WP_162512646.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKTIE
KGG09007.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKIIIE
WP_032520254.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKIIIE
WP_162514320.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIVDGK-----FATEEELKNIE
WP_075448198.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDGK-----FATEEELKIIIE
WP_162503701.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDGK-----FATEEELKNIE
WP_011863403.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDGK-----FATEEELKVIE
WP_079332980.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDGK-----FATEEELKIIIE
WP_075507035.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIVDGK-----FATEEELKIIIE
WP_079337386.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIEGK-----FATEEELKIIIE
AIQ95599.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDGK-----FATEEELKIIIE
WP_042850841.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDGK-----FATEEELKIIIE
WP_075536812.1 LTYRYRGHSLADPDELRLSEKEKAFAWS-KRDPIKKLAKEIIDGN-----FATEEELKSIE
KGG01314.1 LTYRYRGHSLADPDELRLSEREKEFWWS-KRDPIKKLAHEIINGK-----FATEEELKIIIE
WP_011376930.1 LTYRYRGHSLADPDELRLSEREKEFWWS-KRDPIKKLAHEIINGK-----FATEEELKIIIE
WP_002805940.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIINGK-----FATEEELKIIIE
WP_012008176.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIINGK-----FATEEELKIIIE
KGF85353.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKLAQEIIDGK-----FATEDELKNIE
WP_032524876.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKLAQEIIDGK-----FATEDELKNIE
WP_079318627.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAHEIEGK-----FATEEELKNIE
WP_032513088.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDN-----FATEEELKSIE
WP_032523520.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAKEIIDN-----FATEEELKSIE
WP_032527218.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAREIIDR-----FATEEELKSIE
WP_025913752.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQELIDGK-----FATKEELKIIIE
WP_079342464.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQELIDGK-----FATEEELKIIIE
WP_032518250.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDGK-----FATEEELKIIIE
WP_162515038.1 LTYRYRGHSLADPDELRLSEKEKEFWG-KRDPIKKLAQEIIDG-----FATEEELKIIIE
WP_011132922.1 LTYRFRGHSLADPDELRAEEKEFWA-KRDPIKKLANQIEGK-----FAQEEELKSIE
WP_011820753.1 LTYRFRGHSLADPDELRAEEKEFWG-KRDPIKKLAKLMIEG-----FAKEEELKSIE
WP_079323018.1 LTYRYRGHSLADPDELRLSEKEKEFWG-QRDPIKKLAKEIVEEK-----LATQDDLKSIE
MBK16634.1 LTYRYRGHSLADPDELRLAEEKEKAFAWA-KRDPIKRLAKELIEKK-----YVQENELKAIE
WP_041700622.1 LTYRFRGHSLADPDELRLSEKEKEFWA-KRDPIKKLKNDLTSSG-----LVSDEELKNIE
ABM76264.1 LTYRFRGHSLADPDELRLSEKEKEFWA-KRDPIKKLKNDLTSSG-----LVSDEELKNIE
WP_036905297.1 LTYRFRGHSLADPDELRLSEKEKEFWA-KRDPIKKLKNDLTSSG-----LVSDEELKNIE
WP_110861512.1 LTYRFRGHSLADPDELRLSEKEKEFWA-QRDPIKKLKNDLTSSG-----LVSDEELKNIE
AAZ58346.1 LTYRFRGHSLADPDELRLSEREKEFWA-KRDPIKKLKNDLTSSG-----LVFDEELKNIE

WP_041711031.1 LTYRFRGHSLADPDELRSKEKEFEWA-KRDPIKKLKNLDTSSG-----LVFDEELKNIE
WP_038653884.1 LTYRFRGHSLADPDELRSKEKEFEWA-KKDPIKKLKIDLTSSG-----LASEEELKNIE
WP_158467031.1 LTYRFRGHSLADPDELRSKEKEFEWA-KKDPIKKLKIDLTSSG-----LASEEELKNIE
HBC41512.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVIEHR-----LVDESQKLAID
WP_169365002.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVIEHG-----LVDESQKLAID
WP_126387266.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRALEHG-----LVNEGQLKDID
WP_175357412.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRIIEHG-----LVEESQKLAID
PZU98285.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRIIEHG-----LVEESQKLAID
OIP70713.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRIIEHG-----LVEESQKLAID
WP_190397563.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASTLIEHG-----VVEESQKLAID
WP_190402863.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRIIEHG-----LVEEAQLKAID
WP_103666622.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRLLEHG-----LVEESQKLAID
WP_142656880.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRLLEHG-----LVEEAQLKAID
GBO53033.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRLLEHG-----LVEESQKLAID
PZV11084.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRIIEHG-----LVKEQKLAID
WP_142600456.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVLEHG-----LVTESQLKDID
WP_009626838.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVLEHG-----LVTESQLKDID
WP_094529606.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVLEHG-----LVEESQKLAID
WP_190575408.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVLEHG-----LVEESQKLAID
PZO44965.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRVLEHG-----LVTESQLKEID
WP_190352595.1 MTYRFRGHSLADPDELRSKEDKDKWF-GRDPIKIFASRIIEHG-----LVEESQKLAID
WP_026103513.1 MTYRFRGHSLADPDELRPKEEKDEWF-GRDPIEIFASKLMEHG-----LASEQKLEID
WP_015169202.1 MTYRFRGHSLADPDELRPKEEKDEWF-GRDPIKILAAKLLSAG-----LTSEQELKAID
WP_015163657.1 MTYRFRGHSLADPDELRPKEEKDEWF-SRDPIKLFSSYLIEHG-----LVNQADLKAID
NJK60408.1 MTYRFRGHSLADPDELRPKEEKQWF-GRDPIITLLGDRLIAAG-----LVSADELKAIQ
HAN45263.1 MTYRFRGHSLADPDELRPKEEKDEWF-GRDPIITLLGDRLIAAG-----LVADELKAIQ
NJK35515.1 MTYRFRGHSLADPDELRPKEEKQWF-GRDPIKILAAEILSRR-----LATEEQKLDID
PLS68699.1 MTYRFRGHSLADPDELRSQEEKDFWF-ARDPIKLLKNTILDRN-----LVTEAELTAID
WP_190800391.1 HTYRFRGHSLADPDELPAEEKEAWL-ARDPIKILAAARLIEHG-----LANGEELKAID
WP_172354317.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKRLAAHLIEQN-----LATDEELKAID
HIK42963.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKRLAHLIEQN-----LATDEELKAID
MBF2087078.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKRLAHLIEQN-----LATDEELKAID
WP_068512541.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKRLAHLIEQN-----LATDEELKAID
RMF67064.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKRLAHLIEQN-----LATAEELKAID
MBE9100068.1 LTYRFRGHSLADPDELRSKAEKDFWF-ARDPIKRLAAYLMEQN-----LATQEELKGIN
WP_190771905.1 LTYRFRGHSLADPDELRSKPEKDFWF-ARDPIKRLAAYMTEQG-----LASVDELKAID
NJJN57434.1 LTYRFRGHSLADPDELRSKTEKEFWF-SRDPIKKLAHLVEQN-----LVSQDELKQID
NJJL36865.1 LTYRFRGHSLADPDELRSKTEKEFWF-SRDPIKKLAHLVEQN-----LVSQDELKQID
WP_190646115.1 LTYRFRGHSLADPDELRSKAEKEFWF-SRDPIKKLAHLIEQN-----LVNQDELKEID
WP_193874981.1 LTYRFRGHSLADPDEMRSKAEKEVWF-SRDPIKKFAAYLTEQN-----LVQHDELLDIE
WP_169611668.1 LTYRFRGHSLADPDELRSKAEKEEWL-ARDPIKRFEAYLLEHN-----LADEGELKAIR
TVP67340.1 LTYRFRGHSLADPDELRSKAEKEEWL-ARDPIKRFEAYLLEHN-----LADEGTLKAIR
WP_190495716.1 LTYRFRGHSLADPDELRSKAEKEEWL-ARDPIKRFEAYLLEQN-----LADEATLKGV
WP_198806775.1 LTYRFRGHSLADPDELRSKAEKEVWL-ARDPIKRFEAYLLEQN-----LADEATLKGV
PSR18305.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLVEHN-----LAEKGTLKEVR
PSN14218.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLVEHN-----LAEKGTLKEVR
WP_194051320.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLVEHN-----LAEKGTLKEVR
WP_194022807.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLVEHN-----LAEKGTLKEVR
WP_035985435.1 LTYRFRGHSLADPDELRSKAEKETWL-ARDPIKRFEAYLLEHN-----LADEGALKEVR
WP_190754420.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEQN-----LADEGALKEVR
WP_190702478.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEQN-----LADEGTLKEVR
WP_190517590.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEQN-----LADEGTLKEVR
WP_190629089.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEQN-----LADEGTLKEVR
WP_073607834.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEQN-----LADEGTLKEVR
PZV08456.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEQN-----LADEGTLKEVR
WP_017301098.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEHN-----LTDEGGLKDV
PZV14554.1 LTYRFRGHSLADPDELRSKAEKEVWL-ARDPIKRFEAYLLEHD-----LVDEGALKAVR
PZO41552.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEHN-----LVDEGALKAVR
TVQ05830.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLEHN-----LVDEGALKAVR
WP_193965211.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEAYLLKHN-----LTDEATLKAMR
HIK45267.1 LTYRFRGHSLADPDELRSKVEKETWL-ARDPIKRFEVYLLENN-----LVDEDTLRGIR
MBD0335105.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPLKRFEVYLLLEQN-----LADEETLKSVR
WP_190482416.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPLKRFEVCLLEQN-----LADEETLKSVR
PSN18296.1 LTYRFRGHSLADPDELRSKAEKEAWL-ARDPIKRFEALVTEHN-----LASQDQLKEIY
WP_080814135.1 LTYRFRGHSLADPDELRSKAEKEVWL-ARDPLKRFEAYLLEQN-----LANESELKAIR
WP_008309458.1 LTYRFRGHSLADPDELRSKEEKEEWL-ARDPLKRFEYLLMTQD-----LATEADLKTI
NJJN21704.1 LTYRFRGHSLADPDELRSKDEKEVWL-ARDPLKRFEYLLKQE-----LATDEELKAIR
MBF2034311.1 LTYRFRGHSLADPDELRSKDEKEEWL-ARDPLKRFEAYLLEQN-----LASEADLKAI
NEQ43659.1 LTYRFRGHSLADPDELRTKEEKEEWL-SRDPLKRFEYLLGQK-----LAAADELKAVR

WP_039728256.1 LTYRFRGHSLADPDELRSAEKKKFWF-DRDPIKRFQAYLVEQN-----LVKAEELKAIR
 MBE7384229.1 LTYRFRGHSLADPDELRSAEKKKFWF-DRDPIKRFQAYLVEQN-----LVQETDLKAIR
 NER84967.1 LTYRFRGHSLADPDELRSAEKKKFWF-DRDPIKRFQAYLVEQN-----LAQETDLKAIR
 NEQ30142.1 LTYRFRGHSLADPDEMRSEKKEQAWQ-ARDPLSKFEAYLLEQN-----IADEQELKAIR
 NJL86991.1 LTYRFRGHSLADPDEMRSEKKEQAWQ-ARDPLSKFEAYLLEQN-----LAGEPDELKAIR
 PZO16604.1 LTYRFRGHSLADPDELRPAEKKKFWF-DRDPIKRFQAYLVEQN-----LVKDSALKAIR
 KPQ34990.1 LTYRFRGHSLADPDELRPVDEKKKFWF-DRDPIKRFQAYLVEQN-----LSTAADLKAIR
 PZO59971.1 LTYRFRGHSLADPDELRSAEKKKFWF-DRDPIKRFQAYLLEQA-----LTSEADLKAVR
 WP_121968152.1 LTYRFRGHSLADPDELRSPDEKKLWR-DRDPIKRFQAYLLEQN-----LASEADLKASIR
 WP_193857299.1 LTYRFRGHSLADPDELRDPDEKKKFWF-DRDPIKRFQAYLLEQS-----LISEAEIKSIR
 WP_006454326.1 LTYRFRGHSLADPDELRDPDEKKKFWF-DRDPIKRFQAYLLEQS-----LVSEAEELKAVR
 WP_193909417.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADDEVLKAIR
 WP_031294493.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 ESA32648.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_006515269.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_193994201.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NEQ49802.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NEP59952.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NEP19457.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NET31533.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_190768206.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NEQ23360.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NET11057.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NEQ98937.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 TVQ22815.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 MBF2088342.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 MBF2077803.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_012626468.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NBO31100.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJK29024.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJM67168.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_012161918.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_010472859.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJK41776.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_110988139.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_166276235.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJM78164.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NCJ05469.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_126986310.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_011057011.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_024124449.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 HIK24216.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_149820695.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_181495774.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 HIK36069.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 HIK25176.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_099798932.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_015124179.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 MBF2097449.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_075599370.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_036533717.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 QFZ92486.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 AZB72868.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_011244460.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_126147703.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_017712216.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJN32620.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJN85876.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_015172813.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 HIK57239.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_106259423.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_190448392.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_190344556.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 MBC6433511.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_068815744.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 WP_073073349.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 NJR48891.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 MBE9033279.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR
 MBC7515949.1 LTYRFRGHSLADPDELRSADEKAKWQ-SRDPIKRFQAYLLEQN-----LADAEELKAIR

WP_190574311.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQPELKDID
OUC12989.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQPELKDID
WP_068380274.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVKQSEIKEIE
MBE90009974.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVKQSEIKSIE
WP_058998068.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVQSEIKEIE
WP_190378808.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVKQSELKDIE
WP_017285746.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVTQSELKDIE
WP_162424416.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQPELKAIE
HFM97379.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQDELKAIE
MBF2027541.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQPELKDID
EKQ71072.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVQPEELQIEID
PZV13752.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQDDLKAIE
NJP09855.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LAMPEDLNAID
WP_190438930.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVNQEELKAIE
WP_190551955.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVNQEELKAIE
MBF2001426.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LTDAAELKAIE
MBF2075607.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LTDAAELKAID
MBF2051415.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVQPEELKAIE
NJO79919.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASAEELKDIE
WP_088893394.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LAEADELKAID
WP_190789898.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATAEELKAID
MBI4782040.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LFEEEEELKAIE
NJR61179.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVEAGELKAID
NJO40830.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVEAGELKAID
PSB20757.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVSADDELKAID
WP_191129293.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LADETDLKAID
WP_190510807.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATADELKAID
NJM58478.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASQEELKGID
NJK28487.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQEDLKAIE
WP_010873216.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASNEELKAID
WP_162328552.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASNEELKEIQ
WP_194019415.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASNEELKEIQ
WP_190596953.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASNEELKEIQ
WP_194017728.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASSEELKEIQ
WP_028948828.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASNEELKAIE
MBJ7901178.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQSEELKAIE
PZV27966.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVSEELKEVD
WP_015144713.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LAEHEELKEIE
WP_073597795.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LAEHEELKEIE
NJM90224.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LAEHEELKEID
WP_015785134.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANSQELKDIE
HAC62987.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANNQELKEIE
WP_107668403.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANQNELNEIK
WP_008272481.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LVNQEELKEIK
WP_007307445.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANQSELDEIK
CCQ68831.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANQSELDEIK
WP_009546784.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANQSELDEIK
WP_012954145.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----IASQTELDTIQ
KFF41119.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----IANQAEELDAIQ
BAP17336.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANYQELENIK
WP_044107560.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LANYQELENIK
WP_119259650.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LADNQELENIK
WP_012597993.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATQPEELTEIE
WP_013321798.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LASQEDLTQIE
WP_193957256.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_072927057.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
NCR81902.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_002761057.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
NCQ98903.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_008200476.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_194017657.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_004160336.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_002733307.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
NCQ71341.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
NCR46358.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_002754242.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_016515468.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
WP_150977446.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE
NCR41533.1 LTYRFRGHSLADPDELSKKEEKDSWF-SRDPIKKLAAYMIDQN-----LATREELKEIE

WP_002749403.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 TRT57459.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 REJ39931.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_004163914.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_012267065.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_079209979.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_149985775.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 TRU85345.1 LTYRFRGHSLADPDKLRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 TRT44999.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_158198932.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYEGD-----LATREELKEIE
 WP_046662903.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_149976097.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 NCR70407.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_045358808.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_151695374.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 TRV09832.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 NCQ95828.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERA-----LATREELKEIE
 WP_190358292.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERE-----LATREELKEIE
 TRV48295.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 AKE65761.1 LTYRFRGHSLADPDELRSADKQFWG-ERDPITRFAAYLYERD-----LATREELKEIE
 WP_106459100.1 LTYRFRGHSLADPDELRSPEDEKQFWG-ARDPIRLAVYLVEHD-----LATQDELKAIE
 WP_124973941.1 LTYRFRGHSLADPDELRSPEDEKQFWG-GRDPIEKLGAIVLVKNK-----LADQDELKAIE
 GBF79811.1 LTYRFRGHSLADPDELRSPEDEKQFWG-GRDPIEKLGAIVLVKNK-----LADQDELKAIE
 NJK57611.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_106234908.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_096718081.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 MBE9044513.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_019509314.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_036485963.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_015195309.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_096384360.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 AUC59735.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_069789698.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 AFZ46314.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_193799498.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 MBF2056016.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_066117996.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_017293986.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_066347165.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_155083330.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_099435229.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_015219261.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 RMD72466.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_190362127.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 HIK38209.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 RMF23776.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 MBC6419205.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 MBE9169004.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 TVQ44863.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_006530738.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 NJL01270.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_062436458.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_065711598.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_030006129.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_138073755.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_012305987.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_065715170.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_024544584.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_096418968.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_075893823.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_015135286.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_194031122.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_017306355.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_040898162.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 ELS02452.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_169246577.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 NMN45675.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_144866471.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE
 WP_072619621.1 LTYRFRGHSLADPDELRSPEDEKQFWG-KRDPICKKFATYLVQNN-----LATAEELKEIE

TVQ55241.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIQRFAQYLLQDRG-----LATAAELEAID
NEO83235.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIQRFAQYLLQDRG-----LTTADELAAID
NEO27677.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIQRFAQYLLQDRG-----LATTEELQEID
WP_190720640.1 LTYRFRGHSLADPDELRAAEKQFW-ARDPIKRLAAYLLEQN-----LATEEELKEID
WP_015228871.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATKQELSDIE
PNW56863.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATKQELSDIE
WP_015226684.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATQQELSEIE
WP_146294756.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATQQELSDIE
PSO48609.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATQQELSEID
PSP33003.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSP12402.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSO52938.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSO90333.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSO63160.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSO77552.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSP13031.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSO85957.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANQEELQTIE
PSP19442.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LVDREELQAID
WP_022607853.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LSDRDELKTIQ
RMG11319.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATQAELEKEID
MBE9041924.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATADELKEIE
CAA9581709.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LVGQDELKDIQ
NET88172.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADSAELEKEIE
WP_096582670.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASETELKAID
BBD62511.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASETELKAID
WP_015111181.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASETELKAID
WP_193891391.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASETELKAID
WP_190701517.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LTSEEELKAID
WP_190690809.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATEEELKAID
WP_190593551.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATEEELKAID
WP_190966685.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATEEELKAID
WP_062289815.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LATEEELKSID
WP_193882135.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASETELKAID
MBH8575714.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
RCJ37322.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
MBH8552742.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_198122843.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_096558676.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_069072716.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_181932097.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LVDEGEIKAI
WP_196525306.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
MBC6431613.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_100898852.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_118166067.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_190731604.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_190940265.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_094348061.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_109010137.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_190911887.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_179068144.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_104909621.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_094333240.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_104900694.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_094346225.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LASEDELKAIE
WP_193948919.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANEDELKAIE
WP_012411829.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANEDELKAIE
WP_190933528.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANEDELKAIE
WP_114080372.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LANEDELKAIE
WP_196518854.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_162399291.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_194004708.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_191759035.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_063873179.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_006197352.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
TVP61084.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_089090403.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
WP_194000602.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
MBE9049769.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID
MBI1242206.1 LTYRFRGHSLADPDELRLDPAEKERWG-ARDPIKRLAAYLLEQN-----LADQDELKAID

QOV21329.1 LTYRFRGHSLADPDELSKAEKDFWF-SRDPIKKLAAYLIEQN-----LAEAEELKAID
 WP_103135995.1 LTYRFRGHSLADPDELSKAEKDFWF-SRDPIKKLAAYLIEQN-----LAEAEELKAID
 HFS08569.1 LTYRFRGHSLADPDELSKAEKEFWF-SRDPIKKLAAYLIEQK-----LAEAEELKAIE
 WP_190699019.1 LTYRFRGHSLADPDELSKAEKEFWF-SRDPIKKLAAYLIEQN-----LAEAEELKAIE
 WP_066383537.1 LTYRFRGHSLADPDELSKAEKEFWF-SRDPIKKLGAYLIENN-----LAEAEELKAIE
 WP_015138839.1 LTYRFRGHSLADPDELSKDEKEFWF-SRDPIKKLGTYLVEQN-----LADAEELKDIE
 WP_015132096.1 LTYRFRGHSLADPDEMSKAEKEFWF-ARDPIKKLAAYLIEQN-----LADQEELKAIE
 WP_017653143.1 LTYRFRGHSLADPDEMSKAEKEFWF-ARDPIKKLGAYLIEQN-----LADQEELKAIE
 WP_190567951.1 LTYRFRGHSLADPDEMSKAEKEFWF-SRDPIKKLAAYLIEQN-----LAEAEELKAIE
 WP_010996861.1 LTYRFRGHSLADPDEMSKAEKEFWF-SRDPIKKLAAYLIEQN-----LAEAEELKAIE
 WP_190407812.1 LTYRFRGHSLADPDEMSKAEKEFWF-SRDPIKKLGAYLIEQN-----LAEAEELKAIE
 WP_067764458.1 LTYRFRGHSLADPDELSKKEEKEFWF-PRDPIKKLGNYLIEQN-----LATEAEELKAIE
 WP_190476982.1 LTYRFRGHSLADPDELRTKDEKEFWF-SRDPIKKLANYLIEQN-----LATEAEELKDIE
 WP_179049495.1 LTYRFRGHSLADPDEMSKDEKEFWF-SRDPIKKLAAYLIEQN-----LAEAEELKAIE
 WP_193935845.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAAYLLEHD-----LATEAEELKDVE
 WP_104389397.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAAYLLKHD-----LATEAEELKDVE
 WP_168653383.1 LTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAAYLLEQN-----LATEAEELKDIE
 WP_015083169.1 LTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAAYLLEQN-----LATEAEELKDIE
 WP_168696462.1 LTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAGYLVEQN-----LATEAEELKDIE
 WP_168633934.1 LTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAGYLVEQN-----LAEAEELKDIE
 WP_148760036.1 LTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 WP_053540556.1 LTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAGYLVEQN-----LATEAEELKDIE
 OBQ33598.1 MTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAGYLVEQN-----LATEAEELKDIE
 WP_168504304.1 MTYRFRGHSLADPDEMSKKEEKEFWF-ARDPIKKLAAYLVEQN-----LATEAEELKDIE
 WP_168498254.1 MTYRFRGHSLADPDELSKKEEKDFWF-ARDPIKKLAAYLLEHD-----LATEAEELKDIE
 WP_193848024.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 WP_190392458.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 WP_137909555.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 MBD1211506.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 WP_028090740.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 MBD1217911.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 WP_190385598.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDIE
 OBQ40682.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDI-
 WP_028083643.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAAYLLEHD-----LATEAEELKDVE
 WP_096668532.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAAYLVEQN-----LATEAEELKDVE
 WP_168642721.1 MTYRFRGHSLADPDELSKKEEKDFWF-ARDPIKKLAGYLVEQN-----LATEAEELKDVE
 WP_193964707.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDVE
 WP_027404647.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDVE
 WP_039199282.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDVE
 WP_193897026.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAGYLLEQN-----LATEAEELKDVE
 WP_190720595.1 MTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYLLEKN-----LADESELKAIE
 WP_127054992.1 MTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYLLEKN-----LADESELKAIE
 WP_071191191.1 MTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYLLEKN-----LADESELKAIE
 WP_190906101.1 MTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYLLEKN-----LADESELKAIE
 WP_016951883.1 MTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYLLDKN-----LADESELKAIE
 WP_015213298.1 MTYRFRGHSLADPDELSKKEEKEFWF-ARDPIKKLAAYLLEKK-----LAEAEELKGVE
 WP_190463295.1 MTYRFRGHSLADPDELSKAEKDFWF-ARDPIKKLAADLLEKK-----LVDEAEELKAIE
 WP_015205680.1 MTYRFRGHSLADPDELSKAEKDFWF-ARDPIKKLAADLLEKK-----LVDEAEELKAIE
 BAZ31042.1 LTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYILETK-----LADQAEELKDIE
 WP_190606846.1 LTYRFRGHSLADPDELSKDEKDFWF-ARDPIKKLAAYLLEHD-----LATEAEELKAIE
 TAE58212.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVDNN-----LATSSSELKEIE
 NET02236.1 LTYRFRGHSLADPDELSKKEEKELWF-SRDPIKKRLGTYLVEQN-----LATPAELKEID
 WP_190564176.1 MTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLAAYLVEQN-----LATEAEELKDIE
 TAF05332.1 MTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLAAYLLEKN-----LATEAEELKDID
 WP_193943872.1 LTYRFRGHSLADPDELSKKEEKDFWF-SRDPIKKLGAYLVEHN-----LATEAEELKDIE
 WP_137666483.1 LTYRFRGHSLADPDELSKKEEKDFWF-SRDPIKKLGAYLVEHN-----LATEAEELKDIE
 WP_096571175.1 LTYRFRGHSLADPDELSKKEEKDFWF-SRDPIKKLGAYLVEHN-----LATEAEELKDIE
 WP_194056938.1 LTYRFRGHSLADPDELSKKEEKDFWF-SRDPIKKLGAYLVEHN-----LATEAEELKDVE
 WP_006276818.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVEHN-----LAVESDLKQIE
 WP_057177062.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVEHN-----LAVESDLKQIE
 WP_096546888.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVEHN-----LAVESDLKQIE
 WP_187706993.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVEHN-----LAVESDLKQIE
 WP_009343327.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVEHN-----LAIESDLKQIE
 WP_061544967.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKKLGAYLVEHN-----LAIESDLKQIE
 WP_013191125.1 MTYRFRGHSLADPDELSKKEEKEYWF-SRDPIKKLATYLVEQN-----LATGEELKAIE
 WP_190368223.1 LTYRFRGHSLADPDELSKKEEKEFWF-SRDPIKNLGAYLIENN-----LATTDDELKGVE
 WP_035153086.1 LTYRFRGHSLADPDELSKKEEKDFWF-SRDPIKKLATYLTEQN-----LATAAEELKAID
 WP_086837540.1 LTYRFRGHSLADPDELSKAEKEFWF-ARDPIKKLAAYLVEHN-----LADQEELKAID
 WP_086683742.1 LTYRFRGHSLADPDEMSKAEKEFWF-ARDPIKKLAAYLVEHN-----LADQEELKAID

WP_086763013.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LADHEELKAID
 WP_096590017.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LADQEEELKGD
 WP_096579317.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LSDQEEELKGD
 WP_045874564.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LSDQEEELKGD
 WP_190655979.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLIEHS-----LSDQEEELKGD
 WP_190586334.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LSDQEEELKGD
 WP_167720171.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLIEHN-----LSDQEEELKGD
 WP_190616216.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLIEHN-----LSDQEEELKGD
 WP_096598886.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEQN-----LTDSEELKGD
 WP_190634164.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LSTQEEELKDID
 WP_096647267.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LSTQEEELKDID
 WP_190550899.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LSTQEEELKDID
 WP_190749941.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVEHN-----LATQEEELKDID
 NJM70511.1 LTYRFRGHSLADPDELRTKAEKEFWF-ARDPIKKRFATYLVQN-----LASHEELKAID
 WP_169218573.1 LTYRFRGHSLADPDELRSKTEKEFWF-ARDPIKKRFAAYLVQN-----LTSEEELKAID
 WP_017316476.1 LTYRFRGHSLADPDEMRSKAEKEFWF-ARDPVKKFAAYLVQN-----LTSHEELKAID
 WP_048871324.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLATYLVQN-----LASGEELKAID
 WP_169154974.1 LTYRFRGHSLADPDELRTKPEKEFWF-ARDPIKKFAAYLIEQN-----LASSEELKSID
 WP_169264431.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYMVEQN-----LASHEELKAVD
 WP_073634002.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYMVEQN-----LASHEELKAVD
 WP_096562148.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYMVEQN-----LASHEELKAVD
 WP_041035191.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKFAAYMVEQN-----LASHEELKAVD
 ARV60348.1 LTYRFRGHSLADPDELRTKTEKEYWF-ARDPIKKFAAYLVEHN-----LSSEEELKNID
 WP_017744791.1 LTYRFRGHSLADPDEMRSKQEKEFWF-SRDPIKKFAAYLVQN-----LASSEELKDID
 WP_155745622.1 LTYRFRGHSLADPDEMRSKQEKEFWF-SRDPIKKFAAYLVQN-----LASSEELKDID
 WP_038084927.1 LTYRFRGHSLADPDEMRTKQEKEYWF-SRDPIKKFASYLVQN-----LASSEELKDID
 WP_009756662.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATAEELKEID
 WP_114707683.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATAEELKEID
 WP_102175997.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATAEELKEID
 WP_062248711.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATAEELKEID
 WP_102152677.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATAEELKEID
 WP_102174883.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATAEELKEID
 WP_016868968.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKFAAYLTERN-----LATTEELKEID
 WP_026720629.1 LTYRFRGHSLADPDELRTKDEKEFWF-SRDPIKKFAAYLTEKN-----LATTEELKEID
 WP_053456301.1 LTYRFRGHSLADPDELRTKDEKEFWF-SRDPIKKFAAYLTEKN-----LATTEELKEID
 RAM50950.1 LTYRFRGHSLADPDELRTKDEKEFWF-SRDPIKKFAAYLTEKN-----LATTEQLKEID
 WP_017312723.1 LTYRFRGHSLADPDELRTKDEKEYWF-SRDPIKKFAAYLTEKN-----LATAEQLKEID
 WP_096676223.1 LTYRFRGHSLADPDELRTKDEKEYWF-SRDPIKKFAAYLTEKN-----LATAEELKDID
 WP_016860018.1 LTYRFRGHSLADPDELRTKDEKEYWF-SRDPIKKFAAYLTERN-----LATAEELKEID
 MBF2006992.1 LTYRFRGHSLADPDELRSKTEKEFWF-ARDPIKKFAAYLTEQN-----LATDEELKQID
 WP_016873792.1 LTYRFRGHSLADPDELRSKTEKEFWF-ARDPIKKFAAYLTEQN-----LATDEELKQID
 NWF60727.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKFAAYLTEQN-----LTTDQELKEID
 WP_026732160.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKFAAYLTEQN-----LTTDQELKEID
 NRB06339.1 LTYRFRGHSLADPDELRSKWEKEFWF-SRDPIKKFAAYVTEQN-----LVTQEEELKAID
 CDN10094.1 LTYRFRGHSLADPDELRSKWEKEFWF-SRDPIKKFAAYVTEQN-----LVTQEEELKAID
 WP_088242960.1 LTYRFRGHSLADPDELRSKTEKEEWL-SRDPIKKFATYVTEKN-----LVTQEEELKTID
 WP_008231351.1 LTYRFRGHSLADPDELRSKSEKEEWL-LRDPICKFAAYVTEIG-----LATQEEELKAID
 WP_099069415.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVGHN-----LATEEELKGD
 WP_185563393.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAAYLVGHN-----LATEEELKGIN
 WP_096535312.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAHLLQN-----LASEEELKGD
 RCJ22421.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAHLLQN-----LASEEELKGD
 WP_190957034.1 LTYRFRGHSLADPDELRSKAEKEFWF-ARDPIKKLAHLLQN-----LADEQELKGD
 WP_190879218.1 LTYRFRGHSLADPDEMRSKAEKEFWF-ARDPIKKLAAYLLEQN-----LADEQEIKGD
 WP_193918664.1 LTYRFRGHSLADPDEMRSKAEKEFWF-ARDPIKKLAAYLLEQN-----LADEQEIKDID
 WP_073642882.1 LTYRFRGHSLADPDEMRSKAEKEFWF-ARDPIKKLAAYLLEQN-----LADEEEIKAID
 WP_138499289.1 LTYRFRGHSLADPDEMRSKSEKEFWF-ARDPIKKLAAYLIKQN-----LADEEEIKGD
 WP_039752681.1 LTYRFRGHSLADPDEMRSQAEEKEFWF-ARDPIKKLANHLLQN-----LASAEELKAID
 WP_089127894.1 LTYRFRGHSLADPDEMRSQAEEKEFWF-ARDPIKKLANHLLVEQN-----LASAEELKAID
 WP_029635771.1 LTYRFRGHSLADPDEMRSQAEEKDFWF-ARDPIKKLANYLVEEN-----LASAEELKAID
 WP_190826011.1 LTYRFRGHSLADPDELRTKSEKEFWF-ARDPIKKLANYLVEQN-----LAEPPEELKAID
 NJM23205.1 LTYRFRGHSLADPDEMRSKEEKEFWF-SRDPIKKFAGYLIEQN-----LASQEEELKSID
 MBF2016127.1 LTYRFRGHSLADPDEMRSKEEKEFWF-SRDPIKKFAGYLIEQN-----LASQEEELKGD
 WP_193922897.1 LTYRFRGHSLADPDEMRSKEEKEFWF-SRDPIKKFAAYLVQN-----LASQEEELKNID
 WP_096659444.1 LTYRFRGHSLADPDEMRSKEEKEFWF-SRDPIKKFAAYLIEQN-----LASQEEELKGIE
 WP_015116622.1 LTYRFRGHSLADPDEMRSKEEKEFWL-SRDPIKKFAAYLVQN-----LASQEEELKDIE
 WP_027847037.1 LTYRFRGHSLADPDEMRTQDEKEYWF-SRDPIKKFAAYLQEQN-----LASQGEIKSID
 OWY69142.1 LTYRFRGHSLADPDELRTKTEKEFWF-ARDPIITRLAAYLVQN-----LAQQEELKAID
 WP_192157597.1 LTYRFRGHSLADPDELRTKTEKEFWF-ARDPIITRLAAYLVQN-----LAQQEELKAID
 WP_015153409.1 LTYRFRGHSLADPDELRTKTEKEFWF-ARDPIITRLAAYLVQN-----LAQQEELKAID

WP_127025001.1 LTYRFRGHSLADPDELRLTKTEKEFWF-ARDPIITRLAAYLVEQN-----LAQQEELKAID
 WP_039715561.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 HCF28840.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 NJR14483.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_095723576.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 BAZ42970.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_015199024.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_127085798.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_073620834.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_019489774.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_096687445.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 BAZ11046.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 MBF2067364.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_096622037.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_071455750.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_071516716.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_063715838.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_017662830.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_159787611.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_170190691.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_068790471.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 KPQ38392.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 TAN98810.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 NJN62552.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 TAF56911.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_199250058.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 HGG00548.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_190879466.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_054467567.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 NER36376.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_099532957.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 RFP60064.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 TAD79621.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 NJL88881.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_106308404.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_015160492.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 NES93940.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_069965886.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_162548243.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 MBC6475066.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 MBC6421557.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 MBC6454076.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 MBC6481213.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_014276531.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_062945893.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 TVU55722.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_006623993.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 OIP70337.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 HAN73472.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_026786093.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_141293541.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_026794738.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_042155681.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 CUM59623.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_079681339.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_083616468.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_083621801.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_072717583.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_190520290.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_023064139.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_009787238.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 NJK40050.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_073592994.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_193982633.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 WP_190464989.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 HAZ47566.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 HAX78585.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 OJJ26208.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE
 HBQ99207.1 LTYRFRGHSLADPDEMRSAEKEFWF-SRDPIKRLAAYLSEQN-----LAQQEDFKAIE

WP_190665367.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKRLAAYLTEQN-----LATQDELKAIE
WP_190759714.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKRLAAYLTEQN-----LATQDELKAIE
WP_017717188.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIERFGKYLKEQN-----LATEEELKEIQ
HIK27993.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIERFGKYLKEQN-----LATEEELKEIQ
NEQ75960.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTAYLTEHN-----LADVAELKAID
NES70880.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTAYLTEHN-----LADVAELKAID
NEP80269.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTAYLTENN-----LADVAELKAID
NET13763.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTVYLTENN-----LADVAELKAID
NET46517.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTAYLTEHN-----LADVAELKAID
NET24233.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTAYLTEHN-----LADVAELKAID
NEN89149.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEQFTAYLTEHN-----LADVAELKAID
NEO55765.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEKFTAYLTEHN-----LADAAELKAID
GGA47254.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIEKFIAYLTENN-----LADVAELKAID
NEP39550.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTAYLTENN-----LADVAELEAID
WP_124146642.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTAYLTENN-----LADVAELEAID
NES75687.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTAYLTENN-----LADVAELEAID
NEP88753.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTAYLTENN-----LADVAQLEAID
WP_011614263.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTTYLTENN-----LADVAELKAID
NEQ37817.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTTYLTENN-----LADVAELKAID
NES05711.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFTTYLKENN-----LADVAELTAID
WP_143437784.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFKTYLT-----LADVAGELKAID
WP_106286768.1 LTYRFRGHSLADPDELRSLKEEKEFWF-SRDPIKQFKTYLT-----LADVAGELKAID
NER21238.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NER50583.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NEQ64953.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NES18992.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NEP62314.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NEP09987.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NET60570.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIQKLATYLTENN-----LANSEELQAIK
NEO20675.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NET80444.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO06662.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO39016.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO91862.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
WP_008180311.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NES45035.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
WP_071104958.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
WP_070393617.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO70400.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
WP_075900663.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO50731.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO75007.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEP47373.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEQ83845.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO46719.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NES83869.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO01153.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEO03978.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEP28477.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
NEQ22243.1 LTYRFRGHSLADPDELRSLKEEKEFWF-TRDPIKQKLAAYLTEHN-----LADSEELQAIK
WP_192222464.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_190497871.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_190776259.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_015182305.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
HAA29147.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
MBD0343275.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
NER27055.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
NEO32341.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
NET06944.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
NEP01968.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
HAX84702.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
HAG80992.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
HBE59314.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_193878665.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
HBB35330.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_006102809.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_193935013.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
PIG90807.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE
WP_105219579.1 LTYRFRGHSLADPDELRSLKEEKEFWF-PRDPIKLAAYLTEQN-----LVQOEEELKAIE

WP_015188060.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKLAAYLTEQN-----LASQAELKQIE
 WP_073549434.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKLAAYLTEQN-----LASQAELKQIE
 WP_104548453.1 LTYRFRGHSLADPDELRSKDEKEFWF-ARDPIKKLAAYLTEQN-----LASQAELKQIE
 WP_009631809.1 LTYRFRGHSLADPDELRAKEEKDFWF-SRDPIKKLAAYLTEHN-----LASESELKEIE
 WP_106367689.1 LTYRFRGHSLADPDELRAKEEKDFWF-SRDPIKKLAAYLTENN-----LASESELKEIE
 WP_045056773.1 LTYRFRGHSLADPDELRSKEEKEFWF-SRDPIKKLANYLTEHN-----LASESELKEIE
 WP_190422898.1 LTYRFRGHSLADPDELRSKNEKEFWF-ARDPIKKLAHLTEQN-----LATQEELKEID
 WP_190460214.1 LTYRFRGHSLADPDELRSKNEKEFWF-ARDPIKKLAHLTEQN-----LATQEELKEID
 WP_190438498.1 LTYRFRGHSLADPDELRSKNEKEFWF-ARDPIKKLAHLTEQN-----LATQEELKEID
 WP_190410195.1 LTYRFRGHSLADPDELRSKNEKEYWF-ARDPIKKLAHLVEHN-----LVDQEELKEID
 WP_190426886.1 LTYRFRGHSLADPDELRSKNEKEYWF-ARDPIKKLAHLVEHN-----LVDQEELKEID
 WP_190820055.1 LTYRFRGHSLADPDELRSKNEKEYWF-ARDPIKKLAHLVEHN-----LVDQEELKEID
 WP_190486662.1 LTYRFRGHSLADPDELRSKTEKEYWF-ARDPIKKLAAYLTEHN-----LASQEELKDLE
 WP_015201162.1 LTYRFRGHSLADPDELRSKAEKEMWL-ARDPIKKLAAYMIEQN-----LATQEELKQIE
 WP_007355519.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLTERN-----LATVEELKEIE
 OCR01703.1 LTYRFRGHSLADPDELRSKEEKEFWF-PRDPIKKLGGYLIEHN-----LATAEQLKEIE
 TAD91762.1 LTYRFRGHSLADPDELRSKEEKEFWF-PRDPIKKLAADLIDRA-----LATAEELKAIE
 WP_096830499.1 LTYRFRGHSLADPDELRSKEEKEFWF-PRDPIKKLAADLIDRT-----LATAEELKAIE
 HBK96684.1 LTYRFRGHSLADPDELRSKEEKEFWF-PRDPIKKLAADLIDRN-----LATAEELKAID
 TAG88077.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRA-----LATAEELKAIE
 WP_194011920.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAID
 WP_194066346.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAID
 TAF95178.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAID
 TAE11220.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAIE
 TAE79733.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAID
 PSB16533.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAIE
 WP_194062349.1 LTYRFRGHSLADPDELRSKEEKEFWF-PRDPIKKLAADLIDRT-----LATAEELKDIE
 WP_193974030.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKDIE
 WP_190745560.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKAIE
 WP_172192744.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKEIE
 MBD0311597.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKEID
 MBD0394082.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAGDLIDRT-----LATAEELKEID
 WP_006634162.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKEID
 CAA9426638.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAADLIDRT-----LATAEELKEIE
 MBD0310074.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAGELIDRT-----LATAEELKEID
 WP_015178608.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAELIDRT-----LATAEELKEID
 WP_190658178.1 LTYRFRGHSLADPDELRSKEEKEFWF-PRDPIKKLAADLIDRT-----LATAEELKEID
 NJK65991.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLATDLIDRN-----LATAEELKEID
 NJR25937.1 LTYRFRGHSLADPDELRSKEEKEYWF-PRDPIKKLAFLIDRT-----LASAEELKAIE
 WP_015147267.1 MTYRFRGHSLADPDELRSKEEKEFWL-SRDPIKQLSAYLTEKN-----LATAEELKEIE
 WP_168570583.1 LTYRFRGHSLADPDELRSKEEKDFWH-ARDPIARLGAHLLEHN-----LVRQEELDEIE
 MBC6953407.1 KTYRYMGHSMSPDQKYRTKEEVDEWK-ERDSIAALASHLMRSKDDGGRACLTEDWEMQ
 WP_063714489.1 LTYRYQGHSMSPDQKYRTKEEVDEYK-GKDSIAALLDHLMDND-----RGAIDEDAWKTMR
 KAA0213077.1 KTYRYYGHSMSPDQKYRSKDEVDQWK-SKDP IAAMAAYLMGE-----RGCLSEEQWQAME
 ***: .*: . *

PdhA

slr1934 pyruvate dehydrogenase E1 component, alpha subunit

MVSEIRLPELNTAEISLDRETALVLYEDMVLGRFFEDKCAEMYRGMFGFVHLYNGQEAVSSGIIKAMRQDEDYV
 CSTYRDHVAHSAGVPAREVMAELFGKETGCSRGRGSMHLFSSAHNLLGGFAFIGEGIPVALGAAFQTKYRREVL
KDDGYDQVTACFFGDGTSNNGQFFECLNMAALWKLPILVVENNKWAIGMAHERATSQPEIYKKASVFNMGV
 EVDGMDVVAMHKVATEAVARARAGEGPTLIEALTYRFRGHSLADPDELRSAAEEKQFWAARDPIKKFAAFMTEHEL
 ASNEELKAIDKRIQEVDDALFAESSPEPNPEDLRKIYFAD

Figure S7: Amino sequence of the PdhA subunit of the PDH complex. The peptide that was used to raise an antibody is underlined. The conserved serine residue is shown in red and underlined as well.

Figure S8: Immunoblots on protein extracts from days 2 to 4 of the wild type grown under photoautotrophic and photomixotrophic conditions. An antibody against the E1 subunit of PdhA of the PDH complex (α -PdhA-E1) as well as an antibody that specifically detects phosphorylated serine residues (α -phosphoserine) were utilized. Representative blots from more than three replicates are shown.

Phosphorylated proteins can be detected by immunoblots due to their modified electrophoretic mobility in contrast to unphosphorylated proteins. Therefore, immunoblots were carried out in order to check if the PDH complex of *Synechocystis* gets phosphorylated under photomixotrophic conditions. Protein extracts were obtained from cells taken from growth experiments on days 2 to 7 as the NADH/NAD⁺ was especially high and as $\Delta pfor$ displayed its characteristic growth impairment in these days (see Fig. 1A and 1B). An antibody against the E1 subunit of PdhA (α -PdhA-E1) (Fig. S7) and an antibody that binds specifically to phosphorylated serine residues (α -phosphoserine) were used. As we were not able to delete *pdhA* of the PDH complex in *Synechocystis*, we unfortunately could not use a negative control for our immunoblot analyses. However, the expected molecular mass of the E1 subunit of the PDH complex is 38 kDa, and a corresponding strong signal of this size was detected under photoautotrophic and photomixotrophic conditions in the WT by α -PdhA-E1 (Fig. S8).

In line with our hypothesis additional bands appeared on the blots from photomixotrophically grown cells on days 3 to 7 in the range between 26 to 36 kDa. The phosphorylation of a protein results in an additional negative charge which can result in a higher mobility in the SDS gel. All four bands were excised from the gel and analyzed via mass spectrometry. Many peptides which belong to PdhA were detected by MS/MS in the band 1 (red box in Fig. S8) confirming the reliability of the α -PdhA-E1 antibody (Table S3). The MS/MS analyses of the bands 2-4 were aimed to discover the phosphopeptide GHpSLADPDELRL in the TiO₂-enriched peptide fractions. Unfortunately, in contrast to the unmodified peptide, its phosphorylated form remained undetected. These forms were either below detection limits or not present. We subsequently subjected immunoblots as well to a specific antibody against phosphorylated serines (α -phosphoserine). As expected, the phosphoserine antibody did not give a signal for band 1, (which we assumed as being the unphosphorylated form of PdhA) but precisely detected those bands 2-4 that appeared in addition on the blot from photomixotrophically grown cells (which we assumed as being the phosphorylated form of PdhA). Based on these results we cannot unambiguously establish if PdhA of the PDH complex in *Synechocystis* gets phosphorylated. It might as well be that the protein indeed gets phosphorylated and degraded thereupon, which would explain the additional bands that appear under photomixotrophic conditions. In this case the phosphorylation might have been lost in the degraded enzymes. The immunoblots thus give some convincing hints for

Figure S9: SDS PAGE analysis followed by immunoblotting of *Synechocystis* soluble extracts. Soluble extracts for the wild type (WT) and the mutant overexpressing PFOR (PFOR:oe) containing 15 µg of protein were loaded per lane. The arrowhead indicates the position of over-expressed PFOR.

Figure S10: Large-scale PFOR purification. (A) The chromatogram of the FPLC size exclusion run. The collected fractions (5 to 7) are marked by the black bar underneath. (B) Various fractions from the purification procedure were analyzed by SDS PAGE. Soluble extracts before (Pre) and after (Post) the incubation with Talon Cobalt resin, a wash fraction, the His-tag elution and the pooled FPLC fraction (5 t to 7) were loaded on the gel.

Figure S11: Examination of segregation of mutant strains. (A) PCR analysis of WT, ferredoxin (fx) and flavodoxin (isiB) mutants as indicated. (B) Southern blot of WT and $\Delta n-gogat$ and $\Delta f-gogat$ deletion mutants. WT DNA and DNA of two different mutant clones were applied after HindIII digestion. The sizes of the bands are indicated and correspond to those expected due to the mutation. (C) PCR analysis of PFOR overexpression (pfor:oe) mutant and WT.

Figure S12: Photoautotrophic growth of different ferredoxin (fx) and the flavodoxin (isiB) deletion mutant as indicated in comparison to the wild type (WT). Shown are mean values ± SD from at least 3 replicates.

Table S1: List of primers used in this study to generate deletion strains and for RT-PCR.

Primer name	Sequence	Fragment amplified	Construct
pfor-1	TGGGCTATCTCTTTCCCGG	upstream recombination-site	Deletion of <i>pfor</i> (<i>slI0741</i>)
pforin1	ATCTAATTTCTTTTTTCGTCGACAAGGGGTGATGGGATAAATGG		
Em1	GTCGACGAAAAAAGAAATTAGATAAA	Em-cassette	
Em2	GTCGACTTACTTATTAATAATTTATAGC		
pforin2	AATTATTTAATAAGTAAGTCGACGGTCTATTCGGAAAATCGCTTT	downstream recombination-site	
pfor-2	ATTTTTGGTATTCATCTGAGTG		
Fdx1.1	CCGGTCCTTAAAACTCCCTT	upstream recombination site	Deletion of <i>fx1</i> (<i>ssI0020</i>)
Fdx1in1	TTGGCACCCAGCCTGCGCGAACAGTAGAGAGATTGCCTCAT	Sp-cassette	
Sp-KG	TCGCGCAGGCTGGGTGCCAA		
Sp-rev	GCCCTCGCTAGATTTTAATGCGGAT	downstream recombination site	
Fdx1in2	ATCCGCATTAAAATCTAGCGAGGGCGGTAATAATGCTGGCCATGG		
Fdx1.2	TTAATCTACCCTTCGTTTCCC	upstream recombination site	
Fdx2.1	CTCTCATATTCCGACCTACC	upstream recombination site	
Fdx2in1	ATCAGAGATTTTGAGACACAACGTGGTTATGGGCTGGTTTGAATCCA		
Km1	CCACGTTGTGTCTCAAAATCTCTGAT	Km-cassette	
Km2	ATCGCCCCATCATCCAGCCAGAAAG		
Fdx2in2	CTTTCTGGCTGGATGATGGGGCGATGTAGGCTACAACCTG	downstream recombination site	Deletion of <i>fx3</i> (<i>slr1828</i>)
Fdx2.2	TCTGGGCAACGGCGTTTAAT	upstream recombination site	
Fdx3.1	CGTCTGCCGTACTGTTAGAT		
Fdx3in1	AGAGATTTATCTAATTTCTTTTTTCGTGACCCATGGCAAAGCGGTAATAA	Em-cassette	
Em1	GTCGACGAAAAAAGAAATTAGATAAA		
Em2	GTCGACTTACTTATTAATAATTTATAGC	downstream recombination site	
Fdx3in2	GCTATAAATTATTTAATAAGTAAGTCGACTTCGGCTGGAATTCTCCCTT		
Fdx3.2	GCAAAGACTCAAAGGACTGG	upstream recombination site	Deletion of <i>fx4</i> (<i>slr0150</i>)
Fdx4.1	CAATTACAGCCATCCTGTTTG	upstream recombination site	
Fdx4in1	TCAATAATATCGAATTCCTGCAGGAATGACCCAAACAATGGACT		
Cm1	CTGCAGGAATTCGATATTATTG	Cm-cassette	
Cm2	AAGCTTGATGGCGGCACCTCGCT		

Fdx4in2	AGCGAGGTGCCGCCATCAAGCTTAATGTTAGTCCAGCGGAGTT	downstream recombination site	Deletion of <i>fx5</i> (<i>slr0148</i>)
Fdx4.2	TTAGCAGGCAAGACCACACT		
Fdx5.1	CGATTCAGAACTCGGCATTG	upstream recombination site	
Fdx5in1	ATCAGAGATTTTGAGACACAACGTGGCATAATGGTGGCATGGTCATG		
Km1	CCACGTTGTGTCTCAAAATCTCTGAT	Km-cassette	
Km2	ATCGCCCCATCATCCAGCCAGAAAAG		Deletion of <i>fx6</i> (<i>ss12559</i>)
Fdx5in2	CTTTCTGGCTGGATGATGGGGCGATCGTTGACTCGTCTCACCATTG	downstream recombination site	
Fdx5.2	TCAGTGCTGGTAACACCATGG		
Fdx6.1	TTCTCCACGCAGTTGGTGAC	upstream recombination site	
Fdx6in1	GGTTCGTGCCTTCATCCGTCGACACCAGCATGGTATGGCGATC		
Gm1	GTCGACGGATGAAGGCACGAACC	Gm-cassette	Deletion of <i>fx7</i> (<i>sl10662</i>)
Gm2	GTCGACCGAATTGTTAGGTGGCG		
Fdx6in2	CGCCACCTAACAATTCCGGTCGACTTGTCGGATGGAACCTAAGC	downstream recombination site	
Fdx6.2	AAGCTCTGGACGCCATTACC		
Fdx7.1	CCGTACTTAATGAATCGGCC	upstream recombination site	
Fdx7in1	TTGGCACCCAGCCTGCGCGACAGGCACTCCAGCGTTGCAC		Deletion of <i>fx8</i> (<i>ssr3184</i>)
Sp-KG	TCGCGCAGGCTGGGTGCCAA	Sp-cassette	
Sp-rev	GCCCTCGCTAGATTTTAATGCGGAT		
Fdx7in2	ATCCGCATTAAAATCTAGCGAGGGCTTAATTGGGTGATGGAATCT	downstream recombination site	
Fdx7.2	CTGAGTAGATTAATGTGGAC		
Fdx8.1	CGTTGGCTAGCATGTCACTG	upstream recombination site	Deletion of <i>fx9</i> (<i>slr2059</i>)
Fdx8in1	TCAATAATATCGAATTCCTGCAGTAAGGGTAGCGGACGTTCAA		
Cm1	CTGCAGGAATTCGATATTATTG	Cm-cassette	
Cm2	AAGCTTGATGGCGGCACCTCGCT		
Fdx8in2	AGCGAGGTGCCGCCATCAAGCTTGTTGGGAGGGGTCTAACTG	downstream recombination site	
Fdx8.2	CTCTGCCACTGTTAGGCTGC		Deletion of <i>fx9</i> (<i>slr2059</i>)
Fdx9.1	CGGAGGGGGAAACGGAAGAA	upstream recombination site	
Fdx9in1	ATCAGAGATTTTGAGACACAACGTGGGGCATTTCACCGCACTACG		
Km1	CCACGTTGTGTCTCAAAATCTCTGAT	Km-cassette	
Km2	ATCGCCCCATCATCCAGCCAGAAAAG		
Fdx9in2	CTTTCTGGCTGGATGATGGGGCGATCATCTTGCCGACTCCGCCA		

Fdx9.2	AATTCCAAAATAAATACCCC	downstream	
isiB1	ATGGATCATCCTCACACTTG	upstream recombination site	Deletion of flavodoxin (<i>isiB</i> , <i>slr0284</i>)
isiBin1	GGTTCGTGCCTTCATCCGTCGACGATTACTGGAAAGTTACTAAGC		
Gm1	GTCGACGGATGAAGGCACGAACC	Gm-cassette	
Gm2	GTCGACCGAATTGTTAGGTGGCG		
isiBin2	CGCCACCTAACAATTTCGGTCGACGCAATCCTAGGTAACCTAAG	downstream recombination site	
isiB2	CTGGTTTGTTCATGGTAGGAG		
pdhA1	CAGGCGATCGCGTAACCGTTG	upstream recombination site	Deletion of <i>pdhA</i> (<i>slr1934</i>)
pdhAin1	TTGGCACCAGCCTGCGCGATCTATGCGAAGTCGGTCAGC		
Sp-KG	TCGCGCAGGCTGGGTGCCAA	Sp-cassette	
Sp-rev	GCCCTCGCTAGATTTTAATGCGGAT		
pdhAin2	ATCCGCATTAAAATCTAGCGAGGGCACGTTACCGTTTGGGAGAA	downstream recombination site	
pdhA2	GACACCAACCGCTAATGGA		
NGOGATout1	CTATAGGGCGAATTGGGTACCCAAGTGAATTGCTTGGTGTGT	upstream recombination site	Deletion of NADH-dependent GOGAT (<i>slr1502</i>)
NGOGATin1	GGTTCGTGCCTTCATCCGTCGACGACCTTCGTGGCAGGGCAT		
Gm1	GTCGACGGATGAAGGCACGAACC	Gm-cassette	
Gm2	GTCGACGAATTGTTAGGTGGCG		
NGOGATin2	CGCCACCTAACAATTTCGGTCGACGCGGCGTTTGAGGAGAAT	downstream recombination site	
NGOGATout2	AGGGAACAAAAGCTGGAGCT ATAGGTTGCAAACCTTCATTAGCTA		
FGOGATout1	CTATAGGGCGAATTGGGTAC ACCATCAGGCTGGGCAATTTGTT	upstream recombination site	Deletion of ferredoxin-dependent GOGAT (<i>slr1499</i>)
FGOGATin1	TTGGCACCCAGCCTGCGCGA GTGGCAACAGAGGAGTTTGTCTA		
Sp-KG	TCGCGCAGGCTGGGTGCCAA	Sp-cassette	
Sp-rev	GCCCTCGCTAGATTTTAATGCGGAT		
FGOGATin2	ATCCGCATTAAAATCTAGCGAGGGC AGAAGACACTGACCTCTGTCTA	downstream recombination site	
FGOGATout2	AGGGAACAAAAGCTGGAGCT ACCGCAGGGACATTATGGGCTTA		
pfor-tag1	AGACCGTGTGCGAGCCAGCAAAGGGCCGATAGA	primer for RT-reaction	RT-PCR
pfor-tag2	AGACCGTGTGCGAGCCAGCAA		
pfor-r	AACAATTTGGCCAGCTAACCGG	primers for PCR	
pdhA-tag1	AGACCGTGTGCGACACGGGAATCCCTTCCCCAT	primer for RT-reaction	
pdhA-tag2	AGACCGTGTGCGACACGGGAAT		
pdhA-rev	TTACGTTTGCAGTACCTATCGA	primers for PCR	

rnpB-tag1	AGACCGTGTGCGACACCAATCATGGGGCAGGAA	primer for RT-reaction	
rnpB-tag2	AGACCGTGTGCGACACCAATCA	primers for PCR	
ndhD1out1	CTATAGGGCGAATTGGGTACGACTATCTGGGTAGTATGAACACTT	upstream recombination site	pD1 Deletion of <i>ndhD1</i> (<i>slr0331</i>)
ndhD1in1	ATCAGAGATTTTGAGACACAACGTGGGGTGGTGATAAAACCGGTGAGAA		
Km1	CCACGTTGTGTCTCAAAATCTCTGAT	Km-cassette	
Km2	ATCGCCCCATCATCCAGCCAGAAAG		
ndhD1in2	CTTTCTGGCTGGATGATGGGGCGATGACCCCATTTATCTACTCTCCAT	downstream recombination site	
ndhD1out2	AGGGAACAAAAGCTGGAGCTTTCTTGGTCGACTTAAAAACCAAT		
ndhD2out1	CTATAGGGCGAATTGGGTACCAGGCGGCATAGTCTTCGAAAA	upstream recombination site	pD2 Deletion of <i>ndhD2</i> (<i>slr1291</i>)
ndhD2in1	TCAATAATATCGAATTCCTGCAGAGTGTTCCAACATGGTAATAAGAA	site	
Cm1	CTGCAGGAATTCGATATTATTG	Cm-cassette	
Cm2	AAGCTTGATGGCGGCACCTCGCT		
ndhD2in2	AGCGAGGTGCCGCCATCAAGCTTTCAAAGTTCAACCCTAGTGATCTA	downstream recombination site	
ndhD2out2	AGGGAACAAAAGCTGGAGCTAACCGATGCCACACCGGTCTGATT		

Table S2: Liste of *Synechocystis* strains and mutants used in this study

Strain	Marker of genotype	<i>Synechocystis</i> WT background	Reference
WT		non-motile GT strain	Trautmann et al. 2012
WTm		motile PCC-M strain	Trautmann et al. 2012
Δ spkC	slI0599::km ^R	motile PCC-M strain	This study
Δ spkF	slr1225::km ^R	motile PCC-M strain	This study
Δ spkI	slI1770::km ^R	motile PCC-M strain	This study
Δ spkK	slr1919::km ^R	motile PCC-M strain	This study
Δ spkL	slI0095::km ^R	motile PCC-M strain	This study
Δ spkB	slr1697::km ^R	non-motile GT strain	France/ Bedu, Marseille, Rippka et al 1979
Δ spkD	slI0776::gm ^R	non-motile GT strain	France/ Bedu, Marseille, Rippka et al 1979
Δ spkE	slr1443::km ^R	non-motile GT strain	France/ Bedu, Marseille, Rippka et al 1979
Δ spkG	slr0152::spec ^R ::strep ^R	non-motile GT strain	France/ Bedu, Marseille, Rippka et al 1979
fx2/ Δ fx2	slI1382::km ^R	non-motile GT strain	Gutekunst et al. 2014
Δ fx3*	slr1828::em ^R	non-motile GT strain	Gutekunst et al. 2014
Δ fx4*	slr0150::cm ^R	non-motile GT strain	Gutekunst et al. 2014 *please note that the names of fx3 and fx4 are exchanged in Gutekunst et al. 2014
fx5 Δ fx5	slr0148::km ^R	non-motile GT strain	This study
Δ fx6	ssl2559::gm ^R	non-motile GT strain	This study
Δ fx7	slI0662::spec ^R	non-motile GT strain	This study
Δ fx9	slr2059::km ^R	non-motile GT strain	This study
Δ isiB	slI0284::gm ^R	non-motile GT strain	Gutekunst et al. 2014
Δ fx7 Δ fx9	slI0662::spec ^R , slr2059::km ^R	non-motile GT strain	This study
Δ fx7 Δ fx8 Δ fx9	slI0662::spec ^R , ssr3184::cm ^R , slr2059::km ^R	non-motile GT strain	This study
Δ fx9 Δ isiB	slr2059::km ^R , slI0284::gm ^R	non-motile GT strain	This study
Δ n-gogat	slI1502::gm ^R	non-motile GT strain	This study

$\Delta f\text{-gogat}$	<i>slI1499::spec^R</i>	non-motile GT strain	This study
$\Delta ndhD1\Delta ndhD2$	<i>slr0331::km^R, slr1291::cm^R</i>	non-motile GT strain	This study
Δhk	<i>slI0593::spec^R</i>	non-motile GT strain	Theune et al. 2021
$\Delta glgP1\Delta glgP2$	<i>slI1356::km^R, slr1367::spec^R</i>	non-motile GT strain	Makowka et al. 2020

Table S3: Peptides of the alpha subunit of the pyruvate dehydrogenase (Slr1934) E1 component detected via MS/MS in band No. 1 (red box) of Fig. S8

Master	Accession	Description	Coverage [%]	# Peptides	# PSMs	# Unique Peptides	# AAs	MW [kDa]	calc. pI	Score Mascot: Mascot	# Peptides (by Search Engine): Mascot	Found in Sample: [S2] F2: Sample	# Protein Groups
slr1934	pyruvate dehydrogenase E1 component, alpha subunit	39	14	28	14	342	38,1	5.19	8.32	14	High	1	
Confidence	Annotated Sequence	Modifications	# Protein Groups	# Proteins	# PSMs	Master Protein Accessions	Positions in Master Proteins	Modifications in Master Proteins	# Missed Cleavages	Theo. MH+ [Da]	Found in Sample: [S2] F2: Sample	Confidence (by Search Engine): Mascot	Ions Score (by Search Engine): Mascot
High	[R].AGEGPTLIEALTYR.[F]		1	1	2	slr1934	slr1934 [248-261]		0	1490,785	High	High	80
High	[R].ATSQPEIYK.[K]		1	1	2	slr1934	slr1934 [207-215]		0	1036,531	High	High	28
High	[R].ATSQPEIYKK.[A]		1	1	4	slr1934	slr1934 [207-216]		1	1164,626	High	High	38
High	[K].CAEMYR.[G]	1xCarbamidomethyl [C1]; 1xOxidation [M4]	1	1	1	slr1934	slr1934 [39-45]		0	1008,391	High	High	32
High	[R].DHSVHALSAGVPAR.[E]		1	1	4	slr1934	slr1934 [82-94]		0	1329,702	High	High	64
High	[R].EVMAELFGK.[E]		1	1	1	slr1934	slr1934 [95-103]		0	1023,518	High	High	39
High	[R].EVMAELFGK.[E]	1xOxidation [M3]	1	1	2	slr1934	slr1934 [95-103]		0	1039,513	High	High	40
High	[K].FAAFMTEHELASNEELK.[A]	1xOxidation [M5]	1	1	1	slr1934	slr1934 [291-307]		0	1982,916	High	High	59
High	[R].FRGSLADPDEL.R.[S]		1	1	2	slr1934	slr1934 [262-274]		1	1512,755	High	High	44
High	[R].GHSLADPDEL.R.[S]		1	1	3	slr1934	slr1934 [264-274]		0	1209,586	High	High	61
High	[R].GHSLADPDELRSAAEK.[Q]		1	1	2	slr1934	slr1934 [264-279]		1	1753,835	High	High	44
High	[R].ILPELNTAEISLDR.[E]		1	1	1	slr1934	slr1934 [6-19]		0	1583,864	High	High	27
High	[K].LPILFVVENNK.[W]		1	1	1	slr1934	slr1934 [187-197]		0	1285,751	High	High	41
High	[R].QDEDYVCSTYR.[D]	1xCarbamidomethyl [C7]	1	1	1	slr1934	slr1934 [71-81]		0	1435,579	High	High	72
High	[K].VATEAVAR.[A]		1	1	1	slr1934	slr1934 [238-245]		0	816,4574	High	High	53