

Supplementary materials for

Design principles of caveolins across metazoa and beyond

Bing Han^{1,2}, **Louis F. L. Wilson**^{2,3}, **Alican Gulsevin**⁴, **Jens Meiler**^{4,5}, **Erkan Karakas**⁶, and **Anne K. Kenworthy**^{1,2,*}

¹ Center for Membrane and Cell Physiology, University of Virginia, Charlottesville, VA USA.

² Department of Molecular Physiology and Biological Physics, University of Virginia School of Medicine, Charlottesville, VA, USA

³ Howard Hughes Medical Institute, University of Virginia School of Medicine, Charlottesville, VA, USA

⁴ Department of Chemistry, Vanderbilt University Nashville, TN, USA

⁵ Institute for Drug Discovery, Leipzig University, Germany

⁶ Department of Molecular Physiology and Biophysics, Vanderbilt University Nashville, TN, USA

*Correspondence: akk7hp@virginia.edu

Figure S1




Figure S2




Figure S3




Figure S4






Figure S5

A




B




- N-term variable region
- Pin motif
- Hook structure ■ Signature motif
- Bow-like long helices region
- C-term sheet
- C-term variable region
- Hydrogen bond

Figure S6


A



B



C



D




Figure S7





Figure S8


A

R7U639
(Type I-CAV/CAV-like)




B

A0A267DC90
(Type II-CAV, CAVY extended)




C

Human CAV1 Δ C



D

Human CAV1 Δ N & Δ C



pLDDT: 0 50 70 90 100

Figure S9





Figure S10



File S1. Prediction results of the structures of caveolins monomer or oligomers by AlphaFold2.1 with different protomer numbers.

Note:

The 2D example color sketches were generated from the 3D model by AlphaFold2_advanced notebook.

The left panel of the monomers were colored by N → C; the left panel of the oligomers were colored by chain; the right panels were colored by pLDDT values as below color key indicated:

pLDDT:  Very low(<50)  Low (60)  OK(70)  Confident (80)  Very high (>90)

Five models were generated for each prediction. The 2D sketches were based on rank 1 models (R1) in this supplemental file if there is no special note was left under the pLDDT value.

Salpingoeca rosetta

F2U793

pLDDT


1-mer

73.91

colored by N-C



colored by pLDDT




2-mer

59.81

colored by chain



colored by pLDDT




3-mer

47.29

colored by chain



colored by pLDDT




4-mer

57.45

colored by chain



colored by pLDDT




5-mer

42.52

colored by chain



colored by pLDDT



6-mer

42.05

colored by chain




colored by pLDDT




7-mer

45.02


colored by chain




colored by pLDDT




Amphimedon queenslandica



Oscarella carmela





Trichoplax adhaerens




Stylophora pistillata

A0A2B4SEV1


A0A2B4SAZ9




Homo sapiens



Strongylocentrotus purpuratus




Strongylocentrotus purpuratus



Priapulus caudatus

XP_014678552.1

XP_014664738.1



Apis mellifera

A0A7M7R2L2


A0A7M7GWE0 A0A7M7R2L2 (24-177)

pLDDT

pLDDT


1-mer

80.39




2-mer

72.87




3-mer

74.73




4-mer

74.72




5-mer

74.02




6-mer

73.72




7-mer

65.85




8-mer


70.61
(R2)




76.08




Caenorhabditis elegans




Brachionus plicatilis




Macrostromum lignano




Macrostromum lignano




Macrostomum lignano




Macrostomum lignano




Macrostomum lignano



Pomacea canaliculata



Lingula unguis



Lingula unguis



A0A1S3IQQ3

A0A1S3IXS7


pLDDT

pLDDT



1-mer




2-mer





3-mer





4-mer





5-mer





6-mer



7-mer



8-mer



Capitella teleta

