Preprint for bioRxiv

Improved vectors and genome-wide libraries for CRISPR screening

Neville E. Sanjana^{1,2,3,4,5}, Ophir Shalem^{1,2,3,4,5} and Feng Zhang^{1,2,3,4}

¹ Broad Institute of MIT and Harvard
7 Cambridge Center
Cambridge, MA 02142, USA

² McGovern Institute for Brain Research
Massachusetts Institute of Technology
Cambridge, MA 02139, USA

³ Department of Brain and Cognitive Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139, USA

⁴ Department of Biological Engineering
Massachusetts Institute of Technology
Cambridge, MA 02139, USA

⁵ These authors contributed equally to this work.
email: zhang@broadinstitute.org

Genome-wide, targeted loss-of-function pooled screens using the CRISPR (clustered regularly interspaced short palindrome repeats)–associated nuclease Cas9 in human and mouse cells provide an alternative screening system to RNA interference (RNAi) and have been used to reveal new mechanisms in diverse biological models¹⁻⁴. Previously, we used a Genome-scale CRISPR Knock-Out (GeCKO) library to identify loss-of-function mutations conferring vemurafenib resistance in a melanoma model¹. However, initial lentiviral delivery systems for CRISPR screening had low viral titer or required a cell line already expressing Cas9, limiting the range of biological systems amenable to screening.

Here, we sought to improve both the lentiviral packaging and choice of guide sequences in our original GeCKO library¹, where a pooled library of synthesized oligonucleotides was cloned into a lentiviral backbone containing both the *Streptococcus pyogenes* Cas9 nuclease and the single guide RNA (sgRNA) scaffold. To create a new vector capable of producing higher-titer virus (lentiCRISPRv2), we made several modifications, including removal of one of the nuclear localization signals (NLS), human codon-optimization of the remaining NLS and P2A bicistronic linker sequences, and repositioning of the U6-driven sgRNA cassette (**Fig. 1a**). These changes resulted in a ~10-fold increase in functional viral titer over lentiCRISPRv1¹ (**Fig. 1b**).

To further increase viral titer, we also cloned a two-vector system, in which Cas9 (lentiCas9-Blast) and sgRNA (lentiGuide-Puro) are delivered using separate viral vectors with distinct antibiotic selection markers (**Fig. 1a**). LentiGuide-Puro has a ~100-fold increase in functional viral titer over the original lentiCRISPRv1 (**Fig. 1b**). Both single and dual-vector systems mediate efficient knock-out of a genomically-integrated copy of EGFP in human cells (**Supplementary Fig. 1**). Whereas the dual vector system enables generation of Cas9-expressing cell lines which can be subsequently used for screens using lentiGuide-Puro, the single vector lentiCRISPRv2 may be better suited for *in vivo* or primary cell screening applications.

In addition to the vector improvements, we designed and synthesized new human and mouse GeCKOv2 sgRNA libraries (**Supplementary Methods**) with several improvements (**Table 1**): First, for both human and mouse libraries, to target all genes with a uniform number of sgRNAs, we selected 6 sgRNAs per gene distributed over 3-4 constitutively expressed exons. Second, to further minimize off-target genome modification, we improved the calculation of off-target scores based on specificity analysis⁵. Third, to inactivate microRNAs (miRNAs) which play a key role in transcriptional regulation, we added sgRNAs to direct mutations to the pre-miRNA hairpin structure⁶. Finally, we targeted ~1000 additional genes not included in the original GeCKO library.

Both libraries, mouse and human, are divided into 2 sub-libraries — containing 3 sgRNAs targeting each gene in the genome, as well as 1000 non-targeting control sgRNAs. Screens can be performed by combining both sub-libraries, yielding 6 sgRNAs per gene, for higher coverage. Alternatively, individual sub-libraries can be used in situations where cell numbers are limiting (eg. primary cells, *in vivo* screens). The human and mouse libraries have been cloned into lentiCRISPRv2 and into lentiGuide-Puro and deep sequenced to ensure uniform representation (**Supplementary Fig. 2, 3**). These new lentiCRISPR vectors and human and mouse libraries further improve the GeCKO reagents for diverse screening applications. Reagents are available to the academic community through Addgene and associated protocols, support forums, and computational tools are available via the Zhang lab website (www.genome-engineering.org).

Acknowledgements: We also would like to thank the entire Zhang Lab for support and helpful advice. N.S. is supported by a postdoctoral fellowship from the Simons Center for the Social Brain at MIT. O.S. is a Klarman Fellow of the Broad-Israel Partnership. F.Z. is supported by the NIH and NIMH through a Director's Pioneer Award (5DP1-MH100706), a Transformative R01 grant (5R01-DK097768), the Keck, Merkin, Vallee,

Damon Runyon, Searle Scholars, Klingenstein, and Simons Foundations, Bob Metcalfe, and Jane Pauley.

Author Contributions

N.S., O.S., and F.Z. conceived and designed the experiments. N.S. and O.S. performed the experiments and analyzed the data. N.S., O.S., and F.Z. wrote the manuscript.

Competing Financial Interests

A patent application has been filed relating to this work, and the authors plan on making the reagents widely available to the academic community through Addgene and to provide software tools via the Zhang lab website (<http://www.genome-engineering.org/>). F.Z. is a scientific advisor for Editas Medicine.

References

1. Shalem, O. *et al. Science* **343**, 84–87 (2014).
2. Wang, T., Wei, J. J., Sabatini, D. M. & Lander, E. S. *Science* **343**, 80–84 (2014).
3. Koike-Yusa, H., Li, Y., Tan, E.-P., Velasco-Herrera, M. D. C. & Yusa, K. *Nat Biotechnol* **32**, 267–273 (2013).
4. Zhou, Y. *et al. Nature* **509**, 487–491 (2014).
5. Hsu, P. D. *et al. Nat Biotechnol* **31**, 827–832 (2013).
6. Zhao, Y. *et al. Sci Rep* **4**, 3943 (2014).

Figure 1 | New lentiviral CRISPR designs produce viruses with higher functional titer.

(a) Lentiviral expression vector for *Streptococcus pyogenes* Cas9 and sgRNA in the improved one vector system (lentiCRISPR v2) and the two vector system (lentiCas9-Blast, lentiGuide-Puro). Psi packaging signal (psi+), rev response element (RRE), central polypurine tract (cPPT), elongation factor-1 α short promoter (EFS), FLAG octapeptide tag (FLAG), 2A self-cleaving peptide (P2A), puromycin selection marker (puro), posttranscriptional regulatory element (WPRE), blasticidin selection marker (blast), and elongation factor-1 α promoter (EF1a). **(b)** Relative functional viral titer of viruses made from lentiCRISPR v1¹, lentiCRISPR v2, and lentiGuide-Puro vector with a EGFP-targeting sgRNA ($n = 3$ independently-transfected virus batches with 3 replicate transductions per construct). HEK293FT cells were transduced with serial dilutions of virus and, after 24 hours, selected using puromycin (1 μ g/ml). Puromycin-resistant cells were measured after 4 days from the start of selection using the CellTiter-Glo (Promega) luciferase assay. Relative titers were calculated using viral volumes that yielded less than 20% puromycin-resistant cells in order to minimize the number of cells with multiple infections. Numbers above each bar indicate the size of the packaged virus for each construct.

Table 1 | Comparison of new GeCKO v2 human and mouse sgRNA libraries with existing CRISPR libraries.

	Wang et al. (2014) library	Shalem et al. (2014) GeCKO v1 library	Yusa et al. (2014) library	GeCKO v2 human library	GeCKO v2 mouse library
<i>Species</i>	human	human	mouse	human	mouse
<i>Number of genes targeted</i>	7,114	18,080	19,150	19,050	20,611
<i>Targeting constructs per gene</i>	10 per gene	variable (typically 3 to 4 per gene)	variable (typically 4 to 5 per gene)	6 per gene (3 in Library A, 3 in Library B)	6 per gene (3 in Library A, 3 in Library B)
<i>Number of miRNA targeted</i>	none	none	none	1,864	1,175
<i>Targeting constructs per miRNA</i>	n/a	n/a	n/a	4 per miRNA	4 per miRNA
<i>Control (non-targeting) sgRNAs</i>	100	none	none	1,000	1,000
<i>Total sgRNA constructs</i>	73,151	64,751	87,897	123,411 (65,383 in Library A, 58,028 in Library B)	130,209 (67,405 in Library A, 62,804 in Library B)
<i>Viral plasmid vector</i>	Dual vector: sgRNA only	Single vector: Cas9 and sgRNA (lentiCRISPR v1)	Dual vector: sgRNA only	Single and dual vector: lentiCRISPR v2 and lentiGuide-Puro	Single and dual vector: lentiCRISPR v2 and lentiGuide-Puro

New GeCKO libraries target an increased number of genes with uniform coverage (6 sgRNAs per gene divided into sub-libraries with 3 sgRNAs per gene). The GeCKO v2 libraries also contain sgRNAs that target microRNAs and control sgRNAs that do not target in the genome. The libraries have been cloned into lentiCRISPR v2 (which includes Cas9 in the same vector) and lentiGuide-Puro (sgRNA-only vector) and are available in either format.

Supplementary Materials

Improved vectors and genome-wide libraries for CRISPR screening

Neville E. Sanjana^{1,2,3,4,5}, Ophir Shalem^{1,2,3,4,5} and Feng Zhang^{1,2,3,4}

¹ Broad Institute of MIT and Harvard
7 Cambridge Center
Cambridge, MA 02142, USA

² McGovern Institute for Brain Research

³ Department of Brain and Cognitive Sciences

⁴ Department of Biological Engineering
Massachusetts Institute of Technology
Cambridge, MA 02139, USA

⁵ These authors contributed equally to this work.
email: zhang@broadinstitute.org.

Supplementary Figure 1 | EGFP expression in HEK293T-EGFP cells after transduction with different lentiviral CRISPR constructs.

(a) Representative histograms of EGFP fluorescence from single transductions of HEK293T-EGFP cells with lentiCRISPR v1, lentiCRISPR v2, lentiGuide-Puro or no virus. For lentiGuide-Puro, HEK293T-EGFP cells had previously been transduced with lentiCas9-Blast and selected for 4 days with blasticidin. Twenty-four hours after transduction, cells were selected in puromycin and then analyzed by flow cytometry at 7 days after infection. **(b)** Percentage of EGFP positive cells (as given by gate drawn in **a**) per viral construct (error bars indicate s.e.m, $n=3$ biological replicate transductions).

Supplementary Figure 2 | Sequencing of human GeCKOv2 libraries cloned into lentiCRISPRv2 and lentiGuide-Puro.

Histograms of sgRNA representation after cloning each half-library into sgRNA vectors. Inset: Cumulative distribution of sequencing reads. The number of sequencing reads for the 10th and 90th sgRNA percentile is indicated by the dashed red lines and text labels. All library sequencing was performed with PCR replicates; only one replicate is shown for each half-library. **(a,b)** Human GeCKOv2 library A **(a)** and library B **(b)** in lentiCRISPRv2. **(c,d)** Human GeCKOv2 library A **(c)** and B **(d)** in lentiGuide-Puro.

Supplementary Figure 3 | Sequencing of mouse GeCKOv2 libraries cloned into lentiCRISPRv2 and lentiGuide-Puro.

Histograms of sgRNA representation after cloning each half-library into sgRNA vectors. Inset: Cumulative distribution of sequencing reads. The number of sequencing reads for the 10th and 90th sgRNA percentile is indicated by the dashed red lines and text labels. All library sequencing was performed with PCR replicates; only one replicate is shown for each half-library. **(a,b)** Mouse GeCKOv2 library A **(a)** and library B **(b)** in lentiCRISPRv2. **(c,d)** Mouse GeCKOv2 library A **(c)** and B **(d)** in lentiGuide-Puro.

Supplementary Methods

Lentiviral cloning and production. For determination of lentiCRISPR v1, lentiCRISPR v2, and lentiGuide-Puro viral titers, the following sgRNA targeting EGFP (with no known targets in the human genome) was cloned into all 3 lentiviral transfer vectors:

EGFP sgRNA GGGCGAGGAGCTGTTCACCG

To clone the sgRNA guide sequence, plasmids were cut and dephosphorylated with FastDigest BsmBI and FastAP (Fermentas) at 37 °C for 2 hours. Oligonucleotides for the EGFP sgRNA guide sequence (Integrated DNA Technologies) were phosphorylated using polynucleotide kinase (Fermentas) at 37 °C for 30 minutes and then annealed by heating to 95 °C for 5 minutes and cooling to 25 °C at 1.5 °C/minute. Using T7 ligase (Enzymatics), annealed oligos were ligated into gel purified vectors (Qiagen) at 25 °C for 5 minutes. Cloned transfer plasmids were amplified using a endotoxin-free midi-prep kit (Qiagen).

To make lentivirus, the transfer plasmids were co-transfected with packaging plasmids pMD2.G and psPAX2 (Addgene plasmids 12259 and 12260), as described previously¹. Briefly, for each virus, a T-75 flask of 80 % confluent HEK293T cells (ATCC CRL-3216) was transfected in OptiMEM (Life Technologies) using 10 ug of the transfer plasmid, 5 ug pMD2.G, 7.5 ug psPAX2, 100 ul of Plus Reagent (Life Technologies), and 50 ul of Lipofectamine 2000 (Life Technologies). After 6 hours, media was changed to D10 media, DMEM (Life Technologies) with 10 % fetal bovine serum (Hyclone), with 1 % bovine serum albumin (Sigma) added to improve virus stability. After 60 hours, viral supernatants were harvested and centrifuged at 3,000 rpm at 4 °C for 10 min to pellet cell debris. The supernatant was filtered through a 0.45 um low protein binding membrane (Millipore) and used immediately.

Lentiviral functional titration. Lentiviruses were titered in a functional assay by measuring puromycin resistance after transduction. All lentiviruses were produced in triplicate transfections. Relative titer measurements from separate viral production transfections performed weeks apart resulted in similar relative titers.

For each viral construct, 2.5×10^4 HEK293T-EGFP cells were transduced in suspension (i.e. during plating) with 10, 100, or 1000 μ l of viral supernatant in wells of a 24-well plate. For lentiGuide-Puro transduction the HEK293T-EGFP cells also had a genomically-integrated copy of Cas9 from previous transduction with lentiCas9-Blast. Each transduction condition (construct and virus volume) was performed in triplicate. In each well, D10 culture media was added to make the final volume 1.5 ml. Cell without any virus added were also plated in six wells (3 wells for puromycin treatment, 3 wells as control).

At 24 hours post-transduction, media was changed to D10 with 1 μ g/ml puromycin (Sigma) for all wells except the uninfected controls without puromycin. At 3 days post-transduction, cells in all wells were split 1:5 to prevent any well from reaching confluence. Except for the uninfected controls without puromycin, new D10 media was supplemented with 1 μ g/ μ l puromycin. At 5 days post-transduction, all cells in the uninfected control wells treated with puromycin were floating/dead, which was verified using Trypan Blue exclusion (Sigma).

For the remaining wells, adherent cells were present and cell viability was measured using CellTiter Glo (Promega) following the manufacturer's protocol. After allowing cells to reach room temperature, media was aspirated from the cells and CellTiter Glo (diluted 1:1 in phosphate-buffered saline) was added. Plates were covered with foil, placed on an orbital shaker for 2 min, and then incubated for 10 minutes at room temperature. Luminescence was measured on an Synergy H4 plate imager (Biotek) using a 1 second integration time and auto-gain to utilize the full dynamic range of the detector. Positive controls (untransduced cells without puromycin) and negative controls (empty wells) were included in the assay.

Fold differences in titer between viral constructs were calculated using luminescence values. Specifically, comparisons were made between pairs of viruses for the same volume of supernatant. Only viral volumes for which cell survival was greater than 1% and less than 20 % of control (untransduced) cells were directly compared. Assuming Poisson statistics, 20 % cell survival implies that approximately 90 % of cells surviving puromycin selection were infected by only a single virus.

Flow cytometry data was collected from the same set of infections using a BD Accuri C6 flow cytometer. Using FlowJo (TreeStar), single cells were distinguished from debris and doublets by gating in forward and side scatter area plots. EGFP fluorescence was measured in the gated

population from transduced and uninfected HEK293T-EGFP cells. For transductions with lentiGuide-Puro, HEK293T-EGFP cells had been transduced with lentiCas9-Blast and selected for 6 days with 5 ug/ml blasticidin (Life Technologies). For all antibiotic selections (puromycin and blasticidin), uninfected control cells were also exposed to the same concentration and duration of antibiotic selection to verify complete elimination of untransduced cells.

Design of GeCKOv2 libraries. Genome-wide sgRNA libraries for the human and mouse genomes were designed using the following steps:

- (1) *Identification of constitutive exons*: For the human library, RNA sequencing data from the Illumina Human Body Map 2.0 (GEO accession number: GSE30611) was mapped to the reference human genome (hg19) using TopHat v1.0.14² and transcripts were reconstructed with Cufflinks v1.0.2³, as previously described⁴. Exons expressed in all tissues in the Human Body Map dataset were termed constitutive and chosen for sgRNA targeting. For the mouse library, we selected exons that are included in all of the NCBI RefSeq (<http://www.ncbi.nlm.nih.gov/refseq/>) transcripts for the same gene.

In both species, for each gene, we excluded the first and last exons and any exon that contained an alternative splicing site. Using these procedures, we chose 4 constitutive exons for each gene. For genes where there were less than 4 constitutive exons, we added exons starting from the second coding exon towards the end of the gene. The coding boundaries for each exon were identified using the NCBI Consensus CoDing Sequence (CCDS) database (<http://www.ncbi.nlm.nih.gov/CCDS/CcdsBrowse.cgi>).

- (2) *Choice of sgRNA sequences*: For each gene, all *S. pyogenes* Cas9 sgRNA sequences of the form (N)₂₀NGG in all constitutive exons (from the procedure in (1) above) were selected as candidate targets. Each 20mer candidate target sgRNA was mapped to a precompiled index containing all 20mer sequences in the human genome followed by either NGG or NAG. This mapping was done using the Bowtie short read aligner⁵, allowing up to 3 base mismatches (with parameters `-a --best -v 3`). For each potential off-target identified by the mapping, the following score was calculated⁶:

$$S_{\text{off-target}} = \prod_{e \in \mathcal{M}} (1 - W[e]) \times \frac{1}{\left(\frac{(19-\bar{d})}{19} \times 4 + 1\right)} \times \frac{1}{n_{mm}^2}$$

Within the first term, M is the set of mismatches between the potential off-target and the candidate target sgRNA. For each mismatch in M , e denotes the position of the mismatch relative to the protospacer-adjacent motif (PAM). The values of e range between 1 (for the most PAM-distal base in the sgRNA) to 20 (for the most PAM-proximal base in the sgRNA). Using e as the index, a value from the look-up table W denotes the empirically-determined weight (relative to the other terms in the $S_{\text{off-target}}$ metric) that penalizes mismatches based on their position in the sgRNA sequence⁶:

e	1	2	3	4	5	6	7	8	9	10
$W[e]$	0	0	0.014	0	0	0.395	0.317	0	0.389	0.079
e	11	12	13	14	15	16	17	18	19	20
$W[e]$	0.445	.508	0.613	0.851	0.732	0.828	0.615	0.804	0.685	0.583

$\bar{d}$ is the mean pairwise distance between all pairs of elements in M and n_{mm} is the number of elements in M .

Each of the individual off-targets ($S_{\text{off-target}}$) for one candidate target sgRNA were integrated into an aggregate off-target score as follows:

$$S_{\text{guide}} = \frac{100}{1 + \sum_{i=1}^n S_{\text{off-target}}(i)}$$

$S_{\text{off-target}}$ is the score for a single potential off-target and S_{guide} is a score (0-100 scale) that provides a rating of how well a candidate sgRNA uniquely targets within the genome.

Candidate sgRNAs with higher values of S_{guide} are predicted to have less off-target activity.

For each gene, we chose 6 sgRNAs with the highest values of S_{guide} across all 4 constitutive exons (from step (1)) subject to constraint that no more than 2 sgRNAs could target a single exon. This procedure resulted in extremely uniform coverage of genes: For 99.4% of genes in the GeCKOv2 human library and 99.8% of genes in the GeCKOv2 mouse library, each gene was targeted with exactly 6 sgRNAs.

(3) *Targeting of mature miRNAs*: For the design of miRNA targeting guides, we used the pre-miRNA sequence coordinates from the mirBASE database (www.mirbase.org)⁷. For each pre-miRNA, we listed all the possible (N)₂₀NGG sequences. In total, we chose up to 4 sgRNAs per miRNA or less if there were not 4 sgRNAs present in the pre-miRNA sequence.

GeCKO library pooled synthesis and cloning. DNA oligonucleotide library synthesis was completed on a programmable microarray using a B3 Synthesizer (CustomArray) and SAFC Prologo reagents (Sigma), as recommended by the manufacturer. The synthesis products were cleaved from the microarray and deprotected by overnight incubation in 28-30% ammonium hydroxide at 65 °C, dried, resuspended in 30 ul TE buffer and then purified using a QIAquick spin column (Qiagen). Full-length oligonucleotides (74 nt) were amplified by PCR using Phusion HS Flex (NEB). For the PCR reaction, the manufacturer's protocol was followed using 0.1 ul of synthesized oligonucleotide template, primers Array F and ArrayR (see below), an annealing temperature of 63 °C, an extension time of 15 s, and 20 cycles. After PCR, the 140 bp amplicon was size-selected using a 2% agarose E-Gel EX (Life Technologies, Qiagen).

ArrayF	TAACTTGAAAGTATTTTCGATTTCTTGGCTTTATATATCTTGTGGAAAGGAC GAAACACCG
ArrayR	ACTTTTTCAAGTTGATAACGGACTAGCCTTATTTTAACTTGCTATTTCT AGCTCTAAAAC

The vector backbone (lentiCRISPR v2 or lentiGuide-Puro) was digested with BsmBI (Fermentas) and treated with FastAP (Fermentas) at 37°C for 2 hours and gel-purified on a 1 % E-Gel EX (Life Technologies, Qiagen). A 20 ul Gibson ligation reaction (NEB) was performed using 10 ng of the gel-purified inserts and 25 ng of the vector (for lentiCRISPR v2) and using 5 ng of the gel-purified inserts and 25 ng of the vector (for lentiGuide-Puro). From the ligation, 0.5 ul of the reaction was transformed into 25 ul of electrocompetent cells (Lucigen) according to the manufacturer's protocol using a GenePulser (BioRad). To ensure no loss of representation, sufficient parallel transformations were performed using the same ligation reaction and plated onto 245 mm x 245 mm plates (Corning) with carbenicillin selection (50 ug/ml), which yielded

30-200 X library coverage. Colonies were scraped off plates and combined before plasmid DNA extraction using Endotoxin-Free Plasmid Maxiprep (Qiagen).

Library sequencing and validation. To check library representation, synthesis fidelity, and bias, libraries were amplified and then deep sequenced. First, libraries were PCR amplified for 16 cycles using Phusion Flash High-Fidelity (Thermo) with primers to add adaptors for Illumina sequencing. For all libraries, PCR reactions were performed in duplicate and barcoded to allow quantification of bias introduced by PCR. Samples were sequenced on a MiSeq following the manufacturer's protocol using a v3 150 cycle kit with 10% PhiX (Illumina).

PCR replicates were demultiplexed using FASTX-Toolkit (Hannon Lab, CSHL) and adaptors were trimmed using cutadapt to leave only the sgRNA guide sequence⁸. Alignment of the guide sequence to the appropriate GeCKO library index was done using Bowtie with parameters to tolerate up to a single nucleotide mismatch⁵. The Bowtie alignment was then read into Matlab for further analysis (Mathworks). For all libraries, greater than 90 % of sgRNAs were represented with at least one sequencing read and the difference in representation between the 90th and 10th percentile sgRNAs was always less than 15-fold. Histograms of sgRNA distributions and cumulative sgRNA read counts for libraries in both lentiCRISPRv2 and lentiGuide-Puro are shown in Supplementary Figure 2 (human) and Supplementary Figure 3 (mouse).

Vector maps, library sequences and reagent distribution. All lentiCRISPR plasmids and GeCKO libraries are available on Addgene. Please see <http://genome-engineering.org/gecko/> for downloadable vector maps. See labeled sequences in Supplementary Data for more details.

The sgRNAs in the human and mouse v2 GeCKO libraries are available for download on the GeCKO website or from Addgene.

Supplementary Data

LentiCRISPR v2

Pink	BsmBI TypeIIs sites for cloning in 20bp sgRNA guide sequence after removing 1.8kb spacer sequence
Green	+85 chrRNA sequence for sgRNA
Gray	EFS promoter sequence
Yellow	Human codon-optimized SpCas9 coding sequence
<i>Italics</i>	FLAG peptide tag
Red	P2A bicistronic linker/self-cleaving peptide
Blue	Puromycin resistance coding sequence

GTCGACGGATCGGGAGATCTCCCGATCCCCTATGGTGCCTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGC
CAGTATCTGCTCCCTGCTTGTGTGTTGGAGGTCGCTGAGTAGTGCGGAGCAAAATTTAAGCTACAACAAGGCAAGG
CTTGACCGACAATTGCATGAAGAATCTGCTTAGGGTTAGGCGTTTTGCGCTGCTTCGCGATGTACGGGCCAGATATA
CGCGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAG
TTCCGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCCGGCCATTGACGTCAATAAT
GACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCC
ACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGG
CATTATGCCCAGTACATGACCTTATGGGACTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCAT
GGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTCCACCCCA
TTGACGTCAATGGGAGTTTGTGTTTGGCACCAAAATCAACGGGACTTTCCAAGTGTGCGTAACAACCTCCGCCCATTTG
ACGCAAAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGCAGCGCGTTTTGCCTGTACTGGGTCTCTCTGGT
TAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGGAACCCACTGCTTAAGCCTCAATAAAGCTTGCCTTGA
GTGCTTCAAGTAGTGTGTGCCCGTCTGTTGTGTGACTCTGGTAACTAGAGATCCCTCAGACCCTTTTAGTCAGTGTG
GAAAATCTCTAGCAGTGGCGCCCGAACAGGGACTTGAAGCGAAAGGGAAACAGAGGAGCTCTCTCGACGCAGGAC
TCGGCTTGTGAAGCGCGCACGGCAAGAGGCGAGGGCGGCGACTGGTGAGTACGCCAAAAATTTTGACTAGCGGAG
GCTAGAAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAGCGGGGAGAATTAGATCGCGATGGGAAAAAATTCGG
TTAAGGCCAGGGGAAAGAAAAAATATAAATTAACATATAGTATGGGCAAGCAGGGAGCTAGAACGATTTCGAGT
TAATCCTGGCCTGTTAGAAACATCAGAAGGCTGTAGACAAATACTGGGACAGCTACAACCATCCCTTCAGACAGGAT
CAGAAGAATCTAGATCATTATATAATACAGTAGCAACCCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGACACC
AAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACCACCGCACAGCAAGCGGCCGCTGATCTTCA
GACCTGGAGGAGGAGATATGAGGGACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCATTA
GGAGTAGCACCCACCAAGGCAAAGAGAAGAGTGGTGCAGAGAGAAAAAAGAGCAGTGGGAATAGGAGCTTTGTTCCCT
TGGGTTCTTGGGAGCAGCAGGAAGCACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAATTATTGT
CTGGTATAGTGCAGCAGCAGAACAATTTGCTGAGGGCTATTGAGGCGCAACAGCATCTGTTGCAACTCACAGTCTGG
GGCATCAAGCAGCTCCAGGCAAGAATCCTGGCTGTGGAAAGATACCTAAAGGATCAACAGCTCCTGGGGATTTGGGG
TTGCTCTGGAAAATCATTGTCACCACTGCTGTGCCTTGAATGCTAGTTGGAGTAATAAATCTCTGGAACAGATTT
GGAATCACACGACCTGGATGGAGTGGGACAGAGAAATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAA
TCGCAAAACCAGCAAGAAAAGAATGAACAAGAATTATTGGAATTAGATAAATGGGCAAGTTTGTGGAATTGGTTTAA
CATAACAAATTTGGCTGTGGTATATAAAATTTTATCATAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAATAGTTTTTG
CTGTACTTTCTATAGTGAATAGAGTTAGGCAGGGATATTCACCATTATCGTTTCAGACCCACCTCCCAACCCCGAGG
GGACCCGACAGGCGCCGAAGGAATAGAAGAAGAAGTGGAGAGAGAGACAGAGACAGATCCATTTCGATTAGTGAACGG
ATCGGCACTGCGTGCGCCAATTCTGCAGACAAATGGCAGTATTCATCCACAATTTTAAAAAGAAAAGGGGGGATTGGG
GGGTACAGTGCAGGGGAAAGAATAGTAGACATAATAGCAACAGACATACAACTAAAGAATTACAAAAACAAATTAC
AAAAATTCAAAATTTTTCGGGTTTATTACAGGGACAGCAGAGATCCAGTTTGGTTAATTAAGGTACCGAGGGCCTATT
TCCCATGATTCTTTCATATTTGCATATACGATACAAGGCTGTTAGAGAGATAATTAGAATTAATTTGACTGTAAACA
CAAAGATATTAGTACAAAATACGTGACGTAGAAAGTAATAATTTCTTGGGTAGTTTGCAGTTTTAAATTTATGTTTT
AAAATGGACTATCATATGCTTACCCTAAGTAAAGTATTTTCGATTTCTTGGCTTTATATATCTTGTGGAAAGGACG
AAACACCGGAGACGTTTGTAAATGAGCACACAAAATACACATGCTAAAATATTATATTCTATGACCTTTATAAAATC
AACCAAAATCTTCTTTTAAATACTTTAGTATCAATAATTAGAATTTTTATGTTCTTTTTGCAAACTTTTAAATAAA
AATGAGCAAAATAAAAAAACGCTAGTTTTAGTAACCTCGCGTTGTTTTCTTCACCTTTAATAATAGCTACTCCACCAC
TTGTTCTTAAGCGGTACGCTCCTGCTTCAATATTTTTTGGAGCATCTTCAAATGTTCTAACTCCACCAGCTGCTTTA
ACTAAAGCATTGTCTTTAACAACCTGACTTCATTAGTTTAAACATCTTCAAATGTTGCACCTGATTTTGAATCCTGT

TGATGTTTTAACAAATTCTAATCCAGCTTCAACAGCTATTTTACAAGCTTTTCATGATTTCTTCTTTTGTTAATAAAC
AATTTTCCATAATACATTTAACAACATGTGATCCAGCTGCTTTTTTACAGCTTTTCATGTCTTCTAAACTAATTCA
TAATTTTTGTCTTTTAAATGCACCAATATTTAATACCATATCAATTTCTGTTGCACCATCTTTAATTGCTTCAGAAAC
TTCGAATGCTTTTGTAGCTGTTGTGCATGCACCTAGAGGAAAACCTACAACATTTGTTATTCCTACATTTGTGCCTT
TTAATAATTTCTTTACAATAGCTTGTTCATATGAATTAACACAACTGTTGCAAAATCAAATTCAATTGCTTCATCA
CATAATTGTTTAAATTTAGCTTTTCGTAGCATCTTGTTTTAAATAATGTGTGATCTATATATTTGTTTAGTTTCATTTT
TTCTCCTATATATTCATTTTTAATTTTAAATTTTAAATAATTTTCGTCTACTTTAACTTTAGCGTTTTGAACAGATTC
ACCAACACCTATAAAATAAATTTTTAGTTTAGGTTTCACTTGGGCGAACAGCAAATCATGACTTATCTTCTA
AATAAAATTTTAGTAAGTCTTGTCTTGGCATATTATACATTTCCATCGATGTAGTCTTCAACATTAACAACCTTTAAGT
CCAGCAATTTGAGTTAAGGTTGTCTCTCAATGATTTTCAATGTTTCAATTTTTTAAATTTCTTTCTTCTGTTTT
AAAATTTCAAGTTTTAAAGTGAAAGTGAATATGCACCATTTTCTTTAAATAAATCTTCTAAATAGTCTACTAATGTTT
TATTTTGTTTTTTATAAAATCAAGCAGCCTCTGCTATTAATATAGAAGCTTGATTCCATCTTTATCTCTAGCTGAG
TCATCAATTACATATCCATAACTTTCTTCATAAGCAAAAACAAAATTTAATCCGTTATCTTCTTCTTTAGCAATTTT
TCTACCCATTCATTTAAATCCAGTTAAAGTTTTTACAATATTAATCCATATTTTTTCATGAGCGATTCTATACCCA
AATCACTTGTTACAAAACCTGAATATAGAGCCGATTTTTTGAATGCTATTTAAGCGTTTTAGATTTGATAATTTT
CAATCAATTAATTTGGTCTGTTTGAATTTCCATCTAATCTTACAAAATGACCATCATGTTTTATTGCCATTCCAAA
TCTGTCAGCATCTGGGTCAATCATAATAATAATATCTGCATCATGTTTAAATACCATATTCAAGCGGTATTTTTTCATG
CAGGATCAAATTTCTGGATTTGGATTTACAACATTTTTTAAATGTTTCATCTTCAAATGCATGCTCTTCAACCTCAATA
ACGTTATATCCTGATTCACGTAATATTTTTGGGGTAAATTTAGTTTCTGTTCCATTAACCTGCGCTAAAAATAATTTT
TAAATCTTTTTTAGCTTCTTGTCTTTTTTGTACGTTCTGTTTTAGAGCTAGAAAATAGCAAGTTAAAATAAGGCTA
GTCCGTTATCAACTTGAAAAAGTGGCACCGAGTCGGTGTCTTTTTGAATTCGCTAGCTAGGTCTTGAAAGGAGTGGG
AATTGGCTCCGGTGCCCGTCAGTGGGCAGAGCGCACATCGCCACAGTCCCCGAGAAGTTGGGGGGAGGGGTCCGCA
ATTGATCCGGTGCTAGAGAAGGTGGCGCGGGGTAACTGGGAAAGTGATGTCGTGACTGGCTCCGCCTTTTTTCCC
GAGGGTGGGGGAGAACCGTATATAAGTGCAGTAGTCGCCGTGAACGTTCTTTTTTCGCAACGGGTTTGCCGCCAGAAC
ACAGGACCGGTTCTAGAGCGCTGCCACCATGGACAAGAAGTACAGCATCGGCCTGGACATCGGCACCAACTCTGTGG
GCTGGGCGGTGATCACCAGCAGTACAAGTGCCACAGAAAGTCAAGGTGCTGGGCAACACCGGACCGGCACAGC
ATCAAGAAGAACCTGATCGGAGCCCTGCTGTTTCGACAGCGGCAACAGCCGAGGCCACCGGCTGAAGAGAACCGC
CAGAAGAAGATACACCAGACGGAAGAACCGGATCTGCTATCTGCAAGAGATCTTCAGCAACGAGATGGCCAAGGTGG
ACGACAGCTTCTTCCACAGACTGGAAGAGTCTTCTGTTGGAAGAGGATAAGAAGCACGAGCGGCACCCCATCTTC
GGCAACATCGTGGACGAGGTGGCCTACCACGAGAAGTACCCACCATCTACCACCTGAGAAAGAACTGGTGGACAG
CACCAGACAAGGCCGACCTGCGGCTGATCTATCTGGCCCTGGCCACATGATCAAGTTCCGGGGCCACTTCTGATCG
AGGGCGACCTGAACCCCGACAACAGCGACGTGGACAAGCTGTTTCATCCAGCTGGTGCAGACCTACAACCAGCTGTTT
GAGGAAAACCCCATCAACGCCAGCGGCGTGGACGCCAAGGCCATCTGTCTGCCAGACTGAGCAAGAGCAGACGGCT
GGAAAATCTGATCGCCAGCTGCCCGGCGAGAAGAAGTGGCCTGTTTCGAAACCTGATTGCCCTGAGCCTGGGCC
TGACCCCAACTTCAAGAGCAACTTCGACCTGGCCGAGGATGCCAACTGCAGCTGAGCAAGGACACCTACGACGAC
GACCTGGACAACCTGCTGGCCAGATCGGCGACCAAGTACGCCGACCTGTTTCTGGCCGCCAAGAACCTGTCCGACGC
CATCCTGCTGAGCGACATCTGAGAGTGAACACCGAGATACCAAGGCCCTTCTGAGCGCCTCTATGATCAAGAGAT
ACGACGAGCACCACCAGGACCTGACCTGCTGAAAGCTCTCGTGCGGCAGCAGCTGCCTGAGAAGTACAAAGAGATT
TTCTTCGACCAGAGCAAGAACGGCTACGCCGGCTACATTGACGGCGGAGCCAGCCAGGAAGAGTTCTACAAGTTTCA
CAAGCCCATCTGGAAAAGATGGACGGCACCGAGGAAGTCTCGTGAAGCTGAACAGAGAGGACCTGCTGCGGAAGC
AGCGGACCTTCGACAACGGCAGCATCCCCACAGATCCACCTGGGAGAGCTGCACGCCATTCTGCGGCGGCAGGAA
GATTTTTTACCATTTCTGAAGGACAACCGGGAAGATCGAGAAGATCTGACCTTCCGCATCCCCCTACTACGTGGG
CCCTCTGGCCAGGGGAAACAGCAGATTGCTGATGACCAAGAGAGCAGGAAACCATCACCCCTGGAACCTTCG
AGGAAGTGGTGGACAAGGGCGCTTCCGCCAGAGCTTCATCGAGCGGATGACCAACTTCGATAAGAACCTGCCAAC
GAGAAGGTGCTGCCAAGCACAGCCTGCTGTACGAGTACTTCACCGTGTATAACGAGCTGACCAAGTGAAATACGT
GACCGAGGGAATGAGAAAGCCCGCCTTCTGAGCGGCGAGCAGAAAAAGGCCATCGTGGACCTGCTGTTCAAGACCA
ACCGGAAAGTGACCGTGAAGCAGCTGAAAGAGGACTACTTCAAGAAAATCGAGTGCTTCGACTCCGTGGAAATCTCC
GGCGTGAAGATCGGTTCAACGCCTCCCTGGGCACATACCACGATCTGCTGAAAATTATCAAGGACAAGGACTTCTT
GGACAATGAGGAAAACGAGGACATTCTGGAAGATATCGTGCTGACCTGACACTGTTTGGAGACAGAGAGATGATCG
AGGAACGGCTGAAAACCTATGCCACCTGTTTCGACGACAAAGTGATGAAGCAGCTGAAGCGGCGGAGATACACGGC
TGGGGCAGGCTGAGCCGGAAGCTGATCAACGGCATCCGGGACAAGCAGTCCGGCAAGACAATCTGGATTTCTGAA
GTCCGACGGCTTCGCCAACAGAACTTCATGCAGCTGATCCACGACGACAGCCTGACCTTTAAAGAGGACATCCAGA
AAGCCCAGGTGTCCGGCCAGGGCGATAGCCTGCACGAGCACATTGCCAATCTGGCCGGCAGCCCCGCCATTAAGAAG
GGCATCTGACAGACAGTGAAGGTGGTGGACGAGCTCGTGAAAGTGATGGGCCGGCACAAGCCCGAGAACATCGTGAT
CGAAATGGCCAGAGAGAACCAGACCACCCAGAAGGGACAGAAGAAGCAGCCGCGAGAGAATGAAGCGGATCGAAGAGG
GCATCAAAGAGCTGGGCAGCCAGATCTGAAAGAACACCCCGTGGAAAACACCCAGCTGCAGAACGAGAAGCTGTAC
CTGTACTACCTGCAGAATGGGCGGGATATGTACGTGGACCAGGAAGTGGACATCAACCGGCTGTCCGACTACGATGT

GGACCATATCGTGCCTCAGAGCTTTCTGAAGGACGACTCCATCGACAACAAGGTGCTGACCAGAAGCGACAAGAACC
GGGGCAAGAGCGACAACGTGCCCTCCGAAGAGGTCTGGAAGAAGATGAAGAACTACTGGCGGCAGCTGCTGAACGCC
AAGCTGATTACCCAGAGAAAGTTTCGACAATCTGACCAAGGCCGAGAGAGGCGGCCTGAGCGAACTGGATAAGGCCGG
CTTCATCAAGAGACAGCTGGTGGAACCCCGGCAGATCACAAGACAGTGGCACAGATCCTGGACTCCCGGATGAACA
CTAAGTACGACGAGAATGACAAGCTGATCCGGGAAGTGAAAGTGATCACCTGAAGTCCAAGCTGGTGTCCGATTTT
CGGAAGGATTTCCAGTTTTACAAAGTGCGCGAGATCAACAACCTACCACCACGCCCACGACGCCTACCTGAACGCCGT
CGTGGAACCGCCCTGATCAAAAAGTACCCTAAGCTGGAAGCGAGTTCTGTACGGCGACTACAAGGTGTACGACG
TGCGGAAGATGATCGCCAAGAGCGAGCAGGAAATCGGCAAGGCTACCGCCAAGTACTTCTTCTACAGCAACATCATG
AATTTTTTCAAGACCGAGATTACCCTGGCCAACGGCGAGATCCGGAAGCGGCCTCTGATCGAGACAAACGGCGAAAC
CGGGGAGATCGTGTGGGATAAGGGCCGGGATTTTCCACCGTTCGGAAGTGTGAGCATGCCCAAGTGAATATCG
TGAAAAAGACCGAGGTGCAGACAGGCGGCTTCAGCAAGAGTCTATCCTGCCAAGAGGAACAGCGATAAGCTGATC
GCCAGAAAGAAGGACTGGGACCCTAAGAAGTACGGCGGCTTCGACAGCCCCACCGTGGCCTATTCTGTGCTGGTGGT
GGCCAAAGTGGAAGGGCAAGTCCAAGAACTGAAGAGTGTGAAAGAGCTGCTGGGGATCACCATCATGGAAAGAA
GCAGCTTCGAGAAGAATCCCATCGACTTTCTGGAAGCCAAGGGCTACAAAGAAGTGAAAAAGGACCTGATCATCAAG
CTGCCTAAGTACTCCCTGTTTCGAGCTGGAAGAACGGCCGGAAGAGAATGCTGGCCTCTGCCGGCGAACTGCAGAAGGG
AAACGAAGTGGCCCTGCCCTCCAAATATGTGAACCTTCTGTACCTGGCCAGCCACTATGAGAAGCTGAAGGGCTCCC
CCGAGGATAATGAGCAGAAACAGCTGTTTGTGAACAGCACAAGCACTACCTGGACGAGATCATCGAGCAGATCAGC
GAGTTCTCCAAGAGAGTGATCCTGGCCGACGCTAATCTGGACAAAGTGCTGTCCGCCTACAACAAGCACCGGGATAA
GCCCATCAGAGAGCAGGCCGAGAATATCATCCACCTGTTTACCCTGACCAATCTGGGAGCCCCTGCCGCCTTCAAGT
ACTTTGACACCACCATCGACCGGAAGAGGTACACCAGCACCAAGAGGTGCTGGACGCCACCCTGATCCACCAGAGC
ATCACCGGCCTGTACGAGACACGGATCGACCTGTCTCAGCTGGGAGGCGACAAGCGACCTGCCGCCACAAAGAAGGC
TGGACAGGCTAAGAAGAAGAAA
GATTACAAAGACGATGACGATAAG
GGATCCGGCGCAACAACTTCTCTCTGCTGA
AACAAGCCGGAGATGTCTGAAGAGAATCCTGGACCG
ACCGAGTACAAGCCCACGGTGCGCCTCGCCACCCGCGACGAC
GTCCCCAGGGCCGTACGCACCCTCGCCGCCGCGTTTCGCCGACTACCCCGCCACGCGCCACACCGTCGATCCGGACCG
CCACATCGAGCGGGTCACCGAGCTGCAAGAACTCTTCTCACGCGCTCGGGCTCGACATCGGCAAGGTGTGGGTCTG
CGGACGACGGCGCCGCGGTGGCGGTCTGGACACCGCGGAGAGCGTCAAGCGGGGGCGGTGTTTCGCCGAGATCGGC
CCGCGCATGGCCGAGTTGAGCGGTTCCCGCTGGCCGCGCAGCAACAGATGGAAGGCCTCTGGCCCGCACCGGCC
CAAGGAGCCCGCGTGGTTCTGGCCACCGTCGGAGTCTCGCCCGACCACCAGGGCAAGGGTCTGGGCGACGCGCGTCTG
TGCTCCCCGGAGTGAGGGCGGCCGAGCGCGCGGGGTGCCCGCTTCTGGAGACCTCCGCGCCCCGCAACCTCCCC
TTCTACGAGCGGCTCGGCTTACCGTCAACCGCGACGTCGAGGTGCCCGAAGGACCGCGCACCTGGTGCATGACCCG
CAAGCCCGGTGCCTGAACGCGTTAAGTCGACAATCAACCTCTGGATTACAAAATTTGTGAAAGATTGACTGGTATTC
TTAACTATGTTGCTCCTTTTACGCTATGTGGATACGCTGCTTTAATGCCTTTGTATCATGCTATTGCTTCCCGTATG
GCTTTTCATTTTCTCCTCCTTGTATAAATCCTGGTTGCTGTCTCTTTATGAGGAGTTGTGGCCGTTGTTCAGGCAACG
TGGCGTGGTGTGCACTGTGTTTGTGACGCAACCCCCACTGGTTGGGGCATTGCCACCACCTGTCAGCTCCTTTCCG
GGACTTTTCGCTTTCCCCCTCCCTATTGCCACGGCGGAACCTCATCGCCGCTGCCTTGCCCGCTGCTGGACAGGGGCT
CGGCTGTTGGGCACTGACAATTCGCTGGTGTGTCGGGGAAATCATCGTCCTTTCTTGGCTGCTCGCCTGTGTTGC
CACCTGGATTCTGCGCGGGACGTCCTTCTGCTACGTCCTTTCGGCCCTCAATCCAGCGGACCTTCTTCCCCGCGGCC
TGCTGCCGGCTCTGCGGCCTCTTCCGCGTCTTCCGCTTTCGCCCTCAGACGAGTCGGATCTCCCTTTGGGCGCCTCC
CCGCGTCGACTTTAAGACCAATGACTTACAAGGCAGCTGTAGATCTTAGCCACTTTTTAAAGAAAAGGGGGGACTG
GAAGGGCTAATTCACCTCCCAACGAAGACAAGATCTGCTTTTTGCTTGTACTGGGTCTCTCTGGTTAGACCAGATCTG
AGCCTGGGAGCTCTCTGGCTAACTAGGGAACCCACTGCTTAAGCCTCAATAAAGCTTGCCTTGAGTGCTTCAAGTAG
TGTGTGCCCGTCTGTTGTGTGACTCTGGTAACCTAGAGATCCCTCAGACCCTTTTAGTCAGTGTTGAAAATCTCTAGC
AGGGCCCCGTTTAAACCCGCTGATCAGCCTCAGCTGTGCCTTCTAGTTGCCAGCCATCTGTTGTTTCCCCCTCCCCG
TGCTTCTCTTGACCTTGAAGGTGCCACTCCCCTGTCTTCTTAATAAAATGAGGAAATTGCATCGCATTGTCTG
AGTAGGTGTATTCTATTCTGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGACAATAGCAGGCA
TGCTGGGGATGCGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACAGCTGGGGCTCTAGGGGGTATCCCCACGCGC
CCTGTAGCGGCGCATTAAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCG
CCCGCTCCTTTTCGCTTTTCTTCCCTTCTTCTCGCCACGTTTCGCCGGCTTTCCCCGTCAGCTCTAAATCGGGGGCT
CCCTTTAGGGTTCCGATTTAGTGCTTTACGGCACCTCGACCCAAAAAACTTGATTAGGGTGATGGTTACAGTAGTG
GGCCATCGCCCTGATAGACGGTTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAA
ACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGAATTTATAAGGGATTTTGCCGATTTTCGGCCTATTGGTT
AAAAAATGAGCTGATTTAACAATAATTTAACGCGAATTAATTCTGTGGAATGTGTGTGAGTTAGGGTGTGGAAAGTC
CCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAG
GCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCCTAACTCCGCCC
ATCCCGCCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGACTAATTTTTTTTTATTTATGCAGAGGC
CGAGGCGCGCTCTGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGAAGAAAGC
TCCCGGGAGCTTGTATATCCATTTTCGGATCTGATCAGCACGTGTTGACAATTAATCATCGGCATAGTATATCGGCA

TAGTATAATACGACAAGGTGAGGAACTAAACCATGGCCAAGTTGACCAGTGCCGTTCCGGTGCTCACCGCGCGCGAC
 GTCGCGGAGCGGTGAGTTCTGGACCGACCGGCTCGGGTTCTCCCGGACTTCGTGGAGGACGACTTCGCCGGTGT
 GGTCCGGGACGACGTGACCCTGTTTCATCAGCGCGGTCCAGGACCAGGTGGTGCCGGACAACACCCTGGCCTGGGTGT
 GGGTGCGCGGCTGGACGAGCTGTACGCCGAGTGGTCGGAGGTCTGTGTCCACGAACCTCCGGGACGCTCCGGGCCG
 GCCATGACCGAGATCGGCGAGCAGCCGTGGGGGCGGGAGTTGCGCCTGCGCGACCCGGCCGGCAACTGCGTGCACTT
 CGTGGCCGAGGAGCAGGACTGACACGTGCTACGAGATTTGATTCCACCGCCGCCTTCTATGAAAGGTTGGGCTTCG
 GAATCGTTTTCCGGGACGCCGGCTGGATGATCCTCCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCCACCCCAAC
 TTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTACAAATAAAGCATTTTTTCACT
 GCATTCTAGTTGTGGTTTGTCCAACTCATCAATGTATCTTATCATGTCTGTATACCGTCGACCTCTAGCTAGAGCT
 TGGCGTAATCATGGTCATAGCTGTTTCTGTGTGAAATTGTTATCCGCTCACAAATTCACACAACATACGAGCCGGA
 AGCATAAAGTGTAAGCCTGGGGTGCCTAATGAGTGAGCTAACTCACATTAATTGCGTTGCGCTCACTGCCCGCTTT
 CCAGTCGGGAAACCTGTGCTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGGC
 GCTCTTCCGCTTCTCGCTCACTGACTCGCTGCGCTCGGTCTGCTCGGCTGCGCGAGCGGTATCAGCTCACTCAAAG
 GCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAG
 GAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCT
 CAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTTCCCTTGGAAAGCTCCCTCGTGCGCTCT
 CCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTGCGCTTTTCTCATAGCTC
 ACGCTGTAGGTATCTCAGTTCGGTGTAGGTCTGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTAGCCCG
 ACCGCTGCGCCTTATCCGGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCC
 ACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAACTACGGCTA
 CACTAGAAGAACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAGAGGTTGGTAGCTCTTGAT
 CCGGCAACAAACCACCGCTGGTAGCGGTGGTTTTTTTGTGTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCT
 CAAGAAGATCCTTTGATCTTTTCTACGGGTCTGACGCTCAGTGGAACGAAACTCACGTTAAGGGATTTTGGTCAT
 GAGATTATCAAAAAGGATCTTACCTAGATCCTTTTAAATTAATAAATGAAGTTTTAAATCAATCTAAAGTATATATG
 AGTAACTTGGTCTGACAGTTACCAATGCTTAATCAGTGAGGCACCTATCTCAGCGATCTGTCTATTTTCGTTTCATCC
 ATAGTTGCCTGACTCCCCGTGTGTAGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGAT
 ACCGCGAGACCCACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAGAAGTG
 GTCCTGCAACTTTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGAAGCTAGAGTAAGTAGTTCGCCAGTTAAT
 AGTTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTACGCTCGTCTGTTGGTATGGCTTCATTCAGCTC
 CGGTTCCCAACGATCAAGGCGAGTTACATGATCCCCCATGTTGTGCAAAAAAGCGGTTAGCTCCTTCGGTCTCCGA
 TCGTTGTCAGAAGTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTTTACTGTCATG
 CCATCCGTAAGATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGATGCGGCGACCGAG
 TTGCTCTTGCCCGGCGTCAATACGGGATAATACCGCGCCACATAGCAGAACTTTAAAGTGCTCATCATTGAAAAAC
 GTTCTTTCGGGGCGAAAACCTCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGACCCCAAC
 TGATCTTCAGCATCTTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAAACAGGAAGGCAAAATGCCGCAAAAAAGGG
 AATAAGGGCGACACGGAATGTTGAATACTCATACTCTTCTTTTCAATATTATTGAAGCATTTATCAGGGTTATT
 GTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAATAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAA
 GTGCCACCTGAC

lentiCas9-Blast

Gray EFS promoter sequence
 Yellow Human codon-optimized SpCas9 coding sequence
 Italics FLAG peptide tag
 Red P2A bicistronic linker/self-cleaving peptide
 Blue Blast resistance coding sequence

GTCGACGGATCGGGAGATCTCCCGATCCCCTATGGTGCAGTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAAGC
 CAGTATCTGCTCCCTGCTTGTGTGTTGGAGGTCGCTGAGTAGTGCGCGAGCAAAATTTAAGCTACAACAAGGCAAGG
 CTTGACCGACAATTGCATGAAGAATCTGCTTAGGGTTAGGCGTTTTGCGCTGCTTCGCGATGTACGGGCCAGATATA
 CGCGTTGACATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTTCATAGCCCATATATGGAG
 TTCCGCGTTACATAACTTACGGTAAATGGCCCCGCTGGCTGACCGCCCAACGACCCCCGCCCATTTGACGTCAATAAT
 GACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCATTGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCC
 ACTTGGCAGTACATCAAGTGTATCATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCCGCTGG
 CATTATGCCCAGTACATGACCTTATGGGACTTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCAT
 GGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGACTCACGGGGATTTCCAAGTCTCCACCCCA
 TTGACGTCAATGGGAGTTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAATGTCGTAACAACCTCCGCCCATTTG
 ACGCAAAATGGGCGGTAGGCGGTGACGGTGGGAGGTCTATATAAGCAGCGCGTTTTGCTGTACTGGGTCTCTCTGGT
 TAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGGAACCCACTGCTTAAGCCTCAATAAAGCTTGCCTTGA
 GTGCTTCAAGTAGTGTGTGCCGCTCTGTTGTGTGACTCTGGTAACTAGAGATCCCTCAGACCTTTTAGTCAGTGTG
 GAAAATCTCTAGCAGTGGCGCCCGAACAGGGACTTGAAAGCGAAAGGGAACAGAGGAGCTCTCTCGACGCAGGAC
 TCGGCTTGCTGAAGCGCGCACGGCAAGAGGCGAGGGGCGGCGACTGGTGAGTACGCCAAAAATTTTACTAGCGGAG
 GCTAGAAGGAGAGAGATGGGTGCGAGAGCGTCAGTATTAAGCGGGGGAAGAATTAGATCGCGATGGGAAAAAATTCGG
 TTAAGGCCAGGGGGAAGAAAAAATATAAATTAACATATAGTATGGGCAAGCAGGGAGCTAGAACGATTTCGAGT
 TAATCCTGGCCTGTTAGAAACATCAGAAGGCTGTAGACAAATACTGGGACAGCTACAACCATCCCTTCAGACAGGAT
 CAGAAGAACTTAGATCATTATATAATACAGTAGCAACCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGACACC
 AAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAACAAAAGTAAGACCACCGCACAGCAAGCGGCCGCTGATCTTCA
 GACCTGGAGGAGGAGATATGAGGGACAATTGGAGAAGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCATTA
 GGAGTAGCACCCACCAAGGCAAAGAGAAGAGTGGTGCAGAGAGAAAAAAGAGCAGTGGGAATAGGAGCTTTGTTCTT
 TGGGTTCTTGGGAGCAGCAGGAAGCACTATGGGCGCAGCGTCAATGACGCTGACGGTACAGGCCAGACAATTATTGT
 CTGGTATAGTGCAGCAGCAGAACAAATTTGCTGAGGGCTATTGAGGCGCAACAGCATCTGTTGCAACTCACAGTCTGG
 GGCATCAAGCAGCTCCAGGCAAGAATCCTGGCTGTGGAAAGATACCTAAAGGATCAACAGCTCCTGGGGATTTGGGG
 TTGCTCTGGAAAACCTCATTTGCACCACTGCTGTGCCTTGGAAATGCTAGTTGGAGTAATAAATCTCTGGAACAGATTT
 GGAATCACACGACCTGGATGGAGTGGGACAGAGAAATTAACAATTACACAAGCTTAATACACTCTTAATTGAAGAA
 TCGCAAAACCAAGCAAGAAAAAGAAATGAACAAGAATTATTGGAATTAGATAAATGGGCAAGTTTGTGGAATTGGTTAA
 CATAACAAATTGGCTGTGGTATATAAAATTATTCATAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAATAGTTTTTG
 CTGTACTTTCTATAGTGAATAGAGTTAGGCAGGGATATTCACCATTATCGTTTCAGACCCACCTCCCAACCCGAGG
 GGACCCGACAGGCCCGAAGGAATAGAAGAAGAAGGTGGAGAGAGAGACAGAGACAGATCCATTGATTAGTGAACGG
 ATCGGCACTGCGTGCGCAATTCTGCAGACAAATGGCAGTATTCATCCACAATTTTAAAGAAAAGGGGGATTGGG
 GGGTACAGTGCAGGGGAAAGAATAGTAGACATAATAGCAACAGACATACAACTAAAGAATTACAAAAACAAATTAC
 AAAAATTCAAATTTTTCGGGTTTATTACAGGGACAGCAGAGATCCAGTTTGGTTAATTAAGCTAGCTAGGTCTTGAA
 AGGAGTGGGAATTGGCTCCGGTGCCCGTCAGTGGGACAGCGCACATCGCCACAGTCCCCGAGAAGTTGGGGGGAG
 GGGTCGGCAATTGATCCGGTGCCTAGAGAAGGTGGCGCGGGGTAACTGGGAAAGTGATGTGCTGTACTGGCTCCGC
 CTTTTTCCCGAGGGTGGGGGAGAACCCTATATAAGTGCAGTAGTCGCCGTGAACGTTCTTTTTCGCAACGGGTTTGC
 CGCCAGAACACAGGACCGTTCTAGAGCGCTGCCACCATTGGACAAGAAGTACAGCATCGGCCTGGACATCGGCACCA
 ACTCTGTGGGCTGGGCCGTGATCACCGACGAGTACAAGGTGCCAGCAAGAAATTCAGGTGCTGGGCAACACCGAC
 CGGCACAGCATCAAGAAGAACCTGATCGGAGCCCTGCTGTTTCGACAGCGGCGAAACAGCCGAGGCCACCCGGCTGAA
 GAGAACCAGCCAGAAGAAGATACACCAGACGGAAGAACCAGATCTGCTATCTGCAAGAGATCTTCAGCAACGAGATGG
 CCAAGGTGGACGACAGCTTCTTCCACAGACTGGAAGAGTCTTCTGTTGGTGAAGAGGATAAGAAGCAGGACGGCAC
 CCCATCTTCGGCAACATCTGTGGACGAGGTGGCTTACCACGAGAAGTACCCACCATCTACCACCTGAGAAAGAACT
 GGTGGACAGCACCGACAAGGCCGACCTGCGGCTGATCTATCTGGCCCTGGCCACATGATCAAGTTCCGGGGCCACT
 TCCTGATCGAGGGCGACCTGAACCCCGACAACAGCGACGTGGACAAGCTGTTTCATCCAGCTGGTGCAGACCTACAAC
 CAGCTGTTTCGAGGAAAACCCCATCAACGCCAGCGCGTGGACGCCAAGGCCATCCTGTCTGCCAGACTGAGCAAGAG
 CAGACGGCTGGAAAATCTGATCGCCAGCTGCCCGGCGAGAAGAAGAATGGCCTGTTTCGGAACCTGATTGCCCTGA
 GCCTGGGCTGACCCCCAACTTCAAGAGCAACTTCGACCTGGCCGAGGATGCCAACTGCAGCTGAGCAAGGACACC
 TACGACGACGACCTGGACAACCTGCTGGCCAGATCGGCGACCAAGTACGCCGACCTGTTTCTGGCCGCCAAGAACCT

GTCCGACGCCATCCTGCTGAGCGACATCCTGAGAGTGAACACCGAGATCACCAAGGCCCCCTGAGCGCCTCTATGA
TCAAGAGATACGACGAGCACCACCAGGACCTGACCCTGCTGAAAGCTCTCGTGCGGCAGCAGCTGCCTGAGAAGTAC
AAAGAGATTTTCTTCGACCAGAGCAAGAACGGCTACGCCGGCTACATTGACGGCGGAGCCAGCCAGGAAGAGTTCTA
CAAGTTTCATCAAGCCCATCCTGGAAAAGATGGACGGCACCGAGGAACCTGCTCGTGAAGCTGAACAGAGAGGACCTGC
TGCGGAAGCAGCGGACCTTCGACAACGGCAGCATCCCCACCAGATCCACCTGGGAGAGCTGCACGCCATTCTGCGG
CGGCAGGAAGATTTTACCCATTCTGAAGGACAACCGGGAAGATCGAGAAGATCCTGACCTTCCGCATCCCCCTA
CTACGTGGGCCCTCTGGCCAGGGGAAACAGCAGATTGCGCTGGATGACCAGAAAGAGCGAGGAAACCATCACCCCT
GGAACCTTCGAGGAAGTGGTGGACAAGGGCGCTTCCGCCAGAGCTTCATCGAGCGGATGACCAACTTCGATAAGAAC
CTGCCAACGAGAAGGTGCTGCCAAGCACAGCCTGCTGTACGAGTACTTCACCGTGTATAACGAGCTGACCAAAGT
GAAATACGTGACCGAGGGAATGAGAAAGCCCGCTTCCCTGAGCGGCAGCAGAAAAAGGCCATCGTGGACCTGCTGT
TCAAGACCAACCGGAAAGTGACCGTGAAGCAGCTGAAAGAGGACTACTTCAAGAAAATCGAGTGCTTCGACTCCGTG
GAAATCTCCGGCGTGGAAGATCGGTTCAACGCCTCCCTGGGCACATACCAGATCTGCTGAAAATTATCAAGGACAA
GGACTTCTGGACAATGAGGAAAACGAGGACATTCTGGAAGATATCGTGCTGACCCTGACACTGTTTGAGGACAGAG
AGATGATCGAGGAACGGCTGAAAACCTATGCCACCTGTTTCGACGACAAAGTGATGAAGCAGCTGAAGCGGCGGAGA
TACACCGGCTGGGGCAGGCTGAGCCGGAAGCTGATCAACGGCATCCGGGACAAGCAGTCCGGCAAGACAATCCTGGA
TTTCTGAAAGTCCGACGGCTTCGCCAACAGAACTTCATGCAGCTGATCCACGACGACAGCCTGACCTTTAAGAGG
ACATCCAGAAAGCCAGGTGTCCGGCCAGGGCGATAGCCTGCACGAGCACATTGCCAATCTGGCCGGCAGCCCCGCC
ATTAAGAAGGGCATCCTGCAGACAGTGAAGGTGGTGGACGAGCTCGTGAAGTGATGGGCCGGCACAAGCCCCGAGAA
CATCGTGATCGAAATGGCCAGAGAGAACCAGACCACCCAGAAGGGACAGAAGAACAGCCGCGAGAGAATGAAGCGGA
TCGAAGAGGGCATCAAAGAGCTGGGCAGCCAGATCCTGAAAGAACACCCCGTGGAAGAACACCCAGCTGCAGAACGAG
AAGCTGTACCTGTACTACCTGCAGAATGGGCGGGATATGTACGTGGACCAGGAACCTGGACATCAACCGGCTGTCCGA
CTACGATGTGGACCATATCGTGCTCAGAGCTTTCTGAAGGACGACTCCATCGACAACAAGGTGCTGACCAGAAGCG
ACAAGAACCAGGGGCAAGAGCGACAACGTGCCCTCCGAAGAGGTCTGTAAGAAGATGAAGAACTACTGGCGGCAGCTG
CTGAACGCCAAGCTGATTACCCAGAGAAAGTTCGACAATCTGACCAAGGCCGAGAGAGGGCGGCTGAGCGAACTGGA
TAAGGCCGGCTTCATCAAGAGACAGCTGGTGGAAACCCGGCAGATCACAAAGCACGTGGCACAGATCCTGGACTCCC
GGATGAACACTAAGTACGACGAGAATGACAAGCTGATCCGGGAAGTGAAAGTGATCACCTGAAGTCCAAGCTGGTG
TCCGATTTCGGAAGGATTTCCAGTTTTACAAAGTGCAGGATCAACAACCTACCACCAGCCACGACGCTACCT
GAACGCCGTCTGGGAACCGCCTGATCAAAAAGTACCCTAAGCTGGAAGCGAGTTCTGTACGGCGACTACAAGG
TGTACGACGTGCGGAAGATGATCGCCAAGAGCGAGCAGGAAATCGGCAAGGCTACCGCCAAGTACTTCTTCTACAGC
AACATCATGAACTTTTTCAAGACCGAGATTACCCTGGCCAACGGCGAGATCCGGAAGCGGCCTCTGATCGAGACAAA
CGGCGAAACCGGGGAGATCGTGTGGGATAAGGGCCGGGATTTTGCCACCGTGCGGAAAGTGCTGAGCATGCCCAAG
TGAATATCGTGAAAAAGACCGAGGTGCAGACAGGCGGCTTCAGCAAAGAGTCTATCCTGCCCAAGAGGAACAGCGAT
AAGCTGATCGCCAGAAAGAAGGACTGGGACCCTAAGAAGTACGGCGGCTTCGACAGCCCCACCGTGGCCTATTCTGT
GCTGGTGGTGGCCAAAGTGGAAGGGCAAGTCCAAGAACTGAAGAGTGTAAGAGAGCTGCTGGGGATCACCATCA
TGGAAAGAAGCAGCTTCGAGAAGAATCCCATCGACTTTCTGGAAGCCAAGGGCTACAAAGAAGTGAAAAAGGACCTG
ATCATCAAGCTGCCTAAGTACTCCCTGTTTCGAGCTGGAAAACGGCCGGAAGAGAATGCTGGCCTCTGCCGGCGAACT
GCAGAAGGGAAACGAACCTGGCCCTGCCCTCCAAATATGTGAACCTTCTGTACCTGGCCAGCCACTATGAGAAGCTGA
AGGGCTCCCCCGAGGATAATGAGCAGAAACAGCTGTTTGTGGAACAGCACAAGCACTACCTGGACGAGATCATCGAG
CAGATCAGCGAGTTCTCCAAGAGAGTGATCCTGGCCGACGCTAATCTGGACAAAGTGCTGTCCGCCTACAACAAGCA
CCGGGATAAGCCCATCAGAGAGCAGGCCGAGAATATCATCCACCTGTTTACCCTGACCAATCTGGGAGCCCCCTGCCG
CCTTCAAGTACTTTGACACCACCATCGACCGGAAGAGGTACACCAGCACCAAGAGGTGCTGGACGCCACCTGATC
CACCAGAGCATACCCGGCCTGTACGAGACACGGATCGACCTGTCTCAGCTGGGAGGCGACAAGCGACCTGCCGCCAC
AAAGAAGGCTGGACAGGCTAAGAAGAAGAAAATTACAAAGACGATGACGATAAGGGATCCGGCGCAACAACTTCT
CTCTGCTGAAACAAGCCGGAGATGTGGAAGAGAATCCTGGACCGATGGCCAAGCCTTTGTCTCAAGAAGAATCCACC
CTCATTGAAAGAGCAACGGCTACAATCAACAGCATCCCCATCTCTGAAGACTACAGCGTCGCCAGCGCAGCTCTCTC
TAGCGACGGCCGCATCTTCACTGGTGTCAATGTATATCATTTTTACTGGGGACCTTGTGCAGAACTCGTGGTGTG
GCACTGCTGCTGCTGCGGCAGCTGGCAACCTGACTTGTATCGTCGCGATCGGAAATGAGAACAGGGGCATCTTGAGC
CCCTGCGGACGGTGCCGACAGGTGCTTCTCGATCTGCATCCTGGGATCAAAGCCATAGTGAAGGACAGTGATGGACA
GCCGACGGCAGTTGGGATTCTGTAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTAAGAATTGATATCAAGCTTA
TCGATAATCAACCTCTGGATTACAAAATTTGTGAAGATTGACTGGTATTCTTAACATATGTTGCTCCTTTTACGCTA
TGTGGATACGCTGCTTTAATGCCTTTGTATCATGCTATTGCTTCCCGTATGGCTTTTCAATTTCTCCTCCTTGTATAA
ATCCTGGTTGCTGTCTCTTTATGAGGAGTTGTGGCCCGTTGTACGGCAACGTGGCGTGGTGTGCACTGTGTTTGCTG
ACGCAACCCCCACTGGTTGGGGCATTGCCACCACCTGTCAGCTCCTTTCCGGGACTTTCGCTTTCCCCCTCCCTATT
GCCACGGCGGAACCTCATCGCCGCTGCTTGGCCGCTGCTGGACAGGGGCTCGGCTGTTGGGCACTGACAATTCCGT
GGTGTGTGCGGGGAAATCATCGTCCTTTCTTGGCTGCTCGCCTGTGTTGCCACCTGGATTCTGCGCGGGACGTCT
TCTGCTACGTCCCTTCGGCCCTCAATCCAGCGGACCTTCTTCCCGCGGCTGCTGCCGGCTCTGCGGCCTCTTCCG
CGTCTTCGCCTTCGCCCTCAGACGAGTCGGATCTCCCTTTGGGCCGCTCCCCGCATCGATACCGTCGACCTCGAGA

CCTAGAAAAACATGGAGCAATCACAAGTAGCAATACAGCAGCTACCAATGCTGATTGTGCCTGGCTAGAAGCACAAAG
AGGAGGAGGAGGTGGGTTTTCCAGTCACACCTCAGGTACCTTTAAGACCAATGACTTACAAGGCAGCTGTAGATCTT
AGCCACTTTTTAAAAGAAAAGGGGGGACTGGAAGGGCTAATTCACCTCCAACGAAGACAAGATATCCTTGATCTGTG
GATCTACCACACACAAGGCTACTTCCCTGATTGGCAGAACTACACACCAGGGCCAGGGATCAGATATCCACTGACCT
TTGGATGGTGTCTACAAGCTAGTACCAGTTGAGCAAGAGAAGGTAGAAGAAGCCAATGAAGGAGAGAACACCCGCTTG
TTACACCCTGTGAGCCTGCATGGGATGGATGACCCGGAGAGAGAAGTATTAGAGTGGAGGTTTGACAGCCGCCTAGC
ATTTTCATCACATGGCCCGAGAGCTGCATCCGGACTGTACTGGGTCTCTCTGGTTAGACCAGATCTGAGCCTGGGAGC
TCTCTGGCTAACTAGGGAACCCACTGCTTAAGCCTCAATAAAGCTTGCCTTGAGTGCTTCAAGTAGTGTGTGCCCGT
CTGTTGTGTGACTCTGGTAACCTAGAGATCCCTCAGACCCCTTTTAGTCAGTGTGAAAATCTCTAGCAGGGCCCCGTTT
AAACCCGCTGATCAGCCTCGACTGTGCCTTCTAATAAATGAGGAAATTGCATCGATTGTCTGAGTAGGTGTCA
ACCTTGAAGGTGCCACTCCACTGTCTTTTCTAATAAATGAGGAAATTGCATCGATTGTCTGAGTAGGTGTCA
TTCTATTCTGGGGGGTGGGGTGGGGCAGGACAGCAAGGGGGAGGATTGGGAAGACAATAGCAGGCATGCTGGGGATG
CGGTGGGCTCTATGGCTTCTGAGGCGGAAAGAACCAGCTGGGGCTCTAGGGGGTATCCCCACGCGCCCTGTAGCGGC
GCATTAAGCGCGGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTT
CGCTTTCTTCCCTTCTTTCTCGCCACGTTCCGGCTTTCCCGCTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT
TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCC
TGATAGACGGTTTTTCCGCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAACTGGAACAAC
ACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTGGCCTATTGGTTAAAAAATGAGC
TGATTTAACAATAATTTAACGCGAATTAATTTCTGTGGAATGTGTGTGCTAGTTAGGGTGTGGAAAGTCCCCAGGCTCCC
CAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCCCAGCA
GGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCCGCCCTAACTCCGCCCATCCCCGCCCT
AACTCCGCCCAGTTCCGCCCATTTCTCCGCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCT
CTGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGAAAAAGCTCCCGGGAGCT
TGTATATCCATTTTCGGATCTGATCAGCACGTGTTGACAATTAATCATCGGCATAGTATATCGGCATAGTATAATAC
GACAAGGTGAGGAATAAACCATGGCCAAGTTGACAGTGCCGTTCCGGTGCTCACCAGCGCGGACGTCCCGGGAGC
GGTCGAGTTCTGGACCGACCGGCTCGGGTTCTCCCGGACTTCGTGGAGGACGACTTCGCGGTGTGGTCCGGGACG
ACGTGACCTGTTTCATCAGCGCGGTCCAGGACAGGTGGTGCCGGAACAACCCCTGGCCTGGGTGTGGGTGCGCGGC
CTGGACGAGCTGTACGCCGAGTGGTGGAGGTGCTGTCCACGAACCTCCGGGACGCCTCCGGGCCGGCCATGACCGA
GATCGGCGAGCAGCGTGCGGGGCGGGAGTTCCGCTGCGGACCCGCGGCAACTGCGTGCACTTCGTGGCCGAGG
AGCAGGACTGACACGTGCTACGAGATTTGATTCCACCGCGGCTTCTATGAAAGGTTGGGCTTCGGAATCGTTTTT
CGGGACGCGGCTGGATGATCTCCAGCGCGGGGATCTCATGCTGGAGTTCTTCGCCACCCCAACTTGTTTTATTGC
AGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTACAAATAAAGCATTTTTTTTACTGCATTCTAGTT
GTGGTTTGTTCAAACTCATCAATGTATCTTATCATGTCTGTATACCGTCGACCTCTAGCTAGAGCTTGGCGTAATCA
TGGTCATAGCTGTTTCTGTGTGAAATTGTTATCCGCTCACAATTCACACAACATACGAGCCGGAAGCATAAAGTG
TAAAGCCTGGGGTGCTAATGAGTGAGCTAACTCACATTAATTGCGTTGCGCTCACTGCCCGCTTTCCAGTCGGGAA
ACCTGTCTGTGCCAGCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCATATTGGGCGCTCTTCCGCT
TCCTCGCTCACTGACTCGCTGCGCTCGGTGCTTCCGCTGCGGCGAGCGGTATCAGCTCACTCAAAGGCGGTAATACG
GTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAA
AGGCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAGAGG
TGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCTGTTCCGAC
CCTGCCGCTTACCGGATACCTGTCCGCTTTCTCCCTTCGGGAAGCGTGCGCTTTCTCATAGCTCAGCTGTAGGT
ATCTCAGTTCGGTGTAGGTGCTTCCGCTCAAGCTGGGCTGTGTGCACGAACCCCGTTTCAGCCGACCGCTGCGCC
TTATCCGGTAACATATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCCATGGTAACAG
GATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGAA
CAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGAAAAAGAGTTGGTAGCTCTTGATCCGGCAACAA
ACCACCGCTGGTAGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATCTCAAGAAGATCC
TTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTTTGGTCATGAGATTATCAA
AAAGGATCTTCACCTAGATCCTTTTAAATTAATAAATGAAGTTTTAAATCAATCTAAAGTATATATGAGTAAACTTGG
TCTGACAGTTACCAATGCTTAATCAGTGAGGCACCTATCTCAGCGATCTGTCTATTTTCTTTCATCCATAGTTGCCTG
ACTCCCCGTCGTGTAGATAACTACGATACGGGAGGGCTTACCATCTGGCCCCAGTGCTGCAATGATACCGCGAGACC
CACGCTCACCGGCTCCAGATTTATCAGCAATAAACCAGCCAGCCGGAAGGGCCGAGCGCAGAAGTGGTCTGCAACT
TTATCCGCCTCCATCCAGTCTATTAATTGTTGCCGGGAAGCTAGAGTAAGTAGTTCCGCAGTTAATAGTTTGCGCAA
CGTTGTTGCCATTGCTACAGGCATCGTGGTGTACGCTCGTCTGTTTGGTATGGCTTCATTTCAGCTCCGTTTCCCAAC
GATCAAGGCGAGTTACATGATCCCCCATGTTGTGCAAAAAAGCGTTAGCTCCTTCGGTCTCCGATCGTTGTGAGA
AGTAAGTTGGCCGAGTGTTATCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCTATGCCATCCGTAAG
ATGCTTTTCTGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGTATGCGGCGACCGAGTTGCTCTTGCC
CGCGTCAATACGGGATAATACCGCGCCACATAGCAGAACTTTAAAGTGCTCATCATTGAAAAACGTTCTTCGGGG

CGAAAACTCTCAAGGATCTTACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAAGTATCTTCAGC
ATCTTTTACTTTTACCAGCGTTTCTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGGGAATAAGGGCGA
CACGGAAATGTTGAATACTCATACTCTTCCTTTTTCAATATTATTGAAGCATTATCAGGGTTATTGTCTCATGAGC
GGATACATATTTGAATGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGA
C

lentiGuide-Puro

Pink BsmBI TypeIIs sites for cloning in 20bp sgRNA guide sequence after removing 1.8kb spacer sequence
Green +85 chrRNA sequence for sgRNA
Gray EF1a promoter sequence
Blue Puromycin resistance coding sequence

CCCGGGTGCAAAGATGGATAAAGTTTTAAACAGAGAGGAATCTTTGCAGCTAATGGACCTTCTAGGTCTTGAAAGGA
GTGGGAATTGGCTCCGGTGCCCGTCAGTGGGCAGAGCGCACATCGCCACAGTCCCCGAGAAGTTGGGGGAGGGGT
CGGCAATTGATCCGGTGCCCTAGAGAAGGTGGCGCGGGGTAAACTGGGAAAGTGATGTCGTGTACTGGCTCCGCCTTT
TTCCCGAGGGTGGGGGAGAACCGTATATAAGTGCAGTAGTCGCCGTGAACGTTCTTTTTCGCAACGGGTTTGCCGCC
AGAACACAGGTAAGTGCCGTGTGTGGTTCGCCGCGGGCCTGGCCTCTTTACGGGTTATGGCCCTTGCGTGCCTTGAAT
TACTTCCACTGGCTGCAGTACGTGATTCTTGATCCCGAGCTTCGGGTTGGAAGTGGTGGGAGAGTTCGAGGCCTTG
CGCTTAAGGAGCCCCCTTCGCCTCGTGCTTTCGATAAGTCTCTAGCCATTTAAAATTTTTGATGACCTGCTGCGACGCTT
GGCACCTTCGCGCCTGTCTCGCTGCTTTTCGATAAGTCTCTAGCCATTTAAAATTTTTGATGACCTGCTGCGACGCTT
TTTTTCTGGCAAGATAGTCTTGTAATGCGGGCCAAGATCTGCACACTGGTATTTTCGGTTTTTGGGGCCGCGGGCGG
CGACGGGGCCCGTGCGTCCCAGCGCACATGTTTCGGCGAGGCGGGCCTGCGAGCGCGGCCACCGAGAATCGGACGGG
GGTAGTCTCAAGCTGGCCGGCCTGCTCTGGTGCCTGGCCTCGCGCCGCGCTGTATCGCCCCGCCCTGGGCGGCAAGG
CTGGCCCGGTGCGCACCAAGTTCGCTGAGCGGAAAGATGGCCGCTTCCCGGCCCTGCTGCAGGGAGCTCAAAATGGAG
GACGCGGCGCTCGGGAGAGCGGGCGGGTGAGTACCCACACAAAGGAAAAGGGCCTTTCCGTCTCAGCCGTGCTT
CATGTGACTCCACGGAGTACCGGGCGCGTCCAGGCACCTCGATTAGTTCTCGAGCTTTTGGAGTACGTGCTCTTTA
GGTTGGGGGAGGGGTTTTATGCGATGGAGTTTCCACACTGAGTGGGTGGAGACTGAAGTTAGGCCAGCTTGGA
CTTGATGTAATTCTCCTTGAATTTGCCCTTTTTGAGTTTGGATCTTGTTTATTCTCAAGCCTCAGACAGTGGTTC
AAAGTTTTTTCTTCCATTTTCAGGTGTCGTGACGTACGGCCACCATGACCGAGTACAAGCCCCACGGTGCCTCGCC
ACCCGCGACGACGTCCCCAGGGCCGTACGCACCTTCGCCGCGCGTTCGCCGACTACCCCGCCACGCGCCACACCGT
CGATCCGGACCGCCACATCGAGCGGGTCACCGAGCTGCAAGAAGTCTTCTCAGCGCGCTCGGGCTCGACATCGGCA
AGGTGTGGGTGCGGACGACGGCGCGCGCTGGCGGTCTGGACCACGCCGAGAGCGTCAAGCGGGGGCGGTGTTT
GCCGAGATCGGCCCGCGCATGGCCGAGTTGAGCGGTTCCCGGCTGGCCGCGCAGCAACAGATGGAAGGCCTCCTGGC
GCCGACCGGGCCCAAGGAGCCCGCGTGGTTCCTGGCCACCGTCGGAGTCTCGCCGACCACAGGGCAAGGGTCTGG
GCAGCCCGCTGCTGCTCCCGGAGTGGAGCGGGCGAGCGCGGGGTGCCGCTTCTTGAGACCTCCGCGCCC
CGAACCTCCCCTTCTACGAGCGGCTCGGCTTCACCGTACCGCCGACGTGAGGTGCCGGAAGGACCGCGCACCTG
GTGCATGACCCGCAAGCCCGGTGCCTGAACGCGTTAAGTCGACAATCAACCTCTGGATTACAAAATTTGTGAAAGAT
TGACTGGTATTCTTAAGTATGTTGCTCCTTTACGCTATGTGGATACGCTGCTTTAATGCCTTTGTATCATGCTATT
GCTTCCCGTATGGCTTTTATTTTCTCCTCCTTGATAAATCCTGGTTGCTGTCTCTTTATGAGGAGTTGTGGCCGT
TGTCAGGCAACGTGGCGTGGTGTGACTGTGTTTGTGACGCAACCCCCACTGGTTGGGGCATTGCCACCACCTGTC
AGCTCCTTTCCGGGACTTTTCGCTTTCCCCCTCCTATTGCCACGGCGGAATCATCGCCGCTGCTTGGCCGCTGC
TGGACAGGGGCTCGGCTGTTGGGCACTGACAATTCGTTGGTGTGTCGGGGAAATCATGTCCTTTCTTTGGCTGCT
CGCTGTGTTGCCACCTGGATTCTGCGCGGGACGTCTTCTGCTACGTCCCTTCGGCCCTCAATCCAGCGGACCTTC
CTTCCCGCGGCTGCTGCCGGCTCTGCGGCCTCTCCGCGTCTTCGCTTCGCCCTCAGACGAGTCGGATCTCCCTT
TGGGCGGCTCCCGCGCTCGACTTTAAGACCAATGACTTACAAGGCAGCTGTAGATCTTAGCCACTTTTTAAAGAA
AAGGGGGGACTGGAAGGGCTAATTCACCTCCCAACGAAGACAAGATCTGCTTTTTGCTTGTACTGGGTCTCTTGTT
AGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAACTAGGGAACCCACTGCTTAAGCCTCAATAAAGCTTGCTTGAG
TGCTTCAAGTAGTGTGTGCGGCTGTGTTGTGTGACTCTGGTAACTAGAGATCCCTCAGACCCTTTTAGTCAGTGTGG
AAAATCTCTAGCAGTACGTATAGTAGTTCATGTATCTTATTATTCAGTATTTATAACTTGCAAAGAAATGAATATC
AGAGAGTGAGAGGAAGTGTGTTATGTCAGCTTATAATGTTTACAAATAAAGCAATAGCATCACAAATTTACAAATA
AAGATTTTTTTCACTGCATTCATGTTGTTGTTTTCACAACTCATCAATGTATCTTATCATGTCTGGCTCTAGCTA
TCCGCCCCCTAATCCGCCCCATCCGCCCCCTAATCCGCCCCAGTTCGCCCCATTCTCCGCCCCATGGCTGACTAATT
TTTTTTATTTATGACAGAGGCCGAGGCCGCTCGGCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGG
CCTAGGGACGTACCCAATTCGCCCTATAGTGAGTCGTATTACGCGCGCTCACTGGCCGTCGTTTTACAACGTCGTGA
CTGGGAAAACCTGGCGTTACCCAACCTAATCGCCTTGACGACATCCCCCTTTCCGAGCTGGCGTAATAGCGAAG
AGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGCCCTGTAGCGGCGCATTA
AGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTTGGCAGCGCCCTAGCGCCGCTCCTTTTCGCTTT
CTTCCCTTCTTTCTCGCCACGTTTCGCCGGCTTTCCCGCTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGAT
TTAGTGCTTTACGGCACCTCGACCCCAAAAAAATTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCCTGATAG
ACGGTTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAA
CCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATTTTGCCGATTTGGGCTATTGGTTAAAAAATGAGCTGATTT

AACAAAAATTTAACGCGAATTTTAAACAAAATATTAACGCTTACAATTTAGGTGGCACTTTTCGGGGAAATGTGCGCG
GAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTT
CAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTGCGCCTTATTCCCTTTTTTTCGGGCATTTTG
CCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGT
ACATCGAAGTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACT
TTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTGCGCGCATACACTA
TTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTAT
GCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTA
ACCGCTTTTTTGCACAACATGGGGGATCATGTAACCTGCCTTGATCGTTGGGAACCGGAGCTGAATGAAGCCATACC
AAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTTGCGCAAACTATTAACCTGGCGAACTCTTA
CTCTAGCTTCCCGGCAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGACAGGACCCTTCTGCGCTCGGCCCTT
CCGGCTGGCTGGTTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCC
AGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACGAAATAGACAGA
TCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACCTGTGACACCAAGTTTACTCATATATACTTTAGATTGAT
TTAAACTTCATTTTTAATTTAAAGGATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACG
TGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTCTGCGCG
TAATCTGCTGCTTGCAACAAAAAAACCACCGCTACCAGCGGTGGTTTTGTTTCCCGGATCAAGAGCTACCAACTCTT
TTTCCGAAGGTAAGTGGCTTCAGCAGAGCGCAGATACCAAAATCTGTTCTTCTAGTGTAGCCGTAGTTAGGCCACCA
CTTCAAGAAGTCTGTAGCACCGCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATA
AGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTGGGCTGAACGGGGGGTTTCG
TGCACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCCAC
GCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTC
CAGGGGGAAACGCCTGGTATCTTTATAGTCCTGTGCGGTTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGC
TCGTGAGGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGCGGCCCTTTTTACGGTTCCTGGCCTTTTGTGCGCTTT
TGCTCACATGTTCTTTCTGCGTTATCCCTGATTCTGTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCG
CTCGCCGACGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGCAAAACCGCT
CTCCCCGCGCGTTGGCCGATTCTTAATGACGCTGGCAGACAGGTTTCCGACTGGAAGAGCGGGGAGCTGAGCGCAA
CGCAATTAATGTGAGTTAGCTCACTCATTAGGCACCCAGGCTTTACACTTTATGCTTCCGGCTCGTATGTTGTGTG
GAATTGTGAGCGGATAACAATTTACACAGGAAACAGCTATGACCATGATTACGCCAAGCGCGCAATTAACCCCTCAC
TAAAGGGAACAAAAGCTGGAGCTGCAAGCTTAATGTAGTCTTATGCAATACTCTTGAGTCTTGCAACATGGTAACG
ATGAGTTAGCAACATGCCTTACAAGGAGAGAAAAAGCACCGTGATGCCGATTGGTGGAAGTAAGGTGGTACGATCG
TGCCTTATTAGGAAGGCAACAGACGGGTCTGACATGGATTGGACGAACCACTGAATTGCCGCATTGCAGAGATATTG
TATTTAAGTGCCTAGCTCGATACATAAACGGGTCTCTCTGGTTAGACCAGATCTGAGCCTGGGAGCTCTCTGGCTAA
CTAGGGAACCCACTGCTTAAGCCTCAATAAAGCTTGCTTGAGTGCTTCAAGTAGTGTGTGCCCGTCTGTTGTGTGA
CTCTGGTAAGTATAGATCCCTCAGACCTTTTTAGTCAGTGTGGAATCTCTAGCAGTGGCGCCGAACAGGGAGCTT
GAAAGCGAAAGGGAAACCAGAGGAGCTCTCTGACGCGAGGACTCGGCTTGCTGAAGCGCGCACGGCAAGAGGCGAGG
GGCGGCGACTGGTGAGTACGCCAAAAATTTGACTAGCGGAGGCTAGAAGGAGAGAGATGGGTGCGAGAGCGTCAGT
ATTAAGCGGGGGAGAATTAGATCGCGATGGGAAAAAATTCGGTTAAGGCCAGGGGGAAAGAAAAAATATAAATTTAA
ACATATAGTATGGGCAAGCAGGGAGCTAGAACGATTGCGAGTTAATCCTGGCCTGTTAGAAACATCAGAAGGCTGTA
GACAAATACTGGGACAGCTACAACCATCCCTTCAGACAGGATCAGAAGAACTTAGATCATTATATAATACAGTAGCA
ACCTCTATTGTGTGCATCAAAGGATAGAGATAAAAGACACCAAGGAAGCTTTAGACAAGATAGAGGAAGAGCAAAA
CAAAAGTAAGACCACCGCACAGCAAGCGGCCGTGATCTTCAGACCTGGAGGAGGATATGAGGGACAATTGGAGA
AGTGAATTATATAAATATAAAGTAGTAAAAATTGAACCATTAGGAGTAGCACCCACCAAGGCAAGAGAAGAGTGGT
GCAGAGAGAAAAAGAGCAGTGGGAATAGGAGCTTTGTTCTTGGGTTCTTGGGAGCAGCAGGAAGCACTATGGGCG
CAGCGTCAATGACGCTGACGGTACAGGCCAGACAATTATTGTCTGGTATAGTGCAGCAGCAGACAATTGCTGAGG
GCTATTGAGGCGCAACAGCATCTGTTGCAACTCACAGTCTGGGGCATCAAGCAGCTCCAGGCAAGAATCCTGGCTGT
GGAAAGATACCTAAAGGATCAACAGCTCCTGGGGATTTGGGGTTGCTCTGGAAAACCTATTTGCACCACTGCTGTGC
CTTGGAATGCTAGTTGGAGTAATAAATCTCTGGAACAGATTTGGAATCACACGACCTGGATGGAGTGGGACAGAGAA
ATTAACAATTACACAAGCTTAATACACTCCTTAATTGAAGAATCGCAAAACCAGCAAGAAAAGAATGAACAAGAATT
ATTGGAATTAGATAAATGGGCAAGTTTGTGGAATTGGTTTAAACATAACAAATTGGCTGTGGTATATAAAATTATTCA
TAATGATAGTAGGAGGCTTGGTAGGTTTAAAGAATAGTTTTGCTGTACTTTCTATAGTGAATAGAGTTAGGCAGGGA
TATTCACCATATCGTTTTAGACCCACCTCCCAACCCCGAGGGGACCCAGAGAGGGCCTATTTCCCATGATTCCTTC
ATATTTGCATATACGATACAAGGCTGTTAGAGAGATAATTAGAATTAATTTGACTGTAAACACAAAGATATTAGTAC
AAAATACGTGACGTAGAAAGTAATAATTTCTTGGGTAGTTTGCAGTTTTAAATTTATGTTTTAAATGGACTATCAT
ATGCTTACCGTAACTTGAAAGTATTTGATTTCTTGGCTTTATATATCTTGTGGAAAGGACGAAACACCGGAGACCG
TTGTAAATGAGCACACAAAATACACATGCTAAAATATTATATTCTATGACCTTTATAAAATCAACCAAAATCTTCTT
TTTAATAACTTTAGTATCAATAATTAGAATTTTTATGTTCTTTTTGCAAACCTTTTAATAAAAATGAGCAAAATAAA

AAAACGCTAGTTTTAGTAACTCGCGTTGTTTTCTTCACCTTTAATAATAGCTACTCCACCACTTGTTCCCTAAGCGGT
 CAGCTCCTGCTTCAATCATTTTTGAGCATCTTCAAATGTTCTAACTCCACCAGCTGCTTTAACTAAAGCATTGTCT
 TTAACAACCTGACTTCATTAGTTTAAACATCTTCAAATGTTGCACCTGATTTTGAATCCTGTTGATGTTTTAACAAA
 TTCTAATCCAGCTTCAACAGCTATTTCAACAGCTTTTCATGATTTCTTCTTTTGTAAATAAACAAATTTTCCATAATAC
 ATTTAACAAACATGTGATCCAGCTGCTTTTTTACAGCTTTTCATGTCTTCTAAACTAATTCATAATTTTTGTCTTTT
 AATGCACCAATATTTAATACCATATCAATTTCTGTTGCACCATCTTTAATTGCTTCAGAACTTCGAATGCTTTTGT
 AGCTGTTGTGCATGCACCTAGAGGAAAACCTACAACATTTGTTATTCCTACATTTGTGCCTTTTAAATTCCTTTAC
 AATAGCTTGTTCAATATGAATTAACACAACTGTTGCAAAATCAAATTCATTGCTTCATCACATAATTGTTTAATT
 TCAGCTTTTCGTAGCATCTTGTGTTTAAATAATGTGTGATCTATATATTTGTTTAGTTTCATTTTTTCTCTATATATTC
 ATTTTTAATTTTAAATCTTTAATAATTTTCGTCTACTTTAACTTTAGCGTTTTGAACAGATTCACCAACACCTATAAA
 ATAAATTTTTAGTTTAGTTTCAGTTCCACTTGGGCGAACAGCAAATCATGACTTATCTTCTAAATAAAATTTTAGTA
 AGTCTTGCTCTGGCATATTATACATTCCATCGATGTAGTCTTCAACATTAACAACCTTTAAGTCCAGCAATTTGAGTT
 AAGGGTGTTGCTCTCAATGATTTTCATTAATGGTTCAATTTTTAATTTCTTTTCTTCTGTTTTAAATTCAGTTTAA
 AGTGAAAGTGTAATATGCACCCATTTCTTTAAATAAATCTTCTAAATAGTCTACTAATGTTTTATTTTGTTTTTAT
 AAAATCAAGCAGCCTCTGCTATTAATATAGAAGCTTGATTCCATCTTTATCTCTAGCTGAGTCATCAATTACATAT
 CCATAACTTTCTTCATAAGCAAAAACAAATTTAATCCGTTATCTTCTTTTAGCAATTTCTCTACCCATTCATTT
 AAATCCAGTTAAAGTTTTTACAATATTAACCTCATATTTTTTCATGAGCGATTCTATCACCCAAATCACTTGTTACAA
 AACTTGAATATAGAGCCGGATTTTTTGAATGCTATTTAAGCGTTTTAGATTTGATAATTTTCAATCAATTTAAATTT
 GGTCTGTTTGATTTCCATCTAATCTTACAAAATGACCATCATGTTTTATTGCCATTCCAAATCTGTCAGCATCTGG
 GTCATTCAATAATAATATCTGCATCATGTTTAAATACCATATTCAGCGGTATTTTTTCATGCAGGATCAAATTCCTG
 GATTTGGATTTACAACATTTTTTAAATGTTTCATCTTCAAATGCATGCTCTTCAACCTCAATAACGTTATATCCTGAT
 TCACGTAATATTTTTGGGGTAAATTTAGTTCTGTTCCATTAAGTGCCTAAAAATAATTTTTTAAATCTTTTTTAGC
 TTCTTGCTCTTTTTTGTACGCTCTGTTTTAGAGCTAGAAATAGCAAGTTAAATAAGGCTAGTCCGTTATCAACTT
 GAAAAAGTGGCACCGAGTCGGTGCCTTTTTAAGCTTGGCGTAACTAGATCTTGAGACAAATGGCAGTATTCATCCAC
 AATTTTAAAGAAAAGGGGGGATTGGGGGTACAGTGCAGGGGAAAGAATAGTAGACATAATAGCAACAGACATACA
 AACTAAAGAATTACAAAAACAAATTACAAAAATTCAAAATTTTCGGGTTTATTACAGGGACAGCAGAGATCCACTTT
 GGCGCCGGCTCGAGGGGG

References

1. Shalem, O. *et al.* Genome-scale CRISPR-Cas9 knockout screening in human cells. *Science* **343**, 84–87 (2014).
2. Trapnell, C., Pachter, L. & Salzberg, S. L. TopHat: discovering splice junctions with RNA-Seq. *Bioinformatics* **25**, 1105–1111 (2009).
3. Trapnell, C. *et al.* Differential gene and transcript expression analysis of RNA-seq experiments with TopHat and Cufflinks. *Nat Protoc* **7**, 562–578 (2012).
4. Merkin, J., Russell, C., Chen, P. & Burge, C. B. Evolutionary dynamics of gene and isoform regulation in Mammalian tissues. *Science* **338**, 1593–1599 (2012).
5. Langmead, B., Trapnell, C., Pop, M. & Salzberg, S. L. Ultrafast and memory-efficient alignment of short DNA sequences to the human genome. *Genome Biol.* **10**, R25 (2009).
6. Hsu, P. D. *et al.* DNA targeting specificity of RNA-guided Cas9 nucleases. *Nat Biotechnol* **31**, 827–832 (2013).
7. Kozomara, A. & Griffiths-Jones, S. miRBase: annotating high confidence microRNAs using deep sequencing data. *Nucleic Acids Res* **42**, D68–73 (2014).
8. Martin, M. Cutadapt removes adapter sequences from high-throughput sequencing reads. *EMBnet.journal* **17**, 10–12 (2011).