A Whale With A History:
Sighting Twain The Humpback Over Three Decades

James P. Crutchfield[1, *] and Alexandra M. Jurgens[1, †]

[1] *Complexity Sciences Center, Physics and Astronomy Department*
University of California at Davis, Davis, California 95616

(Dated: December 3, 2022)

Extended acoustic interactions with a humpback whale (*Megaptera novaeangliae*) were captured via playbacks of the purported "throp" social call and hydrophone recordings of the animal's vocalized responses during August 2021 in Frederick Sound, Southeast Alaska. Fluke photographs identified the animal as a female named Twain (HappyWhale.com identity SEAK-0401) first observed some 38 years ago. We document Twain's life history via sightings made over almost four decades. The observational history gives illuminating snapshots of the long history of the individual behind the acoustic interactions.

Keywords: Megaptera novaeangliae, humpback whale, nonhuman communication, interspecies communication, animal vocalization, mirror study, ocean acoustics

I. INTRODUCTION

Recently in Southeast Alaska, a scientific team encountered a humpback whale (*Megaptera novaeangliae*) and engaged the animal in a half-hour long exchange of acoustic calls and responses. Apparently, the animal was motivated to communicate. This, in turn, led to an interest in this particular animal—later identified as a female named Twain (HappyWhale.com identity SEAK-0401) first seen in 1984, over a third of a century ago. Reference [1] reports on details of the encounter, her identification, and quantitative analyses of the hydrophone recordings of the extended encounter.

The following complements that report by recounting Twain's life history via visual observations made over 38 years, presenting as much as is known (and allowed for public distribution). Though episodic, the observations made in Hawaii and Southeast Alaska illuminate the long history of the animal that engaged in the acoustic interactions. Though decidedly incomplete, the almost four decades of documented observations very likely covers the majority of Twain's life, giving an indirect view into her individuality.

Figures 1 and 2 show Twain's migration paths between sightings, illustrating the long ($\approx$ 3000 mile) seasonal (Summer-to-Winter and Winter-to-Summer) trajectories typical of her humpback cohort. Figure 2a shows the same but for sightings around west Maui, Hawaii—the cohort's winter breeding grounds. And, Figure 2b shows the paths in and around Southeast Alaska, largely centered on Frederick Sound—the cohort's summer feeding grounds.

Table II lists the nearly two dozen documented sightings of Twain. Data there include dates, times, locations,

and observers. Figures 3 and 4 present a photographic gallery of her flukes—images cataloged and used to identify her over the years. The first set contains historical fluke photos, while the second set documents recent encounters including that of the acoustic interactions, in the last two years.

FIG. 1: Twain migrations across the north Pacific, seasonally transiting between southeast Alaska (Fig. 2b) and Maui, Hawaii (Fig. 2a). OpenStreetMap CC BY-SA 2.0.

* chaos@ucdavis.edu
† amjurgens@ucdavis.edu

The data collected here is publicly available and was largely extracted from the online database Happy-Whale.com [2]. However, when possible and permitted, it includes observations from other databases and from individual observers, including the first author.

II.   ACOUSTIC INTERACTIONS

To motivate collecting observations of Twain's long life history, it will help to summarize the results reported in Ref. [1]. This sets the scientific context and grounds the interest in this individual animal.

Though unidentified at the time, Twain was encountered on 18 August 2021, documented both by fluke photograph (see Fig. 4a) and by hydrophone recording. The most notable event occurred when reviewing the hydrophone recording: there was a singularly clear example of the purported humpback "throp" social call [5–10]. That recording was selected for use in the next day's acoustic playback experiments.

The extended call-and-response exchanges occurred on 19 August. The exchanges were initiated by the very close approach (20 m) of the animal to the research vessel. Researchers then decided to broadcast the recording of the previous day's selected call through an underwater loudspeaker. In fact, two additional playbacks were broadcast roughly a minute apart until a response vocalization—a throp social call—was heard from the animal.

Fluke photographs were also taken during the exchanges. Afterwards the animal was identified using HappyWhale.com as SEAK-0404 (Twain) from uploaded fluke photographs. Reference [1]'s statistical analyses of the hydrophone recordings corroborated that the exchanges involved a single individual and that the individual was the animal who's throp call had been recorded the previous day and used, inadvertently and unintentionally, as the playback call during the exchanges.

Rapid access to the HappyWhale.com online database greatly facilitated identifying the animal encountered. It should also be pointed out that this was also helped in large measure by being in line-of-sight of a land-based cell tower that gave online access to HappyWhale.com. The fluke shots were matched in short order as SEAK-0401, after properly preparing and uploading them.

Reference [1] provides fuller detail. The following complements that report with the long history of Twain's sightings in Southeast Alaska and Hawaii.

III.   SIGHTINGS

One of the conundrums animal behavior databases such as HappyWhale.com are rapidly coming to address is that a number of observers have seen and photographed the same animal. One consequence is that a given animal becomes known by a large number of identification labels and the supporting observation data is stored across many databases. For example, Table I lists the ten current IDs for Twain. Needless to say, this redundant labeling both aids and complicates confident identification.

Humpback whale morphology cooperates to some extent to ameliorate these problems and improve unique identifications. The ventral side of their flukes carries unique marks—genetically or not determined pigmentations and shapes, cuts, and abrasions due to fishing-gear entanglements or encounters with boats, ships, killer whales, and great white sharks—to mention a few sources of their unique markings. Happywhale.com takes properly formatted user-uploaded fluke photographs and applies a machine-learning image-classification algorithm to these markings to compare a subject animal to those fluke photos already uploaded and identified. It does so with remarkably high accuracy.

There are other databases than this, though. In many cases, these have been assembled over many years by hand by working marine biologists and citizen scientists alike. One—*Humpback Whales of Southeast Alaska*, that was used here—is maintained by the University of Alaska Southeast (UASE) [11]. And, there are individual whale watchers that curate their own collection of humpback photo IDs.

Organization (Database)	Identification
UH KBMML	SEAK-0401
	AK19_0098
UAS/GB	FS02-24a-01a
UAS/GB	FS03-11(34A)
	HI04-0062
	HW-MN0440644
	PWF-NP_3005
Oregon State	OSUWTG-MnSEAK-314
	SPLASH-430588
UAS/GB	SEAK-2450

TABLE I: Diversity of Twain identifying labels. See Table III for abbreviations.

The result then of combing through these databases and contacting their curators and a number of individual contributors is compiled in Table II. It catalogs most all known sightings of humpback whale Twain.

The majority of the sightings listed in Table II are available via HappyWhale.com and the UASE catalog. At the former, searching for "SEAK-0401" there retrieves the majority of the sightings listed in Table II, including the documenting fluke photographs. Using the latter one can verify the animal's identification for themselves, once a familiarity with the fluke markings is developed.

For the latter, in Twain's case on the left of the fluke underside there are three diagonal linear-markings, with

(a) Maui sightings.

(b) Southeast Alaska sightings.

FIG. 2: Twain sightings: (a) West Maui and (b) Southeast Alaska. OpenStreetMap CC BY-SA 2.0.

the middle marking consisting of three co-linear white circles. These allowed moderately rapid visual identification, even in the presence of highly-variable photographic quality and fluke orientation.

In addition to an ID label and fluke photograph, reported sightings typically, but not always, include date, time, and latitude and longitude of the encounter. Occasionally, there are circumstantial comments; see, for example Table II's Comment column.

The earliest publicly-documented sighting, listed on HappyWhale, was in 1987. However, personal communications suggest earlier sightings in 1984-1985 [4]. Thus, the available documentation indicates that Twain is at least 38 years old and, likely, even older. Given a speculated lifespan of 70 years the observation record covers the majority of Twain's life.

The gallery presented here of almost four decades of fluke identifications does lead to further interesting observations and questions.

For example, the July 2019 sighting notes that Twain was seen with a calf. While the recent July and August 2022 sightings suggest that Twain was participating in bubble-net feeding groups. In addition, the gallery also allows one to see how much Twain's fluke markings changed. Encrustations—barnacles and vegetal growths—on her fluke tips clearly change, as expected. Also, between 2008 and 2009 Twain's left fluke trailing edge took on a semi-circular divot. This is seen in the photos on the left fluke, close to and to the left of the fluke notch. This feature particularly helpful for identification in later years. It is clearly seen in all photos since 2009. See Fig. 5.

IV. CONCLUSION

Twain's documented long life-history adds a new dimension to the recent extended acoustic exchanges reported in Ref. [1]. Rather than the latter being a singular encounter—and one unlikely to be repeated given the exigencies of very remote field work—it is now associated with an individual animal—a female, mother, widely traveled, with a record of health and interactions indelibly recorded on her fluke.

While there is still much to extract from the documented history and the acoustic interactions, a number of lessons have been learned and hopes for the future kindled.

The clear benefit of humpback fluke databases to appreciating a bit of Twain's long life is unassailable. This leads, especially coming in the current setting motivated by acoustic interactions with Twain, one to advocate for expanded databases that include, for example, acoustic recordings of individual vocalizations, especially of identified individuals. This is certainly going to be necessary to make headway on understanding humpback social and song communication.

As desirable as these augmented databases will be, creating them presents a series of daunting tasks: from the shear serendipity required in the field to re-engage particular individuals—especially those like Twain who appear to have some motivation or interest in acoustically interacting, to the signal processing methods that will be required for automatic individual identification. These challenges seem to call for a radically new and greatly expanded research effort in cetacean biology and animal

(a) 9 February 1987 Twain Sighting, by PWF, is licensed under CC BY-NC-SA 4.0

(b) Janice Straley (15 August 2002) [3].

(c) Janice Straley (3 August 2003) [3].

(d) 7 February 2004 Twain Sighting, by Flip Nicklin, is licensed under CC BY-NC-ND 4.0

(e) 10 August 2008 Twain Sighting, by Fred Sharpe (image dedicated to Public Domain)

(f) 11 July 2009 Twain Sighting, by Eric Marshall (image dedicated to Public Domain)

(g) 15 November 2009 Twain Sighting (NMFS-JRM-20091115-3-008), by John R. Moran, is used with permission

(h) 30 July 2011 Twain Sighting, by Jim Nahmens (image dedicated to Public Domain)

(i) 14 November 2015 Twain Sighting, Craig Hayslip, is licensed under CC BY-SA 4.0

(j) 14 November 2015 Twain Sighting, by Craig Hayslip, is licensed under CC BY-SA 4.0

(k) 21 December 2017 Twain Sighting, by PWF, is licensed under CC BY-NC-SA 4.0

(l) 6 August 2019 Twain Sighting, by Meagan Jones, is licensed under CC BY-NC-ND 4.0

FIG. 3: Historical humpback whale Twain (SEAK-0401) identifications in chronological order. First sighting at least as early as 1984 in Alaska [4], not shown. See Table I for alternate identification tags and Table II for sighting details.

(a) 18 August 2021 Twain Sighting, by Clark Snodgrass, is licensed under CC BY-SA 4.0

(b) 19 August 2021 Twain Sighting by Jodi Frediani, is licensed under CC BY-ND 4.0 (first accessed in June 2022).

(c) 19 September 2021 Twain Sighting, by Andy Szabo, is © 2022 Andy Szabo and used with permission.

(d) 19 July 2022 Twain Sighting, by Jim Nahmens, is licensed under CC BY-NC-ND 4.0

(e) 12 August 2022 Twain Sighting, by Lars Rasmussen (image dedicated to Public Domain)

(f) 28 August 2022 Twain Sighting, by Mindy Huston (image dedicated to Public Domain)

FIG. 4: Recent humpback whale Twain (SEAK-0401) sightings (2021 and after): Most recently seen 28 August 2022 in southeast Alaska. See Table I for alternate identification tags and Table II for sighting details. (HappyWhale.com, accessed on or before 16 August 2022.)

communication coordinated with mathematical, technical, and field innovations.

ADDITIONAL INFORMATION

Correspondence and requests for materials should be addressed to the first author. The authors would very

(a) 10 August 2008 by Fred Sharpe, AWF (image dedicated to Public Domain) (b) 11 July 2009 Photo, by Eric Marshall, ASA (image dedicated to Public Domain)

FIG. 5: Evolution of Twain's identifying fluke marks: (Left) In 2008 the characteristic three-parallel-line marks (yellow circle) are apparent. (Right) In 2009 these marks are seen again (dimly), but in addition a semi-circular divot appears on the left trailing fluke edge (green circle). Also, note the characteristic, for Twain, barnacle growth on the fluke tips.

much appreciate new and also corrected information to help complete as much as possible of Twain's life history.

ACKNOWLEDGMENTS

Particular thanks to Scott Baker, Ted Cheeseman, John Moran, Fred Sharpe, Janice Straley, Clark Snodgrass, and Andy Szabo for sharing observational data. J.P.C. thanks Brenda McCowan, Fred Sharpe, and Clark Snodgrass for helpful discussions. The prior field investigations noted were conducted under National Marine Fisheries Service Research Permit #19703 and partially funded by Templeton World Charity Foundation Diverse Intelligences grant TWCF0570 to University of California, Davis (Lead P.I. J. P. Crutchfield) and Templeton World Charity Foundation grant TWCF0440 to the SETI Institute (Lead P.I. L. Doyle; Co-PIs J. P. Crutchfield, M. Fournet, B. McCowan, and F. Sharpe).

Author contributions: J.P.C. and A.M.J. collected the sighting data from the cited sources, wrote and edited the manuscript, and created the graphics.

Funding: This survey was supported by, or in part by, Templeton World Charity Foundation Diverse Intelligences grant TWCF0570 (Lead P.I. J. P. Crutchfield) and Foundational Questions Institute and Fetzer Franklin Fund grant FQXI-RFP-CPW-2007 (Lead P.I. J. P. Crutchfield) to the University of California, Davis. The opinions expressed in this report are those of the authors and do not necessarily reflect the views of Templeton World Charity Foundation, Inc.

Competing Interests: None declared.
Data and materials availability: Data needed to evaluate the conclusions are available in the cited sources.

[1] J. P. Crutchfield et al. Twainspotting: Identity revealed during a simple, but extended conversation with a humpback whale. *in preparation*, 2022. 1, 2, 3, 8

[2] T. Cheeseman et al. Advanced image recognition: a fully automated, high-accuracy photo-identification matching system for humpback whales. *Mammalian Biology*, 2021. doi:10.1007/s42991-021-00180-9. 2

[3] 2002 sighting: Janice Straley personal communication noted in electronic mail of 20 June 2022. Photo FS02-24.5(01a).jpg in UASE catalog. UAS/GB database, University of Alaska Southeast, Glacier Bay National Park. 4, 8

[4] J. Straley. "CSB84, CSB85 (Scott Baker photographer)". Personal communication, 6/20/2022. 3, 4

[5] L. A. Wild and C. M. Gabriele. Putative contact calls made by humpback whales (*Magaptera Novaeangliae*) in southeastern alaska. *Canadian Acoustics*, 42(4):23–31, 2014. 2

[6] M. E. H. Fournet et al. Some things never change: Multi-decadal stability in humpback whale calling repertoire on Southeast Alaskan foraging grounds. *Sci. Rep.*, 8:13186, 2018.

[7] M. Rekdahl, C. Tisch, S. Cerchio, and H. Rosenbaum. Common nonsong social calls of humpback whales

(megaptera novaeangliae) recorded off northern Angola, southern Africa. *Mar. Mammal Sci.*, 33:365–375, 2016.

[8] M. E. H. Fournet et al. More of the same: allopatric humpback whale populations share acoustic repertoire. *PeerJ*, 6:e5365, 2018.

[9] R. A. Dunlop, M. J. Noad, D. H. Cato, and D. Stokes. The social vocalization repertoire of east Australian migrating humpback whales (megaptera novaeangliae). *J. Acoust. Soc. Am.*, 122:2893–2905, 2007.

[10] M. L. Rekdahl, R. A. Dunlop, M. J. Noad, and A. W. Goldizen. Temporal stability and change in the social call repertoire of migrating humpback whales. *J. Acoust. Soc. Am.*, 133:1785–1795, 2013. 2

[11] J. M. Straley. Humpback whales of Southeastern Alaska. https://www.alaskahumpbacks.org/flukeIDcatalog.html, 2012.

[12] Observation used with permission of C. Scott Baker; electronic mails of 9 May 2002 and 20 June 2022. Photos in UAS/GB database, University of Alaska Southeast, Glacier Bay National Park. 8

[13] 2003 sighting: Janice Straley personal communication noted in electronic mail of 20 June 2022. Photo FS03-11(34A).jpg in UASE catalog. UAS/GB database, University of Alaska Southeast, Glacier Bay National Park. 8

[14] 2009 sighting by John R. Moran. Fluke photo NMFS-JRM-20091115-3-008.png in UASE catalog. 8

[15] 2020 sighting by unknown. Fluke photo UASE-HER-20100630-1-034 1960.png in UASE catalog. 8

Sight	Date	Time	Location	Region	Lat	Long	Fluke	Observer	Org	Source	Comment
1	1984			Alaska				C. Scott Baker	UH	[12]	First sighting
2	1985			Hawaii				C. Scott Baker	UH	[12]	
3	02/09/1987		Maalaea Bay, Maui	Hawaii	20.766431	-156.49153	Fig. 3a		PWF	HW	
4	08/15/2002		Fanshaw Bay	SEAK	57.2125	-133.53417	Fig. 3b	Janice Straley	UASE	[3]	
5	08/03/2003		Frederick Sound	SEAK	57.10999	-133.80528	Fig. 3c	Janice Straley	UASE	[13]	
6	02/07/2004	10:08	Lahaina, Maui	Hawaii	20.87	-156.7		Meagan Jones	WT	HW	
7	02/07/2004		Lahaina, Maui	Hawaii			Fig. 3d	Flip Nicklin	WT	HW	
8	08/10/2008	11:54	Fanshaw Bay	SEAK	57.2	-133.5	Fig. 3e	Frederick Sharpe	AWF	HW	
9a	07/11/2009	12:46	South Stephens Passage	SEAK	57.8169	-133.8427	Fig. 3f	Eric Marshall	ASA	HW	Fluke notch
9b	07/11/2009	12:59	Admiralty Island	SEAK			HW	Adam Pack	TDI	HW	
10	11/15/2009	14:27	Hoonah-Angoon	SEAK	57.75052	-134.0299	Fig. 3g	John R. Moran	NMFS	[14]	
11	06/30/2010			SEAK					UASE	[15]	
12	07/30/2011	08:27	Entrance to Port Houghton	SEAK	57.315193	-133.47176	Fig. 3h	Jim Nahmens	ASA	HW	
13	11/14/2015	10:30	Hoonah-Angoon	SEAK	57.8205	-134.0587	Fig. 3i	Craig Hayslip	OSU	HW	
14	11/14/2015	18:39	Inside Passage	SEAK	57.825291	-134.08503	Fig. 3j	Craig Hayslip	OSU	HW	
15	12/21/2017	09:35	Maalaea Bay, Maui	Hawaii	20.739717	-156.57159	Fig. 3k		PWF	HW	
16	07/28/2019	14:19	Gambier Bay, Stephens Passage	SEAK	57.68264	-133.66423	HW	Dennis Rogers	ASA	HW	With calf
17	08/06/2019	11:54	Frederick Sound Houghton,	SEAK	57.30983056	-133.56564	Fig. 3l	Meagan Jones	WT	HW	
18	08/18/2021	14:55	Frederick Sound Southwest of	SEAK	57.3379	-133.49898	Fig. 4a	Clark Snodgrass	NGST	HW	Throp recorded
19	08/19/2021	11:19	Point Walpole	SEAK	57.2772	-133.5482	Fig. 4b	James Crutchfield	UCD	HW	Interaction [1]
20	09/19/2021	14:41	Frederick Sound	SEAK	57.290127	-133.63326	Fig. 4c	Andy Szabo	AWF	HW	
21	07/19/2022	11:27	Port Houghton, Stephens Passage	SEAK	57.313702	-133.524077	Fig. 4d	Jim Nahmens	ASA	HW	Bubble net group
22	08/12/2022	16:03	Petersburg	SEAK			Fig. 4e	Lars Rasmussen	AQV	HW	6 socially feeding
23	08/28/2022	17:24		SEAK			Fig. 4f	Mindy Huston	ASA	HW	

TABLE II: Chronology of Twain sightings.

Abbreviation	Entity
AQV	Ocean Victory, American Queen Voyages
ASA	Alaska Sea Adventures
AWF	Alaska Whale Foundation
HW	HappyWhale.com
NGST	Northrop Grumman Space Technology
OSU	Oregon State University
PWF	Pacific Whale Foundation
SEAK	Southeast Alaska
TDI	The Dolphin Institute
UAS/GB	University of Alaska Southeast, Glacier Bay National Park database
UCD	University of California, Davis
UH	University of Hawaii
UH KBMML	University of Hawaii Kewalo Basin Marine Mammal Lab
WT	Whale Trust

TABLE III: Abbreviations.